

U1419 Permanent Archive List														
Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1419	A	1	H	1	1.50	1.50	0.00	1.50	-0.02	1.48		accommodates splice	
341	U1419	A	1	H	2	1.50	1.50	1.50	3.00	1.48	2.98	0	accommodates splice	
341	U1419	A	1	H	3	1.50	1.50	3.00	4.50	2.98	4.48	0	accommodates splice	
341	U1419	A	1	H	4	1.50	1.50	4.50	6.00	4.48	5.98	0	accommodates splice	
341	U1419	A	1	H	5	1.25	1.25	6.00	7.25	5.98	7.24	0	accommodates splice	
341	U1419	A	1	H	CC	0.18	0.18	7.25	7.43	7.24	7.42	0	accommodates splice	
341	U1419	A	2	H	2	1.50	1.50	8.90	10.40	7.34	8.84	-0.08	accommodates splice	
341	U1419	A	2	H	3	1.50	1.50	10.40	11.90	8.84	10.34	0	accommodates splice	
341	U1419	A	2	H	4	1.50	1.50	11.90	13.40	10.34	11.84	0	accommodates splice	
341	U1419	A	2	H	5	1.50	1.50	13.40	14.90	11.84	13.34	0	accommodates splice	
341	U1419	A	2	H	6	1.41	1.41	14.90	16.31	13.34	14.75	0	accommodates splice	
341	U1419	A	2	H	7	0.71	0.71	16.31	17.02	14.75	15.46	0	accommodates splice	
341	U1419	A	2	H	CC	0.18	0.18	17.02	17.20	15.46	15.64	0	accommodates splice	
341	U1419	A	3	H	1	1.50	1.50	16.90	18.40	18.37	19.87	2.73	accommodates splice	
341	U1419	A	3	H	2	1.50	1.50	18.40	19.90	19.87	21.37	0	accommodates splice	
341	U1419	A	3	H	3	1.50	1.50	19.90	21.40	21.37	22.87	0	accommodates splice	
341	U1419	A	3	H	4	1.50	1.50	21.40	22.90	22.87	24.37	0	accommodates splice	
341	U1419	A	3	H	5	1.50	1.50	22.90	24.40	24.37	25.87	0	accommodates splice	
341	U1419	A	3	H	6	1.50	1.50	24.40	25.90	25.87	27.37	0	accommodates splice	
341	U1419	A	3	H	7	0.57	0.57	25.90	26.47	27.37	27.94	0	accommodates splice	
341	U1419	A	3	H	CC	0.18	0.18	26.47	26.65	27.94	28.12	0	accommodates splice	
341	U1419	C	4	H	3	1.40	1.41	23.91	25.32	28.07	29.48	-0.05	accommodates splice	
341	U1419	C	4	H	4	1.40	1.46	25.32	26.78	29.48	30.94	0	accommodates splice	
341	U1419	C	4	H	5	1.40	1.45	26.78	28.23	30.94	32.39	0	accommodates splice	
341	U1419	C	4	H	6	1.40	1.46	28.23	29.69	32.39	33.85	0	accommodates splice	
341	U1419	C	4	H	7	1.25	1.30	29.69	30.99	33.85	35.15	0	accommodates splice	
341	U1419	C	4	H	CC	0.39	0.39	30.99	31.38	35.15	35.54	0	accommodates splice	
341	U1419	C	5	H	1	1.40	1.48	30.50	31.98	35.35	36.83	-0.19	accommodates splice	
341	U1419	C	5	H	2	1.40	1.46	31.98	33.44	36.83	38.29	0	accommodates splice	
341	U1419	C	5	H	3	1.40	1.48	33.44	34.92	38.29	39.77	0	accommodates splice	
341	U1419	C	5	H	4	1.40	1.50	34.92	36.42	39.77	41.27	0	accommodates splice	
341	U1419	C	5	H	5	1.40	1.50	36.42	37.92	41.27	42.77	0	accommodates splice	
341	U1419	C	5	H	6	1.43	1.54	37.92	39.46	42.77	44.31	0	accommodates splice	
341	U1419	C	5	H	CC	0.32	0.32	39.46	39.78	44.31	44.63	0	accommodates splice	
341	U1419	B	5	H	2	1.40	1.43	38.43	39.86	44.37	45.80	-0.26	accommodates splice	
341	U1419	A	6	H	1	1.50	1.50	38.90	40.40	45.82	47.12	-0.18	accommodates splice	
341	U1419	A	6	H	2	1.50	1.50	40.40	41.90	47.12	48.62	0	accommodates splice	
341	U1419	A	6	H	3	1.50	1.50	41.90	43.40	48.62	50.12	0	accommodates splice	
341	U1419	A	6	H	4	1.50	1.50	43.40	44.90	50.12	51.62	0	accommodates splice	
341	U1419	A	6	H	5	1.50	1.50	44.90	46.40	51.62	53.12	0	accommodates splice	
341	U1419	A	6	H	6	1.46	1.46	46.40	47.86	53.12	54.58	0	accommodates splice	
341	U1419	A	6	H	CC	0.23	0.23	47.86	48.09	54.58	54.81	0	accommodates splice	
341	U1419	C	7	H	1	0.55	0.55	48.70	49.25	55.75	56.30	0.94	accommodates splice	split liner
341	U1419	C	7	H	2	1.40	1.40	49.25	50.65	56.30	57.70	0	accommodates splice	split liner
341	U1419	C	7	H	3	1.40	1.40	50.65	52.05	57.70	59.10	0	accommodates splice	split liner
341	U1419	C	7	H	4	1.44	1.46	52.05	53.51	59.10	60.56	0	accommodates splice	split liner
341	U1419	E	11	H	1	1.40	1.45	51.90	53.35	61.07	62.52	0.51	accommodates splice	
341	U1419	E	11	H	2	1.40	1.44	53.35	54.79	62.52	63.96	0	accommodates splice	
341	U1419	E	11	H	3	1.40	1.45	54.79	56.24	63.96	65.41	0	accommodates splice	
341	U1419	E	11	H	4	1.40	1.46	56.24	57.70	65.41	66.87	0	accommodates splice	
341	U1419	A	8	H	1	1.50	1.55	57.90	59.45	66.88	68.43	0.01	accommodates splice	
341	U1419	A	8	H	2	1.50	1.54	59.45	60.99	68.43	69.97	0	accommodates splice	
341	U1419	A	8	H	3	1.50	1.54	60.99	62.53	69.97	71.51	0	accommodates splice	
341	U1419	A	8	H	4	1.50	1.58	62.53	64.11	71.51	73.09	0	accommodates splice	
341	U1419	A	8	H	5	1.50	1.55	64.11	65.66	73.09	74.64	0	accommodates splice	
341	U1419	A	8	H	6	1.50	1.58	65.66	67.24	74.64	76.22	0	accommodates splice	
341	U1419	A	8	H	7	0.70	0.73	67.24	67.97	76.22	76.95	0	accommodates splice	
341	U1419	A	8	H	CC	0.24	0.24	67.97	68.21	76.95	77.19	0	accommodates splice	
341	U1419	D	11	H	3	1.40	1.46	65.63	67.09	77.38	78.84	0.19	accommodates splice	
341	U1419	D	11	H	4	1.40	1.49	67.09	68.58	78.84	80.34	0	accommodates splice	
341	U1419	D	11	H	5	1.40	1.49	68.58	70.07	80.34	81.82	0	accommodates splice	
341	U1419	D	11	H	6	1.40	1.47	70.07	71.54	81.82	83.30	0	accommodates splice	
341	U1419	A	9	H	4	1.51	1.55	71.89	73.44	82.65	84.20	-0.65	accommodates splice	
341	U1419	A	9	H	5	1.14	1.14	73.44	74.58	84.20	85.34	0	accommodates splice	
341	U1419	A	9	H	CC	0.49	0.49	74.58	75.07	85.34	85.83	0	accommodates splice	
341	U1419	C	10	H	1	1.50	1.50	72.30	73.80	86.51	88.01	0.68	accommodates splice	pumped out-disturbed
341	U1419	C	10	H	2	0.68	0.68	73.80	74.48	88.01	88.69	0	accommodates splice	pumped out-disturbed
341	U1419	C	10	H	3	1.49	1.49	74.48	75.97	88.69	90.18	0	accommodates splice	pumped out-disturbed

U1419 Permanent Archive List														
Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1419	A	10	H	1	1.12	1.12	75.00	76.12	89.36	90.48	-0.82	accomodates splice	
341	U1419	A	10	H	2	1.49	1.49	76.12	77.61	90.48	91.97	0	accomodates splice	
341	U1419	D	14	H	4	1.40	1.45	77.67	79.12	92.15	93.60	0.18	accomodates splice	
341	U1419	D	14	H	5	0.88	0.88	79.12	80.00	93.60	94.48	0	accomodates splice	
341	U1419	D	14	H	CC	0.21	0.21	80.00	80.21	94.48	94.69	0	accomodates splice	
341	U1419	B	10	H	1	1.40	1.41	78.10	79.51	95.16	96.57	0.47	accomodates splice	
341	U1419	B	10	H	2	1.40	1.44	79.51	80.95	96.57	98.01	0	accomodates splice	
341	U1419	A	10	H	CC	0.65	0.65	83.14	83.79	97.50	98.15	-0.51	accomodates splice	
341	U1419	B	10	H	3	0.57	0.59	80.95	81.54	98.01	98.60	-0.14	accomodates splice	
341	U1419	B	10	H	CC	0.33	0.33	81.54	81.87	98.60	98.93	0	accomodates splice	
341	U1419	D	15	H	1	1.40	1.40	80.10	81.50	99.70	101.10	0.77	accomodates splice	
341	U1419	D	15	H	2	0.99	0.99	81.50	82.49	101.10	102.09	0	accomodates splice	
341	U1419	A	11	H	1	1.30	1.30	84.50	85.80	102.77	104.07	0.68	accomodates splice	
341	U1419	A	11	H	2	1.32	1.32	85.80	87.12	104.07	105.39	0	accomodates splice	
341	U1419	A	11	H	3	0.92	0.92	87.12	88.04	105.39	106.31	0	accomodates splice	
341	U1419	A	11	H	CC	0.25	0.25	88.04	88.29	106.31	106.56	0	accomodates splice	
341	U1419	C	13	H	3	1.10	1.10	86.20	87.30	106.37	107.47	-0.19	accomodates splice	
341	U1419	C	13	H	4	0.71	0.71	87.30	88.01	107.47	108.18	0	accomodates splice	
341	U1419	A	12	H	1	1.40	1.40	88.20	89.60	107.85	109.25	-0.33	accomodates splice	
341	U1419	A	12	H	2	1.40	1.40	89.60	91.00	109.25	110.65	0	accomodates splice	
341	U1419	A	12	H	3	1.50	1.50	91.00	92.50	110.65	112.15	0	accomodates splice	
341	U1419	A	12	H	4	1.40	1.40	92.50	93.90	112.15	113.55	0	deepest hole, below splice	
341	U1419	A	12	H	5	1.40	1.40	93.90	95.30	113.55	114.95	0	deepest hole, below splice	
341	U1419	A	12	H	6	1.40	1.40	95.30	96.70	114.95	116.35	0	deepest hole, below splice	
341	U1419	A	12	H	7	0.85	0.85	96.70	97.55	116.35	117.20	0	deepest hole, below splice	
341	U1419	A	12	H	CC	0.21	0.21	97.55	97.76	117.20	117.41	0	deepest hole, below splice	
341	U1419	A	13	H	1	0.60	0.60	97.70	98.30	119.36	119.96	1.95	deepest hole, below splice	
341	U1419	A	13	H	CC	0.11	0.11	98.30	98.41	119.96	120.07	0	deepest hole, below splice	
341	U1419	A	14	H	1	1.50	1.50	98.40	99.90	120.54	122.04	0.47	deepest hole, below splice	
341	U1419	A	14	H	2	1.50	1.50	99.90	101.40	122.04	123.54	0	deepest hole, below splice	
341	U1419	A	14	H	3	0.79	0.79	101.40	102.19	123.54	124.33	0	deepest hole, below splice	
341	U1419	A	14	H	CC	0.30	0.30	102.19	102.49	124.33	124.63	0	deepest hole, below splice	
341	U1419	A	15	H	1	1.39	1.39	103.10	104.49	125.22	126.61	0.59	deepest hole, below splice	
341	U1419	A	15	H	CC	0.24	0.24	104.49	104.73	126.61	126.85	0	deepest hole, below splice	
341	U1419	A	16	H	1	1.40	1.40	104.70	106.10	129.35	130.75	2.5	deepest hole, below splice	
341	U1419	A	16	H	2	1.40	1.40	106.10	107.50	130.75	132.15	0	deepest hole, below splice	
341	U1419	A	16	H	3	1.26	1.26	107.50	108.76	132.15	133.41	0	deepest hole, below splice	
341	U1419	A	16	H	4	0.56	0.56	108.76	109.32	133.41	133.97	0	deepest hole, below splice	
341	U1419	A	16	H	CC	0.27	0.27	109.32	109.59	133.97	134.24	0	deepest hole, below splice	
341	U1419	A	17	H	1	1.45	1.45	109.40	110.85	138.06	139.51	3.82	deepest hole, below splice	
341	U1419	A	17	H	2	1.45	1.45	110.85	112.30	139.51	140.96	0	deepest hole, below splice	
341	U1419	A	17	H	3	1.30	1.30	112.30	113.60	140.96	142.26	0	deepest hole, below splice	
341	U1419	A	17	H	CC	0.20	0.20	113.60	113.80	142.26	142.46	0	deepest hole, below splice	
341	U1419	A	18	H	1	1.50	1.50	113.80	115.30	142.46	143.96	0	deepest hole, below splice	
341	U1419	A	18	H	2	0.88	0.88	115.30	116.18	143.96	144.84	0	deepest hole, below splice	
341	U1419	A	18	H	CC	0.27	0.27	116.18	116.45	144.84	145.11	0	deepest hole, below splice	
341	U1419	A	19	H	1	1.31	1.31	116.40	117.71	145.06	146.37	-0.05	deepest hole, below splice	
341	U1419	A	19	H	2	0.63	0.63	117.71	118.34	146.37	147.00	0	deepest hole, below splice	
341	U1419	A	19	H	CC	0.21	0.21	118.34	118.55	147.00	147.21	0	deepest hole, below splice	
341	U1419	A	21	X	1	0.97	0.97	118.60	119.57	147.26	148.23	0.05	deepest hole, below splice	
341	U1419	A	21	X	CC	0.48	0.48	119.57	120.05	148.23	148.71	0	deepest hole, below splice	
341	U1419	A	23	X	1	1.50	1.50	138.00	139.50	166.66	168.16	17.95	deepest hole, below splice	
341	U1419	A	23	X	2	1.50	1.50	139.50	141.00	168.16	169.66	0	deepest hole, below splice	
341	U1419	A	23	X	3	1.50	1.50	141.00	142.50	169.66	171.16	0	deepest hole, below splice	
341	U1419	A	23	X	4	1.01	1.01	143.51	143.51	171.16	172.17	0	deepest hole, below splice	
341	U1419	A	23	X	5	0.59	0.59	143.51	144.10	172.17	172.76	0	deepest hole, below splice	
341	U1419	A	23	X	CC	0.38	0.38	144.10	144.48	172.76	173.14	0	deepest hole, below splice	
341	U1419	A	24	X	1	1.01	1.01	147.70	148.71	176.36	177.37	3.22	deepest hole, below splice	
341	U1419	A	24	X	2	0.55	0.55	148.71	149.26	177.37	177.92	0	deepest hole, below splice	
341	U1419	A	24	X	CC	0.44	0.44	149.26	149.70	177.92	178.36	0	deepest hole, below splice	
341	U1419	A	25	X	1	0.85	0.85	157.40	158.25	186.06	186.91	7.7	deepest hole, below splice	
341	U1419	A	25	X	CC	0.51	0.51	158.25	158.76	186.91	187.42	0	deepest hole, below splice	
341	U1419	A	26	X	1	1.50	1.50	168.60	167.10	195.76	197.26	8.34	deepest hole, below splice	
341	U1419	A	26	X	2	0.56	0.56	168.60	169.16	197.26	197.82	0	deepest hole, below splice	
341	U1419	A	26	X	CC	0.12	0.12	169.16	169.28	197.82	197.94	0	deepest hole, below splice	

U1419 Permanent Archive List														
Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1419	A	27	X	1	0.33	0.33	176.80	177.13	205.46	205.79	7.52	deepest hole, below splice	
341	U1419	A	27	X	CC	0.64	0.64	177.13	177.77	205.79	206.43	0	deepest hole, below splice	
341	U1419	A	28	X	CC	0.24	0.24	186.50	186.74	215.16	215.40	8.73	deepest hole, below splice	
341	U1419	A	29	X	CC	0.18	0.18	189.50	189.68	218.16	218.34	2.76	deepest hole, below splice	