

**U1403 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1403	A	1	H	1	1.50	1.50	0.00	1.50	-0.83	0.67		accommodates splice	
342	U1403	A	1	H	2	1.50	1.50	1.50	3.00	0.67	2.17	0.00	accommodates splice	
342	U1403	B	1	H	3	0.75	0.75	3.00	3.75	3.00	3.75	0.83	accommodates splice	
342	U1403	B	1	H	CC	0.15	0.15	3.75	3.90	3.75	3.90	0.00	accommodates splice	
342	U1403	A	2	H	1	1.50	1.50	5.80	7.30	4.17	5.67	0.27	accommodates splice	
342	U1403	A	2	H	2	1.50	1.50	7.30	8.80	5.67	7.17	0.00	accommodates splice	
342	U1403	A	2	H	3	1.50	1.50	8.80	10.30	7.17	8.67	0.00	accommodates splice	
342	U1403	A	2	H	4	1.50	1.50	10.30	11.80	8.67	10.17	0.00	accommodates splice	
342	U1403	A	2	H	5	1.50	1.50	11.80	13.30	10.17	11.67	0.00	accommodates splice	
342	U1403	A	2	H	6	1.50	1.50	13.30	14.80	11.67	13.17	0.00	accommodates splice	
342	U1403	A	2	H	7	0.72	0.72	14.80	15.52	13.17	13.89	0.00	accommodates splice	
342	U1403	A	3	H	1	1.50	1.50	15.30	16.80	13.42	14.92	-0.47	accommodates splice	
342	U1403	A	3	H	2	1.50	1.50	16.80	18.30	14.92	16.42	0.00	accommodates splice	
342	U1403	A	3	H	3	1.50	1.50	18.30	19.80	16.42	17.92	0.00	accommodates splice	
342	U1403	B	3	H	6	1.00	1.00	20.90	21.90	18.70	19.70	0.78	accommodates splice	
342	U1403	B	3	H	7	0.70	0.70	21.90	22.60	19.70	20.40	0.00	accommodates splice	
342	U1403	B	3	H	CC	0.31	0.31	22.60	22.91	20.40	20.71	0.00	accommodates splice	
342	U1403	A	3	H	CC	0.26	0.26	24.93	25.19	23.05	23.31	2.34	accommodates splice	
342	U1403	A	4	H	1	1.50	1.50	24.80	26.30	24.67	26.17	1.36	accommodates splice	
342	U1403	B	4	H	5	1.50	1.50	24.90	26.40	27.85	29.35	1.68	accommodates splice	
342	U1403	B	4	H	6	1.50	1.50	26.40	27.90	29.35	30.85	0.00	accommodates splice	
342	U1403	B	4	H	7	0.76	0.76	27.90	28.66	30.85	31.61	0.00	accommodates splice	
342	U1403	B	4	H	CC	0.27	0.27	28.66	28.93	31.61	31.88	0.00	accommodates splice	
342	U1403	A	4	H	CC	0.26	0.26	34.08	34.34	33.95	34.21	2.07	accommodates splice	
342	U1403	A	5	H	1	1.50	1.50	34.30	35.80	35.02	36.52	0.81	accommodates splice	
342	U1403	B	5	H	5	0.58	0.58	34.00	34.58	37.85	38.43	1.33	accommodates splice	
342	U1403	B	5	H	CC	0.23	0.23	34.58	34.81	38.43	38.66	0.00	accommodates splice	
342	U1403	B	6	H	1	1.50	1.50	34.90	36.40	41.10	42.60	2.44	accommodates splice	
342	U1403	A	5	H	7	0.60	0.60	43.10	43.70	43.82	44.42	1.22	accommodates splice	
342	U1403	A	5	H	CC	0.14	0.14	43.70	43.84	44.42	44.56	0.00	accommodates splice	
342	U1403	A	6	H	1	1.50	1.50	43.80	45.30	45.33	46.83	0.77	accommodates splice	
342	U1403	B	6	H	6	1.50	1.50	42.40	43.90	48.60	50.10	1.77	accommodates splice	
342	U1403	B	6	H	7	0.75	0.75	43.90	44.65	50.10	50.85	0.00	accommodates splice	
342	U1403	B	6	H	CC	0.39	0.39	44.65	45.04	50.85	51.24	0.00	accommodates splice	
342	U1403	B	7	H	1	1.50	1.50	44.40	45.90	52.00	53.50	0.76	accommodates splice	
342	U1403	A	6	H	7	0.52	0.52	52.88	53.40	54.41	54.93	0.91	accommodates splice	
342	U1403	A	6	H	CC	0.29	0.29	53.40	53.69	54.93	55.22	0.00	accommodates splice	
342	U1403	A	7	H	1	1.50	1.50	53.30	54.80	55.08	56.58	-0.14	accommodates splice	
342	U1403	A	7	H	2	1.50	1.50	54.80	56.30	56.58	58.08	0.00	accommodates splice	
342	U1403	A	7	H	3	1.50	1.50	56.30	57.80	58.08	59.58	0.00	accommodates splice	
342	U1403	B	7	H	7	0.67	0.67	53.40	54.07	61.00	61.67	1.42	accommodates splice	
342	U1403	B	7	H	CC	0.26	0.26	54.07	54.33	61.67	61.93	0.00	accommodates splice	
342	U1403	A	7	H	7	0.66	0.66	62.30	62.96	64.08	64.74	2.15	accommodates splice	
342	U1403	A	7	H	CC	0.22	0.22	62.96	63.18	64.74	64.96	0.00	accommodates splice	
342	U1403	A	8	H	1	1.50	1.50	62.80	64.30	66.56	68.06	1.60	accommodates splice	
342	U1403	A	8	H	2	1.50	1.50	64.30	65.80	68.06	69.56	0.00	accommodates splice	
342	U1403	B	8	H	6	1.50	1.50	61.40	62.90	69.78	71.28	0.22	accommodates splice	
342	U1403	B	8	H	7	0.76	0.76	62.90	63.66	71.28	72.04	0.00	accommodates splice	
342	U1403	B	8	H	CC	0.32	0.32	63.66	63.98	72.04	72.36	0.00	accommodates splice	
342	U1403	A	8	H	6	1.50	1.50	70.33	71.83	74.09	75.59	1.73	accommodates splice	
342	U1403	A	8	H	7	0.75	0.75	71.83	72.58	75.59	76.34	0.00	accommodates splice	
342	U1403	A	8	H	CC	0.43	0.43	72.58	73.01	76.34	76.77	0.00	accommodates splice	
342	U1403	A	9	H	1	1.5	1.5	72.3	73.8	76.18	77.68	-0.59	accommodates splice	
342	U1403	B	9	H	6	1.37	1.37	70.90	72.27	79.58	80.95	1.90	accommodates splice	
342	U1403	B	9	H	CC	0.23	0.23	72.27	72.50	80.95	81.18	0.00	accommodates splice	
342	U1403	B	10	H	1	1.45	1.45	72.90	74.35	81.86	83.31	0.68	accommodates splice	
342	U1403	A	9	H	6	1.30	1.30	79.70	81.00	83.58	84.88	0.27	accommodates splice	
342	U1403	A	9	H	7	0.58	0.58	81.00	81.58	84.88	85.46	0.00	accommodates splice	
342	U1403	A	9	H	CC	0.24	0.24	81.58	81.82	85.46	85.70	0.00	accommodates splice	
342	U1403	A	10	H	1	1.51	1.51	81.80	83.31	85.76	87.27	0.06	accommodates splice	

<b>U1403 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1403	B	10	H	6	1.47	1.47	80.22	81.69	89.18	90.65	1.91	accommodates splice	
342	U1403	B	10	H	7	0.85	0.85	81.69	82.54	90.65	91.50	0.00	accommodates splice	
342	U1403	B	10	H	CC	0.26	0.26	82.54	82.80	91.50	91.76	0.00	accommodates splice	
342	U1403	B	11	H	1	1.50	1.50	82.40	83.90	91.99	93.49	0.23	accommodates splice	
342	U1403	A	10	H	7	0.79	0.79	90.71	91.50	94.67	95.46	1.18	accommodates splice	
342	U1403	A	10	H	CC	0.43	0.43	91.50	91.93	95.46	95.89	0.00	accommodates splice	
342	U1403	A	11	H	1	1.50	1.50	91.30	92.80	96.26	97.76	0.37	accommodates splice	
342	U1403	A	11	H	2	1.50	1.50	92.80	94.30	97.76	99.26	0.00	accommodates splice	
342	U1403	B	11	H	7	0.64	0.64	91.19	91.83	100.78	101.42	1.52	accommodates splice	
342	U1403	B	11	H	CC	0.22	0.22	91.83	92.05	101.42	101.64	0.00	accommodates splice	
342	U1403	B	12	H	1	1.50	1.50	91.90	93.40	102.43	103.40	0.79	accommodates splice	
342	U1403	A	11	H	7	0.56	0.56	100.30	100.86	105.26	105.82	1.86	accommodates splice	
342	U1403	A	11	H	CC	0.29	0.29	100.86	101.15	105.82	106.11	0.00	accommodates splice	
342	U1403	B	12	H	7	0.70	0.70	100.47	101.17	111.00	111.70	4.89	accommodates splice	
342	U1403	B	12	H	CC	0.37	0.37	101.17	101.54	111.70	112.07	0.00	accommodates splice	
342	U1403	B	13	H	1	1.50	1.50	101.40	102.90	113.03	114.53	0.96	accommodates splice	
342	U1403	B	13	H	2	1.50	1.50	102.90	104.40	114.53	116.03	0.00	accommodates splice	
342	U1403	B	13	H	3	1.51	1.51	104.40	105.91	116.03	117.54	0.00	accommodates splice	
342	U1403	A	12	H	CC	0.34	0.34	110.55	110.89	119.21	119.55	1.67	accommodates splice	
342	U1403	B	13	H	CC	0.35	0.35	110.76	111.11	122.39	122.74	2.84	accommodates splice	
342	U1403	B	14	H	1	1.50	1.50	110.90	112.40	124.65	126.15	1.91	accommodates splice	
342	U1403	A	13	H	6	1.46	1.46	117.68	119.14	128.20	129.66	2.05	accommodates splice	
342	U1403	A	13	H	7	0.84	0.84	119.14	119.98	129.66	130.50	0.00	accommodates splice	
342	U1403	A	13	H	CC	0.27	0.27	119.98	120.25	130.50	130.77	0.00	accommodates splice	
342	U1403	B	14	H	7	0.53	0.53	119.41	119.94	133.16	133.69	2.39	accommodates splice	
342	U1403	B	14	H	CC	0.23	0.23	119.94	120.17	133.69	133.92	0.00	accommodates splice	
342	U1403	B	15	H	1	1.50	1.50	120.40	121.90	136.15	137.65	2.23	accommodates splice	
342	U1403	A	14	H	7	0.89	0.89	128.64	129.53	139.96	140.85	2.31	accommodates splice	
342	U1403	A	14	H	CC	0.26	0.26	129.53	129.79	140.85	141.11	0.00	accommodates splice	
342	U1403	A	15	H	1	1.50	1.50	129.30	130.80	140.72	142.22	-0.39	accommodates splice	
342	U1403	A	15	H	2	1.50	1.50	130.80	132.30	142.22	143.72	0.00	accommodates splice	
342	U1403	B	15	H	7	0.57	0.57	129.32	129.89	145.07	145.64	1.35	accommodates splice	
342	U1403	B	15	H	CC	0.21	0.21	129.89	130.10	145.64	145.85	0.00	accommodates splice	
342	U1403	B	16	H	1	1.50	1.50	129.90	131.40	146.33	147.83	0.48	accommodates splice	
342	U1403	A	15	H	6	1.41	1.41	136.80	138.21	148.22	149.63	0.39	accommodates splice	
342	U1403	A	15	H	CC	0.22	0.22	138.21	138.43	149.63	149.85	0.00	accommodates splice	
342	U1403	A	16	H	1	1.45	1.45	138.80	140.25	151.76	153.21	1.91	accommodates splice	
342	U1403	B	16	H	6	0.68	0.68	137.40	138.08	153.83	154.51	0.62	accommodates splice	
342	U1403	B	16	H	CC	0.26	0.26	138.08	138.34	154.51	154.77	0.00	accommodates splice	
342	U1403	A	16	H	CC	0.24	0.24	147.56	147.80	160.52	160.76	5.75	accommodates splice	
342	U1403	B	17	X	1	0.88	0.88	138.30	139.18	160.73	161.61	-0.03	accommodates splice	
342	U1403	A	17	H	CC	0.21	0.21	147.80	148.01	161.66	161.87	0.05	accommodates splice	
342	U1403	A	18	X	1	0.76	0.83	148.00	148.83	161.88	162.71	0.01	accommodates splice	
342	U1403	B	18	X	1	1.39	1.39	145.40	146.79	163.38	164.77	0.67	accommodates splice	
342	U1403	B	18	X	CC	0.22	0.22	146.79	147.01	164.77	164.99	0.00	accommodates splice	
342	U1403	A	19	X	1	1.50	1.50	156.00	157.50	173.08	174.58	8.09	accommodates splice	
342	U1403	A	19	X	2	1.50	1.50	157.50	159.00	174.58	176.08	0.00	accommodates splice	
342	U1403	A	19	X	3	1.50	1.50	159.00	160.50	176.08	177.58	0.00	accommodates splice	
342	U1403	B	20	H	6	1.2	1.2	162.53	163.73	180.4	181.6	2.82	accommodates splice	
342	U1403	B	20	H	CC	0.4	0.4	163.73	164.06	181.6	181.93	0.00	accommodates splice	
342	U1403	A	19	X	CC	0.18	0.18	165.47	165.65	182.55	182.73	0.62	accommodates splice	
342	U1403	A	20	X	3	1.50	1.50	168.70	170.20	186.75	188.25	4.02	accommodates splice	
342	U1403	A	20	X	4	1.50	1.50	170.20	171.70	188.25	189.75	0.00	accommodates splice	
342	U1403	A	20	X	5	1.50	1.50	171.70	173.20	189.75	191.25	0.00	accommodates splice	
342	U1403	A	20	X	6	1.40	1.40	173.20	174.60	191.25	192.65	0.00	accommodates splice	
342	U1403	A	20	X	7	0.58	0.58	174.60	175.18	192.65	193.23	0.00	accommodates splice	
342	U1403	A	20	X	CC	0.29	0.29	175.18	175.47	193.23	193.52	0.00	accommodates splice	
342	U1403	B	22	H	1	1.50	1.50	173.00	174.50	196.54	198.04	3.02	accommodates splice	
342	U1403	B	22	H	2	1.40	1.40	174.50	175.90	198.04	199.44	0.00	accommodates splice	
342	U1403	B	22	H	CC	0.07	0.07	175.90	175.97	199.44	199.51	0.00	accommodates splice	

**U1403 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1403	B	23	X	1	1.50	1.50	175.90	177.40	200.56	202.06	1.05	accommodates splice	
342	U1403	B	23	X	2	1.10	1.10	177.40	178.50	202.06	203.16	0.00	accommodates splice	
342	U1403	B	23	X	3	0.61	0.61	178.50	179.11	203.16	203.77	0.00	accommodates splice	
342	U1403	B	23	X	CC	0.46	0.46	179.11	179.57	203.77	204.23	0.00	accommodates splice	
342	U1403	B	24	X	1	1.33	1.33	184.50	185.83	210.02	211.35	5.79	accommodates splice	
342	U1403	B	24	X	CC	0.29	0.29	185.83	186.12	211.35	211.64	0.00	accommodates splice	
342	U1403	A	22	X	3	0.72	0.72	187.60	188.32	212.48	213.20	0.84	accommodates splice	
342	U1403	A	22	X	CC	0.39	0.39	188.32	188.71	213.20	213.59	0.00	accommodates splice	
342	U1403	A	23	X	1	1.50	1.50	194.80	196.30	216.33	217.83	2.74	accommodates splice	
342	U1403	B	25	X	6	1.25	1.25	195.00	196.25	219.09	220.34	1.26	accommodates splice	
342	U1403	B	25	X	7	0.76	0.76	196.25	197.01	220.34	221.10	0.00	accommodates splice	
342	U1403	B	26	X	1	1.50	1.50	197.20	198.70	222.65	224.15	1.55	accommodates splice	
342	U1403	A	23	X	7	0.61	0.61	203.50	204.11	225.03	225.64	0.88	accommodates splice	
342	U1403	A	23	X	CC	0.23	0.23	204.11	204.34	225.64	225.87	0.00	accommodates splice	
342	U1403	A	24	X	CC	0.32	0.32	204.50	204.82	227.00	227.32	1.13	accommodates splice	
342	U1403	B	26	X	CC	0.37	0.37	203.21	203.58	228.66	229.03	1.34	accommodates splice	
342	U1403	B	27	X	CC	0.23	0.23	206.90	207.13	233.32	233.55	4.29	accommodates splice	
342	U1403	A	25	X	CC	0.50	0.50	217.85	218.35	240.87	241.37	7.32	accommodates splice	
342	U1403	B	28	X	1	1.50	1.50	216.60	218.10	247.00	248.50	5.63	accommodates splice	
342	U1403	A	26	X	6	1.26	1.26	222.00	223.26	249.08	250.34	0.58	accommodates splice	
342	U1403	A	26	X	7	0.66	0.66	223.26	223.92	250.34	251.00	0.00	accommodates splice	
342	U1403	A	26	X	CC	0.29	0.29	223.92	224.21	251.00	251.29	0.00	accommodates splice	
342	U1403	A	27	X	1	1.50	1.50	224.20	225.70	251.89	253.39	0.60	accommodates splice	
342	U1403	B	28	X	6	0.74	0.74	223.61	224.35	254.01	254.75	0.62	accommodates splice	
342	U1403	B	28	X	CC	0.12	0.12	224.35	224.47	254.75	254.87	0.00	accommodates splice	
342	U1403	A	27	X	CC	0.14	0.14	233.10	233.24	260.79	260.93	5.92	accommodates splice	
342	U1403	A	28	X	1	1.50	1.50	233.90	235.40	262.69	264.19	1.76	accommodates splice	
342	U1403	B	29	X	6	0.97	0.97	233.40	234.37	265.82	266.79	1.63	accommodates splice	
342	U1403	B	29	X	CC	0.31	0.31	234.37	234.68	266.79	267.10	0.00	accommodates splice	
342	U1403	B	30	X	1	1.50	1.50	236.00	237.50	268.89	270.39	1.79	accommodates splice	
342	U1403	A	28	X	6	0.61	0.61	241.40	242.01	270.19	270.80	-0.20	accommodates splice	
342	U1403	B	30	X	2	1.50	1.50	237.50	239.00	270.39	271.89	-0.41	single hole below splice	
342	U1403	B	30	X	3	1.50	1.50	239.00	240.50	271.89	273.39	0.00	single hole below splice	
342	U1403	B	30	X	4	0.92	0.92	240.50	241.42	273.39	274.31	0.00	single hole below splice	
342	U1403	B	30	X	CC	0.22	0.22	241.42	241.64	274.31	274.53	0.00	single hole below splice	
342	U1403	B	31	X	1	1.50	1.50	245.70	247.20	279.56	281.06	5.03	single hole below splice	
342	U1403	B	31	X	2	1.50	1.50	247.20	248.70	281.06	282.56	0.00	single hole below splice	
342	U1403	B	31	X	3	1.50	1.50	248.70	250.20	282.56	284.06	0.00	single hole below splice	
342	U1403	B	31	X	4	1.21	1.21	250.20	251.41	284.06	285.27	0.00	single hole below splice	
342	U1403	B	31	X	CC	0.51	0.51	251.41	251.92	285.27	285.78	0.00	single hole below splice	
342	U1403	B	32	X	1	1.50	1.50	255.40	256.90	290.23	291.73	4.45	single hole below splice	
342	U1403	B	32	X	2	1.50	1.50	256.90	258.40	291.73	293.23	0.00	single hole below splice	
342	U1403	B	32	X	3	1.50	1.50	258.40	259.90	293.23	294.73	0.00	single hole below splice	
342	U1403	B	32	X	4	1.20	1.20	259.90	261.10	294.73	295.93	0.00	single hole below splice	
342	U1403	B	32	X	5	0.66	0.66	261.10	261.76	295.93	296.59	0.00	single hole below splice	
342	U1403	B	32	X	CC	0.15	0.15	261.76	261.91	296.59	296.74	0.00	single hole below splice	