

**U1406 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1406	B	1	H	1	1.50	1.50	0.00	1.50	0.00	1.50	0.00	accommodates splice	
342	U1406	B	1	H	2	1.50	1.50	1.50	3.00	1.50	3.00	0.00	accommodates splice	
342	U1406	B	1	H	3	1.19	1.19	3.00	4.19	3.00	4.19	0.00	accommodates splice	
342	U1406	B	1	H	CC	0.12	0.12	4.19	4.31	4.19	4.31	0.00	accommodates splice	
342	U1406	C	1	H	3	1.50	1.50	3.00	4.50	4.00	5.50	-0.31	accommodates splice	
342	U1406	C	1	H	4	1.50	1.50	4.50	6.00	5.50	7.00	0.00	accommodates splice	
342	U1406	C	1	H	5	1.50	1.50	6.00	7.50	7.00	8.50	0.00	accommodates splice	
342	U1406	C	1	H	6	1.31	1.31	7.50	8.81	8.50	9.81	0.00	accommodates splice	
342	U1406	C	1	H	7	0.60	0.60	8.81	9.41	9.81	10.41	0.00	accommodates splice	
342	U1406	B	2	H	5	1.50	1.50	10.30	11.80	10.30	11.80	-0.11	accommodates splice	
342	U1406	B	2	H	6	1.50	1.50	11.80	13.30	11.80	13.30	0.00	accommodates splice	
342	U1406	B	2	H	7	0.76	0.76	13.30	14.06	13.30	14.06	0.00	accommodates splice	
342	U1406	B	2	H	CC	0.19	0.19	14.06	14.25	14.06	14.25	0.00	accommodates splice	
342	U1406	C	3	H	1	1.50	1.50	12.40	13.90	13.40	14.90	-0.85	accommodates splice	
342	U1406	C	3	H	2	1.50	1.50	13.90	15.40	14.90	16.40	0.00	accommodates splice	
342	U1406	C	3	H	3	1.50	1.50	15.40	16.90	16.40	17.90	0.00	accommodates splice	
342	U1406	C	3	H	4	1.50	1.50	16.90	18.40	17.90	19.40	0.00	accommodates splice	
342	U1406	C	3	H	5	1.50	1.50	18.40	19.90	19.40	20.90	0.00	accommodates splice	
342	U1406	C	3	H	6	1.50	1.50	19.90	21.40	20.90	22.40	0.00	accommodates splice	
342	U1406	C	3	H	7	0.68	0.68	21.40	22.08	22.40	23.08	0.00	accommodates splice	
342	U1406	C	3	H	CC	0.26	0.26	22.08	22.34	23.08	23.34	0.00	accommodates splice	
342	U1406	B	3	H	6	1.50	1.50	21.30	22.80	22.65	24.15	-0.69	accommodates splice	
342	U1406	B	3	H	7	0.60	0.60	22.80	23.40	24.15	24.75	0.00	accommodates splice	
342	U1406	B	3	H	CC	0.23	0.23	23.40	23.63	24.75	24.98	0.00	accommodates splice	
342	U1406	B	4	H	1	1.16	1.16	23.30	24.46	24.88	26.04	-0.10	accommodates splice	
342	U1406	B	4	H	2	1.50	1.50	24.46	25.96	26.04	27.54	0.00	accommodates splice	
342	U1406	B	4	H	3	1.50	1.50	25.96	27.46	27.54	29.04	0.00	accommodates splice	
342	U1406	B	4	H	4	1.50	1.50	27.46	28.96	29.04	30.54	0.00	accommodates splice	
342	U1406	B	4	H	5	1.50	1.50	28.96	30.46	30.54	32.04	0.00	accommodates splice	
342	U1406	B	4	H	6	1.50	1.50	30.46	31.96	32.04	33.54	0.00	accommodates splice	
342	U1406	B	4	H	7	0.63	0.63	31.96	32.59	33.54	34.17	0.00	accommodates splice	
342	U1406	B	4	H	CC	0.27	0.27	32.59	32.86	34.17	34.44	0.00	accommodates splice	
342	U1406	B	5	H	1	1.50	1.50	29.80	31.30	34.63	36.13	0.19	accommodates splice	
342	U1406	A	4	H	5	1.50	1.50	31.20	32.70	36.73	38.23	0.60	accommodates splice	
342	U1406	A	4	H	6	1.50	1.50	32.70	34.20	38.23	39.73	0.00	accommodates splice	
342	U1406	A	4	H	7	0.65	0.65	34.20	34.85	39.73	40.38	0.00	accommodates splice	
342	U1406	A	4	H	CC	0.24	0.24	34.85	35.09	40.38	40.62	0.00	accommodates splice	
342	U1406	B	5	H	5	1.50	1.50	35.80	37.30	40.63	42.13	0.01	accommodates splice	
342	U1406	B	5	H	6	1.40	1.40	37.30	38.70	42.13	43.53	0.00	accommodates splice	
342	U1406	B	5	H	7	0.72	0.72	38.70	39.42	43.53	44.25	0.00	accommodates splice	
342	U1406	B	5	H	CC	0.23	0.23	39.42	39.65	44.25	44.48	0.00	accommodates splice	
342	U1406	B	6	H	1	1.50	1.50	39.30	40.80	44.27	45.77	-0.21	accommodates splice	
342	U1406	C	6	H	3	1.50	1.50	43.90	45.40	45.31	46.81	-0.46	accommodates splice	
342	U1406	C	6	H	4	1.52	1.52	45.40	46.92	46.81	48.33	0.00	accommodates splice	
342	U1406	C	6	H	5	1.50	1.50	46.92	48.42	48.33	49.83	0.00	accommodates splice	
342	U1406	C	6	H	6	1.50	1.50	48.42	49.92	49.83	51.33	0.00	accommodates splice	
342	U1406	C	6	H	7	0.59	0.59	49.92	50.51	51.33	51.92	0.00	accommodates splice	
342	U1406	C	6	H	CC	0.26	0.26	50.51	50.77	51.92	52.18	0.00	accommodates splice	
342	U1406	B	6	H	7	0.68	0.68	48.30	48.98	53.27	53.95	1.09	accommodates splice	
342	U1406	B	6	H	CC	0.36	0.36	48.98	49.34	53.95	54.31	0.00	accommodates splice	
342	U1406	B	7	H	1	1.50	1.50	48.80	50.30	54.92	56.42	0.61	accommodates splice	
342	U1406	B	7	H	2	1.50	1.50	50.30	51.80	56.42	57.92	0.00	accommodates splice	
342	U1406	B	7	H	3	1.50	1.50	51.80	53.30	57.92	59.42	0.00	accommodates splice	
342	U1406	A	6	H	7	0.77	0.77	52.96	53.73	59.73	60.50	0.31	accommodates splice	
342	U1406	A	6	H	CC	0.23	0.23	53.73	53.96	60.50	60.73	0.00	accommodates splice	
342	U1406	B	7	H	6	1.50	1.50	56.30	57.80	62.42	63.92	1.69	accommodates splice	
342	U1406	B	7	H	7	0.66	0.66	57.80	58.46	63.92	64.58	0.00	accommodates splice	
342	U1406	B	7	H	CC	0.20	0.20	58.46	58.66	64.58	64.78	0.00	accommodates splice	
342	U1406	B	8	H	1	0.17	0.17	58.30	58.47	66.82	66.99	2.04	accommodates splice	

**U1406 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1406	B	8	H	2	1.49	1.49	58.47	59.96	66.99	68.48	0.00	accommodates splice	
342	U1406	B	8	H	3	1.44	1.44	59.96	61.40	68.48	69.92	0.00	accommodates splice	
342	U1406	B	8	H	4	1.15	1.15	61.40	62.55	69.92	71.07	0.00	accommodates splice	
342	U1406	B	8	H	5	0.41	0.41	62.55	62.96	71.07	71.48	0.00	accommodates splice	
342	U1406	B	8	H	6	1.50	1.50	62.96	64.46	71.48	72.98	0.00	accommodates splice	
342	U1406	B	8	H	7	1.49	1.49	64.46	65.95	72.98	74.47	0.00	accommodates splice	
342	U1406	B	8	H	CC	0.30	0.30	65.95	66.25	74.47	74.77	0.00	accommodates splice	
342	U1406	B	9	H	1	1.50	1.50	67.80	69.30	75.22	76.72	0.45	accommodates splice	
342	U1406	A	8	H	6	1.27	1.27	70.70	71.97	78.07	79.34	1.35	accommodates splice	
342	U1406	A	8	H	7	0.70	0.70	71.97	72.67	79.34	80.04	0.00	accommodates splice	
342	U1406	A	9	H	1	1.50	1.50	72.70	74.20	80.37	81.87	0.33	accommodates splice	
342	U1406	B	9	H	6	1.50	1.50	75.33	76.83	82.75	84.25	0.88	accommodates splice	
342	U1406	B	9	H	7	0.55	0.55	76.83	77.38	84.25	84.80	0.00	accommodates splice	
342	U1406	B	9	H	CC	0.27	0.27	77.38	77.65	84.80	85.07	0.00	accommodates splice	
342	U1406	B	10	H	1	1.50	1.50	77.30	78.80	85.29	86.79	0.22	accommodates splice	
342	U1406	B	10	H	2	1.51	1.51	78.80	80.31	86.79	88.30	0.00	accommodates splice	
342	U1406	B	10	H	3	1.51	1.51	80.31	81.82	88.30	89.81	0.00	accommodates splice	
342	U1406	A	9	H	7	0.65	0.65	81.76	82.41	89.43	90.08	-0.38	accommodates splice	
342	U1406	A	9	H	CC	0.27	0.27	82.41	82.68	90.08	90.35	0.00	accommodates splice	
342	U1406	B	10	H	5	0.83	0.83	83.32	84.15	91.31	92.14	0.96	accommodates splice	
342	U1406	B	10	H	6	0.28	0.28	84.15	84.43	92.14	92.42	0.00	accommodates splice	
342	U1406	B	10	H	CC	0.10	0.10	84.43	84.53	92.42	92.52	0.00	accommodates splice	
342	U1406	C	10	H	2	1.50	1.50	80.40	81.90	92.02	93.52	-0.50	accommodates splice	
342	U1406	C	10	H	3	1.50	1.50	81.90	83.40	93.52	95.02	0.00	accommodates splice	
342	U1406	C	10	H	4	1.50	1.50	83.40	84.90	95.02	96.52	0.00	accommodates splice	
342	U1406	C	10	H	5	1.50	1.50	84.90	86.40	96.52	98.02	0.00	accommodates splice	
342	U1406	C	10	H	6	1.50	1.50	86.40	87.90	98.02	99.52	0.00	accommodates splice	
342	U1406	C	10	H	7	0.60	0.60	87.90	88.50	99.52	100.12	0.00	accommodates splice	
342	U1406	C	11	H	1	1.50	1.50	88.40	89.90	99.32	100.82	-0.80	accommodates splice	
342	U1406	C	11	H	2	1.50	1.50	89.90	91.40	100.82	102.32	0.00	accommodates splice	
342	U1406	C	11	H	3	1.50	1.50	91.40	92.90	102.32	103.82	0.00	accommodates splice	
342	U1406	B	11	H	6	1.34	1.34	94.30	95.64	103.27	104.61	-0.55	accommodates splice	
342	U1406	C	12	H	1	1.50	1.50	97.90	99.40	104.32	105.82	-0.29	accommodates splice	
342	U1406	C	12	H	2	1.50	1.50	99.40	100.90	105.82	107.32	0.00	accommodates splice	
342	U1406	C	12	H	3	1.50	1.50	100.90	102.40	107.32	108.82	0.00	accommodates splice	
342	U1406	C	12	H	4	1.50	1.50	102.40	103.90	108.82	110.32	0.00	accommodates splice	
342	U1406	C	12	H	5	1.50	1.50	103.90	105.40	110.32	111.82	0.00	accommodates splice	
342	U1406	C	12	H	6	1.50	1.50	105.40	106.90	111.82	113.32	0.00	accommodates splice	
342	U1406	C	12	H	7	0.58	0.58	106.90	107.48	113.32	113.90	0.00	accommodates splice	
342	U1406	C	12	H	CC	0.28	0.28	107.48	107.76	113.90	114.18	0.00	accommodates splice	
342	U1406	C	13	H	1	1.26	1.26	107.40	108.66	114.37	115.63	0.19	accommodates splice	
342	U1406	C	13	H	2	0.31	0.31	108.66	108.97	115.63	115.94	0.00	accommodates splice	
342	U1406	C	13	H	3	1.50	1.50	108.97	110.47	115.94	117.44	0.00	accommodates splice	
342	U1406	C	13	H	4	1.50	1.50	110.47	111.97	117.44	118.94	0.00	accommodates splice	
342	U1406	C	13	H	5	1.50	1.50	111.97	113.47	118.94	120.44	0.00	accommodates splice	
342	U1406	C	13	H	6	1.19	1.19	113.47	114.66	120.44	121.63	0.00	accommodates splice	
342	U1406	C	13	H	CC	0.63	0.63	114.66	115.29	121.63	122.26	0.00	accommodates splice	
342	U1406	C	14	H	1	1.50	1.50	116.90	118.40	122.22	123.72	-0.04	accommodates splice	
342	U1406	C	14	H	2	1.50	1.50	118.40	119.90	123.72	125.22	0.00	accommodates splice	
342	U1406	C	14	H	3	1.50	1.50	119.90	121.40	125.22	126.72	0.00	accommodates splice	
342	U1406	C	14	H	4	1.50	1.50	121.40	122.90	126.72	128.22	0.00	accommodates splice	
342	U1406	C	14	H	5	1.50	1.50	122.90	124.40	128.22	129.72	0.00	accommodates splice	
342	U1406	C	14	H	6	1.26	1.26	124.40	125.66	129.72	130.98	0.00	accommodates splice	
342	U1406	A	14	H	1	1.50	1.50	120.20	121.70	130.19	131.69	-0.79	accommodates splice	
342	U1406	A	14	H	2	1.50	1.50	121.70	123.20	131.69	133.19	0.00	accommodates splice	
342	U1406	A	14	H	3	1.50	1.50	123.20	124.70	133.19	134.69	0.00	accommodates splice	
342	U1406	A	14	H	4	1.11	1.11	124.70	125.81	134.69	135.80	0.00	accommodates splice	
342	U1406	A	14	H	5	0.58	0.58	125.81	126.39	135.80	136.38	0.00	accommodates splice	
342	U1406	A	14	H	6	0.95	0.95	126.39	127.34	136.38	137.33	0.00	accommodates splice	

**U1406 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1406	A	14	H	7	1.18	1.18	127.34	128.52	137.33	138.51	0.00	accommodates splice	
342	U1406	A	14	H	CC	0.06	0.06	128.52	128.58	138.51	138.57	0.00	accommodates splice	
342	U1406	A	15	H	1	1.50	1.50	129.70	131.20	139.39	140.89	0.82	accommodates splice	
342	U1406	B	15	H	6	1.02	1.02	132.00	133.02	142.32	143.34	1.43	accommodates splice	
342	U1406	B	15	H	7	0.75	0.75	133.02	133.77	143.34	144.09	0.00	accommodates splice	
342	U1406	B	15	H	CC	0.26	0.26	133.77	134.03	144.09	144.35	0.00	accommodates splice	
342	U1406	B	16	H	1	1.51	1.51	134.00	135.51	145.22	146.73	0.87	accommodates splice	
342	U1406	B	16	H	2	1.51	1.51	135.51	137.02	146.73	148.24	0.00	accommodates splice	
342	U1406	B	16	H	3	1.51	1.51	137.02	138.53	148.24	149.75	0.00	accommodates splice	
342	U1406	A	16	H	1	1.50	1.50	139.20	140.70	149.59	151.09	-0.16	accommodates splice	
342	U1406	A	16	H	2	1.50	1.50	140.70	142.20	151.09	152.59	0.00	accommodates splice	
342	U1406	B	16	H	6	1.02	1.02	141.55	142.57	152.77	153.79	0.18	accommodates splice	
342	U1406	B	16	H	7	0.61	0.61	142.57	143.18	153.79	154.40	0.00	accommodates splice	
342	U1406	B	16	H	CC	0.29	0.29	143.18	143.47	154.40	154.69	0.00	accommodates splice	
342	U1406	C	17	H	2	1.50	1.50	146.90	148.40	154.27	155.77	-0.42	accommodates splice	
342	U1406	C	17	H	3	1.50	1.50	148.40	149.90	155.77	157.27	0.00	accommodates splice	
342	U1406	C	17	H	4	1.50	1.50	149.90	151.40	157.27	158.77	0.00	accommodates splice	
342	U1406	C	17	H	5	1.50	1.50	151.40	152.90	158.77	160.27	0.00	accommodates splice	
342	U1406	C	17	H	6	1.26	1.26	152.90	154.16	160.27	161.53	0.00	accommodates splice	
342	U1406	C	17	H	7	0.64	0.64	154.16	154.80	161.53	162.17	0.00	accommodates splice	
342	U1406	C	17	H	CC	0.24	0.24	154.80	155.04	162.17	162.41	0.00	accommodates splice	
342	U1406	B	17	H	6	1.50	1.50	151.00	152.50	163.07	164.57	0.66	accommodates splice	
342	U1406	B	17	H	CC	0.25	0.25	152.50	152.75	164.57	164.82	0.00	accommodates splice	
342	U1406	A	17	H	6	1.25	1.25	155.60	156.85	168.54	169.79	3.72	accommodates splice	
342	U1406	A	17	H	CC	0.45	0.45	156.85	157.30	169.79	170.24	0.00	accommodates splice	
342	U1406	A	18	H	1	1.34	1.34	157.30	158.64	172.79	174.13	2.55	accommodates splice	
342	U1406	B	18	H	6	0.92	0.92	160.50	161.42	174.82	175.74	0.69	accommodates splice	
342	U1406	B	18	H	CC	0.23	0.23	161.42	161.65	175.74	175.97	0.00	accommodates splice	
342	U1406	A	18	H	4	1.50	1.50	161.64	163.14	177.13	178.63	1.16	accommodates splice	
342	U1406	A	18	H	5	1.54	1.54	163.14	164.68	178.63	180.17	0.00	accommodates splice	
342	U1406	C	18	H	6	1.32	1.32	162.40	163.72	183.12	184.44	2.95	accommodates splice	
342	U1406	A	19	H	1	1.50	1.50	164.70	166.20	184.39	185.89	-0.05	accommodates splice	
342	U1406	A	19	H	2	1.50	1.50	166.20	167.70	185.89	187.39	0.00	accommodates splice	
342	U1406	B	19	H	7	1.50	1.50	169.51	171.01	188.98	190.48	1.59	accommodates splice	
342	U1406	B	19	H	CC	0.58	0.58	171.01	171.59	190.48	191.06	0.00	accommodates splice	
342	U1406	C	20	X	2	1.50	1.50	167.90	169.40	190.62	192.12	-0.44	accommodates splice	
342	U1406	C	20	X	3	1.50	1.50	169.40	170.90	192.12	193.62	0.00	accommodates splice	
342	U1406	C	20	X	4	1.50	1.50	170.90	172.40	193.62	195.12	0.00	accommodates splice	
342	U1406	C	20	X	5	1.50	1.50	172.40	173.90	195.12	196.62	0.00	accommodates splice	
342	U1406	C	20	X	6	1.32	1.32	173.90	175.22	196.62	197.94	0.00	accommodates splice	
342	U1406	C	20	X	7	0.67	0.67	175.22	175.89	197.94	198.61	0.00	accommodates splice	
342	U1406	B	20	H	6	0.51	0.51	178.55	179.06	198.72	199.23	0.11	accommodates splice	
342	U1406	B	20	H	CC	0.14	0.14	179.06	179.20	199.23	199.37	0.00	accommodates splice	
342	U1406	C	21	X	2	1.50	1.50	177.50	179.00	198.92	199.64	-0.45	accommodates splice	
342	U1406	B	21	H	1	0.72	0.72	179.20	179.92	200.97	201.69	1.33	accommodates splice	
342	U1406	B	21	H	2	1.50	1.50	179.92	181.42	201.69	203.19	0.00	accommodates splice	
342	U1406	A	21	H	1	1.50	1.50	181.70	183.20	202.52	204.02	-0.67	accommodates splice	
342	U1406	A	21	H	2	0.75	0.75	183.20	183.95	204.02	204.77	0.00	accommodates splice	
342	U1406	A	21	H	3	1.38	1.38	183.95	185.33	204.77	206.15	0.00	accommodates splice	
342	U1406	A	21	H	4	1.36	1.36	185.33	186.69	206.15	207.51	0.00	accommodates splice	
342	U1406	B	21	H	6	1.50	1.50	185.92	187.42	207.69	209.19	0.18	accommodates splice	
342	U1406	B	21	H	7	1.18	1.18	187.42	188.60	209.19	210.37	0.00	accommodates splice	
342	U1406	B	21	H	CC	0.15	0.15	188.60	188.75	210.37	210.52	0.00	accommodates splice	
342	U1406	A	21	H	7	1.45	1.45	189.46	190.91	210.28	211.73	-0.24	accommodates splice	
342	U1406	A	21	H	CC	0.62	0.62	190.91	191.53	211.73	212.35	0.00	accommodates splice	
342	U1406	A	22	H	1	1.46	1.46	191.20	192.66	211.52	212.98	-0.83	accommodates splice	
342	U1406	A	22	H	2	1.50	1.50	192.66	194.16	212.98	214.48	0.00	accommodates splice	
342	U1406	C	22	X	8	0.64	0.64	194.28	194.92	215.66	216.30	1.18	accommodates splice	
342	U1406	C	22	X	CC	0.43	0.43	194.92	195.35	216.30	216.73	0.00	accommodates splice	

**U1406 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1406	B	23	X	1	0.83	0.83	188.80	189.63	217.07	217.90	0.34	accommodates splice	
342	U1406	A	22	H	CC	0.27	0.27	199.04	199.31	219.36	219.63	1.46	accommodates splice	
342	U1406	C	23	X	1	1.50	1.50	195.20	196.70	221.28	222.78	1.65	accommodates splice	
342	U1406	C	23	X	2	1.50	1.50	196.70	198.20	222.78	224.28	0.00	accommodates splice	
342	U1406	C	23	X	3	1.50	1.50	198.20	199.70	224.28	225.78	0.00	accommodates splice	
342	U1406	C	23	X	4	1.50	1.50	199.70	201.20	225.78	227.28	0.00	accommodates splice	
342	U1406	C	23	X	5	0.81	0.81	201.20	202.01	227.28	228.09	0.00	accommodates splice	
342	U1406	C	23	X	CC	0.33	0.33	202.01	202.34	228.09	228.42	0.00	accommodates splice	
342	U1406	B	25	X	1	1.50	1.50	203.30	204.80	228.07	229.57	-0.35	accommodates splice	
342	U1406	B	25	X	2	1.50	1.50	204.80	206.30	229.57	231.07	0.00	accommodates splice	
342	U1406	B	25	X	3	1.47	1.47	206.30	207.77	231.07	232.54	0.00	accommodates splice	
342	U1406	B	25	X	CC	0.40	0.40	207.77	208.17	232.54	232.94	0.00	accommodates splice	
342	U1406	B	26	X	1	1.50	1.50	212.90	214.40	241.07	242.57	8.13	accommodates splice	
342	U1406	B	26	X	2	1.50	1.50	214.40	215.90	242.57	244.07	0.00	accommodates splice	
342	U1406	B	26	X	3	1.50	1.50	215.90	217.40	244.07	245.57	0.00	accommodates splice	
342	U1406	B	26	X	4	1.05	1.05	217.40	218.45	245.57	246.62	0.00	accommodates splice	
342	U1406	B	26	X	CC	0.45	0.45	218.45	218.90	246.62	247.07	0.00	accommodates splice	
342	U1406	C	27	X	1	1.00	1.00	221.30	222.30	248.32	249.32	1.25	accommodates splice	
342	U1406	C	27	X	2	1.50	1.50	222.30	223.80	249.32	250.82	0.00	accommodates splice	
342	U1406	C	27	X	3	0.52	0.52	223.80	224.32	250.82	251.34	0.00	accommodates splice	
342	U1406	C	27	X	CC	0.26	0.26	224.32	224.58	251.34	251.60	0.00	accommodates splice	
342	U1406	B	27	X	CC	0.40	0.40	222.95	223.35	251.67	252.07	0.07	accommodates splice	
342	U1406	C	28	X	1	1.50	1.50	226.10	227.60	253.07	254.57	1.00	accommodates splice	
342	U1406	C	28	X	2	1.32	1.32	227.60	228.92	254.57	255.89	0.00	accommodates splice	
342	U1406	C	28	X	CC	0.27	0.27	228.92	229.19	255.89	256.16	0.00	accommodates splice	
342	U1406	B	28	X	1	1.50	1.50	228.40	229.90	255.37	256.87	-0.79	accommodates splice	
342	U1406	B	28	X	2	1.50	1.50	228.40	229.90	256.87	258.37	0.00	accommodates splice	
342	U1406	A	27	X	7	0.74	0.74	231.52	232.26	259.51	260.25	1.14	accommodates splice	
342	U1406	B	28	X	CC	0.57	0.57	233.89	234.46	262.36	262.93	2.11	accommodates splice	
342	U1406	A	28	X	5	1.50	1.50	238.40	239.90	267.79	269.29	4.86	accommodates splice	
342	U1406	A	28	X	6	1.26	1.26	239.90	241.16	269.29	270.55	0.00	accommodates splice	
342	U1406	A	28	X	7	0.76	0.76	241.16	241.92	270.55	271.31	0.00	accommodates splice	
342	U1406	A	28	X	CC	0.41	0.41	241.92	242.33	271.31	271.72	0.00	accommodates splice	
342	U1406	A	29	X	1	1.50	1.50	241.90	243.40	272.34	273.84	0.62	accommodates splice	
342	U1406	B	29	X	CC	0.38	0.38	244.84	245.22	274.56	274.94	0.72	accommodates splice	
342	U1406	A	29	X	4	1.50	1.50	246.10	247.60	276.54	278.04	1.60	accommodates splice	
342	U1406	A	29	X	5	1.50	1.50	247.60	249.10	278.04	279.54	0.00	accommodates splice	
342	U1406	A	29	X	6	1.35	1.35	249.10	250.45	279.54	280.89	0.00	accommodates splice	
342	U1406	A	29	X	CC	0.38	0.38	250.45	250.83	280.89	281.27	0.00	accommodates splice	
342	U1406	B	30	X	6	0.81	0.81	252.90	253.71	282.17	282.98	0.90	accommodates splice	
342	U1406	B	30	X	7	0.87	0.87	253.71	254.58	282.98	283.85	0.00	accommodates splice	
342	U1406	B	30	X	CC	0.25	0.25	254.58	254.83	283.85	284.10	0.00	accommodates splice	
342	U1406	A	30	X	CC	0.33	0.33	254.51	254.84	284.25	284.58	0.15	single cored, below splice	
342	U1406	A	31	X	1	1.50	1.50	255.80	257.30	285.55	287.05	0.97	single cored, below splice	
342	U1406	A	31	X	2	1.50	1.50	257.30	258.80	287.05	288.55	0.00	single cored, below splice	
342	U1406	A	31	X	3	1.54	1.54	258.80	260.34	288.55	290.09	0.00	single cored, below splice	
342	U1406	A	31	X	CC	0.13	0.13	260.34	260.47	290.09	290.22	0.00	single cored, below splice	
342	U1406	A	32	X	1	1.50	1.50	261.00	262.50	290.76	292.26	0.54	single cored, below splice	
342	U1406	A	32	X	2	1.50	1.50	262.50	264.00	292.26	293.76	0.00	single cored, below splice	
342	U1406	A	32	X	3	1.15	1.15	264.00	265.15	293.76	294.91	0.00	single cored, below splice	
342	U1406	A	32	X	4	0.85	0.85	265.15	266.00	294.91	295.76	0.00	single cored, below splice	
342	U1406	A	32	X	CC	0.21	0.21	266.00	266.21	295.76	295.97	0.00	single cored, below splice	
342	U1406	A	33	X	1	1.42	1.42	270.60	272.02	300.37	301.79	4.40	single cored, below splice	
342	U1406	A	33	X	2	1.34	1.34	272.02	273.36	301.79	303.13	0.00	single cored, below splice	
342	U1406	A	33	X	3	1.50	1.50	273.36	274.86	303.13	304.63	0.00	single cored, below splice	
342	U1406	A	33	X	4	1.52	1.52	274.86	276.38	304.63	306.15	0.00	single cored, below splice	
342	U1406	A	33	X	5	1.43	1.43	276.38	277.81	306.15	307.58	0.00	single cored, below splice	
342	U1406	A	33	X	6	0.58	0.58	277.81	278.39	307.58	308.16	0.00	single cored, below splice	
342	U1406	A	33	X	CC	0.26	0.26	278.39	278.65	308.16	308.42	0.00	single cored, below splice	

**U1406 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1406	A	34	X	1	1.17	1.17	278.60	279.77	308.38	309.55	-0.04	single cored, below splice	
342	U1406	A	34	X	2	1.00	1.00	279.77	280.77	309.55	310.55	0.00	single cored, below splice	
342	U1406	A	34	X	CC	0.28	0.28	280.77	281.05	310.55	310.83	0.00	single cored, below splice	