

U1411 Permanent Archive List

Exp	Site	Hole	Core	Type	Sept	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1411	B	1	H	1	0.71	0.71	0.00	0.71	0.00	0.71		accommodates top splice	
342	U1411	A	1	H	1	1.50	1.50	0.00	1.50	0.62	2.12	-0.09	accommodates top splice	
342	U1411	A	1	H	2	1.50	1.50	1.50	3.00	2.12	3.62	0.00	accommodates top splice	
342	U1411	C	1	H	3	0.53	0.53	2.70	3.23	2.75	3.28	-0.87	accommodates top splice	
342	U1411	A	1	H	3	1.50	1.50	3.00	4.50	3.62	5.12	0.34	accommodates top splice	
342	U1411	A	1	H	4	1.50	1.50	4.50	6.00	5.12	6.62	0.00	accommodates top splice	
342	U1411	A	1	H	5	1.50	1.50	6.00	7.50	6.62	8.12	0.00	accommodates top splice	
342	U1411	A	1	H	6	1.50	1.50	7.50	9.00	8.12	9.62	0.00	accommodates top splice	
342	U1411	A	1	H	7	0.71	0.71	9.00	9.71	9.62	10.33	0.00	accommodates top splice	
342	U1411	B	3	H	1	1.50	1.50	10.40	11.90	9.90	11.40	-0.43	accommodates top splice	
342	U1411	A	1	H	CC	0.16	0.16	9.71	9.87	10.33	10.49	-1.07	accommodates top splice	
342	U1411	B	2	H	7	0.77	0.77	9.90	10.67	10.40	11.17	-0.09	accommodates top splice	
342	U1411	B	2	H	CC	0.21	0.21	10.67	10.88	11.17	11.38	0.00	accommodates top splice	
342	U1411	B	3	H	4	1.50	1.50	14.90	16.40	14.40	15.90	3.02	single cored below top splice	
342	U1411	B	3	H	5	1.50	1.50	16.40	17.90	15.90	17.40	0.00	single cored below top splice	
342	U1411	B	3	H	6	1.50	1.50	17.90	19.40	17.40	18.90	0.00	single cored below top splice	
342	U1411	B	3	H	7	0.61	0.61	19.40	20.01	18.90	19.51	0.00	single cored below top splice	
342	U1411	B	3	H	CC	0.29	0.29	20.01	20.30	19.51	19.80	0.00	single cored below top splice	
342	U1411	B	4	H	1	1.50	1.50	19.90	21.40	19.81	21.31	0.01	single cored below top splice	
342	U1411	B	4	H	2	1.50	1.50	21.40	22.90	21.31	22.81	0.00	single cored below top splice	
342	U1411	B	4	H	3	1.50	1.50	22.90	24.40	22.81	24.31	0.00	single cored below top splice	
342	U1411	B	4	H	4	1.50	1.50	24.40	25.90	24.31	25.81	0.00	single cored below top splice	
342	U1411	B	4	H	5	1.50	1.50	25.90	27.40	25.81	27.31	0.00	single cored below top splice	
342	U1411	B	4	H	6	1.50	1.50	27.40	28.90	27.31	28.81	0.00	single cored below top splice	
342	U1411	B	4	H	7	0.74	0.74	28.90	29.64	28.81	29.55	0.00	single cored below top splice	
342	U1411	B	4	H	CC	0.24	0.24	29.64	29.88	29.55	29.79	0.00	single cored below top splice	
342	U1411	B	5	H	1	1.50	1.50	29.40	30.90	29.80	31.30	0.01	single cored below top splice	
342	U1411	B	5	H	2	1.50	1.50	30.90	32.40	31.30	32.80	0.00	single cored below top splice	
342	U1411	B	5	H	3	1.50	1.50	32.40	33.90	32.80	34.30	0.00	single cored below top splice	
342	U1411	B	5	H	4	1.50	1.50	33.90	35.40	34.30	35.80	0.00	single cored below top splice	
342	U1411	B	5	H	5	1.50	1.50	35.40	36.90	35.80	37.30	0.00	single cored below top splice	
342	U1411	B	5	H	6	1.50	1.50	36.90	38.40	37.30	38.80	0.00	single cored below top splice	
342	U1411	B	5	H	7	0.68	0.68	38.40	39.08	38.80	39.48	0.00	single cored below top splice	
342	U1411	B	5	H	CC	0.30	0.30	39.08	39.38	39.48	39.78	0.00	single cored below top splice	
342	U1411	B	6	H	1	1.50	1.50	38.90	40.40	39.79	41.29	0.01	single cored below top splice	
342	U1411	B	6	H	2	1.50	1.50	40.40	41.90	41.29	42.79	0.00	single cored below top splice	
342	U1411	B	6	H	3	1.50	1.50	41.90	43.40	42.79	44.29	0.00	single cored below top splice	
342	U1411	B	6	H	4	1.50	1.50	43.40	44.90	44.29	45.79	0.00	single cored below top splice	
342	U1411	B	6	H	5	1.50	1.50	44.90	46.40	45.79	47.29	0.00	single cored below top splice	
342	U1411	B	6	H	6	1.50	1.50	46.40	47.90	47.29	48.79	0.00	single cored below top splice	
342	U1411	B	6	H	7	0.71	0.71	47.90	48.61	48.79	49.50	0.00	single cored below top splice	
342	U1411	B	6	H	CC	0.37	0.37	48.61	48.98	49.50	49.87	0.00	single cored below top splice	
342	U1411	B	7	H	1	1.50	1.50	48.40	49.90	49.88	51.38	0.01	single cored below top splice	
342	U1411	B	7	H	2	1.50	1.50	49.90	51.40	51.38	52.88	0.00	single cored below top splice	
342	U1411	B	7	H	3	1.50	1.50	51.40	52.90	52.88	54.38	0.00	single cored below top splice	
342	U1411	B	7	H	4	1.51	1.51	52.90	54.41	54.38	55.89	0.00	single cored below top splice	
342	U1411	B	7	H	5	1.50	1.50	54.41	55.91	55.89	57.39	0.00	single cored below top splice	
342	U1411	B	7	H	6	1.50	1.50	55.91	57.41	57.39	58.89	0.00	single cored below top splice	
342	U1411	B	7	H	7	0.68	0.68	57.41	58.09	58.89	59.57	0.00	single cored below top splice	
342	U1411	B	7	H	CC	0.37	0.37	58.09	58.46	59.57	59.94	0.00	single cored below top splice	
342	U1411	B	8	H	1	1.50	1.50	57.90	59.40	59.95	61.45	0.01	single cored below top splice	
342	U1411	B	8	H	2	1.51	1.51	59.40	60.91	61.45	62.96	0.00	single cored below top splice	
342	U1411	B	8	H	3	1.53	1.53	60.91	62.44	62.96	64.49	0.00	single cored below top splice	
342	U1411	B	8	H	4	1.51	1.51	62.44	63.95	64.49	66.00	0.00	single cored below top splice	
342	U1411	B	8	H	5	1.51	1.51	63.95	65.46	66.00	67.51	0.00	single cored below top splice	
342	U1411	B	8	H	6	1.50	1.50	65.46	66.96	67.51	69.01	0.00	single cored below top splice	
342	U1411	B	8	H	7	0.67	0.67	66.96	67.63	69.01	69.68	0.00	single cored below top splice	
342	U1411	B	8	H	CC	0.39	0.39	67.63	68.02	69.68	70.07	0.00	single cored below top splice	
342	U1411	B	9	H	1	0.24	0.24	67.40	67.64	70.08	70.32	0.01	single cored below top splice	
342	U1411	B	9	H	2	1.50	1.50	67.64	69.14	70.32	71.82	0.00	single cored below top splice	

342	U1411	B	9	H	3	1.50	1.50	69.14	70.64	71.82	73.32	0.00	single cored below top splice	
342	U1411	B	9	H	4	1.50	1.50	70.64	72.14	73.32	74.82	0.00	single cored below top splice	
342	U1411	B	9	H	5	1.50	1.50	72.14	73.64	74.82	76.32	0.00	single cored below top splice	
342	U1411	B	9	H	6	1.50	1.50	73.64	75.14	76.32	77.82	0.00	single cored below top splice	
342	U1411	B	9	H	7	1.01	1.01	75.14	76.15	77.82	78.83	0.00	single cored below top splice	
342	U1411	B	9	H	8	0.58	0.58	76.15	76.73	78.83	79.41	0.00	single cored below top splice	
342	U1411	B	9	H	CC	0.44	0.44	76.73	77.17	79.41	79.85	0.00	single cored below top splice	
342	U1411	B	10	H	1	1.50	1.50	76.90	78.40	79.86	81.36	0.01	single cored below top splice	
342	U1411	B	10	H	2	1.50	1.50	78.40	79.90	81.36	82.86	0.00	single cored below top splice	
342	U1411	B	10	H	3	1.50	1.50	79.90	81.40	82.86	84.36	0.00	single cored below top splice	
342	U1411	B	10	H	4	1.50	1.50	81.40	82.90	84.36	85.86	0.00	single cored below top splice	
342	U1411	B	10	H	5	1.50	1.50	82.90	84.40	85.86	87.36	0.00	single cored below top splice	
342	U1411	B	10	H	6	1.50	1.50	84.40	85.90	87.36	88.86	0.00	single cored below top splice	
342	U1411	B	10	H	7	0.53	0.53	85.90	86.43	88.86	89.39	0.00	single cored below top splice	
342	U1411	B	10	H	CC	0.20	0.20	86.43	86.63	89.39	89.59	0.00	single cored below top splice	
342	U1411	B	11	H	1	1.50	1.50	86.40	87.90	89.60	91.10	0.01	single cored below top splice	
342	U1411	B	11	H	2	1.50	1.50	87.90	89.40	91.10	92.60	0.00	single cored below top splice	
342	U1411	B	11	H	3	1.30	1.30	89.40	90.70	92.60	93.90	0.00	single cored below top splice	
342	U1411	B	11	H	4	1.50	1.50	90.70	92.20	93.90	95.40	0.00	single cored below top splice	
342	U1411	B	11	H	5	1.50	1.50	92.20	93.70	95.40	96.90	0.00	single cored below top splice	
342	U1411	B	11	H	6	1.50	1.50	93.70	95.20	96.90	98.40	0.00	single cored below top splice	
342	U1411	B	11	H	7	0.55	0.55	95.20	95.75	98.40	98.95	0.00	single cored below top splice	
342	U1411	B	11	H	CC	0.54	0.54	95.75	96.29	98.95	99.49	0.00	single cored below top splice	
342	U1411	B	12	H	1	1.50	1.50	95.90	97.40	99.50	101.00	0.01	single cored below top splice	
342	U1411	B	12	H	2	1.50	1.50	97.40	98.90	101.00	102.50	0.00	single cored below top splice	
342	U1411	B	12	H	3	1.50	1.50	98.90	100.40	102.50	104.00	0.00	single cored below top splice	
342	U1411	B	12	H	4	1.50	1.50	100.40	101.90	104.00	105.50	0.00	single cored below top splice	
342	U1411	B	12	H	5	1.02	1.02	101.90	102.92	105.50	106.52	0.00	single cored below top splice	
342	U1411	C	4	H	1	1.50	1.50	100.00	101.50	106.35	107.85	-0.17	accommodates second splice	
342	U1411	B	12	H	6	1.50	1.50	102.92	104.42	106.52	108.02	-1.33	accommodates second splice	
342	U1411	B	12	H	CC	0.41	0.41	104.99	105.40	108.59	109.00	0.57	accommodates second splice	
342	U1411	B	13	H	1	1.50	1.50	105.40	106.90	109.60	111.10	0.60	accommodates second splice	
342	U1411	B	13	H	2	1.50	1.50	106.90	108.40	111.10	112.60	0.00	accommodates second splice	u-channelled
342	U1411	B	13	H	3	1.51	1.51	108.40	109.91	112.60	114.11	0.00	accommodates second splice	u-channelled
342	U1411	C	4	H	7	0.67	0.67	109.01	109.68	115.36	116.03	1.25	accommodates second splice	u-channelled
342	U1411	C	4	H	CC	0.41	0.41	109.68	110.09	116.03	116.44	0.00	accommodates second splice	
342	U1411	C	5	H	1	0.83	0.83	109.50	110.33	117.60	118.43	1.16	accommodates second splice	
342	U1411	B	13	H	CC	0.37	0.37	115.01	115.38	119.21	119.58	0.78	accommodates second splice	
342	U1411	B	14	H	1	1.50	1.50	114.90	116.40	120.15	121.65	0.57	accommodates second splice	
342	U1411	B	14	H	2	1.50	1.50	116.40	117.90	121.65	123.15	0.00	accommodates second splice	
342	U1411	C	6	H	1	0.81	0.81	119.00	119.81	125.00	125.81	1.85	accommodates second splice	
342	U1411	C	5	H	CC	0.65	0.65	117.19	117.84	125.29	125.94	-0.52	accommodates second splice	
342	U1411	C	6	H	2	0.64	0.64	119.81	120.45	125.81	126.45	-0.13	accommodates second splice	
342	U1411	B	14	H	6	1.50	1.50	122.40	123.90	127.65	129.15	1.20	accommodates second splice	
342	U1411	B	14	H	7	0.50	0.50	123.90	124.40	129.15	129.65	0.00	accommodates second splice	
342	U1411	C	6	H	CC	0.59	0.59	125.89	126.48	131.89	132.48	2.24	accommodates second splice	
342	U1411	C	7	H	1	1.50	1.50	125.50	127.00	132.95	134.45	0.47	accommodates second splice	
342	U1411	C	7	H	2	1.50	1.50	127.00	128.50	134.45	135.95	0.00	accommodates second splice	
342	U1411	B	15	H	5	1.29	1.29	130.21	131.50	136.76	138.05	0.81	accommodates second splice	
342	U1411	B	15	H	6	1.39	1.39	131.50	132.89	138.05	139.44	0.00	accommodates second splice	
342	U1411	B	15	H	CC	0.71	0.71	132.89	133.60	139.44	140.15	0.00	accommodates second splice	
342	U1411	C	7	H	7	0.81	0.81	134.20	135.01	141.65	142.46	1.50	accommodates second splice	
342	U1411	C	8	H	1	1.50	1.50	135.00	136.50	144.15	145.65	1.69	accommodates second splice	
342	U1411	B	16	H	5	1.51	1.51	139.60	141.11	146.40	147.91	0.75	accommodates second splice	
342	U1411	B	17	H	1	1.50	1.50	143.10	144.60	150.65	152.15	2.74	accommodates second splice	
342	U1411	C	8	H	7	0.94	0.94	143.50	144.44	152.65	153.59	0.50	accommodates second splice	
342	U1411	C	9	H	1	1.46	1.46	144.50	145.96	154.70	156.16	1.11	accommodates second splice	
342	U1411	C	9	H	2	1.46	1.46	145.96	147.42	156.16	157.62	0.00	accommodates second splice	
342	U1411	B	17	H	6	1.40	1.40	150.60	152.00	158.15	159.55	0.53	accommodates second splice	
342	U1411	B	17	H	7	0.57	0.57	152.00	152.57	159.55	160.12	0.00	accommodates second splice	
342	U1411	B	17	H	CC	0.78	0.78	152.57	153.35	160.12	160.90	0.00	accommodates second splice	
342	U1411	C	9	H	CC	0.49	0.49	151.80	152.29	162.00	162.49	1.10	accommodates second splice	
342	U1411	C	10	X	1	1.50	1.50	152.20	153.70	162.80	164.30	0.31	accommodates second splice	
342	U1411	C	10	X	2	1.50	1.50	153.70	155.20	164.30	165.80	0.00	accommodates second splice	
342	U1411	C	10	X	3	1.50	1.50	155.20	156.70	165.80	167.30	0.00	accommodates second splice	

342	U1411	C	10	X	4	1.50	1.50	156.70	158.20	167.30	168.80	0.00	accommodates second splice
342	U1411	C	10	X	5	0.96	0.96	158.20	159.16	168.80	169.76	0.00	accommodates second splice
342	U1411	C	10	X	CC	0.30	0.30	159.16	159.46	169.76	170.06	0.00	accommodates second splice
342	U1411	B	18	H	CC	0.15	0.15	162.33	162.48	171.43	171.58	1.37	accommodates second splice
342	U1411	B	19	H	1	1.50	1.50	162.10	163.60	177.20	178.70	5.62	accommodates second splice
342	U1411	C	11	X	7	0.52	0.52	165.60	166.12	180.40	180.92	1.70	accommodates second splice
342	U1411	C	11	X	CC	0.24	0.24	166.12	166.36	180.92	181.16	0.00	accommodates second splice
342	U1411	B	19	H	6	1.50	1.50	169.60	171.10	184.70	186.20	3.54	accommodates second splice
342	U1411	B	19	H	7	0.57	0.57	171.10	171.67	186.20	186.77	0.00	accommodates second splice
342	U1411	B	19	H	CC	0.74	0.74	171.67	172.41	186.77	187.51	0.00	accommodates second splice
342	U1411	B	20	H	1	1.50	1.50	171.60	173.10	190.20	191.70	2.69	accommodates second splice
342	U1411	C	12	X	7	0.53	0.53	175.21	175.74	193.21	193.74	1.51	accommodates second splice
342	U1411	C	12	X	CC	0.39	0.39	175.74	176.13	193.74	194.13	0.00	accommodates second splice
342	U1411	C	13	X	1	0.39	0.39	175.90	176.29	194.14	194.53	0.01	accommodates second splice
342	U1411	C	13	X	CC	0.59	0.59	176.29	176.88	194.53	195.12	0.00	accommodates second splice
342	U1411	B	21	X	1	0.36	0.36	177.76	177.76	196.01	196.37	0.89	accommodates second splice
342	U1411	B	21	X	CC	0.33	0.33	177.76	178.09	196.37	196.70	0.00	accommodates second splice
342	U1411	C	14	X	1	0.10	0.10	185.50	185.60	203.75	203.85	7.05	accommodates second splice
342	U1411	B	22	X	1	0.20	0.20	187.00	187.20	205.62	205.82	1.77	accommodates second splice
342	U1411	B	22	X	CC	0.19	0.19	187.20	187.39	205.82	206.01	0.00	accommodates second splice
342	U1411	B	23	X	1	1.50	1.50	196.60	198.10	215.87	217.37	9.86	accommodates second splice
342	U1411	B	23	X	2	1.50	1.50	198.10	199.60	217.37	218.87	0.00	accommodates second splice
342	U1411	C	15	X	6	1.21	1.21	202.60	203.81	220.86	222.07	1.99	accommodates second splice
342	U1411	C	15	X	7	0.62	0.62	203.81	204.43	222.07	222.69	0.00	accommodates second splice
342	U1411	C	15	X	CC	0.34	0.34	204.43	204.77	222.69	223.03	0.00	accommodates second splice
342	U1411	B	23	X	CC	0.14	0.14	205.16	205.30	224.43	224.57	1.40	accommodates second splice
342	U1411	B	24	X	1	1.50	1.50	206.20	207.70	225.48	226.98	0.91	accommodates second splice
342	U1411	B	24	X	2	1.50	1.50	207.70	209.20	226.98	228.48	0.00	accommodates second splice
342	U1411	B	24	X	3	1.50	1.50	209.20	210.70	228.48	229.98	0.00	accommodates second splice
342	U1411	B	24	X	4	1.50	1.50	210.70	212.20	229.98	231.48	0.00	accommodates second splice
342	U1411	B	24	X	CC	0.38	0.38	212.20	212.58	231.48	231.86	0.00	accommodates second splice
342	U1411	B	25	X	1	1.50	1.50	215.80	217.30	235.09	236.59	3.23	accommodates second splice
342	U1411	B	25	X	2	1.50	1.50	217.30	218.80	236.59	238.09	0.00	accommodates second splice
342	U1411	B	25	X	3	1.50	1.50	218.80	220.30	238.09	239.59	0.00	accommodates second splice
342	U1411	B	25	X	4	1.50	1.50	220.30	221.80	239.59	241.09	0.00	accommodates second splice
342	U1411	B	25	X	5	0.59	0.59	221.80	222.39	241.09	241.68	0.00	accommodates second splice
342	U1411	B	25	X	CC	0.38	0.38	222.39	222.77	241.68	242.06	0.00	accommodates second splice
342	U1411	B	26	X	1	1.50	1.50	225.40	226.90	244.70	246.20	2.64	single cored, below second splice
342	U1411	B	26	X	2	1.50	1.50	226.90	228.40	246.20	247.70	0.00	single cored, below second splice
342	U1411	B	26	X	3	1.50	1.50	228.40	229.90	247.70	249.20	0.00	single cored, below second splice
342	U1411	B	26	X	4	1.50	1.50	229.90	231.40	249.20	250.70	0.00	single cored, below second splice
342	U1411	B	26	X	5	1.50	1.50	231.40	232.90	250.70	252.20	0.00	single cored, below second splice
342	U1411	B	26	X	6	1.41	1.41	232.90	234.31	252.20	253.61	0.00	single cored, below second splice
342	U1411	B	26	X	7	0.51	0.51	234.31	234.82	253.61	254.12	0.00	single cored, below second splice
342	U1411	B	26	X	CC	0.38	0.38	234.82	235.20	254.12	254.50	0.00	single cored, below second splice
342	U1411	B	27	X	1	1.03	1.03	235.00	236.03	254.51	255.54	0.01	single cored, below second splice
342	U1411	B	27	X	2	0.68	0.68	236.03	236.71	255.54	256.22	0.00	single cored, below second splice
342	U1411	B	27	X	3	1.41	1.41	236.71	238.12	256.22	257.63	0.00	single cored, below second splice
342	U1411	B	27	X	4	1.49	1.49	238.12	239.61	257.63	259.12	0.00	single cored, below second splice
342	U1411	B	27	X	5	1.50	1.50	239.61	241.11	259.12	260.62	0.00	single cored, below second splice
342	U1411	B	27	X	6	0.51	0.51	241.11	241.62	260.62	261.13	0.00	single cored, below second splice
342	U1411	B	27	X	7	1.24	1.24	241.62	242.86	261.13	262.37	0.00	single cored, below second splice
342	U1411	B	27	X	CC	0.55	0.55	242.86	243.41	262.37	262.92	0.00	single cored, below second splice
342	U1411	B	28	X	1	1.50	1.50	244.60	246.10	264.12	265.62	1.20	single cored, below second splice
342	U1411	B	28	X	2	1.50	1.50	246.10	247.60	265.62	267.12	0.00	single cored, below second splice
342	U1411	B	28	X	3	1.50	1.50	247.60	249.10	267.12	268.62	0.00	single cored, below second splice
342	U1411	B	28	X	4	1.50	1.50	249.10	250.60	268.62	270.12	0.00	single cored, below second splice
342	U1411	B	28	X	5	1.50	1.50	250.60	252.10	270.12	271.62	0.00	single cored, below second splice
342	U1411	B	28	X	6	1.41	1.41	252.10	253.51	271.62	273.03	0.00	single cored, below second splice
342	U1411	B	28	X	7	0.53	0.53	253.51	254.04	273.03	273.56	0.00	single cored, below second splice
342	U1411	B	28	X	CC	0.46	0.46	254.04	254.50	273.56	274.02	0.00	single cored, below second splice