

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	A	1	H	1	0.91	0.91	0	0.91	0.06	0.97	0.06	Accommodates splice	
346	U1427	A	1	H	2	0.7	0.7	0.91	1.61	0.97	1.67	0	Accommodates splice	
346	U1427	A	1	H	CC	0.18	0.18	1.61	1.79	1.67	1.85	0	Accommodates splice	
346	U1427	A	2	H	1	1.5	1.5	1.8	3.3	1.58	3.08	-0.27	Accommodates splice	
346	U1427	A	2	H	2	1.5	1.5	3.3	4.8	3.08	4.58	0	Accommodates splice	
346	U1427	A	2	H	3	1.5	1.5	4.8	6.3	4.58	6.08	0	Accommodates splice	
346	U1427	A	2	H	4	1.5	1.5	6.3	7.8	6.08	7.58	0	Accommodates splice	
346	U1427	A	2	H	5	1.5	1.5	7.8	9.3	7.58	9.08	0	Accommodates splice	
346	U1427	A	2	H	6	1.11	1.17	9.3	10.47	9.08	10.25	0	Accommodates splice	
346	U1427	A	2	H	7	0.67	0.67	10.47	11.14	10.25	10.92	0	Accommodates splice	
346	U1427	A	2	H	CC	0.2	0.2	11.14	11.34	10.92	11.12	0	Accommodates splice	
346	U1427	A	3	H	1	1.5	1.5	11.3	12.8	11.83	13.33	0.71	Accommodates splice	
346	U1427	A	3	H	2	1.43	1.43	12.8	14.23	13.33	14.76	0	Accommodates splice	
346	U1427	A	3	H	3	1.5	1.5	14.23	15.73	14.76	16.26	0	Accommodates splice	
346	U1427	A	3	H	4	1.48	1.48	15.73	17.21	16.26	17.74	0	Accommodates splice	
346	U1427	A	3	H	5	1.51	1.51	17.21	18.72	17.74	19.25	0	Accommodates splice	
346	U1427	A	3	H	6	1.51	1.51	18.72	20.23	19.25	20.76	0	Accommodates splice	
346	U1427	A	3	H	7	0.89	0.89	20.23	21.12	20.76	21.65	0	Accommodates splice	
346	U1427	A	3	H	CC	0.32	0.32	21.12	21.44	21.65	21.97	0	Accommodates splice	
346	U1427	A	4	H	1	0.51	0.51	20.8	21.31	21.44	21.95	-0.53	Accommodates splice	
346	U1427	A	4	H	2	1.5	1.5	21.31	22.81	21.95	23.45	0	Accommodates splice	
346	U1427	A	4	H	3	1.2	1.2	22.81	24.01	23.45	24.65	0	Accommodates splice	
346	U1427	A	4	H	4	1.12	1.12	24.01	25.13	24.65	25.77	0	Accommodates splice	
346	U1427	A	4	H	5	1.37	1.37	25.13	26.5	25.77	27.14	0	Accommodates splice	
346	U1427	A	4	H	6	1.5	1.5	26.5	28	27.14	28.64	0	Accommodates splice	
346	U1427	A	4	H	7	1.41	1.41	28	29.41	28.64	30.05	0	Accommodates splice	
346	U1427	A	4	H	8	0.88	0.88	29.41	30.29	30.05	30.93	0	Accommodates splice	
346	U1427	A	4	H	CC	0.55	0.55	30.29	30.84	30.93	31.48	0	Accommodates splice	
346	U1427	A	5	H	1	1.5	1.5	30.3	31.8	31.4	32.64	-0.34	Accommodates splice	
346	U1427	A	5	H	2	1.43	1.43	31.8	33.23	32.64	34.07	0	Accommodates splice	
346	U1427	A	5	H	3	1.4	1.4	33.23	34.63	34.07	35.47	0	Accommodates splice	
346	U1427	A	5	H	4	1.5	1.5	34.63	36.13	35.47	36.97	0	Accommodates splice	
346	U1427	A	5	H	5	1.07	1.07	36.13	37.2	36.97	38.04	0	Accommodates splice	
346	U1427	A	5	H	6	1.5	1.5	37.2	38.7	38.04	39.54	0	Accommodates splice	
346	U1427	A	5	H	7	0.62	0.62	38.7	39.32	39.54	40.16	0	Accommodates splice	
346	U1427	A	5	H	CC	0.19	0.19	39.32	39.51	40.16	40.35	0	Accommodates splice	
346	U1427	A	6	H	1	0.35	0.35	39.8	40.15	40.14	40.48	-0.21	Accommodates splice	
346	U1427	A	6	H	2	1.51	1.51	40.15	41.66	40.48	42	0	Accommodates splice	
346	U1427	A	6	H	3	1.5	1.5	41.66	43.16	42	43.5	0	Accommodates splice	
346	U1427	A	6	H	4	1.5	1.5	43.16	44.66	43.5	45	0	Accommodates splice	
346	U1427	A	6	H	5	1.51	1.51	44.66	46.17	45	46.5	0	Accommodates splice	
346	U1427	A	6	H	6	1.51	1.51	46.17	47.68	46.5	48.02	0	Accommodates splice	
346	U1427	A	6	H	7	1.36	1.36	47.68	49.04	48.02	49.38	0	Accommodates splice	
346	U1427	A	6	H	8	0.56	0.56	49.04	49.6	49.38	49.94	0	Accommodates splice	
346	U1427	A	6	H	CC	0.48	0.48	49.6	50.08	49.94	50.42	0	Accommodates splice	
346	U1427	A	7	H	1	0.66	0.66	49.3	49.96	50.52	51.18	0.1	Accommodates splice	
346	U1427	A	7	H	2	1.51	1.51	49.96	51.47	51.18	52.69	0	Accommodates splice	
346	U1427	A	7	H	3	1.25	1.25	51.47	52.72	52.69	53.94	0	Accommodates splice	
346	U1427	A	7	H	4	0.91	0.91	52.72	53.63	53.94	54.85	0	Accommodates splice	
346	U1427	A	7	H	5	1.35	1.35	53.63	54.98	54.85	56.2	0	Accommodates splice	
346	U1427	A	7	H	6	1.44	1.44	54.98	56.42	56.2	57.64	0	Accommodates splice	
346	U1427	A	7	H	7	1.43	1.43	56.42	57.85	57.64	59.07	0	Accommodates splice	
346	U1427	A	7	H	8	0.84	0.84	57.85	58.69	59.07	59.91	0	Accommodates splice	
346	U1427	A	7	H	CC	0.48	0.48	58.69	59.17	59.91	60.39	0	Accommodates splice	
346	U1427	A	8	H	1	0.4	0.4	58.8	59.2	60.44	60.84	0.05	Accommodates splice	
346	U1427	A	8	H	2	1.44	1.44	59.2	60.64	60.84	62.28	0	Accommodates splice	
346	U1427	A	8	H	3	1.34	1.34	60.64	61.98	62.28	63.62	0	Accommodates splice	
346	U1427	A	8	H	4	1.11	1.11	61.98	63.09	63.62	64.73	0	Accommodates splice	
346	U1427	A	8	H	5	1.51	1.51	63.09	64.6	64.73	66.24	0	Accommodates splice	
346	U1427	A	8	H	6	1.5	1.5	64.6	66.1	66.24	67.74	0	Accommodates splice	
346	U1427	A	8	H	7	1.51	1.51	66.1	67.61	67.74	69.25	0	Accommodates splice	
346	U1427	A	8	H	8	0.64	0.64	67.61	68.25	69.25	69.89	0	Accommodates splice	
346	U1427	A	8	H	CC	0.32	0.32	68.25	68.57	69.89	70.21	0	Accommodates splice	
346	U1427	A	9	H	1	0.52	0.52	68.3	68.82	68.58	69.1	-1.63	Accommodates splice	
346	U1427	A	9	H	2	1.42	1.42	68.82	70.24	69.1	70.52	0	Accommodates splice	
346	U1427	A	9	H	3	1.25	1.25	70.24	71.49	70.52	71.77	0	Accommodates splice	
346	U1427	A	9	H	4	1.36	1.36	71.49	72.85	71.77	73.13	0	Accommodates splice	
346	U1427	A	9	H	5	1.18	1.18	72.85	74.03	73.13	74.31	0	Accommodates splice	
346	U1427	A	9	H	6	1.5	1.5	74.03	75.53	74.31	75.81	0	Accommodates splice	
346	U1427	A	9	H	7	1.5	1.5	75.53	77.03	75.81	77.31	0	Accommodates splice	
346	U1427	A	9	H	8	0.89	0.89	77.03	77.92	77.31	78.2	0	Accommodates splice	
346	U1427	A	9	H	CC	0.27	0.27	77.92	78.19	78.2	78.47	0	Accommodates splice	

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	A	10	H	1	0.51	0.51	77.8	78.31	79.93	80.44	1.46	Accommodates splice	
346	U1427	A	10	H	2	1.5	1.5	78.31	79.81	80.44	81.94	0	Accommodates splice	
346	U1427	A	10	H	3	1.27	1.27	79.81	81.08	81.94	83.21	0	Accommodates splice	
346	U1427	A	10	H	4	1.3	1.3	81.08	82.38	83.21	84.51	0	Accommodates splice	
346	U1427	A	10	H	5	1.5	1.5	82.38	83.88	84.51	86.01	0	Accommodates splice	
346	U1427	A	10	H	6	1.5	1.5	83.88	85.38	86.01	87.51	0	Accommodates splice	
346	U1427	A	10	H	7	1.51	1.51	85.38	86.89	87.51	89.02	0	Accommodates splice	
346	U1427	A	10	H	8	0.54	0.54	86.89	87.43	89.02	89.56	0	Accommodates splice	
346	U1427	A	10	H	CC	0.69	0.69	87.43	88.12	89.56	90.25	0	Accommodates splice	
346	U1427	A	11	H	1	1.48	1.48	87.3	88.78	90.64	92.12	0.39	Accommodates splice	
346	U1427	A	11	H	2	1.5	1.5	88.78	90.28	92.12	93.62	0	Accommodates splice	
346	U1427	A	11	H	3	1.46	1.46	90.28	91.74	93.62	95.08	0	Accommodates splice	
346	U1427	A	11	H	4	1.42	1.42	91.74	93.16	95.08	96.5	0	Accommodates splice	
346	U1427	A	11	H	5	1.51	1.51	93.16	94.67	96.5	98	0	Accommodates splice	
346	U1427	A	11	H	6	1.5	1.5	94.67	96.17	98	99.5	0	Accommodates splice	
346	U1427	A	11	H	7	0.68	0.68	96.17	96.85	99.5	100.18	0	Accommodates splice	
346	U1427	A	11	H	CC	0.24	0.24	96.85	97.09	100.18	100.42	0	Accommodates splice	
346	U1427	A	12	H	1	1.5	1.5	96.8	98.3	100.22	101.72	-0.2	Accommodates splice	
346	U1427	A	12	H	2	1.24	1.24	98.3	99.54	101.72	102.96	0	Accommodates splice	
346	U1427	A	12	H	3	1.5	1.5	99.54	101.04	102.96	104.46	0	Accommodates splice	
346	U1427	A	12	H	4	1.5	1.5	101.04	102.54	104.46	105.96	0	Accommodates splice	
346	U1427	A	12	H	5	1.5	1.5	102.54	104.04	105.96	107.46	0	Accommodates splice	
346	U1427	A	12	H	6	1.5	1.5	104.04	105.54	107.46	108.96	0	Accommodates splice	
346	U1427	A	12	H	7	0.73	0.73	105.54	106.27	108.96	109.69	0	Accommodates splice	
346	U1427	A	12	H	CC	0.49	0.49	106.27	106.76	109.69	110.18	0	Accommodates splice	
346	U1427	A	13	H	1	1.51	1.51	106.3	107.81	108.72	110.23	-1.46	Accommodates splice	
346	U1427	A	13	H	2	1.45	1.45	107.81	109.26	110.23	111.68	0	Accommodates splice	
346	U1427	A	13	H	3	1.51	1.51	109.26	110.77	111.68	113.19	0	Accommodates splice	
346	U1427	A	13	H	4	1.54	1.54	110.77	112.31	113.19	114.73	0	Accommodates splice	
346	U1427	A	13	H	5	1.54	1.54	112.31	113.85	114.73	116.27	0	Accommodates splice	
346	U1427	A	13	H	6	0.92	0.92	113.85	114.77	116.27	117.19	0	Accommodates splice	
346	U1427	A	13	H	7	0.57	0.57	114.77	115.34	117.19	117.76	0	Accommodates splice	
346	U1427	A	13	H	CC	0.51	0.51	115.34	115.85	117.76	118.27	0	Accommodates splice	
346	U1427	A	14	H	1	1.46	1.46	115.8	117.26	119.92	121.38	1.65	Accommodates splice	TOP 44 CM DISTURBED
346	U1427	A	14	H	2	1.24	1.24	117.26	118.5	121.38	122.62	0	Accommodates splice	
346	U1427	A	14	H	3	1.5	1.5	118.5	120	122.62	124.12	0	Accommodates splice	
346	U1427	A	14	H	4	1.36	1.36	120	121.36	124.12	125.48	0	Accommodates splice	
346	U1427	A	14	H	5	1.51	1.51	121.36	122.87	125.48	126.99	0	Accommodates splice	
346	U1427	A	14	H	6	1.51	1.51	122.87	124.38	126.99	128.5	0	Accommodates splice	
346	U1427	A	14	H	7	0.9	0.9	124.38	125.28	128.5	129.4	0	Accommodates splice	
346	U1427	A	14	H	CC	0.25	0.25	125.28	125.53	129.4	129.65	0	Accommodates splice	
346	U1427	A	15	H	1	0.44	0.44	125.3	125.74	129.55	129.99	-0.1	Accommodates splice	
346	U1427	A	15	H	2	1.45	1.45	125.74	127.19	129.99	131.44	0	Accommodates splice	
346	U1427	A	15	H	3	1.39	1.39	127.19	128.58	131.44	132.83	0	Accommodates splice	
346	U1427	A	15	H	4	1.2	1.2	128.58	129.78	132.83	134.03	0	Accommodates splice	
346	U1427	A	15	H	5	1.4	1.4	129.78	131.18	134.03	135.43	0	Accommodates splice	
346	U1427	A	15	H	6	1.51	1.51	131.18	132.69	135.43	136.94	0	Accommodates splice	
346	U1427	A	15	H	7	1.5	1.5	132.69	134.19	136.94	138.44	0	Accommodates splice	
346	U1427	A	15	H	8	0.77	0.77	134.19	134.96	138.44	139.21	0	Accommodates splice	
346	U1427	A	15	H	CC	0.31	0.31	134.96	135.27	139.21	139.52	0	Accommodates splice	
346	U1427	A	16	H	1	0.36	0.36	135.27	136.8	139.52	140.1	0.22	Accommodates splice	
346	U1427	A	16	H	2	1.51	1.51	136.8	138.67	140.1	141.61	0	Accommodates splice	
346	U1427	A	16	H	3	1.35	1.35	138.67	138.02	141.61	142.96	0	Accommodates splice	
346	U1427	A	16	H	4	1.24	1.24	138.02	139.26	142.96	144.2	0	Accommodates splice	
346	U1427	A	16	H	5	1.51	1.51	139.26	140.77	144.2	145.71	0	Accommodates splice	
346	U1427	A	16	H	6	1.36	1.36	140.77	142.13	145.71	147.07	0	Accommodates splice	
346	U1427	A	16	H	7	1.5	1.5	142.13	143.63	147.07	148.57	0	Accommodates splice	
346	U1427	A	16	H	8	1.06	1.06	143.63	144.69	148.57	149.63	0	Accommodates splice	
346	U1427	A	16	H	CC	0.35	0.35	144.69	145.04	149.63	149.98	0	Accommodates splice	
346	U1427	A	17	H	1	0.16	0.16	145.04	144.46	150.37	150.53	0.39	Accommodates splice	
346	U1427	A	17	H	2	1.16	1.16	144.46	145.62	150.53	151.69	0	Accommodates splice	
346	U1427	A	17	H	3	1.51	1.51	145.62	147.13	151.69	153.2	0	Accommodates splice	
346	U1427	A	17	H	4	1.15	1.15	147.13	148.28	153.2	154.35	0	Accommodates splice	
346	U1427	A	17	H	5	1.51	1.51	148.28	149.79	154.35	155.86	0	Accommodates splice	
346	U1427	A	17	H	6	1.53	1.53	149.79	151.32	155.86	157.39	0	Accommodates splice	
346	U1427	A	17	H	7	1.49	1.49	151.32	152.81	157.39	158.88	0	Accommodates splice	
346	U1427	A	17	H	8	1.22	1.22	152.81	154.03	158.88	160.1	0	Accommodates splice	
346	U1427	A	17	H	CC	0.11	0.11	154.03	154.14	160.1	160.21	0	Accommodates splice	
346	U1427	A	18	H	1	0.45	0.45	153.8	154.25	160.56	161	0.35	Accommodates splice	
346	U1427	A	18	H	2	1.5	1.5	154.25	155.75	161	162.5	0	Accommodates splice	
346	U1427	A	18	H	3	1.41	1.41	155.75	157.16	162.5	163.92	0	Accommodates splice	
346	U1427	A	18	H	4	1.5	1.5	157.16	158.66	163.92	165.42	0	Accommodates splice	

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	A	18	H	5	1.51	1.51	158.66	160.17	165.42	166.92	0	Accommodates splice	
346	U1427	A	18	H	6	1.51	1.51	160.17	161.68	166.92	168.44	0	Accommodates splice	
346	U1427	A	18	H	7	1.39	1.39	161.68	163.07	168.44	169.82	0	Accommodates splice	
346	U1427	A	18	H	8	0.73	0.73	163.07	163.8	169.82	170.56	0	Accommodates splice	
346	U1427	A	18	H	CC	0.16	0.16	163.8	163.96	170.56	170.72	0	Accommodates splice	
346	U1427	A	19	H	1	1.51	1.51	163.3	164.81	171.02	172.53	0.3	Accommodates splice	
346	U1427	A	19	H	2	1.42	1.42	164.81	166.23	172.53	173.95	0	Accommodates splice	
346	U1427	A	19	H	3	1.5	1.5	166.23	167.73	173.95	175.45	0	Accommodates splice	
346	U1427	A	19	H	4	1.5	1.5	167.73	169.23	175.45	176.95	0	Accommodates splice	
346	U1427	A	19	H	5	1.5	1.5	169.23	170.73	176.95	178.45	0	Accommodates splice	
346	U1427	A	19	H	6	1.37	1.37	170.73	172.1	178.45	179.82	0	Accommodates splice	
346	U1427	A	19	H	7	0.68	0.68	172.1	172.78	179.82	180.5	0	Accommodates splice	
346	U1427	A	19	H	CC	0.14	0.14	172.78	172.92	180.5	180.64	0	Accommodates splice	
346	U1427	A	20	H	1	1.42	1.42	172.8	174.22	181.38	182.8	0.74	Accommodates splice	
346	U1427	A	20	H	2	1.41	1.41	174.22	175.63	182.8	184.21	0	Accommodates splice	
346	U1427	A	20	H	3	1.5	1.5	175.63	177.13	184.21	185.71	0	Accommodates splice	
346	U1427	A	20	H	4	1.51	1.51	177.13	178.64	185.71	187.22	0	Accommodates splice	
346	U1427	A	20	H	5	1.5	1.5	178.64	180.14	187.22	188.72	0	Accommodates splice	
346	U1427	A	20	H	6	1.45	1.45	180.14	181.59	188.72	190.17	0	Accommodates splice	
346	U1427	A	20	H	7	0.67	0.67	181.59	182.26	190.17	190.84	0	Accommodates splice	
346	U1427	A	20	H	CC	0.17	0.17	182.26	182.43	190.84	191.01	0	Accommodates splice	
346	U1427	A	21	H	1	1.5	1.5	182.3	183.8	192.42	193.92	1.41	Accommodates splice	
346	U1427	A	21	H	2	1.5	1.5	183.8	185.3	193.92	195.42	0	Accommodates splice	
346	U1427	A	21	H	3	1.49	1.49	185.3	186.79	195.42	196.91	0	Accommodates splice	
346	U1427	A	21	H	4	1.5	1.5	186.79	188.29	196.91	198.41	0	Accommodates splice	
346	U1427	A	21	H	5	1.55	1.55	188.29	189.84	198.41	199.96	0	Accommodates splice	
346	U1427	A	21	H	6	1.1	1.1	189.84	190.94	199.96	201.06	0	Accommodates splice	
346	U1427	A	21	H	7	0.67	0.67	190.94	191.61	201.06	201.73	0	Accommodates splice	
346	U1427	A	21	H	CC	0.06	0.06	191.61	191.67	201.73	201.79	0	Accommodates splice	All to paleo
346	U1427	A	22	H	1	1.4	1.4	191.8	193.2	201.64	203.04	-0.15	Accommodates splice	
346	U1427	A	22	H	2	1.45	1.45	193.2	194.65	203.04	204.49	0	Accommodates splice	
346	U1427	A	22	H	3	1.5	1.5	194.65	196.15	204.49	205.99	0	Accommodates splice	
346	U1427	A	22	H	4	1.6	1.6	196.15	197.75	205.99	207.59	0	Accommodates splice	
346	U1427	A	22	H	5	1.5	1.5	197.75	199.25	207.59	209.09	0	Accommodates splice	
346	U1427	A	22	H	6	1.36	1.36	199.25	200.61	209.09	210.45	0	Accommodates splice	
346	U1427	A	22	H	7	0.8	0.8	200.61	201.41	210.45	211.25	0	Accommodates splice	
346	U1427	A	22	H	CC	0.31	0.31	201.41	201.72	211.25	211.56	0	Accommodates splice	
346	U1427	A	23	H	1	1.51	1.51	201.3	202.81	212.51	214.02	0.95	Accommodates splice	
346	U1427	A	23	H	2	1.5	1.5	202.81	204.31	214.02	215.52	0	Accommodates splice	
346	U1427	A	23	H	3	1.5	1.5	204.31	205.81	215.52	217.02	0	Accommodates splice	
346	U1427	A	23	H	4	1.5	1.5	205.81	207.31	217.02	218.52	0	Accommodates splice	
346	U1427	A	23	H	5	1.5	1.5	207.31	208.81	218.52	220.02	0	Accommodates splice	
346	U1427	A	23	H	6	1.19	1.19	208.81	210	220.02	221.21	0	Accommodates splice	
346	U1427	A	23	H	7	0.51	0.51	210	210.51	221.21	221.72	0	Accommodates splice	
346	U1427	A	23	H	CC	0.22	0.22	210.51	210.73	221.72	221.94	0	Accommodates splice	
346	U1427	A	24	H	1	1.5	1.5	210.8	212.3	223.04	224.54	1.1	Accommodates splice	
346	U1427	A	24	H	2	1.54	1.54	212.3	213.84	224.54	226.08	0	Accommodates splice	
346	U1427	A	24	H	3	1.5	1.5	213.84	215.34	226.08	227.58	0	Accommodates splice	
346	U1427	A	24	H	4	1.53	1.53	215.34	216.87	227.58	229.11	0	Accommodates splice	
346	U1427	A	24	H	5	1.5	1.5	216.87	218.37	229.11	230.61	0	Accommodates splice	
346	U1427	A	24	H	6	1.38	1.38	218.37	219.75	230.61	231.99	0	Accommodates splice	
346	U1427	A	25	H	1	0.74	0.74	220.3	221.04	232.76	233.5	0.77	Accommodates splice	
346	U1427	A	25	H	2	1.32	1.32	221.04	222.36	233.5	234.82	0	Accommodates splice	
346	U1427	A	25	H	3	1.45	1.45	222.36	223.81	234.82	236.27	0	Accommodates splice	
346	U1427	B	26	H	CC	0.21	0.21	224.78	224.99	236.38	236.58	0.11	Accommodates splice	
346	U1427	C	25	H	4	0.49	0.49	224.99	224.58	236.86	237.35	0.28	Accommodates splice	
346	U1427	C	25	H	CC	0.39	0.39	224.58	224.97	237.35	237.74	0	Accommodates splice	
346	U1427	C	26	H	1	0.39	0.39	224.97	224.59	237.74	238.13	0	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	B	27	H	1	1.52	1.52	224.7	226.22	238.2	239.72	0.07	Accommodates splice	
346	U1427	A	25	H	6	1.41	1.41	226.75	228.16	239.21	240.62	-0.51	Accommodates splice	Almost full with coarse sand
346	U1427	A	25	H	7	0.51	0.51	228.16	228.67	240.62	241.13	0	Accommodates splice	Full of sand
346	U1427	A	25	H	CC	0.06	0.06	228.67	228.73	241.13	241.19	0	Accommodates splice	All to paleo
346	U1427	A	26	H	1	0.31	0.31	228.7	229.01	242.42	242.73	1.23	Accommodates splice	Extruded on rig floor
346	U1427	A	26	H	2	1.45	1.45	229.01	230.46	242.73	244.18	0	Accommodates splice	
346	U1427	A	26	H	3	1.42	1.42	230.46	231.88	244.18	245.6	0	Accommodates splice	
346	U1427	A	26	H	4	1.1	1.1	231.88	232.98	245.6	246.7	0	Accommodates splice	
346	U1427	A	26	H	5	0.57	0.57	232.98	233.55	246.7	247.27	0	Accommodates splice	
346	U1427	A	26	H	CC	0.3	0.3	233.55	233.85	247.27	247.57	0	Accommodates splice	
346	U1427	A	27	H	1	0.33	0.33	233.85	233.73	247.57	247.45	-0.45	Accommodates splice	
346	U1427	B	28	H	2	1.32	1.32	233.7	235.02	247.38	248.7	-0.07	Accommodates splice	
346	U1427	B	28	H	3	0.67	0.67	235.02	235.69	248.7	249.37	0	Accommodates splice	
346	U1427	B	28	H	CC	0.09	0.09	235.69	235.99	249.37	249.46	0	Accommodates splice	

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	B	29	H	1	0.35	0.35	235.8	236.15	250.37	250.72	0.91	Accommodates splice	
346	U1427	B	29	H	2	1.51	1.51	236.15	237.66	250.72	252.23	0	Accommodates splice	
346	U1427	A	27	H	5	0.43	0.43	237.86	238.29	251.58	252.01	-0.65	Accommodates splice	
346	U1427	A	27	H	CC	0.25	0.25	238.29	238.54	252.01	252.26	0	Accommodates splice	
346	U1427	A	28	H	1	1.36	1.36	238.1	239.46	253.16	254.52	0.9	Accommodates splice	
346	U1427	A	28	H	2	1.5	1.5	239.46	240.96	254.52	256.02	0	Accommodates splice	
346	U1427	A	28	H	3	1.14	1.14	240.96	242.1	256.02	257.16	0	Accommodates splice	
346	U1427	A	28	H	4	0.5	0.5	242.1	242.6	257.16	257.66	0	Accommodates splice	
346	U1427	A	28	H	CC	0.31	0.31	242.6	242.91	257.66	257.97	0	Accommodates splice	
346	U1427	C	30	H	4	0.66	0.66	246.15	246.81	258.68	259.34	0.71	Accommodates splice	
346	U1427	C	30	H	5	0.54	0.54	246.81	247.35	259.34	259.88	0	Accommodates splice	
346	U1427	C	30	H	CC	0.36	0.36	247.35	247.71	259.88	260.24	0	Accommodates splice	
346	U1427	C	31	H	1	0.34	0.34	247.7	248.04	260.12	260.46	-0.12	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	29	H	CC	0.3	0.3	246.05	246.35	260.63	260.93	0.17	Accommodates splice	
346	U1427	A	30	H	1	1.23	1.23	247.5	248.73	261.65	262.88	0.72	Accommodates splice	
346	U1427	A	30	H	2	1.5	1.5	248.73	250.23	262.88	264.38	0	Accommodates splice	
346	U1427	A	30	H	3	1.5	1.5	250.23	251.73	264.38	265.88	0	Accommodates splice	
346	U1427	A	30	H	CC	0.14	0.14	251.73	251.87	265.88	266.02	0	Accommodates splice	
346	U1427	A	31	H	1	0.38	0.38	252.2	252.58	265.69	266.07	-0.33	Accommodates splice	
346	U1427	A	31	H	2	1.46	1.46	252.58	254.04	266.07	267.53	0	Accommodates splice	
346	U1427	A	31	H	3	1.11	1.11	254.04	255.15	267.53	268.64	0	Accommodates splice	
346	U1427	A	31	H	4	1.2	1.2	255.15	256.35	268.64	269.84	0	Accommodates splice	
346	U1427	A	31	H	5	0.68	0.68	256.35	257.03	269.84	270.52	0	Accommodates splice	
346	U1427	A	31	H	CC	0.2	0.2	257.03	257.23	270.52	270.72	0	Accommodates splice	
346	U1427	A	32	H	1	0.37	0.37	256.9	257.27	271.48	271.85	0.76	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	32	H	2	1.35	1.35	257.27	258.62	271.85	273.2	0	Accommodates splice	
346	U1427	A	32	H	3	0.79	0.79	258.62	259.41	273.2	273.99	0	Accommodates splice	
346	U1427	A	32	H	4	1.12	1.12	259.41	260.53	273.99	275.11	0	Accommodates splice	
346	U1427	A	32	H	5	0.96	0.96	260.53	261.49	275.11	276.07	0	Accommodates splice	
346	U1427	A	32	H	CC	0.26	0.26	261.49	261.75	276.07	276.33	0	Accommodates splice	
346	U1427	A	33	H	1	0.26	0.26	261.6	261.86	276.68	275.94	-0.65	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	33	H	2	1.4	1.4	261.86	263.26	275.94	277.34	0	Accommodates splice	
346	U1427	A	33	H	3	1.08	1.08	263.26	264.34	277.34	278.42	0	Accommodates splice	
346	U1427	A	33	H	4	1.34	1.34	264.34	265.68	278.42	279.76	0	Accommodates splice	
346	U1427	A	33	H	5	0.48	0.48	265.68	266.16	279.76	280.24	0	Accommodates splice	
346	U1427	A	33	H	CC	0.3	0.3	266.16	266.46	280.24	280.54	0	Accommodates splice	
346	U1427	A	34	H	1	0.39	0.39	266.69	266.69	280.89	281.28	0.35	Accommodates splice	
346	U1427	A	34	H	2	1.31	1.31	266.69	268	281.28	282.59	0	Accommodates splice	
346	U1427	A	34	H	3	1.14	1.14	268	269.14	282.59	283.73	0	Accommodates splice	
346	U1427	A	34	H	4	1.5	1.5	269.14	270.64	283.73	285.23	0	Accommodates splice	
346	U1427	A	34	H	5	0.55	0.55	270.64	271.19	285.23	285.78	0	Accommodates splice	
346	U1427	A	34	H	CC	0.35	0.35	271.19	271.54	285.78	286.13	0	Accommodates splice	
346	U1427	A	35	H	1	1.5	1.5	271	272.5	285.56	287.06	-0.57	Accommodates splice	
346	U1427	A	35	H	2	1.5	1.5	272.5	272.5	287.06	288.56	0	Accommodates splice	
346	U1427	A	35	H	3	0.67	0.67	274	274.67	288.56	289.23	0	Accommodates splice	
346	U1427	A	35	H	4	0.82	0.82	274.67	275.49	289.23	290.05	0	Accommodates splice	
346	U1427	A	35	H	CC	0.14	0.14	275.49	275.63	290.05	290.19	0	Accommodates splice	
346	U1427	A	36	H	1	1.47	1.47	275.7	277.17	290.39	291.86	0.2	Accommodates splice	
346	U1427	A	36	H	2	1.12	1.12	277.17	278.29	291.86	292.98	0	Accommodates splice	
346	U1427	A	36	H	3	1.12	1.12	278.29	279.41	292.98	294.1	0	Accommodates splice	
346	U1427	A	36	H	4	0.72	0.72	279.41	280.13	294.1	294.82	0	Accommodates splice	
346	U1427	A	36	H	CC	0.25	0.25	280.13	280.38	294.82	295.07	0	Accommodates splice	
346	U1427	A	37	H	1	0.84	0.84	280.38	281.24	294.82	294.96	-0.95	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	37	H	2	0.9	0.9	281.24	282.14	294.96	295.86	0	Accommodates splice	
346	U1427	A	37	H	3	1.38	1.38	282.14	283.52	295.86	297.24	0	Accommodates splice	
346	U1427	A	37	H	4	1.3	1.3	283.52	284.82	297.24	298.54	0	Accommodates splice	
346	U1427	A	37	H	5	0.62	0.62	284.82	285.44	298.54	299.16	0	Accommodates splice	
346	U1427	A	37	H	CC	0.3	0.3	285.44	285.74	299.16	299.46	0	Accommodates splice	
346	U1427	A	38	H	1	0.84	0.84	285.1	285.94	298.42	299.26	-1.04	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	38	H	2	0.85	0.85	285.94	286.79	299.26	300.1	0	Accommodates splice	
346	U1427	A	38	H	3	1.5	1.5	286.79	288.29	300.1	301.6	0	Accommodates splice	
346	U1427	A	38	H	4	1.11	1.11	288.29	289.4	301.6	302.72	0	Accommodates splice	
346	U1427	A	38	H	5	0.58	0.58	289.4	289.98	302.72	303.3	0	Accommodates splice	
346	U1427	A	38	H	CC	0.27	0.27	289.98	290.25	303.3	303.56	0	Accommodates splice	
346	U1427	A	39	H	1	0.74	0.74	289.8	290.54	303.62	304.36	0.06	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	39	H	2	1.17	1.17	290.54	291.71	304.36	305.53	0	Accommodates splice	
346	U1427	A	39	H	3	1.3	1.3	291.71	293.01	305.53	306.83	0	Accommodates splice	
346	U1427	A	39	H	4	1.14	1.14	293.01	294.15	306.83	307.97	0	Accommodates splice	
346	U1427	A	39	H	5	0.74	0.74	294.15	294.89	307.97	308.71	0	Accommodates splice	
346	U1427	A	39	H	CC	0.26	0.26	294.89	295.15	308.71	308.97	0	Accommodates splice	
346	U1427	A	40	H	1	1.16	1.16	294.5	295.66	308.97	310.07	-0.06	Accommodates splice	
346	U1427	A	40	H	2	1.5	1.5	295.66	297.16	310.07	311.57	0	Accommodates splice	

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	A	40	H	3	1.2	1.2	297.16	298.36	311.57	312.77	0	Accommodates splice	
346	U1427	A	40	H	4	0.57	0.57	298.36	298.93	312.77	313.34	0	Accommodates splice	
346	U1427	A	40	H	CC	0.33	0.33	298.93	299.26	313.34	313.67	0	Accommodates splice	
346	U1427	A	41	H	1	0.65	0.65	299.2	299.85	314.1	314.75	0.43	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	41	H	2	0.96	0.96	299.85	300.81	314.75	315.71	0	Accommodates splice	
346	U1427	A	41	H	3	0.75	0.75	300.81	301.56	315.71	316.46	0	Accommodates splice	
346	U1427	A	41	H	4	1.47	1.47	301.56	303.03	316.46	317.93	0	Accommodates splice	
346	U1427	A	41	H	5	0.97	0.97	303.03	304	317.93	318.9	0	Accommodates splice	
346	U1427	A	41	H	CC	0.28	0.28	304	304.28	318.9	319.18	0	Accommodates splice	
346	U1427	A	42	H	1	0.66	0.66	303.9	304.56	319.82	320.48	0.64	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	42	H	2	0.94	0.94	304.56	305.5	320.48	321.42	0	Accommodates splice	
346	U1427	A	42	H	3	1.43	1.43	305.5	306.93	321.42	322.85	0	Accommodates splice	
346	U1427	A	42	H	4	1.19	1.19	306.93	308.12	322.85	324.04	0	Accommodates splice	
346	U1427	A	42	H	5	0.57	0.57	308.12	308.69	324.04	324.61	0	Accommodates splice	
346	U1427	A	42	H	CC	0.23	0.23	308.69	308.92	324.61	324.84	0	Accommodates splice	
346	U1427	A	43	H	1	1.25	1.25	308.6	309.85	324.06	325.31	-0.78	Accommodates splice	
346	U1427	A	43	H	2	1.23	1.23	309.85	311.08	325.31	326.54	0	Accommodates splice	
346	U1427	A	43	H	3	1.09	1.09	311.08	312.17	326.54	327.63	0	Accommodates splice	
346	U1427	A	43	H	4	0.6	0.6	312.17	312.77	327.63	328.23	0	Accommodates splice	
346	U1427	A	43	H	CC	0.36	0.36	312.77	313.13	328.23	328.59	0	Accommodates splice	
346	U1427	A	44	H	1	0.6	0.6	313.3	329.8	330.4	330.4	1.21	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	44	H	2	0.93	0.93	313.9	314.83	330.4	331.34	0	Accommodates splice	
346	U1427	A	44	H	3	0.99	0.99	314.83	315.82	331.34	332.32	0	Accommodates splice	
346	U1427	A	44	H	4	1.28	1.28	315.82	317.1	332.32	333.6	0	Accommodates splice	
346	U1427	A	44	H	5	0.69	0.69	317.1	317.79	333.6	334.3	0	Accommodates splice	
346	U1427	A	44	H	CC	0.17	0.17	317.79	317.96	334.3	334.46	0	Accommodates splice	
346	U1427	A	45	H	1	1.41	1.41	318	319.41	334.11	335.52	-0.35	Accommodates splice	
346	U1427	A	45	H	2	1.48	1.48	319.41	320.89	335.52	337	0	Accommodates splice	
346	U1427	A	45	H	3	1.37	1.37	320.89	322.26	337	338.37	0	Accommodates splice	
346	U1427	A	45	H	4	0.5	0.5	322.26	322.76	338.37	338.87	0	Accommodates splice	
346	U1427	A	45	H	CC	0.31	0.31	322.76	323.07	338.87	339.18	0	Accommodates splice	
346	U1427	A	46	H	1	0.42	0.42	323.12	323.12	338.54	338.96	-0.64	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	46	H	2	1.36	1.36	323.12	324.48	338.96	340.32	0	Accommodates splice	
346	U1427	A	46	H	3	1.46	1.46	324.48	325.94	340.32	341.78	0	Accommodates splice	
346	U1427	A	46	H	4	1.27	1.27	325.94	327.21	341.78	343.05	0	Accommodates splice	
346	U1427	A	46	H	5	0.57	0.57	327.21	327.78	343.05	343.62	0	Accommodates splice	
346	U1427	A	46	H	CC	0.22	0.22	327.78	328	343.62	343.84	0	Accommodates splice	
346	U1427	A	47	H	1	0.35	0.35	327.4	327.75	344.02	344.37	0.18	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	47	H	2	1.05	1.05	327.75	328.8	344.37	345.42	0	Accommodates splice	
346	U1427	A	47	H	3	1.46	1.46	328.8	330.26	345.42	346.88	0	Accommodates splice	
346	U1427	A	47	H	4	1.5	1.5	330.26	331.76	346.88	348.38	0	Accommodates splice	
346	U1427	A	47	H	5	0.63	0.63	331.76	332.39	348.38	349.01	0	Accommodates splice	
346	U1427	A	47	H	CC	0.24	0.24	332.39	332.63	349.01	349.25	0	Accommodates splice	
346	U1427	A	48	H	1	0.55	0.55	332.1	332.65	349.16	349.71	-0.09	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	48	H	2	1.21	1.21	332.65	333.86	349.71	350.92	0	Accommodates splice	
346	U1427	A	48	H	3	1.45	1.45	333.86	335.31	350.92	352.37	0	Accommodates splice	
346	U1427	A	48	H	4	1.33	1.33	335.31	336.64	352.37	353.7	0	Accommodates splice	
346	U1427	A	48	H	5	0.6	0.6	336.64	337.24	353.7	354.3	0	Accommodates splice	
346	U1427	A	48	H	CC	0.29	0.29	337.24	337.53	354.3	354.59	0	Accommodates splice	
346	U1427	A	49	H	1	0.81	0.81	336.8	337.61	354.45	355.26	-0.14	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	49	H	2	1.2	1.2	337.61	338.81	355.26	356.46	0	Accommodates splice	
346	U1427	A	49	H	3	1.5	1.5	338.81	340.31	356.46	357.96	0	Accommodates splice	
346	U1427	A	49	H	4	1.07	1.07	340.31	341.38	357.96	359.03	0	Accommodates splice	
346	U1427	A	49	H	5	0.55	0.55	341.38	341.93	359.03	359.58	0	Accommodates splice	
346	U1427	A	49	H	CC	0.26	0.26	341.93	342.19	359.58	359.84	0	Accommodates splice	
346	U1427	A	50	H	1	1.22	1.22	341.5	342.72	359.02	360.24	-0.82	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	50	H	2	1.12	1.12	342.72	343.84	360.24	361.36	0	Accommodates splice	
346	U1427	A	50	H	3	1.09	1.09	343.84	344.93	361.36	362.45	0	Accommodates splice	
346	U1427	A	50	H	4	0.93	0.93	344.93	345.86	362.45	363.38	0	Accommodates splice	
346	U1427	A	50	H	5	0.82	0.82	345.86	346.68	363.38	364.2	0	Accommodates splice	
346	U1427	A	50	H	CC	0.19	0.19	346.68	346.87	364.2	364.39	0	Accommodates splice	
346	U1427	C	51	H	4	0.47	0.47	345.77	346.24	365.04	365.51	0.65	Accommodates splice	
346	U1427	C	51	H	CC	0.32	0.32	346.24	346.56	365.51	365.83	0	Accommodates splice	
346	U1427	C	52	H	1	0.45	0.45	346.4	346.85	365.41	365.86	-0.42	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	C	52	H	2	1.44	1.44	346.85	348.29	365.86	367.3	0	Accommodates splice	
346	U1427	C	52	H	3	1.43	1.43	348.29	349.72	367.3	368.73	0	Accommodates splice	
346	U1427	C	52	H	4	1.23	1.23	349.72	350.95	368.73	369.96	0	Accommodates splice	
346	U1427	A	51	H	CC	0.2	0.2	351.53	351.73	368.98	369.18	-0.98	Accommodates splice	
346	U1427	A	52	H	1	1.5	1.5	350.9	352.4	369.24	370.74	0.06	Accommodates splice	
346	U1427	B	54	H	5	0.73	0.73	353.8	354.53	371.33	372.06	0.59	Accommodates splice	
346	U1427	B	54	H	CC	0.24	0.24	354.53	354.77	372.06	372.3	0	Accommodates splice	
346	U1427	B	55	H	1	0.48	0.48	353.9	354.38	372.04	372.52	-0.26	Accommodates splice	Extruded on rig floor

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	A	52	H	4	0.68	0.68	355.16	355.84	373.5	374.18	0.98	Accommodates splice	
346	U1427	A	52	H	CC	0.24	0.24	355.84	356.08	374.18	374.42	0	Accommodates splice	
346	U1427	A	53	H	1	0.76	0.76	355.6	356.36	373.7	374.46	-0.72	Accommodates splice	
346	U1427	A	53	H	2	1.4	1.4	356.36	357.76	374.46	375.86	0	Accommodates splice	
346	U1427	B	55	H	5	0.48	0.48	358.95	358.95	376.61	377.09	0.75	Accommodates splice	
346	U1427	B	55	H	CC	0.3	0.3	358.95	359.25	377.09	377.39	0	Accommodates splice	
346	U1427	B	56	H	1	0.61	0.61	359.25	359.21	377.3	377.91	-0.09	Accommodates splice	Extruded on rig floor
346	U1427	A	53	H	5	0.66	0.66	360.23	360.89	378.33	378.99	0.42	Accommodates splice	
346	U1427	A	53	H	CC	0.18	0.18	360.89	361.07	378.99	379.17	0	Accommodates splice	
346	U1427	A	54	H	1	0.85	0.85	360.3	361.15	379.79	380.64	0.62	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	54	H	5	0.7	0.7	364.84	365.54	384.33	385.03	3.69	Accommodates splice	
346	U1427	A	54	H	CC	0.21	0.21	365.54	365.75	385.03	385.24	0	Accommodates splice	
346	U1427	A	55	H	1	0.6	0.6	365	365.6	384.72	385.32	-0.52	Accommodates splice	
346	U1427	B	57	H	4	1.2	1.2	367.05	368.25	386.4	387.6	1.08	Accommodates splice	
346	U1427	B	57	H	CC	0.26	0.26	368.25	368.51	387.6	387.86	0	Accommodates splice	
346	U1427	B	58	H	1	0.81	0.81	368	368.81	388.24	389.05	0.38	Accommodates splice	Extruded on rig floor
346	U1427	A	55	H	CC	0.24	0.24	370.01	370.25	389.74	389.98	0.69	Accommodates splice	
346	U1427	A	56	H	1	0.46	0.46	369.7	370.16	390.64	391.1	0.66	Accommodates splice	
346	U1427	A	56	H	2	1.38	1.38	370.16	371.54	391.1	392.48	0	Accommodates splice	
346	U1427	B	58	H	5	0.59	0.59	372.6	373.19	392.84	393.43	0.36	Accommodates splice	
346	U1427	B	58	H	CC	0.21	0.21	373.19	373.4	393.43	393.64	0	Accommodates splice	
346	U1427	B	59	H	1	1.21	1.21	372.7	373.91	392.75	393.96	-0.89	Accommodates splice	Extruded on rig floor
346	U1427	A	56	H	CC	0.31	0.31	374.62	374.93	395.56	395.87	1.6	Accommodates splice	
346	U1427	A	57	H	1	0.93	0.93	374.4	375.33	395.46	396.39	-0.41	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	B	59	H	CC	0.26	0.26	377.45	377.71	397.5	397.76	1.11	Accommodates splice	
346	U1427	B	60	H	1	0.46	0.46	377.4	377.86	398.38	398.84	0.62	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	57	H	5	0.61	0.61	379.05	379.66	400.11	400.72	1.27	Accommodates splice	
346	U1427	A	57	H	CC	0.22	0.22	379.66	379.88	400.72	400.94	0	Accommodates splice	
346	U1427	A	58	H	1	0.87	0.87	379.1	379.97	400.81	401.68	-0.13	Accommodates splice	
346	U1427	B	60	H	5	0.54	0.54	381.94	382.48	402.92	403.46	1.24	Accommodates splice	
346	U1427	B	60	H	CC	0.3	0.3	382.48	382.78	403.46	403.76	0	Accommodates splice	
346	U1427	B	61	H	1	1.47	1.47	382.57	383.57	402.93	404.4	-0.83	Accommodates splice	
346	U1427	A	58	H	4	1.11	1.11	382.82	383.93	404.53	405.64	0.13	Accommodates splice	
346	U1427	A	58	H	5	0.66	0.66	383.93	384.59	405.64	406.3	0	Accommodates splice	
346	U1427	A	58	H	CC	0.17	0.17	384.59	384.76	406.3	406.47	0	Accommodates splice	
346	U1427	A	60	H	1	1.37	1.37	388.5	389.87	410.72	412.08	4.25	Accommodates splice	
346	U1427	B	62	H	4	1.04	1.04	390.26	391.3	412.32	413.36	0.24	Accommodates splice	
346	U1427	B	62	H	5	0.63	0.63	391.3	391.93	413.36	413.99	0	Accommodates splice	
346	U1427	B	62	H	CC	0.21	0.21	391.93	392.14	413.99	414.2	0	Accommodates splice	
346	U1427	A	60	H	4	0.74	0.74	392.64	393.38	414.86	415.6	0.66	Accommodates splice	
346	U1427	A	60	H	CC	0.23	0.23	393.38	393.61	415.6	415.82	0	Accommodates splice	
346	U1427	A	61	H	1	1.5	1.5	393.2	394.7	415.51	417.01	-0.31	Accommodates splice	
346	U1427	B	63	H	CC	0.55	0.55	395.68	396.23	418.27	418.82	1.26	Accommodates splice	Includes bottom of broken off section
346	U1427	B	64	H	1	0.63	0.63	396.83	396.83	418.01	418.64	-0.81	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	61	H	CC	0.12	0.12	398.08	398.2	420.39	420.51	1.75	Accommodates splice	
346	U1427	A	62	H	1	0.92	0.92	397.9	398.82	420.34	421.26	-0.17	Accommodates splice	
346	U1427	B	64	H	5	0.7	0.7	400.53	401.23	422.34	423.04	1.08	Accommodates splice	
346	U1427	B	64	H	CC	0.29	0.29	401.23	401.52	423.04	423.33	0	Accommodates splice	
346	U1427	B	65	H	1	0.75	0.75	400.9	401.65	423.58	424.33	0.25	Accommodates splice	Extruded on Rigfloor; Disturbed
346	U1427	A	62	H	CC	0.14	0.14	402.67	402.81	425.11	425.25	0.78	Accommodates splice	
346	U1427	A	63	H	1	0.45	0.45	402.6	403.05	425.05	425.5	-0.2	Accommodates splice	
346	U1427	A	63	H	2	1.2	1.2	403.05	404.25	425.5	426.7	0	Accommodates splice	
346	U1427	A	63	H	3	1.51	1.51	404.25	405.76	426.7	428.21	0	Single cored, below splice	
346	U1427	A	63	H	4	1.14	1.14	405.76	406.9	428.21	429.35	0	Single cored, below splice	
346	U1427	A	63	H	5	0.78	0.78	406.9	407.68	429.35	430.13	0	Single cored, below splice	
346	U1427	A	63	H	CC	0.21	0.21	407.68	407.89	430.13	430.34	0	Single cored, below splice	
346	U1427	A	64	H	1	0.76	0.76	407.3	408.06	429.75	430.51	-0.59	Single cored, below splice	
346	U1427	A	64	H	2	1.38	1.38	408.06	409.44	430.51	431.89	0	Single cored, below splice	
346	U1427	A	64	H	3	1.43	1.43	409.44	410.87	431.89	433.32	0	Single cored, below splice	
346	U1427	A	64	H	4	0.82	0.82	410.87	411.69	433.32	434.14	0	Single cored, below splice	
346	U1427	A	64	H	5	0.75	0.75	411.69	412.44	434.14	434.89	0	Single cored, below splice	
346	U1427	A	64	H	CC	0.24	0.24	412.44	412.68	434.89	435.13	0	Single cored, below splice	
346	U1427	A	65	H	1	1.45	1.45	412	413.45	434.45	435.9	-0.68	Single cored, below splice	
346	U1427	A	65	H	2	1.5	1.5	413.45	414.95	435.9	437.4	0	Single cored, below splice	
346	U1427	A	65	H	3	1.21	1.21	414.95	416.16	437.4	438.61	0	Single cored, below splice	
346	U1427	A	65	H	4	0.72	0.72	416.16	416.88	438.61	439.33	0	Single cored, below splice	
346	U1427	A	65	H	CC	0.18	0.18	416.88	417.06	439.33	439.51	0	Single cored, below splice	
346	U1427	A	66	H	1	1.18	1.18	416.7	417.88	439.15	440.33	-0.36	Single cored, below splice	
346	U1427	A	66	H	2	1.25	1.25	417.88	419.13	440.33	441.58	0	Single cored, below splice	
346	U1427	A	66	H	3	1.1	1.1	419.13	420.23	441.58	442.68	0	Single cored, below splice	
346	U1427	A	66	H	4	0.6	0.6	420.23	420.83	442.68	443.28	0	Single cored, below splice	
346	U1427	A	66	H	CC	0.44	0.44	420.83	421.27	443.28	443.72	0	Single cored, below splice	

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	A	67	H	1	0.58	0.58	421.4	421.98	443.85	444.43	0.13	Single cored, below splice	
346	U1427	A	67	H	2	1.22	1.22	421.98	423.2	444.43	445.65	0	Single cored, below splice	
346	U1427	A	67	H	3	1.5	1.5	423.2	424.7	445.65	447.15	0	Single cored, below splice	
346	U1427	A	67	H	4	1.08	1.08	424.7	425.78	447.15	448.23	0	Single cored, below splice	
346	U1427	A	67	H	5	0.69	0.69	425.78	426.47	448.23	448.92	0	Single cored, below splice	
346	U1427	A	67	H	CC	0.2	0.2	426.47	426.67	448.92	449.12	0	Single cored, below splice	
346	U1427	A	68	H	1	0.15	0.15	426.67	426.25	448.55	448.7	-0.57	Single cored, below splice	
346	U1427	A	68	H	2	0.58	0.58	426.25	426.83	448.7	449.28	0	Single cored, below splice	
346	U1427	A	68	H	3	1.21	1.21	426.83	428.04	449.28	450.49	0	Single cored, below splice	
346	U1427	A	68	H	4	1.27	1.27	428.04	429.31	450.49	451.76	0	Single cored, below splice	
346	U1427	A	68	H	5	0.99	0.99	429.31	430.3	451.76	452.75	0	Single cored, below splice	
346	U1427	A	68	H	6	0.65	0.65	430.3	430.95	452.75	453.4	0	Single cored, below splice	
346	U1427	A	68	H	CC	0.18	0.18	430.95	431.13	453.4	453.58	0	Single cored, below splice	
346	U1427	A	69	H	1	1.4	1.4	431.13	432.2	453.58	454.65	-0.33	Single cored, below splice	
346	U1427	A	69	H	2	1.44	1.44	432.2	433.64	454.65	456.09	0	Single cored, below splice	
346	U1427	A	69	H	3	1.42	1.42	433.64	435.06	456.09	457.51	0	Single cored, below splice	
346	U1427	A	69	H	4	0.51	0.51	435.06	435.57	457.51	458.02	0	Single cored, below splice	
346	U1427	A	69	H	CC	0.23	0.23	435.57	435.8	458.02	458.25	0	Single cored, below splice	
346	U1427	A	70	H	1	1.43	1.43	435.8	436.93	458.25	459.38	-0.3	Single cored, below splice	
346	U1427	A	70	H	2	1.5	1.5	436.93	438.43	459.38	460.88	0	Single cored, below splice	
346	U1427	A	70	H	3	0.94	0.94	438.43	439.37	460.88	461.82	0	Single cored, below splice	
346	U1427	A	70	H	4	0.64	0.64	439.37	440.01	461.82	462.46	0	Single cored, below splice	
346	U1427	A	70	H	CC	0.25	0.25	440.01	440.26	462.46	462.71	0	Single cored, below splice	
346	U1427	A	71	H	1	0.37	0.37	440.26	440.57	462.65	463.02	-0.06	Single cored, below splice	Extruded on rig floor
346	U1427	A	71	H	2	1.34	1.34	440.57	441.91	463.02	464.36	0	Single cored, below splice	
346	U1427	A	71	H	3	1.47	1.47	441.91	443.38	464.36	465.83	0	Single cored, below splice	
346	U1427	A	71	H	4	1.25	1.25	443.38	444.63	465.83	467.08	0	Single cored, below splice	
346	U1427	A	71	H	5	0.72	0.72	444.63	445.35	467.08	467.8	0	Single cored, below splice	
346	U1427	A	71	H	CC	0.17	0.17	445.35	445.52	467.8	467.97	0	Single cored, below splice	
346	U1427	A	72	H	1	0.35	0.35	445.52	444.9	467.97	467.7	-0.62	Single cored, below splice	
346	U1427	A	72	H	2	1.35	1.35	444.9	446.6	467.7	469.05	0	Single cored, below splice	
346	U1427	A	72	H	3	1.51	1.51	446.6	448.11	469.05	470.56	0	Single cored, below splice	
346	U1427	A	72	H	4	1.02	1.02	448.11	449.13	470.56	471.58	0	Single cored, below splice	
346	U1427	A	72	H	5	0.55	0.55	449.13	449.68	471.58	472.13	0	Single cored, below splice	
346	U1427	A	72	H	CC	0.26	0.26	449.68	449.94	472.13	472.39	0	Single cored, below splice	
346	U1427	A	73	H	1	1.41	1.41	449.94	451.01	472.39	473.46	-0.34	Single cored, below splice	
346	U1427	A	73	H	2	1.51	1.51	451.01	452.52	473.46	474.97	0	Single cored, below splice	
346	U1427	A	73	H	3	1.04	1.04	452.52	453.56	474.97	476.01	0	Single cored, below splice	
346	U1427	A	73	H	4	0.71	0.71	453.56	454.27	476.01	476.72	0	Single cored, below splice	
346	U1427	A	73	H	CC	0.05	0.05	454.27	454.32	476.72	476.77	0	Single cored, below splice	CC ALL TO PAL
346	U1427	A	74	H	1	0.8	0.8	454.32	454.3	476.77	477.55	-0.02	Single cored, below splice	Extruded on rig floor
346	U1427	A	74	H	2	1.18	1.18	454.3	455.1	477.55	478.73	0	Single cored, below splice	
346	U1427	A	74	H	3	1.3	1.3	455.1	456.28	478.73	480.03	0	Single cored, below splice	
346	U1427	A	74	H	4	1.01	1.01	456.28	457.58	480.03	481.04	0	Single cored, below splice	
346	U1427	A	74	H	5	0.65	0.65	457.58	458.59	481.04	481.69	0	Single cored, below splice	
346	U1427	A	74	H	CC	0.21	0.21	458.59	459.24	481.69	481.9	0	Single cored, below splice	
346	U1427	A	75	H	1	0.94	0.94	459.24	459.45	481.9	482.39	-0.45	Single cored, below splice	Extruded on rig floor
346	U1427	A	75	H	2	1.32	1.32	459.45	459.94	482.39	483.71	0	Single cored, below splice	
346	U1427	A	75	H	3	1.5	1.5	459.94	461.26	483.71	485.21	0	Single cored, below splice	
346	U1427	A	75	H	4	1.35	1.35	461.26	462.76	485.21	486.56	0	Single cored, below splice	
346	U1427	A	75	H	CC	0.18	0.18	462.76	464.11	486.56	486.74	0	Single cored, below splice	
346	U1427	A	76	H	1	0.7	0.7	464.11	464.29	486.74	486.85	-0.59	Single cored, below splice	Extruded on rig floor
346	U1427	A	76	H	2	1.52	1.52	464.29	463.7	486.85	488.37	0	Single cored, below splice	
346	U1427	A	76	H	3	1.5	1.5	463.7	464.4	488.37	489.87	0	Single cored, below splice	
346	U1427	A	76	H	4	1.41	1.41	464.4	465.92	489.87	491.28	0	Single cored, below splice	
346	U1427	A	76	H	CC	0.36	0.36	465.92	467.42	491.28	491.64	0	Single cored, below splice	
346	U1427	A	77	H	1	1.36	1.36	467.42	468.83	491.64	492.21	-0.79	Single cored, below splice	
346	U1427	A	77	H	2	1.55	1.55	468.83	469.76	492.21	493.76	0	Single cored, below splice	
346	U1427	A	77	H	3	1.46	1.46	469.76	471.31	493.76	495.22	0	Single cored, below splice	
346	U1427	A	77	H	4	0.6	0.6	471.31	472.77	495.22	495.82	0	Single cored, below splice	
346	U1427	A	77	H	CC	0.26	0.26	472.77	473.37	495.82	496.08	0	Single cored, below splice	
346	U1427	A	78	H	1	1.5	1.5	473.37	473.63	496.08	496.82	0	Single cored, below splice	
346	U1427	A	78	H	2	1.5	1.5	473.63	474.6	496.82	497.05	-0.53	Single cored, below splice	
346	U1427	A	78	H	3	0.85	0.85	474.6	476.1	497.05	498.55	0	Single cored, below splice	
346	U1427	A	78	H	4	0.47	0.47	476.1	476.95	498.55	499.4	0	Single cored, below splice	
346	U1427	A	78	H	CC	0.05	0.05	476.95	477.42	499.4	499.87	0	Single cored, below splice	
346	U1427	A	79	H	1	1.5	1.5	477.42	477.47	499.87	499.92	0	Single cored, below splice	All to paleo
346	U1427	A	79	H	2	1.5	1.5	477.5	479	499.92	501.45	0.03	Single cored, below splice	
346	U1427	A	79	H	3	1.5	1.5	479	480.5	501.45	502.95	0	Single cored, below splice	
346	U1427	A	79	H	4	1.05	1.05	480.5	481.55	502.95	504	0	Single cored, below splice	
346	U1427	A	79	H	CC	0.23	0.23	481.55	481.78	504	504.23	0	Single cored, below splice	
346	U1427	A	80	H	1	0.49	0.49	481.78	481.8	504.23	504.74	0.02	Single cored, below splice	Extruded on rig floor
346	U1427	A	80	H	2	1.5	1.5	482.9	482.29	504.74	506.24	0	Single cored, below splice	

U1427 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1427	A	80	H	3	1.45	1.45	483.79	485.24	506.24	507.69	0	Single cored, below splice	
346	U1427	A	80	H	4	0.94	0.94	485.24	486.18	507.69	508.63	0	Single cored, below splice	
346	U1427	A	80	H	5	0.5	0.5	486.18	486.68	508.63	509.13	0	Single cored, below splice	
346	U1427	A	80	H	CC	0.41	0.41	486.68	487.09	509.13	509.54	0	Single cored, below splice	
346	U1427	A	81	H	1	1.5	1.5	486.5	488	508.95	510.45	-0.59	Single cored, below splice	
346	U1427	A	81	H	2	1.5	1.5	488	489.5	510.45	511.95	0	Single cored, below splice	
346	U1427	A	81	H	3	0.77	0.77	489.5	490.27	511.95	512.72	0	Single cored, below splice	
346	U1427	A	81	H	CC	0.16	0.16	490.27	490.43	512.72	512.88	0	Single cored, below splice	
346	U1427	A	82	X	1	1.16	1.16	490.4	491.56	512.85	514.01	-0.03	Single cored, below splice	
346	U1427	A	82	X	CC	0.38	0.38	491.56	491.94	514.01	514.39	0	Single cored, below splice	
346	U1427	A	83	X	CC	0.32	0.32	500.1	500.42	522.55	522.87	8.16	Single cored, below splice	
346	U1427	A	84	X	1	1.3	1.3	509.8	511.1	532.25	533.55	9.38	Single cored, below splice	
346	U1427	A	84	X	2	0.58	0.58	511.1	511.68	533.55	534.13	0	Single cored, below splice	
346	U1427	A	84	X	CC	0.12	0.12	511.68	511.8	534.13	534.25	0	Single cored, below splice	
346	U1427	A	85	X	1	0.68	0.68	519.5	520.18	541.95	542.63	7.7	Single cored, below splice	Extruded on Rigfloor; Disturbed
346	U1427	A	85	X	2	1.48	1.48	520.18	521.66	542.63	544.11	0	Single cored, below splice	
346	U1427	A	85	X	3	1.5	1.5	521.66	523.16	544.11	545.61	0	Single cored, below splice	
346	U1427	A	85	X	4	1.5	1.5	523.16	524.66	545.61	547.11	0	Single cored, below splice	
346	U1427	A	85	X	5	1.5	1.5	524.66	526.16	547.11	548.61	0	Single cored, below splice	
346	U1427	A	85	X	6	0.89	0.89	526.16	527.05	548.61	549.5	0	Single cored, below splice	
346	U1427	A	85	X	7	0.57	0.57	527.05	527.62	549.5	550.07	0	Single cored, below splice	
346	U1427	A	85	X	CC	0.49	0.49	527.62	528.11	550.07	550.56	0	Single cored, below splice	
346	U1427	A	86	X	1	1.5	1.5	529.2	530.7	551.65	553.15	1.09	Single cored, below splice	
346	U1427	A	86	X	2	1.5	1.5	530.7	532.2	553.15	554.65	0	Single cored, below splice	
346	U1427	A	86	X	3	1.34	1.34	532.2	533.54	554.65	555.99	0	Single cored, below splice	
346	U1427	A	86	X	4	1.34	1.34	533.54	534.88	555.99	557.33	0	Single cored, below splice	
346	U1427	A	86	X	CC	0.31	0.31	534.88	535.19	557.33	557.64	0	Single cored, below splice	
346	U1427	A	87	X	1	1.5	1.5	538.9	540.4	561.35	562.85	3.71	Single cored, below splice	
346	U1427	A	87	X	2	1.46	1.46	540.4	541.86	562.85	564.31	0	Single cored, below splice	
346	U1427	A	87	X	3	1.5	1.5	541.86	543.36	564.31	565.81	0	Single cored, below splice	
346	U1427	A	87	X	4	1.5	1.5	543.36	544.86	565.81	567.31	0	Single cored, below splice	
346	U1427	A	87	X	5	1.01	1.01	544.86	545.87	567.31	568.32	0	Single cored, below splice	
346	U1427	A	87	X	6	0.44	0.44	545.87	546.31	568.32	568.76	0	Single cored, below splice	Extruded on Rigfloor; Disturbed
346	U1427	A	87	X	7	1.13	1.13	546.31	547.44	568.76	569.89	0	Single cored, below splice	Extruded on Rigfloor; Disturbed
346	U1427	A	87	X	CC	0.48	0.48	547.44	547.92	569.89	570.37	0	Single cored, below splice	