

U1338 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1338	C	1	H	1	1.50	1.50	0.00	1.50	0.00	1.50	0.00	accommodates splice	
321	U1338	C	1	H	2	1.20	1.20	1.50	2.70	1.50	2.70	0.00	accommodates splice	
321	U1338	C	1	H	3	0.98	0.98	2.70	3.68	2.70	3.68	0.00	accommodates splice	
321	U1338	C	1	H	CC	0.16	0.16	3.68	3.84	3.68	3.84	0.00	accommodates splice	
321	U1338	C	2	H	1	1.50	1.50	3.80	5.30	4.35	5.85	-0.04	accommodates splice	
321	U1338	C	2	H	2	1.50	1.50	5.30	6.80	5.85	7.35	0.00	accommodates splice	
321	U1338	C	2	H	3	1.50	1.50	6.80	8.30	7.35	8.85	0.00	accommodates splice	
321	U1338	C	2	H	4	1.50	1.50	8.30	9.80	8.85	10.35	0.00	accommodates splice	
321	U1338	C	2	H	5	1.50	1.50	9.80	11.30	10.35	11.85	0.00	accommodates splice	
321	U1338	C	2	H	6	1.50	1.50	11.30	12.80	11.85	13.35	0.00	accommodates splice	
321	U1338	C	2	H	7	0.78	0.78	12.80	13.58	13.35	14.13	0.00	accommodates splice	
321	U1338	C	2	H	CC	0.17	0.17	13.58	13.75	14.13	14.30	0.00	accommodates splice	
321	U1338	A	3	H	1	1.50	1.50	12.20	13.70	14.43	15.93	-1.55	accommodates splice	
321	U1338	C	3	H	1	1.50	1.50	13.30	14.80	15.61	17.11	-0.40	accommodates splice	
321	U1338	C	3	H	2	1.50	1.50	14.80	16.30	17.11	18.61	0.00	accommodates splice	
321	U1338	C	3	H	3	1.50	1.50	16.30	17.80	18.61	20.11	0.00	accommodates splice	
321	U1338	C	3	H	4	1.50	1.50	17.80	19.30	20.11	21.61	0.00	accommodates splice	
321	U1338	C	3	H	5	1.50	1.50	19.30	20.80	21.61	23.11	0.00	accommodates splice	
321	U1338	C	3	H	6	1.50	1.50	20.80	22.30	23.11	24.61	0.00	accommodates splice	
321	U1338	C	3	H	7	0.78	0.78	22.30	23.08	24.61	25.39	0.00	accommodates splice	
321	U1338	C	3	H	CC	0.23	0.23	23.08	23.31	25.39	25.62	0.00	accommodates splice	
321	U1338	C	4	H	1	1.50	1.50	22.80	24.30	25.66	27.16	-0.51	accommodates splice	
321	U1338	C	4	H	2	1.50	1.50	24.30	25.80	27.16	28.66	0.00	accommodates splice	
321	U1338	C	4	H	3	1.50	1.50	25.80	27.30	28.66	30.16	0.00	accommodates splice	
321	U1338	C	4	H	4	1.50	1.50	27.30	28.80	30.16	31.66	0.00	accommodates splice	
321	U1338	C	4	H	5	1.50	1.50	28.80	30.30	31.66	33.16	0.00	accommodates splice	
321	U1338	C	4	H	6	1.33	1.33	30.30	31.63	33.16	34.49	0.00	accommodates splice	
321	U1338	C	4	H	CC	0.16	0.16	31.63	31.79	34.49	34.65	0.00	accommodates splice	
321	U1338	A	4	H	7	0.75	0.75	30.70	31.45	34.32	35.07	-1.09	accommodates splice	
321	U1338	A	4	H	CC	0.25	0.25	31.45	31.70	35.07	35.32	0.00	accommodates splice	
321	U1338	B	4	H	7	0.77	0.77	35.60	36.37	38.27	39.04	3.90	accommodates splice	
321	U1338	B	4	H	CC	0.23	0.23	36.37	36.60	39.04	39.27	0.00	accommodates splice	
321	U1338	B	5	H	1	1.50	1.50	36.10	37.60	40.40	41.90	-0.50	accommodates splice	
321	U1338	B	5	H	2	1.50	1.50	37.60	39.10	41.90	43.40	0.00	accommodates splice	
321	U1338	C	5	H	6	1.50	1.50	39.80	41.30	45.06	46.56	0.70	accommodates splice	
321	U1338	C	5	H	7	0.77	0.77	41.30	42.07	46.56	47.33	0.00	accommodates splice	
321	U1338	C	5	H	CC	0.26	0.26	42.07	42.33	47.33	47.59	0.00	accommodates splice	
321	U1338	A	6	H	2	1.50	1.50	42.20	43.70	47.76	49.26	-0.13	accommodates splice	
321	U1338	C	6	H	1	1.50	1.50	41.80	43.30	49.46	50.96	-1.90	accommodates splice	
321	U1338	C	6	H	2	1.50	1.50	43.30	44.80	50.96	52.46	0.00	accommodates splice	
321	U1338	C	6	H	3	1.50	1.50	44.80	46.30	52.46	53.96	0.00	accommodates splice	
321	U1338	C	6	H	4	1.50	1.50	46.30	47.80	53.96	55.46	0.00	accommodates splice	
321	U1338	C	6	H	5	1.50	1.50	47.80	49.30	55.46	56.96	0.00	accommodates splice	
321	U1338	C	6	H	6	1.50	1.50	49.30	50.80	56.96	58.46	0.00	accommodates splice	
321	U1338	C	6	H	7	0.80	0.80	50.80	51.60	58.46	59.26	0.00	accommodates splice	
321	U1338	C	6	H	CC	0.22	0.22	51.60	51.82	59.26	59.48	0.00	accommodates splice	
321	U1338	C	7	H	1	1.50	1.50	51.30	52.80	58.10	59.60	-0.52	accommodates splice	
321	U1338	C	7	H	2	1.50	1.50	52.80	54.30	59.60	61.10	0.00	accommodates splice	
321	U1338	C	7	H	3	1.50	1.50	54.30	55.80	61.10	62.60	0.00	accommodates splice	
321	U1338	C	7	H	4	1.50	1.50	55.80	57.30	62.60	64.10	0.00	accommodates splice	
321	U1338	C	7	H	5	1.50	1.50	57.30	58.80	64.10	65.60	0.00	accommodates splice	
321	U1338	C	7	H	6	1.50	1.50	58.80	60.30	65.60	67.10	0.00	accommodates splice	
321	U1338	C	7	H	7	0.79	0.79	60.30	61.09	67.10	67.89	0.00	accommodates splice	
321	U1338	C	7	H	CC	0.25	0.25	61.09	61.34	67.89	68.14	0.00	accommodates splice	
321	U1338	C	8	H	1	1.50	1.50	60.80	62.30	69.78	71.28	-0.54	accommodates splice	
321	U1338	C	8	H	2	1.50	1.50	62.30	63.80	71.28	72.78	0.00	accommodates splice	
321	U1338	C	8	H	3	1.50	1.50	63.80	65.30	72.78	74.28	0.00	accommodates splice	
321	U1338	C	8	H	4	1.50	1.50	65.30	66.80	74.28	75.78	0.00	accommodates splice	
321	U1338	C	8	H	5	1.50	1.50	66.80	68.30	75.78	77.28	0.00	accommodates splice	
321	U1338	C	8	H	6	1.48	1.48	68.30	69.78	77.28	78.76	0.00	accommodates splice	
321	U1338	C	8	H	CC	0.20	0.20	69.78	69.98	78.76	78.96	0.00	accommodates splice	
321	U1338	C	9	H	1	1.50	1.50	70.30	71.80	79.67	81.17	0.32	accommodates splice	
321	U1338	C	9	H	2	1.50	1.50	71.80	73.30	81.17	82.67	0.00	accommodates splice	

U1338 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1338	C	9	H	3	1.50	1.50	73.30	74.80	82.67	84.17	0.00	accommodates splice	
321	U1338	C	9	H	4	1.50	1.50	74.80	76.30	84.17	85.67	0.00	accommodates splice	
321	U1338	C	9	H	5	1.50	1.50	76.30	77.80	85.67	87.17	0.00	accommodates splice	
321	U1338	C	9	H	6	1.50	1.50	77.80	79.30	87.17	88.67	0.00	accommodates splice	
321	U1338	C	9	H	7	0.77	0.77	79.30	80.07	88.67	89.44	0.00	accommodates splice	
321	U1338	C	9	H	CC	0.16	0.16	80.07	80.23	89.44	89.60	0.00	accommodates splice	
321	U1338	C	10	H	1	1.50	1.50	79.80	81.30	90.07	91.57	-0.43	accommodates splice	
321	U1338	C	10	H	2	1.50	1.50	81.30	82.80	91.57	93.07	0.00	accommodates splice	
321	U1338	C	10	H	3	1.50	1.50	82.80	84.30	93.07	94.57	0.00	accommodates splice	
321	U1338	C	10	H	4	1.50	1.50	84.30	85.80	94.57	96.07	0.00	accommodates splice	
321	U1338	C	10	H	5	1.50	1.50	85.80	87.30	96.07	97.57	0.00	accommodates splice	
321	U1338	C	10	H	6	1.30	1.30	87.30	88.60	97.57	98.87	0.00	accommodates splice	
321	U1338	C	10	H	7	0.90	0.90	88.60	89.50	98.87	99.77	0.00	accommodates splice	
321	U1338	C	10	H	CC	0.23	0.23	89.50	89.73	99.77	100.00	0.00	accommodates splice	
321	U1338	C	11	H	1	1.50	1.50	89.30	90.80	99.30	100.80	-0.43	accommodates splice	
321	U1338	C	11	H	2	1.50	1.50	90.80	92.30	100.80	102.30	0.00	accommodates splice	
321	U1338	C	11	H	3	1.50	1.50	92.30	93.80	102.30	103.80	0.00	accommodates splice	
321	U1338	C	11	H	4	1.50	1.50	93.80	95.30	103.80	105.30	0.00	accommodates splice	
321	U1338	C	11	H	5	1.50	1.50	95.30	96.80	105.30	106.80	0.00	accommodates splice	
321	U1338	C	11	H	6	1.50	1.50	96.80	98.30	106.80	108.30	0.00	accommodates splice	
321	U1338	C	11	H	7	0.81	0.81	98.30	99.11	108.30	109.11	0.00	accommodates splice	
321	U1338	C	11	H	CC	0.23	0.23	99.11	99.34	109.11	109.34	0.00	accommodates splice	
321	U1338	C	12	H	1	1.50	1.50	98.80	100.30	109.49	110.99	-0.54	accommodates splice	
321	U1338	C	12	H	2	1.50	1.50	100.30	101.80	110.99	112.49	0.00	accommodates splice	
321	U1338	C	12	H	3	1.50	1.50	101.80	103.30	112.49	113.99	0.00	accommodates splice	
321	U1338	C	12	H	4	1.50	1.50	103.30	104.80	113.99	115.49	0.00	accommodates splice	
321	U1338	C	12	H	5	1.50	1.50	104.80	106.30	115.49	116.99	0.00	accommodates splice	
321	U1338	C	12	H	6	1.30	1.30	106.30	107.60	116.99	118.29	0.00	accommodates splice	
321	U1338	C	12	H	7	0.79	0.79	107.60	108.39	118.29	119.08	0.00	accommodates splice	
321	U1338	C	12	H	CC	0.21	0.21	108.39	108.60	119.08	119.29	0.00	accommodates splice	
321	U1338	C	13	H	1	1.50	1.50	108.30	109.80	119.70	121.20	-0.30	accommodates splice	
321	U1338	C	13	H	2	1.50	1.50	109.80	111.30	121.20	122.70	0.00	accommodates splice	
321	U1338	C	13	H	3	1.50	1.50	111.30	112.80	122.70	124.20	0.00	accommodates splice	
321	U1338	C	13	H	4	1.50	1.50	112.80	114.30	124.20	125.70	0.00	accommodates splice	
321	U1338	C	13	H	5	1.50	1.50	114.30	115.80	125.70	127.20	0.00	accommodates splice	
321	U1338	C	13	H	6	1.21	1.21	115.80	117.01	127.20	128.41	0.00	accommodates splice	
321	U1338	C	13	H	7	0.90	0.90	117.01	117.91	128.41	129.31	0.00	accommodates splice	
321	U1338	C	13	H	CC	0.29	0.29	117.91	118.20	129.31	129.60	0.00	accommodates splice	
321	U1338	A	13	H	7	0.70	0.70	116.20	116.90	129.92	130.62	-2.00	accommodates splice	
321	U1338	A	13	H	CC	0.24	0.24	116.90	117.14	130.62	130.86	0.00	accommodates splice	
321	U1338	A	14	H	1	1.50	1.50	116.70	118.20	130.63	132.13	-0.44	accommodates splice	
321	U1338	A	14	H	2	1.50	1.50	118.20	119.70	132.13	133.63	0.00	accommodates splice	
321	U1338	A	14	H	3	1.50	1.50	119.70	121.20	133.63	135.13	0.00	accommodates splice	
321	U1338	A	14	H	4	1.50	1.50	121.20	122.70	135.13	136.63	0.00	accommodates splice	
321	U1338	C	14	H	5	1.50	1.50	123.80	125.30	136.63	138.03	1.10	accommodates splice	
321	U1338	C	14	H	6	1.31	1.31	125.30	126.61	138.03	139.34	0.00	accommodates splice	
321	U1338	C	14	H	7	0.98	0.98	126.61	127.59	139.34	140.32	0.00	accommodates splice	
321	U1338	C	14	H	CC	0.26	0.26	127.59	127.85	140.32	140.58	0.00	accommodates splice	
321	U1338	C	15	H	1	1.50	1.50	127.30	128.80	141.03	142.53	-0.55	accommodates splice	
321	U1338	C	15	H	2	1.50	1.50	128.80	130.30	142.53	144.03	0.00	accommodates splice	
321	U1338	C	15	H	3	1.50	1.50	130.30	131.80	144.03	145.53	0.00	accommodates splice	
321	U1338	C	15	H	4	1.50	1.50	131.80	133.30	145.53	147.03	0.00	accommodates splice	
321	U1338	C	15	H	5	1.50	1.50	133.30	134.80	147.03	148.53	0.00	accommodates splice	
321	U1338	C	15	H	6	1.50	1.50	134.80	136.30	148.53	150.03	0.00	accommodates splice	
321	U1338	C	15	H	7	0.71	0.71	136.30	137.01	150.03	150.74	0.00	accommodates splice	
321	U1338	C	15	H	CC	0.23	0.23	137.01	137.24	150.74	150.97	0.00	accommodates splice	
321	U1338	C	16	H	1	1.50	1.50	136.80	138.30	152.79	154.29	-0.44	accommodates splice	
321	U1338	C	16	H	2	1.50	1.50	138.30	139.80	154.29	155.79	0.00	accommodates splice	
321	U1338	C	16	H	3	1.50	1.50	139.80	141.30	155.79	157.29	0.00	accommodates splice	
321	U1338	C	16	H	4	1.50	1.50	141.30	142.80	157.29	158.79	0.00	accommodates splice	
321	U1338	C	16	H	5	1.50	1.50	142.80	144.30	158.79	160.29	0.00	accommodates splice	
321	U1338	C	16	H	6	1.30	1.30	144.30	145.60	160.29	161.59	0.00	accommodates splice	
321	U1338	C	16	H	7	0.85	0.85	145.60	146.45	161.59	162.44	0.00	accommodates splice	

U1338 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1338	C	16	H	CC	0.30	0.30	146.45	146.75	162.44	162.74	0.00	accommodates splice	
321	U1338	C	17	H	1	1.50	1.50	146.30	147.80	163.38	164.88	-0.45	accommodates splice	
321	U1338	C	17	H	2	1.50	1.50	147.80	149.30	164.88	166.38	0.00	accommodates splice	
321	U1338	C	17	H	3	1.50	1.50	149.30	150.80	166.38	167.88	0.00	accommodates splice	
321	U1338	C	17	H	4	1.50	1.50	150.80	152.30	167.88	169.38	0.00	accommodates splice	
321	U1338	C	17	H	5	1.50	1.50	152.30	153.80	169.38	170.88	0.00	accommodates splice	
321	U1338	C	17	H	6	1.50	1.50	153.80	155.30	170.88	172.38	0.00	accommodates splice	
321	U1338	C	17	H	7	0.80	0.80	155.30	156.10	172.38	173.18	0.00	accommodates splice	
321	U1338	C	17	H	CC	0.28	0.28	156.10	156.38	173.18	173.46	0.00	accommodates splice	
321	U1338	C	18	H	1	1.50	1.50	155.80	157.30	172.01	173.51	-0.58	accommodates splice	
321	U1338	C	18	H	2	1.50	1.50	157.30	158.80	173.51	175.01	0.00	accommodates splice	
321	U1338	C	18	H	3	1.50	1.50	158.80	160.30	175.01	176.51	0.00	accommodates splice	
321	U1338	C	18	H	4	1.50	1.50	160.30	161.80	176.51	178.01	0.00	accommodates splice	
321	U1338	C	18	H	5	1.13	1.13	161.80	162.93	178.01	179.14	0.00	accommodates splice	
321	U1338	C	18	H	CC	0.25	0.25	162.93	163.18	179.14	179.39	0.00	accommodates splice	
321	U1338	C	19	H	1	1.50	1.50	161.30	162.80	180.30	181.80	-1.88	accommodates splice	
321	U1338	C	19	H	2	1.50	1.50	162.80	164.30	181.80	183.30	0.00	accommodates splice	
321	U1338	C	19	H	3	1.50	1.50	164.30	165.80	183.30	184.80	0.00	accommodates splice	
321	U1338	C	19	H	4	1.50	1.50	165.80	167.30	184.80	186.30	0.00	accommodates splice	
321	U1338	C	19	H	5	1.50	1.50	167.30	168.80	186.30	187.80	0.00	accommodates splice	
321	U1338	C	19	H	6	1.32	1.32	168.80	170.12	187.80	189.12	0.00	accommodates splice	
321	U1338	C	19	H	7	0.98	0.98	170.12	171.10	189.12	190.10	0.00	accommodates splice	
321	U1338	C	19	H	CC	0.29	0.29	171.10	171.39	190.10	190.39	0.00	accommodates splice	
321	U1338	C	20	H	1	1.50	1.50	170.80	172.30	190.48	191.98	-0.59	accommodates splice	
321	U1338	C	20	H	2	1.50	1.50	172.30	173.80	191.98	193.48	0.00	accommodates splice	
321	U1338	C	20	H	3	1.50	1.50	173.80	175.30	193.48	194.98	0.00	accommodates splice	
321	U1338	C	20	H	4	1.50	1.50	175.30	176.80	194.98	196.48	0.00	accommodates splice	
321	U1338	C	20	H	5	1.50	1.50	176.80	178.30	196.48	197.98	0.00	accommodates splice	
321	U1338	C	20	H	6	1.50	1.50	178.30	179.80	197.98	199.48	0.00	accommodates splice	
321	U1338	C	20	H	7	0.69	0.69	179.80	180.49	199.48	200.17	0.00	accommodates splice	
321	U1338	C	20	H	CC	0.69	0.35	180.49	180.84	200.17	200.52	0.00	accommodates splice	
321	U1338	C	21	H	1	1.50	1.50	180.30	181.80	201.61	203.11	-0.54	accommodates splice	
321	U1338	C	21	H	2	1.50	1.50	181.80	183.30	203.11	204.61	0.00	accommodates splice	
321	U1338	C	21	H	3	1.50	1.50	183.30	184.80	204.61	206.11	0.00	accommodates splice	
321	U1338	C	21	H	4	1.50	1.50	184.80	186.30	206.11	207.61	0.00	accommodates splice	
321	U1338	C	21	H	5	1.50	1.50	186.30	187.80	207.61	209.11	0.00	accommodates splice	
321	U1338	C	21	H	6	1.50	1.50	187.80	189.30	209.11	210.61	0.00	accommodates splice	
321	U1338	C	21	H	7	0.79	0.79	189.30	190.09	210.61	211.40	0.00	accommodates splice	
321	U1338	C	21	H	CC	0.28	0.28	190.09	190.37	211.40	211.68	0.00	accommodates splice	
321	U1338	C	22	H	1	1.50	1.50	189.80	191.30	211.54	213.04	-0.57	accommodates splice	
321	U1338	C	22	H	2	1.50	1.50	191.30	192.80	213.04	214.54	0.00	accommodates splice	
321	U1338	C	22	H	3	1.50	1.50	192.80	194.30	214.54	216.04	0.00	accommodates splice	
321	U1338	C	22	H	4	1.50	1.50	194.30	195.80	216.04	217.54	0.00	accommodates splice	
321	U1338	C	22	H	5	1.50	1.50	195.80	197.30	217.54	219.04	0.00	accommodates splice	
321	U1338	C	22	H	6	1.30	1.30	197.30	198.60	219.04	220.34	0.00	accommodates splice	
321	U1338	C	22	H	7	0.85	0.85	198.60	199.45	220.34	221.19	0.00	accommodates splice	
321	U1338	C	22	H	CC	0.25	0.25	199.45	199.70	221.19	221.44	0.00	accommodates splice	
321	U1338	C	23	H	1	1.50	1.50	199.30	200.80	221.13	222.63	-0.40	accommodates splice	
321	U1338	C	23	H	2	1.50	1.50	200.80	202.30	222.63	224.13	0.00	accommodates splice	
321	U1338	C	23	H	3	1.50	1.50	202.30	203.80	224.13	225.63	0.00	accommodates splice	
321	U1338	C	23	H	4	1.50	1.50	203.80	205.30	225.63	227.13	0.00	accommodates splice	
321	U1338	C	23	H	5	1.50	1.50	205.30	206.80	227.13	228.63	0.00	accommodates splice	
321	U1338	C	23	H	6	1.50	1.50	206.80	208.30	228.63	230.13	0.00	accommodates splice	
321	U1338	C	23	H	7	0.78	0.78	208.30	209.08	230.13	230.91	0.00	accommodates splice	
321	U1338	C	23	H	CC	0.30	0.30	209.08	209.38	230.91	231.21	0.00	accommodates splice	
321	U1338	C	24	H	1	1.50	1.50	208.80	210.30	232.10	233.60	-0.58	accommodates splice	
321	U1338	C	24	H	2	1.50	1.50	210.30	211.80	233.60	235.10	0.00	accommodates splice	
321	U1338	C	24	H	3	1.50	1.50	211.80	213.30	235.10	236.60	0.00	accommodates splice	
321	U1338	C	24	H	4	1.50	1.50	213.30	214.80	236.60	238.10	0.00	accommodates splice	
321	U1338	C	24	H	5	1.50	1.50	214.80	216.30	238.10	239.60	0.00	accommodates splice	
321	U1338	C	24	H	6	1.50	1.50	216.30	217.80	239.60	241.10	0.00	accommodates splice	
321	U1338	C	24	H	7	0.71	0.71	217.80	218.51	241.10	241.81	0.00	accommodates splice	
321	U1338	C	24	H	CC	0.21	0.21	218.51	218.72	241.81	242.02	0.00	accommodates splice	

U1338 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1338	C	25	H	1	1.50	1.50	218.30	219.80	243.03	244.53	-0.42	accommodates splice	
321	U1338	C	25	H	2	1.50	1.50	219.80	221.30	244.53	246.03	0.00	accommodates splice	
321	U1338	C	25	H	3	1.50	1.50	221.30	222.80	246.03	247.53	0.00	accommodates splice	
321	U1338	C	25	H	4	1.50	1.50	222.80	224.30	247.53	249.03	0.00	accommodates splice	
321	U1338	C	25	H	5	1.50	1.50	224.30	225.80	249.03	250.53	0.00	accommodates splice	
321	U1338	C	25	H	6	1.50	1.50	225.80	227.30	250.53	252.03	0.00	accommodates splice	
321	U1338	C	25	H	7	0.76	0.76	227.30	228.06	252.03	252.79	0.00	accommodates splice	
321	U1338	C	25	H	CC	0.28	0.28	228.06	228.34	252.79	253.07	0.00	accommodates splice	
321	U1338	C	26	H	1	1.50	1.50	227.80	229.30	253.74	255.24	-0.54	accommodates splice	
321	U1338	C	26	H	2	1.50	1.50	229.30	230.80	255.24	256.74	0.00	accommodates splice	
321	U1338	C	26	H	3	1.50	1.50	230.80	232.30	256.74	258.24	0.00	accommodates splice	
321	U1338	C	26	H	4	1.50	1.50	232.30	233.80	258.24	259.74	0.00	accommodates splice	
321	U1338	C	26	H	5	1.50	1.50	233.80	235.30	259.74	261.24	0.00	accommodates splice	
321	U1338	C	26	H	6	1.50	1.50	235.30	236.80	261.24	262.74	0.00	accommodates splice	
321	U1338	C	26	H	7	0.76	0.76	236.80	237.56	262.74	263.50	0.00	accommodates splice	
321	U1338	C	26	H	CC	0.22	0.22	237.56	237.78	263.50	263.72	0.00	accommodates splice	
321	U1338	C	27	H	1	1.50	1.50	237.30	238.80	264.11	265.61	-0.48	accommodates splice	
321	U1338	B	26	H	1	1.50	1.50	238.10	239.60	265.03	266.53	-0.70	accommodates splice	
321	U1338	B	26	H	2	1.50	1.50	239.60	241.10	266.53	268.03	0.00	accommodates splice	
321	U1338	A	26	H	7	0.69	0.69	239.70	240.39	267.68	268.37	-1.40	accommodates splice	
321	U1338	A	26	H	CC	0.30	0.30	240.39	240.69	268.37	268.67	0.00	accommodates splice	
321	U1338	A	27	X	1	1.50	1.50	240.20	241.70	267.98	269.48	-0.49	accommodates splice	
321	U1338	A	27	X	2	1.50	1.50	241.70	243.20	269.48	270.98	0.00	accommodates splice	
321	U1338	A	27	X	3	1.50	1.50	243.20	244.70	270.98	272.48	0.00	accommodates splice	
321	U1338	A	27	X	4	1.50	1.50	244.70	246.20	272.48	273.98	0.00	accommodates splice	
321	U1338	A	27	X	5	1.34	1.34	246.20	247.54	273.98	275.32	0.00	accommodates splice	
321	U1338	A	27	X	CC	0.11	0.11	247.54	247.65	275.32	275.43	0.00	accommodates splice	
321	U1338	B	27	H	1	1.50	1.50	247.60	249.10	275.31	276.81	-0.05	accommodates splice	
321	U1338	B	27	H	2	1.50	1.50	249.10	250.60	276.81	278.31	0.00	accommodates splice	
321	U1338	B	27	H	3	1.50	1.50	250.60	252.10	278.31	279.81	0.00	accommodates splice	
321	U1338	B	27	H	4	1.50	1.50	252.10	253.60	279.81	281.31	0.00	accommodates splice	
321	U1338	B	27	H	5	1.50	1.50	253.60	255.10	281.31	282.81	0.00	accommodates splice	
321	U1338	B	27	H	6	1.50	0.75	255.10	255.85	282.81	283.56	0.00	accommodates splice	
321	U1338	B	27	H	CC	0.23	0.23	255.85	256.08	283.56	283.79	0.00	accommodates splice	
321	U1338	C	29	H	3	1.50	1.50	259.30	260.80	286.11	287.61	3.22	accommodates splice	
321	U1338	C	29	H	4	1.50	1.50	260.80	262.30	287.61	289.11	0.00	accommodates splice	
321	U1338	C	29	H	5	1.50	1.50	262.30	263.80	289.11	290.61	0.00	accommodates splice	
321	U1338	C	29	H	6	1.50	1.50	263.80	265.30	290.61	292.11	0.00	accommodates splice	
321	U1338	C	29	H	7	0.68	0.68	265.30	265.98	292.11	292.79	0.00	accommodates splice	
321	U1338	C	29	H	CC	0.24	0.24	265.98	266.22	292.79	293.03	0.00	accommodates splice	
321	U1338	C	30	H	1	1.50	1.50	265.80	267.30	293.94	295.44	-0.42	accommodates splice	
321	U1338	C	30	H	2	1.50	1.50	267.30	268.80	295.44	296.94	0.00	accommodates splice	
321	U1338	C	30	H	3	1.50	1.50	268.80	270.30	296.94	298.44	0.00	accommodates splice	
321	U1338	C	30	H	4	1.50	1.50	270.30	271.80	298.44	299.94	0.00	accommodates splice	
321	U1338	C	30	H	5	1.50	1.50	271.80	273.30	299.94	301.44	0.00	accommodates splice	
321	U1338	C	30	H	6	1.31	1.31	273.30	274.61	301.44	302.75	0.00	accommodates splice	
321	U1338	C	30	H	7	0.83	0.83	274.61	275.44	302.75	303.58	0.00	accommodates splice	
321	U1338	C	30	H	CC	0.27	0.27	275.44	275.71	303.58	303.85	0.00	accommodates splice	
321	U1338	B	29	H	CC	0.25	0.25	276.40	276.65	304.60	304.85	0.69	accommodates splice	
321	U1338	B	30	H	1	1.50	1.50	276.10	277.60	304.88	306.38	-0.55	accommodates splice	
321	U1338	B	30	H	2	1.50	1.50	277.60	279.10	306.38	307.88	0.00	accommodates splice	
321	U1338	B	30	H	3	1.50	1.50	279.10	280.60	307.88	309.38	0.00	accommodates splice	
321	U1338	B	30	H	4	1.41	1.41	280.60	282.01	309.38	310.79	0.00	accommodates splice	
321	U1338	B	30	H	CC	0.24	0.24	282.01	282.25	310.79	311.03	0.00	accommodates splice	
321	U1338	B	31	H	1	0.64	0.64	282.10	282.74	310.88	311.52	-0.15	accommodates splice	
321	U1338	B	31	H	CC	0.17	0.17	282.74	282.91	311.52	311.69	0.00	accommodates splice	
321	U1338	A	32	X	1	1.50	1.50	288.10	289.60	320.42	321.92	5.19	accommodates splice	
321	U1338	A	32	X	2	1.50	1.50	289.60	291.10	321.92	323.42	0.00	accommodates splice	
321	U1338	A	32	X	3	1.50	1.50	291.10	292.60	323.42	324.92	0.00	accommodates splice	
321	U1338	C	33	H	3	1.50	1.50	295.40	296.90	324.84	326.34	2.80	accommodates splice	
321	U1338	C	33	H	4	1.50	1.50	296.90	298.40	326.34	327.84	0.00	accommodates splice	
321	U1338	C	33	H	5	1.50	1.50	298.40	299.90	327.84	329.34	0.00	accommodates splice	
321	U1338	C	33	H	6	1.31	1.31	299.90	301.21	329.34	330.65	0.00	accommodates splice	

U1338 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1338	C	33	H	7	0.91	0.91	301.21	302.12	330.65	331.56	0.00	accommodates splice	
321	U1338	C	33	H	CC	0.25	0.25	302.12	302.37	331.56	331.81	0.00	accommodates splice	
321	U1338	C	34	H	1	1.50	1.50	301.90	303.40	329.64	331.14	-0.47	accommodates splice	
321	U1338	C	34	H	2	1.50	1.50	303.40	304.90	331.14	332.64	0.00	accommodates splice	
321	U1338	C	34	H	3	1.50	1.50	304.90	306.40	332.64	334.14	0.00	accommodates splice	
321	U1338	C	34	H	4	1.50	1.50	306.40	307.90	334.14	335.64	0.00	accommodates splice	
321	U1338	C	34	H	5	1.50	1.50	307.90	309.40	335.64	337.14	0.00	accommodates splice	
321	U1338	C	34	H	6	1.34	1.34	309.40	310.74	337.14	338.48	0.00	accommodates splice	
321	U1338	C	34	H	CC	0.26	0.26	310.74	311.00	338.48	338.74	0.00	accommodates splice	
321	U1338	A	33	X	6	1.03	1.03	305.20	306.23	338.52	339.55	-5.80	accommodates splice	
321	U1338	A	33	X	CC	0.27	0.27	306.23	306.50	339.55	339.82	0.00	accommodates splice	
321	U1338	B	34	H	5	1.51	1.51	307.92	309.43	339.35	340.86	1.42	accommodates splice	
321	U1338	B	34	H	6	1.00	1.00	309.43	310.43	340.86	341.86	0.00	accommodates splice	
321	U1338	B	34	H	7	0.84	0.84	310.43	311.27	341.86	342.70	0.00	accommodates splice	
321	U1338	A	34	X	1	1.50	1.50	307.30	308.80	342.73	344.23	-3.97	accommodates splice	
321	U1338	A	34	X	2	1.50	1.50	308.80	310.30	344.23	345.73	0.00	accommodates splice	
321	U1338	A	34	X	3	1.50	1.50	310.30	311.80	345.73	347.23	0.00	accommodates splice	
321	U1338	A	34	X	4	1.50	1.50	311.80	313.30	347.23	348.73	0.00	accommodates splice	
321	U1338	A	34	X	5	1.50	1.50	313.30	314.80	348.73	350.23	0.00	accommodates splice	
321	U1338	A	34	X	6	1.11	1.11	314.80	315.91	350.23	351.34	0.00	accommodates splice	
321	U1338	A	34	X	CC	0.24	0.24	315.91	316.15	351.34	351.58	0.00	accommodates splice	
321	U1338	B	35	H	6	1.50	1.50	318.90	320.40	351.68	353.18	2.75	accommodates splice	
321	U1338	B	35	H	7	0.72	0.72	320.40	321.12	353.18	353.90	0.00	accommodates splice	
321	U1338	B	35	H	CC	0.25	0.25	321.12	321.37	353.90	354.15	0.00	accommodates splice	
321	U1338	A	35	X	1	1.50	1.50	316.90	318.40	357.23	358.73	-4.47	accommodates splice	
321	U1338	A	35	X	2	1.20	1.20	318.40	319.60	358.73	359.93	0.00	accommodates splice	
321	U1338	A	35	X	CC	0.24	0.24	319.60	319.84	359.93	360.17	0.00	accommodates splice	
321	U1338	B	36	H	7	0.75	0.75	329.90	330.65	362.94	363.69	10.06	accommodates splice	
321	U1338	B	36	H	CC	0.26	0.26	330.65	330.91	363.69	363.95	0.00	accommodates splice	
321	U1338	B	37	H	1	1.50	1.50	330.40	331.90	364.38	365.88	-0.51	accommodates splice	
321	U1338	A	36	X	1	1.06	1.06	326.50	327.56	365.42	366.48	-5.40	accommodates splice	
321	U1338	A	36	X	CC	0.17	0.17	327.56	327.73	366.48	366.65	0.00	accommodates splice	
321	U1338	A	37	X	1	1.11	1.11	336.00	337.11	366.43	367.54	8.27	accommodates splice	
321	U1338	A	37	X	CC	0.12	0.12	337.11	337.23	367.54	367.66	0.00	accommodates splice	
321	U1338	B	37	H	7	0.73	0.73	339.40	340.13	373.38	374.11	2.17	accommodates splice	
321	U1338	B	37	H	CC	0.25	0.25	340.13	340.38	374.11	374.36	0.00	accommodates splice	
321	U1338	A	38	X	1	1.50	1.50	345.50	347.00	375.58	377.08	5.12	accommodates splice	
321	U1338	A	38	X	2	1.50	1.50	347.00	348.50	377.08	378.58	0.00	accommodates splice	
321	U1338	A	38	X	3	1.50	1.50	348.50	350.00	378.58	380.08	0.00	accommodates splice	
321	U1338	A	38	X	4	1.50	1.50	350.00	351.50	380.08	381.58	0.00	accommodates splice	
321	U1338	A	38	X	5	1.50	1.50	351.50	353.00	381.58	383.08	0.00	accommodates splice	
321	U1338	A	38	X	6	1.50	1.50	353.00	354.50	383.08	384.58	0.00	accommodates splice	
321	U1338	A	38	X	CC	0.25	0.25	354.50	354.75	384.58	384.83	0.00	accommodates splice	
321	U1338	B	38	H	7	0.69	0.69	348.90	349.59	384.78	385.47	-5.85	accommodates splice	
321	U1338	B	38	H	CC	0.27	0.27	349.59	349.86	385.47	385.74	0.00	accommodates splice	
321	U1338	A	39	X	1	1.50	1.50	354.80	356.30	388.01	389.51	4.94	accommodates splice	
321	U1338	A	39	X	2	1.50	1.50	356.30	357.80	389.51	391.01	0.00	accommodates splice	
321	U1338	A	39	X	3	1.50	1.50	357.80	359.30	391.01	392.51	0.00	accommodates splice	
321	U1338	A	39	X	4	1.50	1.50	359.30	360.80	392.51	394.01	0.00	accommodates splice	
321	U1338	A	39	X	5	1.50	1.50	360.80	362.30	394.01	395.51	0.00	accommodates splice	
321	U1338	A	39	X	6	1.31	1.31	362.30	363.61	395.51	396.82	0.00	accommodates splice	
321	U1338	A	39	X	CC	0.20	0.20	363.61	363.81	396.82	397.02	0.00	accommodates splice	
321	U1338	B	39	H	5	1.50	1.50	355.40	356.90	396.43	397.93	-8.41	accommodates splice	
321	U1338	B	39	H	6	1.50	1.50	356.90	358.40	397.93	399.43	0.00	accommodates splice	
321	U1338	B	39	H	7	0.72	0.72	358.40	359.12	399.43	400.15	0.00	accommodates splice	
321	U1338	B	39	H	CC	0.24	0.24	359.12	359.36	400.15	400.39	0.00	accommodates splice	
321	U1338	A	40	X	1	1.48	1.48	364.40	365.88	402.31	403.79	5.04	accommodates splice	
321	U1338	A	40	X	2	1.01	1.01	365.88	366.89	403.79	404.80	0.00	accommodates splice	
321	U1338	A	40	X	3	0.78	0.78	366.89	367.67	404.80	405.58	0.00	accommodates splice	
321	U1338	B	40	H	4	1.50	1.50	363.40	364.90	404.60	406.10	-4.27	accommodates splice	
321	U1338	B	40	H	5	1.50	1.50	364.90	366.40	406.10	407.60	0.00	accommodates splice	
321	U1338	B	40	H	6	1.50	1.50	366.40	367.90	407.60	409.10	0.00	accommodates splice	
321	U1338	B	40	H	7	0.72	0.72	367.90	368.62	409.10	409.82	0.00	accommodates splice	

U1338 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1338	B	40	H	CC	0.29	0.29	368.62	368.91	409.82	410.11	0.00	accommodates splice	
321	U1338	C	42	H	1	1.50	1.50	373.40	374.90	411.11	412.61	4.49	accommodates splice	
321	U1338	C	42	H	2	1.50	1.50	374.90	376.40	412.61	414.11	0.00	accommodates splice	
321	U1338	C	42	H	3	1.50	1.50	376.40	377.90	414.11	415.61	0.00	accommodates splice	
321	U1338	C	42	H	4	1.25	1.25	377.90	379.15	415.61	416.86	0.00	accommodates splice	
321	U1338	C	42	H	5	0.80	0.80	379.15	379.95	416.86	417.66	0.00	accommodates splice	
321	U1338	C	42	H	CC	0.14	0.14	379.95	380.09	417.66	417.80	0.00	accommodates splice	