

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	A	1	H	1	1.50	1.50	0.00	1.50	0.00	1.50	0.00		
359	U1467	A	1	H	2	1.20	1.20	1.50	2.70	1.50	2.70	0.00		
359	U1467	A	1	H	3	0.61	0.61	2.70	3.31	2.70	3.31	0.00		
359	U1467	A	1	H	CC	0.19	0.19	3.31	3.50	3.31	3.50	0.00		
359	U1467	A	2	H	1	1.50	1.50	3.50	5.00	3.50	5.00	0.00		
359	U1467	A	2	H	2	1.50	1.50	5.00	6.50	5.00	6.50	0.00		
359	U1467	A	2	H	3	1.50	1.50	6.50	8.00	6.50	8.00	0.00		
359	U1467	A	2	H	4	1.50	1.50	8.00	9.50	8.00	9.50	0.00		
359	U1467	A	2	H	5	1.52	1.52	9.50	11.02	9.50	11.02	0.00		
359	U1467	A	2	H	6	1.41	1.41	11.02	12.43	11.02	12.43	0.00		
359	U1467	A	2	H	CC	0.16	0.16	12.43	12.59	12.43	12.59	0.00		
359	U1467	D	3	H	1	1.50	1.50	11.00	12.50	12.39	13.89	-0.20		
359	U1467	D	3	H	2	1.50	1.50	12.50	14.00	13.89	15.39	0.00		
359	U1467	D	3	H	3	1.50	1.50	14.00	15.50	15.39	16.89	0.00		
359	U1467	D	3	H	4	1.50	1.50	15.50	17.00	16.89	18.39	0.00		
359	U1467	D	3	H	5	1.50	1.50	17.00	18.50	18.39	19.89	0.00		
359	U1467	D	3	H	6	1.16	1.16	18.50	19.66	19.89	21.05	0.00		
359	U1467	D	3	H	CC	0.14	0.14	19.66	19.80	21.05	21.19	0.00		
359	U1467	C	3	H	3	1.50	1.50	19.20	20.70	20.84	22.34	-0.35		
359	U1467	A	4	H	1	1.50	1.50	22.50	24.00	22.50	24.00	0.16		
359	U1467	A	4	H	2	1.50	1.50	24.00	25.50	24.00	25.50	0.00		
359	U1467	A	4	H	3	1.50	1.50	25.50	27.00	25.50	27.00	0.00		
359	U1467	A	4	H	4	1.50	1.50	27.00	28.50	27.00	28.50	0.00		
359	U1467	A	4	H	5	1.50	1.50	28.50	30.00	28.50	30.00	0.00		
359	U1467	A	4	H	6	1.22	1.22	30.00	31.22	30.00	31.22	0.00		
359	U1467	A	4	H	7	0.67	0.67	31.22	31.89	31.22	31.89	0.00		
359	U1467	A	4	H	CC	0.15	0.15	31.89	32.04	31.89	32.04	0.00		
359	U1467	D	5	H	1	1.50	1.50	30.00	31.50	32.88	34.38	0.84		
359	U1467	D	5	H	2	1.50	1.50	31.50	33.00	34.38	35.88	0.00		
359	U1467	D	5	H	3	1.50	1.50	33.00	34.50	35.88	37.38	0.00		
359	U1467	D	5	H	4	1.50	1.50	34.50	36.00	37.38	38.88	0.00		
359	U1467	D	5	H	5	1.50	1.50	36.00	37.50	38.88	40.38	0.00		
359	U1467	D	5	H	6	1.32	1.32	37.50	38.82	40.38	41.70	0.00		
359	U1467	D	5	H	7	0.72	0.72	38.82	39.54	41.70	42.42	0.00		
359	U1467	C	5	H	3	1.50	1.50	38.20	39.70	42.17	43.67	-0.25		
359	U1467	D	6	H	1	1.50	1.50	39.50	41.00	43.75	45.25	0.08		
359	U1467	D	6	H	2	1.50	1.50	41.00	42.50	45.25	46.75	0.00		
359	U1467	D	6	H	3	1.50	1.50	42.50	44.00	46.75	48.25	0.00		
359	U1467	D	6	H	4	1.50	1.50	44.00	45.50	48.25	49.75	0.00		
359	U1467	D	6	H	5	1.50	1.50	45.50	47.00	49.75	51.25	0.00		
359	U1467	D	6	H	6	1.31	1.31	47.00	48.31	51.25	52.56	0.00		
359	U1467	D	6	H	7	0.78	0.78	48.31	49.09	52.56	53.34	0.00		
359	U1467	D	6	H	CC	0.17	0.17	49.09	49.26	53.34	53.51	0.00		
359	U1467	D	7	H	1	1.50	1.50	49.00	50.50	53.22	54.72	-0.29		
359	U1467	D	7	H	2	1.50	1.50	50.50	52.00	54.72	56.22	0.00		
359	U1467	D	7	H	3	1.50	1.50	52.00	53.50	56.22	57.72	0.00		
359	U1467	D	7	H	4	1.50	1.50	53.50	55.00	57.72	59.22	0.00		
359	U1467	D	7	H	5	1.50	1.50	55.00	56.50	59.22	60.72	0.00		
359	U1467	D	7	H	6	1.15	1.15	56.50	57.65	60.72	61.87	0.00		
359	U1467	C	7	H	3	1.50	1.50	57.20	58.70	61.83	63.33	-0.04		
359	U1467	D	8	H	1	1.50	1.50	58.50	60.00	63.11	64.61	-0.22		
359	U1467	D	8	H	2	1.50	1.50	60.00	61.50	64.61	66.11	0.00		
359	U1467	D	8	H	3	1.50	1.50	61.50	63.00	66.11	67.61	0.00		
359	U1467	D	8	H	4	1.50	1.50	63.00	64.50	67.61	69.11	0.00		
359	U1467	D	8	H	5	1.50	1.50	64.50	66.00	69.11	70.61	0.00		
359	U1467	D	8	H	6	1.21	1.21	66.00	67.21	70.61	71.82	0.00		
359	U1467	D	8	H	7	0.73	0.73	67.21	67.94	71.82	72.55	0.00		
359	U1467	D	8	H	CC	0.12	0.12	67.94	68.06	72.55	72.67	0.00		
359	U1467	D	9	H	1	1.50	1.50	68.00	69.50	73.29	74.79	0.62		
359	U1467	D	9	H	2	1.50	1.50	69.50	71.00	74.79	76.29	0.00		
359	U1467	D	9	H	3	1.50	1.50	71.00	72.50	76.29	77.79	0.00		
359	U1467	D	9	H	4	1.50	1.50	72.50	74.00	77.79	79.29	0.00		
359	U1467	D	9	H	5	1.50	1.50	74.00	75.50	79.29	80.79	0.00		
359	U1467	D	9	H	6	1.41	1.41	75.50	76.91	80.79	82.20	0.00		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	D	9	H	7	0.59	0.59	76.91	77.50	82.20	82.79	0.00		
359	U1467	D	9	H	CC	0.24	0.24	77.50	77.74	82.79	83.03	0.00		
359	U1467	D	10	H	1	1.50	1.50	77.50	79.00	83.22	84.72	0.19		
359	U1467	D	10	H	2	1.50	1.50	79.00	80.50	84.72	86.22	0.00		
359	U1467	B	10	H	1	1.50	1.50	79.50	81.00	85.77	87.27	-0.45		
359	U1467	B	10	H	2	1.50	1.50	81.00	82.50	87.27	88.77	0.00		
359	U1467	B	10	H	3	1.50	1.50	82.50	84.00	88.77	90.27	0.00		
359	U1467	B	10	H	4	1.50	1.50	84.00	85.50	90.27	91.77	0.00		
359	U1467	B	10	H	5	1.50	1.50	85.50	87.00	91.77	93.27	0.00		
359	U1467	B	10	H	6	1.50	1.50	87.00	88.50	93.27	94.77	0.00		
359	U1467	B	10	H	7	0.57	0.57	88.50	89.07	94.77	95.34	0.00		
359	U1467	B	11	H	1	1.32	1.32	89.00	90.32	95.27	96.59	-0.07		Shattered Liner
359	U1467	B	11	H	2	1.50	1.50	90.52	92.02	96.79	98.29	0.20		Shattered Liner
359	U1467	B	11	H	3	0.87	0.87	92.02	92.89	98.29	99.16	0.00		Shattered Liner
359	U1467	B	11	H	4	1.50	1.50	92.89	94.39	99.16	100.66	0.00		Shattered Liner
359	U1467	B	11	H	5	1.50	1.50	94.39	95.89	100.66	102.16	0.00		Shattered Liner
359	U1467	B	11	H	6	1.33	1.33	95.89	97.22	102.16	103.49	0.00		Shattered Liner
359	U1467	B	11	H	CC	0.70	0.70	97.22	97.92	103.49	104.19	0.00		Shattered Liner
359	U1467	D	12	H	1	1.50	1.50	96.50	98.00	104.39	105.89	0.20		
359	U1467	B	12	H	2	0.75	0.75	99.71	100.46	105.98	106.73	0.09		
359	U1467	B	12	H	CC	0.13	0.13	100.46	100.59	106.73	106.86	0.00		
359	U1467	B	13	H	1	1.50	1.50	100.40	101.90	106.35	107.85	-0.51		
359	U1467	B	13	H	2	1.50	1.50	101.90	103.40	107.85	109.35	0.00		
359	U1467	B	13	H	3	1.50	1.50	103.40	104.90	109.35	110.85	0.00		
359	U1467	B	13	H	4	1.50	1.50	104.90	106.40	110.85	112.35	0.00		
359	U1467	B	13	H	5	1.50	1.50	106.40	107.90	112.35	113.85	0.00		
359	U1467	B	13	H	6	1.02	1.02	107.90	108.92	113.85	114.87	0.00		
359	U1467	B	13	H	7	0.59	0.59	108.92	109.51	114.87	115.46	0.00		
359	U1467	B	13	H	CC	0.23	0.23	109.51	109.74	115.46	115.69	0.00		
359	U1467	B	14	H	1	1.50	1.50	109.90	111.40	116.30	117.80	0.61		
359	U1467	B	14	H	2	1.50	1.50	111.40	112.90	117.80	119.30	0.00		
359	U1467	B	14	H	3	1.50	1.50	112.90	114.40	119.30	120.80	0.00		
359	U1467	B	14	H	4	1.50	1.50	114.40	115.90	120.80	122.30	0.00		
359	U1467	B	14	H	5	1.50	1.50	115.90	117.40	122.30	123.80	0.00		
359	U1467	B	14	H	6	1.39	1.39	117.40	118.79	123.80	125.19	0.00		
359	U1467	B	14	H	CC	0.23	0.23	118.79	119.02	125.19	125.42	0.00		
359	U1467	B	15	H	1	1.50	1.50	119.40	120.90	126.57	128.07	1.15		
359	U1467	B	15	H	2	1.50	1.50	120.90	122.40	128.07	129.57	0.00		
359	U1467	B	15	H	3	1.50	1.50	122.40	123.90	129.57	131.07	0.00		
359	U1467	B	15	H	4	1.50	1.50	123.90	125.40	131.07	132.57	0.00		
359	U1467	B	15	H	5	1.52	1.52	125.40	126.92	132.57	134.09	0.00		
359	U1467	B	15	H	6	0.92	0.92	126.92	127.84	134.09	135.01	0.00		
359	U1467	B	15	H	7	0.63	0.63	127.84	128.47	135.01	135.64	0.00		
359	U1467	B	15	H	CC	0.13	0.13	128.47	128.60	135.64	135.77	0.00		
359	U1467	C	15	H	6	1.52	1.52	130.20	131.72	136.81	138.33	1.04		
359	U1467	C	15	H	CC	0.17	0.17	131.72	131.89	138.33	138.50	0.00		
359	U1467	D	15	H	6	1.50	1.50	132.50	134.00	140.31	141.81	1.81		
359	U1467	D	15	H	7	0.58	0.58	134.00	134.58	141.81	142.39	0.00		
359	U1467	D	15	H	CC	0.16	0.16	134.58	134.74	142.39	142.55	0.00		
359	U1467	D	16	H	1	1.50	1.50	134.50	136.00	143.48	144.98	0.93		
359	U1467	D	16	H	2	1.50	1.50	136.00	137.50	144.98	146.48	0.00		
359	U1467	C	16	H	5	1.50	1.50	138.20	139.70	146.99	148.49	0.51		
359	U1467	C	16	H	6	1.31	1.31	139.70	141.01	148.49	149.80	0.00		
359	U1467	C	16	H	7	0.66	0.66	141.01	141.67	149.80	150.46	0.00		
359	U1467	C	16	H	CC	0.22	0.22	141.67	141.89	150.46	150.68	0.00		
359	U1467	C	17	H	1	1.50	1.50	141.70	143.20	150.90	152.40	0.22		
359	U1467	C	17	H	2	1.50	1.50	143.20	144.70	152.40	153.90	0.00		
359	U1467	D	17	H	1	1.50	1.50	144.00	145.50	153.32	154.82	-0.58		
359	U1467	D	17	H	2	1.50	1.50	145.50	147.00	154.82	156.32	0.00		
359	U1467	D	17	H	3	1.50	1.50	147.00	148.50	156.32	157.82	0.00		
359	U1467	D	17	H	4	1.50	1.50	148.50	150.00	157.82	159.32	0.00		
359	U1467	B	18	H	2	1.50	1.50	149.40	150.90	159.51	161.01	0.19		
359	U1467	B	18	H	3	1.50	1.50	150.90	152.40	161.01	162.51	0.00		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	B	18	H	4	1.50	1.50	152.40	153.90	162.51	164.01	0.00		
359	U1467	D	18	H	1	1.50	1.50	153.50	155.00	163.64	165.14	-0.37		
359	U1467	D	18	H	2	1.50	1.50	155.00	156.50	165.14	166.64	0.00		
359	U1467	D	18	H	3	1.50	1.50	156.50	158.00	166.64	168.14	0.00		
359	U1467	D	18	H	4	1.50	1.50	158.00	159.50	168.14	169.64	0.00		
359	U1467	D	18	H	5	1.50	1.50	159.50	161.00	169.64	171.14	0.00		
359	U1467	D	18	H	6	1.50	1.50	161.00	162.50	171.14	172.64	0.00		
359	U1467	D	18	H	7	0.54	0.54	162.50	163.04	172.64	173.18	0.00		
359	U1467	D	18	H	CC	0.18	0.18	163.04	163.22	173.18	173.36	0.00		
359	U1467	D	19	H	1	1.50	1.50	163.00	164.50	173.33	174.83	-0.03		
359	U1467	D	19	H	2	1.50	1.50	164.50	166.00	174.83	176.33	0.00		
359	U1467	D	19	H	3	1.50	1.50	166.00	167.50	176.33	177.83	0.00		
359	U1467	D	19	H	4	1.50	1.50	167.50	169.00	177.83	179.33	0.00		
359	U1467	D	19	H	5	1.50	1.50	169.00	170.50	179.33	180.83	0.00		
359	U1467	D	19	H	6	1.50	1.50	170.50	172.00	180.83	182.33	0.00		
359	U1467	D	19	H	7	0.58	0.58	172.00	172.58	182.33	182.91	0.00		
359	U1467	D	19	H	CC	0.19	0.19	172.58	172.77	182.91	183.10	0.00		
359	U1467	D	20	H	1	1.50	1.50	172.50	174.00	183.72	185.22	0.62		
359	U1467	D	20	H	2	1.50	1.50	174.00	175.50	185.22	186.72	0.00		
359	U1467	D	20	H	3	1.50	1.50	175.50	177.00	186.72	188.22	0.00		
359	U1467	D	20	H	4	1.50	1.50	177.00	178.50	188.22	189.72	0.00		
359	U1467	D	20	H	5	1.50	1.50	178.50	180.00	189.72	191.22	0.00		
359	U1467	D	20	H	6	1.50	1.50	180.00	181.50	191.22	192.72	0.00		
359	U1467	D	20	H	7	0.74	0.74	181.50	182.24	192.72	193.46	0.00		
359	U1467	D	20	H	CC	0.12	0.12	182.24	182.36	193.46	193.58	0.00		
359	U1467	D	21	H	1	1.50	1.50	182.00	183.50	194.44	195.94	0.86		
359	U1467	D	21	H	2	1.50	1.50	183.50	185.00	195.94	197.44	0.00		
359	U1467	D	21	H	3	1.50	1.50	185.00	186.50	197.44	198.94	0.00		
359	U1467	D	21	H	4	1.50	1.50	186.50	188.00	198.94	200.44	0.00		
359	U1467	D	21	H	5	1.50	1.50	188.00	189.50	200.44	201.94	0.00		
359	U1467	D	21	H	6	1.52	1.52	189.50	191.02	201.94	203.46	0.00		
359	U1467	D	21	H	7	0.66	0.66	191.02	191.68	203.46	204.12	0.00		
359	U1467	D	21	H	CC	0.17	0.17	191.68	191.85	204.12	204.29	0.00		
359	U1467	D	22	H	1	1.50	1.50	191.50	193.00	204.77	206.27	0.48		
359	U1467	D	22	H	2	1.50	1.50	193.00	194.50	206.27	207.77	0.00		
359	U1467	D	22	H	3	1.50	1.50	194.50	196.00	207.77	209.27	0.00		
359	U1467	D	22	H	4	1.50	1.50	196.00	197.50	209.27	210.77	0.00		
359	U1467	D	22	H	5	1.50	1.50	197.50	199.00	210.77	212.27	0.00		
359	U1467	D	22	H	6	1.50	1.50	199.00	200.50	212.27	213.77	0.00		
359	U1467	D	22	H	7	0.68	0.68	200.50	201.18	213.77	214.45	0.00		
359	U1467	D	22	H	CC	0.19	0.19	201.18	201.37	214.45	214.64	0.00		
359	U1467	B	23	H	6	1.00	1.00	202.90	203.90	214.68	215.68	0.04		
359	U1467	B	23	H	7	0.83	0.83	203.90	204.73	215.68	216.51	0.00		
359	U1467	B	23	H	CC	0.16	0.16	204.73	204.89	216.51	216.67	0.00		
359	U1467	B	24	H	1	1.50	1.50	204.90	206.40	216.68	218.18	0.01		
359	U1467	B	24	H	2	1.50	1.50	206.40	207.90	218.18	219.68	0.00		
359	U1467	B	24	H	3	1.50	1.50	207.90	209.40	219.68	221.18	0.00		
359	U1467	B	24	H	4	1.50	1.50	209.40	210.90	221.18	222.68	0.00		
359	U1467	B	24	H	5	1.50	1.50	210.90	212.40	222.68	224.18	0.00		
359	U1467	B	24	H	6	1.00	1.00	212.40	213.40	224.18	225.18	0.00		
359	U1467	B	24	H	7	1.18	1.18	213.40	214.58	225.18	226.36	0.00		
359	U1467	B	25	H	1	1.50	1.50	214.40	215.90	226.18	227.68	-0.18		
359	U1467	B	24	H	CC	0.17	0.17	214.58	214.75	226.36	226.53	-1.32		
359	U1467	B	25	H	2	1.50	1.50	215.90	217.40	227.68	229.18	1.15		
359	U1467	B	25	H	3	1.50	1.50	217.40	218.90	229.18	230.68	0.00		
359	U1467	B	25	H	4	1.50	1.50	218.90	220.40	230.68	232.18	0.00		
359	U1467	B	25	H	5	1.50	1.50	220.40	221.90	232.18	233.68	0.00		
359	U1467	B	25	H	6	1.11	1.11	221.90	223.01	233.68	234.79	0.00		
359	U1467	B	25	H	7	0.94	0.94	223.01	223.95	234.79	235.73	0.00		
359	U1467	B	26	H	1	1.50	1.50	223.90	225.40	235.68	237.18	-0.05		
359	U1467	B	25	H	CC	0.18	0.18	223.95	224.13	235.73	235.91	-1.45		
359	U1467	B	26	H	2	1.50	1.50	225.40	226.90	237.18	238.68	1.27		
359	U1467	B	26	H	3	1.50	1.50	226.90	228.40	238.68	240.18	0.00		
359	U1467	B	26	H	4	1.50	1.50	228.40	229.90	240.18	241.68	0.00		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	B	26	H	5	1.50	1.50	229.90	231.40	241.68	243.18	0.00		
359	U1467	B	26	H	6	1.50	1.50	231.40	232.90	243.18	244.68	0.00		
359	U1467	B	26	H	7	0.67	0.67	232.90	233.57	244.68	245.35	0.00		
359	U1467	B	27	H	1	1.50	1.50	233.40	234.90	245.18	246.68	-0.17		
359	U1467	B	27	H	2	1.50	1.50	234.90	236.40	246.68	248.18	0.00		
359	U1467	B	27	H	3	1.50	1.50	236.40	237.90	248.18	249.68	0.00		
359	U1467	B	27	H	4	1.50	1.50	237.90	239.40	249.68	251.18	0.00		
359	U1467	B	27	H	5	1.50	1.50	239.40	240.90	251.18	252.68	0.00		
359	U1467	B	27	H	6	1.50	1.50	240.90	242.40	252.68	254.18	0.00		
359	U1467	B	27	H	7	0.83	0.83	242.40	243.23	254.18	255.01	0.00		
359	U1467	B	28	H	1	1.50	1.50	242.90	244.40	254.68	256.18	-0.33		
359	U1467	B	27	H	CC	0.23	0.23	243.23	243.46	255.01	255.24	-1.17		
359	U1467	B	28	H	2	1.50	1.50	244.40	245.90	256.18	257.68	0.94		
359	U1467	B	28	H	3	1.50	1.50	245.90	247.40	257.68	259.18	0.00		
359	U1467	B	28	H	4	1.50	1.50	247.40	248.90	259.18	260.68	0.00		
359	U1467	B	28	H	5	1.50	1.50	248.90	250.40	260.68	262.18	0.00		
359	U1467	B	28	H	6	1.50	1.50	250.40	251.90	262.18	263.68	0.00		
359	U1467	B	28	H	7	0.72	0.72	251.90	252.62	263.68	264.40	0.00		
359	U1467	B	29	H	1	1.50	1.50	252.40	253.90	264.18	265.68	-0.22		
359	U1467	B	28	H	CC	0.13	0.13	252.62	252.75	264.40	264.53	-1.28		
359	U1467	B	29	H	2	1.50	1.50	253.90	255.40	265.68	267.18	1.15		
359	U1467	B	29	H	3	1.50	1.50	255.40	256.90	267.18	268.68	0.00		
359	U1467	B	29	H	4	1.50	1.50	256.90	258.40	268.68	270.18	0.00		
359	U1467	B	29	H	5	1.50	1.50	258.40	259.90	270.18	271.68	0.00		
359	U1467	B	29	H	6	1.50	1.50	259.90	261.40	271.68	273.18	0.00		
359	U1467	B	29	H	7	0.77	0.77	261.40	262.17	273.18	273.95	0.00		
359	U1467	B	30	H	1	1.50	1.50	261.90	263.40	273.68	275.18	-0.27		
359	U1467	B	29	H	CC	0.20	0.20	262.17	262.37	273.95	274.15	-1.23		
359	U1467	B	30	H	2	1.50	1.50	263.40	264.90	275.18	276.68	1.03		
359	U1467	B	30	H	3	1.50	1.50	264.90	266.40	276.68	278.18	0.00		
359	U1467	B	30	H	4	1.50	1.50	266.40	267.90	278.18	279.68	0.00		
359	U1467	B	30	H	5	1.50	1.50	267.90	269.40	279.68	281.18	0.00		
359	U1467	B	30	H	6	1.50	1.50	269.40	270.90	281.18	282.68	0.00		
359	U1467	B	30	H	7	0.78	0.78	270.90	271.68	282.68	283.46	0.00		
359	U1467	B	31	H	1	1.50	1.50	271.40	272.90	283.18	284.68	-0.28		
359	U1467	B	30	H	CC	0.20	0.20	271.68	271.88	283.46	283.66	-1.22		
359	U1467	B	31	H	2	1.50	1.50	272.90	274.40	284.68	286.18	1.02		
359	U1467	B	31	H	3	1.50	1.50	274.40	275.90	286.18	287.68	0.00		
359	U1467	B	31	H	4	1.50	1.50	275.90	277.40	287.68	289.18	0.00		
359	U1467	B	31	H	5	1.50	1.50	277.40	278.90	289.18	290.68	0.00		
359	U1467	B	31	H	6	1.50	1.50	278.90	280.40	290.68	292.18	0.00		
359	U1467	B	31	H	7	0.61	0.61	280.40	281.01	292.18	292.79	0.00		
359	U1467	B	32	H	1	1.50	1.50	280.90	282.40	292.68	294.18	-0.11		
359	U1467	B	31	H	CC	0.25	0.25	281.01	281.26	292.79	293.04	-1.39		
359	U1467	B	32	H	2	1.50	1.50	282.40	283.90	294.18	295.68	1.14		
359	U1467	B	32	H	3	1.50	1.50	283.90	285.40	295.68	297.18	0.00		
359	U1467	B	32	H	4	1.50	1.50	285.40	286.90	297.18	298.68	0.00		
359	U1467	B	32	H	5	1.50	1.50	286.90	288.40	298.68	300.18	0.00		
359	U1467	B	32	H	6	1.50	1.50	288.40	289.90	300.18	301.68	0.00		
359	U1467	B	32	H	7	0.76	0.76	289.90	290.66	301.68	302.44	0.00		
359	U1467	B	33	H	1	1.50	1.50	290.40	291.90	302.18	303.68	-0.26		
359	U1467	B	32	H	CC	0.25	0.25	290.66	290.91	302.44	302.69	-1.24		
359	U1467	B	33	H	2	1.50	1.50	291.90	293.40	303.68	305.18	0.99		
359	U1467	B	33	H	3	1.50	1.50	293.40	294.90	305.18	306.68	0.00		
359	U1467	B	33	H	4	1.50	1.50	294.90	296.40	306.68	308.18	0.00		
359	U1467	B	33	H	5	1.50	1.50	296.40	297.90	308.18	309.68	0.00		
359	U1467	B	33	H	6	1.50	1.50	297.90	299.40	309.68	311.18	0.00		
359	U1467	B	33	H	7	0.75	0.75	299.40	300.15	311.18	311.93	0.00		
359	U1467	B	34	H	1	1.50	1.50	299.90	301.40	311.68	313.18	-0.25		
359	U1467	B	33	H	CC	0.25	0.25	300.15	300.40	311.93	312.18	-1.25		
359	U1467	B	34	H	2	1.50	1.50	301.40	302.90	313.18	314.68	1.00		
359	U1467	B	34	H	3	1.50	1.50	302.90	304.40	314.68	316.18	0.00		
359	U1467	B	34	H	4	1.50	1.50	304.40	305.90	316.18	317.68	0.00		
359	U1467	B	34	H	5	1.50	1.50	305.90	307.40	317.68	319.18	0.00		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	B	34	H	6	1.50	1.50	307.40	308.90	319.18	320.68	0.00		
359	U1467	B	34	H	7	0.73	0.73	308.90	309.63	320.68	321.41	0.00		
359	U1467	B	35	H	1	1.50	1.50	309.40	310.90	321.18	322.68	-0.23		
359	U1467	B	34	H	CC	0.23	0.23	309.63	309.86	321.41	321.64	-1.27		
359	U1467	B	35	H	2	1.50	1.50	310.90	312.40	322.68	324.18	1.04		
359	U1467	B	35	H	3	1.50	1.50	312.40	313.90	324.18	325.68	0.00		
359	U1467	B	35	H	4	1.50	1.50	313.90	315.40	325.68	327.18	0.00		
359	U1467	B	35	H	5	1.50	1.50	315.40	316.90	327.18	328.68	0.00		
359	U1467	B	35	H	6	1.50	1.50	316.90	318.40	328.68	330.18	0.00		
359	U1467	B	35	H	7	0.77	0.77	318.40	319.17	330.18	330.95	0.00		
359	U1467	B	36	H	1	1.50	1.50	318.90	320.40	330.68	332.18	-0.27		
359	U1467	B	35	H	CC	0.22	0.22	319.17	319.39	330.95	331.17	-1.23		
359	U1467	B	36	H	2	1.50	1.50	320.40	321.90	332.18	333.68	1.01		
359	U1467	B	36	H	3	1.50	1.50	321.90	323.40	333.68	335.18	0.00		
359	U1467	B	36	H	4	1.50	1.50	323.40	324.90	335.18	336.68	0.00		
359	U1467	B	36	H	5	1.50	1.50	324.90	326.40	336.68	338.18	0.00		
359	U1467	B	36	H	6	1.50	1.50	326.40	327.90	338.18	339.68	0.00		
359	U1467	B	36	H	7	0.71	0.71	327.90	328.61	339.68	340.39	0.00		
359	U1467	B	37	H	1	1.50	1.50	328.40	329.90	340.18	341.68	-0.21		
359	U1467	B	36	H	CC	0.10	0.10	328.61	328.71	340.39	340.49	-1.29		
359	U1467	B	37	H	2	1.50	1.50	329.90	331.40	341.68	343.18	1.19		
359	U1467	B	37	H	3	1.50	1.50	331.40	332.90	343.18	344.68	0.00		
359	U1467	B	37	H	4	1.50	1.50	332.90	334.40	344.68	346.18	0.00		
359	U1467	B	37	H	5	1.50	1.50	334.40	335.90	346.18	347.68	0.00		
359	U1467	B	37	H	6	1.50	1.50	335.90	337.40	347.68	349.18	0.00		
359	U1467	B	37	H	7	0.73	0.73	337.40	338.13	349.18	349.91	0.00		
359	U1467	B	38	F	1	0.78	0.78	337.90	338.68	349.68	350.46	-0.23		Core liner split, disturbed
359	U1467	B	37	H	CC	0.26	0.26	338.13	338.39	349.91	350.17	-0.55		
359	U1467	B	38	F	2	1.50	1.50	338.68	340.18	350.46	351.96	0.29		
359	U1467	B	38	F	3	1.50	1.50	340.18	341.68	351.96	353.46	0.00		
359	U1467	B	38	F	4	0.96	0.96	341.68	342.64	353.46	354.42	0.00		
359	U1467	B	39	F	1	1.50	1.50	342.60	344.10	354.38	355.88	-0.04		
359	U1467	B	38	F	CC	0.25	0.25	342.64	342.89	354.42	354.67	-1.46		
359	U1467	B	39	F	2	1.50	1.50	344.10	345.60	355.88	357.38	1.21		
359	U1467	B	39	F	3	1.01	1.01	345.60	346.61	357.38	358.39	0.00		
359	U1467	B	39	F	4	0.65	0.65	346.61	347.26	358.39	359.04	0.00		
359	U1467	B	39	F	CC	0.29	0.29	347.26	347.55	359.04	359.33	0.00		
359	U1467	B	40	F	1	1.50	1.50	347.30	348.80	359.08	360.58	-0.25		
359	U1467	B	40	F	2	1.40	1.40	348.80	350.20	360.58	361.98	0.00		
359	U1467	B	40	F	3	1.01	1.01	350.20	351.21	361.98	362.99	0.00		
359	U1467	B	40	F	4	0.79	0.79	351.21	352.00	362.99	363.78	0.00		
359	U1467	B	40	F	CC	0.19	0.19	352.00	352.19	363.78	363.97	0.00		
359	U1467	B	41	F	1	1.50	1.50	352.00	353.50	363.78	365.28	-0.19		
359	U1467	B	41	F	2	1.50	1.50	353.50	355.00	365.28	366.78	0.00		
359	U1467	B	41	F	3	1.02	1.02	355.00	356.02	366.78	367.80	0.00		
359	U1467	B	41	F	4	0.56	0.56	356.02	356.58	367.80	368.36	0.00		
359	U1467	B	42	F	1	1.50	1.50	356.70	358.20	368.48	369.98	0.12		
359	U1467	B	42	F	2	1.50	1.50	358.20	359.70	369.98	371.48	0.00		
359	U1467	B	42	F	3	1.37	1.37	359.70	361.07	371.48	372.85	0.00		
359	U1467	B	42	F	CC	0.21	0.21	361.07	361.28	372.85	373.06	0.00		
359	U1467	B	43	H	1	1.50	1.50	361.40	362.90	373.18	374.68	0.12		
359	U1467	B	43	H	2	1.50	1.50	362.90	364.40	374.68	376.18	0.00		
359	U1467	B	43	H	3	1.50	1.50	364.40	365.90	376.18	377.68	0.00		
359	U1467	B	43	H	4	1.50	1.50	365.90	367.40	377.68	379.18	0.00		
359	U1467	B	43	H	5	1.47	1.47	367.40	368.87	379.18	380.65	0.00		
359	U1467	B	43	H	CC	0.15	0.15	368.87	369.02	380.65	380.80	0.00		
359	U1467	B	44	H	1	1.50	1.50	370.90	372.40	382.68	384.18	1.88		
359	U1467	B	44	H	2	1.50	1.50	372.40	373.90	384.18	385.68	0.00		
359	U1467	B	44	H	3	1.50	1.50	373.90	375.40	385.68	387.18	0.00		
359	U1467	B	44	H	4	1.50	1.50	375.40	376.90	387.18	388.68	0.00		
359	U1467	B	44	H	5	1.50	1.50	376.90	378.40	388.68	390.18	0.00		
359	U1467	B	44	H	6	1.50	1.50	378.40	379.90	390.18	391.68	0.00		
359	U1467	B	44	H	7	0.76	0.76	379.90	380.66	391.68	392.44	0.00		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	B	45	H	1	1.50	1.50	380.40	381.90	392.18	393.68	-0.26		
359	U1467	B	44	H	CC	0.30	0.30	380.66	380.96	392.44	392.74	-1.24		
359	U1467	B	45	H	2	1.50	1.50	381.90	383.40	393.68	395.18	0.94		
359	U1467	B	45	H	3	1.50	1.50	383.40	384.90	395.18	396.68	0.00		
359	U1467	B	45	H	4	1.50	1.50	384.90	386.40	396.68	398.18	0.00		
359	U1467	B	45	H	5	1.50	1.50	386.40	387.90	398.18	399.68	0.00		
359	U1467	B	45	H	6	1.50	1.50	387.90	389.40	399.68	401.18	0.00		
359	U1467	B	45	H	7	0.63	0.63	389.40	390.03	401.18	401.81	0.00		
359	U1467	B	46	F	1	1.50	1.50	389.90	391.40	401.68	403.18	-0.13		
359	U1467	B	45	H	CC	0.35	0.35	390.03	390.38	401.81	402.16	-1.37		
359	U1467	B	46	F	2	1.50	1.50	391.40	392.90	403.18	404.68	1.02		
359	U1467	B	46	F	3	1.00	1.00	392.90	393.90	404.68	405.68	0.00		
359	U1467	B	46	F	4	0.71	0.71	393.90	394.61	405.68	406.39	0.00		
359	U1467	B	47	F	1	1.50	1.50	394.60	396.10	406.38	407.88	-0.01		
359	U1467	B	46	F	CC	0.20	0.20	394.61	394.81	406.39	406.59	-1.49		
359	U1467	B	47	F	2	1.50	1.50	396.10	397.60	407.88	409.38	1.29		
359	U1467	B	47	F	3	1.00	1.00	397.60	398.60	409.38	410.38	0.00		
359	U1467	B	47	F	4	0.76	0.76	398.60	399.36	410.38	411.14	0.00		
359	U1467	B	48	F	1	1.50	1.50	399.30	400.80	411.08	412.58	-0.06		
359	U1467	B	47	F	CC	0.26	0.26	399.36	399.62	411.14	411.40	-1.44		
359	U1467	B	48	F	2	1.50	1.50	400.80	402.30	412.58	414.08	1.18		
359	U1467	B	48	F	3	1.01	1.01	402.30	403.31	414.08	415.09	0.00		
359	U1467	B	48	F	4	0.77	0.77	403.31	404.08	415.09	415.86	0.00		
359	U1467	B	49	F	1	1.50	1.50	404.00	405.50	415.78	417.28	-0.08		
359	U1467	B	48	F	CC	0.35	0.35	404.08	404.43	415.86	416.21	-1.42		
359	U1467	B	49	F	2	1.50	1.50	405.50	407.00	417.28	418.78	1.07		
359	U1467	B	49	F	3	0.98	0.98	407.00	407.98	418.78	419.76	0.00		
359	U1467	B	49	F	4	0.61	0.61	407.98	408.59	419.76	420.37	0.00		
359	U1467	B	49	F	CC	0.26	0.26	408.59	408.85	420.37	420.63	0.00		
359	U1467	B	50	F	1	1.50	1.50	408.70	410.20	420.48	421.98	-0.15		
359	U1467	B	50	F	2	1.50	1.50	410.20	411.70	421.98	423.48	0.00		
359	U1467	B	50	F	3	1.01	1.01	411.70	412.71	423.48	424.49	0.00		
359	U1467	B	50	F	4	0.65	0.65	412.71	413.36	424.49	425.14	0.00		
359	U1467	B	50	F	CC	0.27	0.27	413.36	413.63	425.14	425.41	0.00		
359	U1467	B	51	F	1	1.50	1.50	413.40	414.90	425.18	426.68	-0.23		
359	U1467	B	51	F	2	1.50	1.50	414.90	416.40	426.68	428.18	0.00		
359	U1467	B	51	F	3	0.91	0.91	416.40	417.31	428.18	429.09	0.00		
359	U1467	B	51	F	4	0.72	0.72	417.31	418.03	429.09	429.81	0.00		
359	U1467	B	51	F	CC	0.25	0.21	418.03	418.24	429.81	430.02	0.00		wrong CC length given by technician
359	U1467	B	52	F	1	1.50	1.50	418.10	419.60	429.88	431.38	-0.14		
359	U1467	B	52	F	2	1.50	1.50	419.60	421.10	431.38	432.88	0.00		
359	U1467	B	52	F	3	1.39	1.39	421.10	422.49	432.88	434.27	0.00		
359	U1467	B	52	F	CC	0.13	0.13	422.49	422.62	434.27	434.40	0.00		
359	U1467	B	53	F	1	1.50	1.50	422.80	424.30	434.58	436.08	0.18		
359	U1467	B	53	F	2	1.50	1.50	424.30	425.80	436.08	437.58	0.00		
359	U1467	B	53	F	3	1.50	1.50	425.80	427.30	437.58	439.08	0.00		
359	U1467	B	53	F	CC	0.30	0.30	427.30	427.60	439.08	439.38	0.00		
359	U1467	B	54	F	1	1.50	1.50	427.50	429.00	439.28	440.78	-0.10		
359	U1467	B	54	F	2	1.50	1.50	429.00	430.50	440.78	442.28	0.00		
359	U1467	B	54	F	3	0.91	0.91	430.50	431.41	442.28	443.19	0.00		
359	U1467	B	54	F	4	0.67	0.67	431.41	432.08	443.19	443.86	0.00		
359	U1467	B	54	F	CC	0.24	0.24	432.08	432.32	443.86	444.10	0.00		
359	U1467	B	55	F	1	1.44	1.44	432.20	433.64	443.98	445.42	-0.12		
359	U1467	B	55	F	2	1.50	1.50	433.64	435.14	445.42	446.92	0.00		
359	U1467	B	55	F	3	1.00	1.00	435.14	436.14	446.92	447.92	0.00		
359	U1467	B	55	F	4	0.71	0.71	436.14	436.85	447.92	448.63	0.00		
359	U1467	B	55	F	CC	0.14	0.14	436.85	436.99	448.63	448.77	0.00		
359	U1467	B	56	F	1	1.50	1.50	436.90	438.40	448.68	450.18	-0.09		
359	U1467	B	56	F	2	1.50	1.50	438.40	439.90	450.18	451.68	0.00		
359	U1467	B	56	F	3	0.91	0.91	439.90	440.81	451.68	452.59	0.00		
359	U1467	B	56	F	4	0.74	0.74	440.81	441.55	452.59	453.33	0.00		
359	U1467	B	57	F	1	1.50	1.50	441.60	443.10	453.38	454.88	0.05		
359	U1467	B	57	F	2	1.50	1.50	443.10	444.60	454.88	456.38	0.00		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	B	57	F	3	0.90	0.90	444.60	445.50	456.38	457.28	0.00		
359	U1467	B	57	F	4	0.85	0.85	445.50	446.35	457.28	458.13	0.00		
359	U1467	B	58	F	1	1.50	1.50	446.30	447.80	458.08	459.58	-0.05		
359	U1467	B	57	F	CC	0.28	0.28	446.35	446.63	458.13	458.41	-1.45		
359	U1467	B	58	F	2	1.50	1.50	447.80	449.30	459.58	461.08	1.17		
359	U1467	B	58	F	3	1.01	1.01	449.30	450.31	461.08	462.09	0.00		
359	U1467	B	58	F	4	0.65	0.65	450.31	450.96	462.09	462.74	0.00		
359	U1467	B	58	F	CC	0.15	0.15	450.96	451.11	462.74	462.89	0.00		
359	U1467	B	59	F	1	1.50	1.50	451.00	452.50	462.78	464.28	-0.11		
359	U1467	B	59	F	2	1.50	1.50	452.50	454.00	464.28	465.78	0.00		
359	U1467	B	59	F	3	0.89	0.89	454.00	454.89	465.78	466.67	0.00		
359	U1467	B	59	F	4	0.85	0.85	454.89	455.74	466.67	467.52	0.00		
359	U1467	B	60	F	1	1.50	1.50	455.70	457.20	467.48	468.98	-0.04		
359	U1467	B	59	F	CC	0.25	0.25	455.74	455.99	467.52	467.77	-1.46		
359	U1467	B	60	F	2	1.50	1.50	457.20	458.70	468.98	470.48	1.21		
359	U1467	B	60	F	3	0.91	0.91	458.70	459.61	470.48	471.39	0.00		
359	U1467	B	60	F	4	0.88	0.88	459.61	460.49	471.39	472.27	0.00		
359	U1467	B	61	F	1	1.50	1.50	460.40	462.18	472.27	473.68	-0.09		
359	U1467	B	60	F	CC	0.14	0.14	460.49	460.63	472.27	472.41	-1.41		
359	U1467	B	61	F	2	1.50	1.50	461.90	463.40	473.68	475.18	1.27		
359	U1467	B	61	F	3	1.02	1.02	463.40	464.42	475.18	476.20	0.00		
359	U1467	B	61	F	4	0.82	0.82	464.42	465.24	476.20	477.02	0.00		
359	U1467	B	62	X	1	1.50	1.50	465.10	466.60	476.88	478.38	-0.14		
359	U1467	B	61	F	CC	0.17	0.17	465.24	465.41	477.02	477.19	-1.36		
359	U1467	B	62	X	2	1.50	1.50	466.60	468.10	478.38	479.88	1.19		
359	U1467	B	62	X	3	1.50	1.50	468.10	469.60	479.88	481.38	0.00		
359	U1467	B	62	X	4	0.59	0.59	469.60	470.19	481.38	481.97	0.00		
359	U1467	B	62	X	CC	0.31	0.31	470.19	470.50	481.97	482.28	0.00		
359	U1467	B	63	X	1	1.50	1.50	471.60	473.10	483.38	484.88	1.10		
359	U1467	B	63	X	2	1.50	1.50	473.10	474.60	484.88	486.38	0.00		
359	U1467	B	63	X	3	1.50	1.50	474.60	476.10	486.38	487.88	0.00		
359	U1467	B	63	X	4	1.50	1.50	476.10	477.60	487.88	489.38	0.00		
359	U1467	B	63	X	5	1.11	1.11	477.60	478.71	489.38	490.49	0.00		
359	U1467	B	63	X	6	0.61	0.61	478.71	479.32	490.49	491.10	0.00		
359	U1467	B	63	X	CC	0.30	0.30	479.32	479.62	491.10	491.40	0.00		
359	U1467	B	64	X	1	1.50	1.50	481.40	482.90	493.18	494.68	1.78		
359	U1467	B	64	X	2	1.50	1.50	482.90	484.40	494.68	496.18	0.00		
359	U1467	B	64	X	3	1.50	1.50	484.40	485.90	496.18	497.68	0.00		
359	U1467	B	64	X	4	1.11	1.11	485.90	487.01	497.68	498.79	0.00		
359	U1467	B	64	X	5	0.74	0.74	487.01	487.75	498.79	499.53	0.00		
359	U1467	B	64	X	CC	0.30	0.30	487.75	488.05	499.53	499.83	0.00		
359	U1467	B	65	X	1	1.50	1.50	491.10	492.60	502.88	504.38	3.05		
359	U1467	B	65	X	2	1.50	1.50	492.60	494.10	504.38	505.88	0.00		
359	U1467	B	65	X	3	1.50	1.50	494.10	495.60	505.88	507.38	0.00		
359	U1467	B	65	X	4	1.50	1.50	495.60	497.10	507.38	508.88	0.00		
359	U1467	B	65	X	5	1.03	1.03	497.10	498.13	508.88	509.91	0.00		
359	U1467	B	65	X	CC	0.37	0.37	498.13	498.50	509.91	510.28	0.00		
359	U1467	B	66	X	1	1.50	1.50	500.80	502.30	512.58	514.08	2.30		
359	U1467	B	66	X	2	1.50	1.50	502.30	503.80	514.08	515.58	0.00		
359	U1467	B	66	X	3	1.50	1.50	503.80	505.30	515.58	517.08	0.00		
359	U1467	B	66	X	4	1.00	1.00	505.30	506.30	517.08	518.08	0.00		
359	U1467	B	66	X	5	0.63	0.63	506.30	506.93	518.08	518.71	0.00		
359	U1467	B	66	X	CC	0.34	0.34	506.93	507.27	518.71	519.05	0.00		
359	U1467	B	67	X	1	1.50	1.50	510.50	512.00	522.28	523.78	3.23		
359	U1467	B	67	X	2	1.50	1.50	512.00	513.50	523.78	525.28	0.00		
359	U1467	B	67	X	3	1.50	1.50	513.50	515.00	525.28	526.78	0.00		
359	U1467	B	67	X	4	1.31	1.31	515.00	516.31	526.78	528.09	0.00		
359	U1467	B	67	X	CC	0.40	0.40	516.31	516.71	528.09	528.49	0.00		
359	U1467	B	68	X	1	1.50	1.50	520.20	521.70	531.98	533.48	3.49		
359	U1467	B	68	X	2	1.50	1.50	521.70	523.20	533.48	534.98	0.00		
359	U1467	B	68	X	3	1.50	1.50	523.20	524.70	534.98	536.48	0.00		
359	U1467	B	68	X	4	1.27	1.27	524.70	525.97	536.48	537.75	0.00		
359	U1467	B	68	X	CC	0.35	0.35	525.97	526.32	537.75	538.10	0.00		
359	U1467	B	69	X	1	1.50	1.50	529.90	531.40	541.68	543.18	3.58		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	B	69	X	2	1.50	1.50	531.40	532.90	543.18	544.68	0.00		
359	U1467	B	69	X	3	1.50	1.50	532.90	534.40	544.68	546.18	0.00		
359	U1467	B	69	X	4	1.50	1.50	534.40	535.90	546.18	547.68	0.00		
359	U1467	B	69	X	5	1.50	1.50	535.90	537.40	547.68	549.18	0.00		
359	U1467	B	69	X	6	1.00	1.00	537.40	538.40	549.18	550.18	0.00		
359	U1467	B	69	X	7	0.86	0.86	538.40	539.26	550.18	551.04	0.00		
359	U1467	B	69	X	CC	0.39	0.39	539.26	539.65	551.04	551.43	0.00		
359	U1467	B	70	X	1	1.50	1.50	539.60	541.10	551.38	552.88	-0.05		
359	U1467	B	70	X	2	0.52	0.52	541.10	541.62	552.88	553.40	0.00		
359	U1467	B	70	X	CC	0.45	0.45	541.62	542.07	553.40	553.85	0.00		
359	U1467	B	71	X	CC	0.41	0.41	549.30	549.71	561.08	561.49	7.23		
359	U1467	B	72	X	1	0.98	0.98	559.00	559.98	570.78	571.76	9.29		
359	U1467	B	72	X	2	0.71	0.71	559.98	560.69	571.76	572.47	0.00		
359	U1467	B	72	X	CC	0.49	0.49	560.69	561.18	572.47	572.96	0.00		
359	U1467	B	73	X	1	1.50	1.50	568.70	570.20	580.48	581.98	7.52		
359	U1467	B	73	X	2	1.50	1.50	570.20	571.70	581.98	583.48	0.00		
359	U1467	B	73	X	3	1.31	1.31	571.70	573.01	583.48	584.79	0.00		
359	U1467	B	73	X	4	0.78	0.78	573.01	573.79	584.79	585.57	0.00		
359	U1467	B	73	X	CC	0.37	0.37	573.79	574.16	585.57	585.94	0.00		
359	U1467	B	74	X	1	1.50	1.50	578.40	579.90	590.18	591.68	4.24		
359	U1467	B	74	X	2	0.89	0.89	579.90	580.79	591.68	592.57	0.00		
359	U1467	B	74	X	CC	0.39	0.39	580.79	581.18	592.57	592.96	0.00		
359	U1467	C	24	X	CC	0.43	0.43	580.25	580.68	592.77	593.20	-0.19		PAL from middle
359	U1467	B	75	X	1	1.50	1.50	588.10	589.60	599.88	601.38	6.68		
359	U1467	B	75	X	2	1.50	1.50	589.60	591.10	601.38	602.88	0.00		
359	U1467	B	75	X	3	1.11	1.11	602.88	592.21	602.88	603.99	0.00		
359	U1467	B	76	X	1	1.50	1.50	597.80	599.30	609.58	611.08	5.59		
359	U1467	B	76	X	2	1.50	1.53	599.30	600.83	611.08	612.61	0.00		IW CUT 3 CM OFF
359	U1467	B	76	X	3	1.14	1.14	600.83	601.97	612.61	613.75	0.00		
359	U1467	B	76	X	CC	0.39	0.39	601.97	602.36	613.75	614.14	0.00		
359	U1467	C	26	X	4	0.60	0.60	601.56	602.16	614.08	614.68	-0.06		
359	U1467	C	26	X	CC	0.48	0.48	602.16	602.64	614.68	615.16	0.00		
359	U1467	B	77	X	1	1.50	1.50	607.50	609.00	619.28	620.78	4.12		
359	U1467	B	77	X	2	1.50	1.50	609.00	610.50	620.78	622.28	0.00		
359	U1467	B	77	X	3	1.50	1.50	610.50	612.00	622.28	623.78	0.00		
359	U1467	B	77	X	4	1.50	1.50	612.00	613.50	623.78	625.28	0.00		
359	U1467	B	77	X	5	1.50	1.50	613.50	615.00	625.28	626.78	0.00		
359	U1467	B	77	X	6	1.41	1.41	615.00	616.41	626.78	628.19	0.00		
359	U1467	B	77	X	7	0.59	0.59	616.41	617.00	628.19	628.78	0.00		
359	U1467	B	77	X	CC	0.41	0.41	617.00	617.41	628.78	629.19	0.00		
359	U1467	C	28	X	1	1.51	1.51	617.40	618.91	629.92	631.43	0.73		
359	U1467	C	28	X	2	1.37	1.37	618.91	620.28	631.43	632.80	0.00		
359	U1467	C	28	X	CC	0.24	0.24	620.28	620.52	632.80	633.04	0.00		
359	U1467	C	29	X	1	1.50	1.50	627.10	628.60	639.62	641.12	6.58		
359	U1467	C	29	X	2	1.50	1.50	628.60	630.10	641.12	642.62	0.00		
359	U1467	C	29	X	3	1.50	1.50	630.10	631.60	642.62	644.12	0.00		
359	U1467	C	29	X	4	1.50	1.50	631.60	633.10	644.12	645.62	0.00		
359	U1467	C	29	X	5	1.50	1.50	633.10	634.60	645.62	647.12	0.00		
359	U1467	C	29	X	6	1.32	1.32	634.60	635.92	647.12	648.44	0.00		
359	U1467	C	29	X	7	0.67	0.67	635.92	636.59	648.44	649.11	0.00		
359	U1467	C	29	X	CC	0.31	0.31	636.59	636.90	649.11	649.42	0.00		
359	U1467	C	30	X	1	1.50	1.50	636.80	638.30	649.32	650.82	-0.10		
359	U1467	C	30	X	2	1.50	1.50	638.30	639.80	650.82	652.32	0.00		
359	U1467	C	30	X	3	1.50	1.50	639.80	641.30	652.32	653.82	0.00		
359	U1467	C	30	X	4	1.50	1.50	641.30	642.80	653.82	655.32	0.00		
359	U1467	C	30	X	5	1.50	1.50	642.80	644.30	655.32	656.82	0.00		
359	U1467	C	30	X	6	0.80	0.80	644.30	645.10	656.82	657.62	0.00		
359	U1467	C	30	X	CC	0.37	0.37	645.10	645.47	657.62	657.99	0.00		
359	U1467	C	31	X	1	1.50	1.50	646.50	648.00	659.02	660.52	1.03		
359	U1467	C	31	X	2	1.51	1.51	648.00	649.51	660.52	662.03	0.00		
359	U1467	C	31	X	3	1.24	1.24	649.51	650.75	662.03	663.27	0.00		
359	U1467	C	31	X	CC	0.52	0.52	650.75	651.27	663.27	663.79	0.00		
359	U1467	C	32	X	1	1.50	1.50	656.20	657.70	668.72	670.22	4.93		
359	U1467	C	32	X	2	1.50	1.50	657.70	659.20	670.22	671.72	0.00		

U1467 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth CCSF-A (m)	Bottom depth CCSF-A (m)	Overlap/Gap	Comments	Curation Comments
359	U1467	C	32	X	3	1.50	1.50	659.20	660.70	671.72	673.22	0.00		
359	U1467	C	32	X	4	1.50	1.50	660.70	662.20	673.22	674.72	0.00		
359	U1467	C	32	X	5	1.16	1.16	662.20	663.36	674.72	675.88	0.00		
359	U1467	C	32	X	CC	0.33	0.33	663.36	663.69	675.88	676.21	0.00		
359	U1467	C	33	X	1	1.50	1.50	665.90	667.40	678.42	679.92	2.21		
359	U1467	C	33	X	2	1.50	1.50	667.40	668.90	679.92	681.42	0.00		
359	U1467	C	33	X	3	0.56	0.56	668.90	669.46	681.42	681.98	0.00		
359	U1467	C	33	X	CC	0.33	0.33	669.46	669.79	681.98	682.31	0.00		
359	U1467	C	34	X	1	1.31	1.31	675.60	676.91	688.12	689.43	5.81		
359	U1467	C	34	X	2	0.91	0.91	676.91	677.82	689.43	690.34	0.00		
359	U1467	C	34	X	3	0.68	0.68	677.82	678.50	690.34	691.02	0.00		
359	U1467	C	34	X	CC	0.19	0.19	678.50	678.69	691.02	691.21	0.00		
359	U1467	C	35	X	1	0.86	0.86	685.30	686.16	697.82	698.68	6.61		
359	U1467	C	35	X	2	0.74	0.74	686.16	686.90	698.68	699.42	0.00		
359	U1467	C	35	X	CC	0.40	0.40	686.90	687.30	699.42	699.82	0.00		
359	U1467	C	36	X	1	1.50	1.50	695.00	696.50	707.52	709.02	7.70		
359	U1467	C	36	X	2	1.50	1.50	696.50	698.00	709.02	710.52	0.00		
359	U1467	C	36	X	3	1.50	1.50	698.00	699.50	710.52	712.02	0.00		
359	U1467	C	36	X	4	1.50	1.50	699.50	701.00	712.02	713.52	0.00		
359	U1467	C	36	X	5	1.50	1.50	701.00	702.50	713.52	715.02	0.00		
359	U1467	C	36	X	6	1.10	1.10	702.50	703.60	715.02	716.12	0.00		
359	U1467	C	36	X	7	0.84	0.84	703.60	704.44	716.12	716.96	0.00		
359	U1467	C	36	X	CC	0.35	0.35	704.44	704.79	716.96	717.31	0.00		
359	U1467	C	37	X	1	1.29	1.29	704.70	705.99	717.22	718.51	-0.09		
359	U1467	C	37	X	2	1.45	1.45	705.99	707.44	718.51	719.96	0.00		
359	U1467	C	37	X	CC	0.48	0.48	707.44	707.92	719.96	720.44	0.00		