

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	
372	U1517	C	1	H		1	0	1.5
372	U1517	C	1	H		2	1.5	3
372	U1517	C	1	H		3	3	4.5
372	U1517	C	1	H		4	4.5	5.37
372	U1517	C	1	H	CC		5.37	5.7
372	U1517	C	2	H		1	5.7	7.2
372	U1517	C	2	H		2	7.2	8.7
372	U1517	C	2	H		3	8.7	10.2
372	U1517	C	2	H		4	10.2	11.7
372	U1517	C	2	H		5	11.7	13.2
372	U1517	C	2	H		6	13.2	14.5
372	U1517	C	2	H		7	14.5	15.1
372	U1517	C	2	H	CC		15.1	15.48
372	U1517	C	3	F		1	15.2	16.7
372	U1517	C	3	F		2	16.7	18.2
372	U1517	C	3	F		3	18.2	19.4
372	U1517	C	3	F		4	19.4	19.93
372	U1517	C	3	F	CC		19.93	20.23
372	U1517	C	4	F		1	19.9	21.4
372	U1517	C	4	F		2	21.4	22.7
372	U1517	C	4	F		3	22.7	23.92
372	U1517	C	4	F		4	23.92	24.49
372	U1517	C	4	F	CC		24.49	24.78
372	U1517	C	5	F		1	24.6	26.1
372	U1517	C	5	F		2	26.1	27.58
372	U1517	C	5	F		3	27.58	28.68
372	U1517	C	5	F		4	28.68	29.25
372	U1517	C	5	F	CC		29.25	29.54
372	U1517	C	6	F		1	29.3	30.8
372	U1517	C	6	F		2	30.8	32.1
372	U1517	C	6	F		3	32.1	33.1
372	U1517	C	6	F		4	33.1	33.72
372	U1517	C	6	F	CC		33.72	33.98
372	U1517	C	7	F		1	34	35.25
372	U1517	C	7	F		2	35.25	36.69
372	U1517	C	7	F		3	36.69	38.09

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	
372	U1517	C	1	H		1	0	1.5
372	U1517	C	1	H		2	1.5	3
372	U1517	C	1	H		3	3	4.5
372	U1517	C	7	F		4	38.09	38.96
372	U1517	C	7	F	CC		38.96	39.26
372	U1517	C	8	F		1	38.7	40.05
372	U1517	C	8	F		2	40.05	41.5
372	U1517	C	8	F		3	41.5	42.75
372	U1517	C	8	F		4	42.75	43.55
372	U1517	C	8	F	CC		43.55	43.81
372	U1517	C	9	F		1	43.4	44.69
372	U1517	C	9	F		2	44.69	46.09
372	U1517	C	9	F		3	46.09	47.06
372	U1517	C	9	F		4	47.06	47.74
372	U1517	C	9	F	CC		47.74	48.02
372	U1517	C	10	F		1	48.1	49.29
372	U1517	C	10	F		2	49.29	50.61
372	U1517	C	10	F		3	50.61	51.86
372	U1517	C	10	F		4	51.86	52.61
372	U1517	C	10	F	CC		52.61	52.93
372	U1517	C	11	F		1	52.8	54.1
372	U1517	C	11	F		2	54.1	55.2
372	U1517	C	11	F		3	55.2	55.96
372	U1517	C	11	F		4	55.96	57.16
372	U1517	C	11	F	CC		57.16	57.47
372	U1517	C	12	F		1	57.5	58.7
372	U1517	C	12	F		2	58.7	59.8
372	U1517	C	12	F		3	59.8	60.72
372	U1517	C	12	F		4	60.72	61.39
372	U1517	C	12	F	CC		61.39	61.7
372	U1517	C	13	F		1	62.2	63.7
372	U1517	C	13	F		2	63.7	65.12
372	U1517	C	13	F		3	65.12	65.51
372	U1517	C	13	F		4	65.51	66.05
372	U1517	C	13	F		5	66.05	66.38
372	U1517	C	13	F	CC		66.38	66.66

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	
372	U1517	C	1	H		1	0	1.5
372	U1517	C	1	H		2	1.5	3
372	U1517	C	1	H		3	3	4.5
372	U1517	C	14	F		1	66.9	68.35
372	U1517	C	14	F		2	68.35	69.48
372	U1517	C	14	F		3	69.48	70.67
372	U1517	C	14	F		4	70.67	71.21
372	U1517	C	14	F	CC		71.21	71.63
372	U1517	C	15	H		1	71.6	72.13
372	U1517	C	15	H		2	72.13	73.46
372	U1517	C	15	H		3	73.46	74.99
372	U1517	C	15	H		4	74.99	76.06
372	U1517	C	15	H		5	76.06	77.49
372	U1517	C	15	H		6	77.49	78.46
372	U1517	C	15	H		7	78.46	79.81
372	U1517	C	15	H		8	79.81	80.35
372	U1517	C	15	H		9	80.35	80.8
372	U1517	C	15	H	CC		80.8	80.85
372	U1517	C	16	H		1	81.1	81.82
372	U1517	C	16	H		2	81.82	82.59
372	U1517	C	16	H		3	82.59	83.53
372	U1517	C	16	H		4	83.53	84.68
372	U1517	C	16	H		5	84.68	85.57
372	U1517	C	16	H		6	85.57	86.99
372	U1517	C	16	H		7	86.99	88.45
372	U1517	C	16	H		8	88.45	89.85
372	U1517	C	16	H		9	89.85	91.11
372	U1517	C	16	H	CC		91.11	91.16
372	U1517	C	17	H		1	90.6	92.04
372	U1517	C	17	H		2	92.04	93.19
372	U1517	C	17	H		3	93.19	94.72
372	U1517	C	17	H		4	94.72	95.68
372	U1517	C	17	H		5	95.68	96.64
372	U1517	C	17	H		6	96.64	97.61
372	U1517	C	17	H		7	97.61	98.53
372	U1517	C	17	H		8	98.53	99.24

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	
372	U1517	C	1	H		1	0	1.5
372	U1517	C	1	H		2	1.5	3
372	U1517	C	1	H		3	3	4.5
372	U1517	C	17	H	CC		99.24	99.73
372	U1517	C	18	H		1	99.6	100.16
372	U1517	C	18	H		2	100.16	101.57
372	U1517	C	18	H		3	101.57	102.99
372	U1517	C	18	H		4	102.99	104.49
372	U1517	C	18	H		5	104.49	105.26
372	U1517	C	18	H		6	105.26	106.11
372	U1517	C	18	H		7	106.11	107.26
372	U1517	C	18	H		8	107.26	108.29
372	U1517	C	18	H	CC		108.29	108.34
372	U1517	C	19	F		1	108.3	109.57
372	U1517	C	19	F		2	109.57	110.96
372	U1517	C	19	F		3	110.96	112.01
372	U1517	C	19	F	CC		112.01	112.44
372	U1517	C	20	F		1	113	113.59
372	U1517	C	20	F		2	113.59	114.93
372	U1517	C	20	F		3	114.93	116.33
372	U1517	C	20	F		4	116.33	117.34
372	U1517	C	20	F		5	117.34	117.93
372	U1517	C	20	F	CC		117.93	118.49
372	U1517	C	21	F		1	117.7	118.28
372	U1517	C	21	F		2	118.28	119.68
372	U1517	C	21	F		3	119.68	121.18
372	U1517	C	21	F		4	121.18	122.05
372	U1517	C	21	F	CC		122.05	122.26
372	U1517	C	22	F		1	122.4	123.32
372	U1517	C	22	F		2	123.32	124.37
372	U1517	C	22	F		3	124.37	125.78
372	U1517	C	22	F		4	125.78	127.09
372	U1517	C	22	F	CC		127.09	127.27
372	U1517	C	23	F		1	127.1	127.98
372	U1517	C	23	F		2	127.98	128.72
372	U1517	C	23	F		3	128.72	129.53

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	
372	U1517	C	1	H		1	0	1.5
372	U1517	C	1	H		2	1.5	3
372	U1517	C	1	H		3	3	4.5
372	U1517	C	23	F		4	129.53	130.36
372	U1517	C	23	F		5	130.36	131.21
372	U1517	C	23	F	CC		131.21	131.48
372	U1517	C	24	F		1	131.8	132.92
372	U1517	C	24	F		2	132.92	133.57
372	U1517	C	24	F		3	133.57	134.47
372	U1517	C	24	F		4	134.47	135.6
372	U1517	C	24	F		5	135.6	136.5
372	U1517	C	24	F	CC		136.5	137.02
372	U1517	C	25	F		1	136.5	137.45
372	U1517	C	25	F		2	137.45	138.25
372	U1517	C	25	F		3	138.25	138.74
372	U1517	C	25	F		4	138.74	139.91
372	U1517	C	25	F		5	139.91	140.33
372	U1517	C	25	F	CC		140.33	140.76
372	U1517	C	26	F		1	141.2	142.38
372	U1517	C	26	F		2	142.38	143.52
372	U1517	C	26	F		3	143.52	144.19
372	U1517	C	26	F		4	144.19	144.79
372	U1517	C	26	F	CC		144.79	144.96
372	U1517	C	27	F		1	145.9	146.58
372	U1517	C	27	F		2	146.58	147.17
372	U1517	C	27	F		3	147.17	147.76
372	U1517	C	27	F		4	147.76	148.41
372	U1517	C	27	F		5	148.41	149.69
372	U1517	C	27	F	CC		149.69	150.11
372	U1517	C	28	F		1	150.1	150.48
372	U1517	C	28	F		2	150.48	151.87
372	U1517	C	28	F		3	151.87	153.26
372	U1517	C	28	F		4	153.26	154.48
372	U1517	C	28	F	CC		154.48	154.82
372	U1517	C	29	F		1	154.8	155.36
372	U1517	C	29	F		2	155.36	156.78

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	
372	U1517	C	1	H		1	0	1.5
372	U1517	C	1	H		2	1.5	3
372	U1517	C	1	H		3	3	4.5
372	U1517	C	29	F		3	156.78	158.02
372	U1517	C	29	F		4	158.02	158.55
372	U1517	C	29	F		5	158.55	159.1
372	U1517	C	29	F	CC		159.1	159.31
372	U1517	C	30	F		1	159.3	159.85
372	U1517	C	30	F	CC		159.85	159.97
372	U1517	C	31	F		1	160.3	160.72
372	U1517	C	31	F		2	160.72	161.7
372	U1517	C	31	F		3	161.7	162.4
372	U1517	C	31	F		4	162.4	163.25
372	U1517	C	31	F		5	163.25	163.61
372	U1517	C	31	F	CC		163.61	163.78
372	U1517	C	32	F		1	165	165.46
372	U1517	C	32	F		2	165.46	166.12
372	U1517	C	32	F		3	166.12	166.66
372	U1517	C	32	F		4	166.66	167.07
372	U1517	C	32	F	CC		167.07	167.18
372	U1517	C	33	F		1	169.7	170.47
372	U1517	C	33	F		2	170.47	171.08
372	U1517	C	33	F		3	171.08	172.14
372	U1517	C	33	F		4	172.14	172.88
372	U1517	C	33	F	CC		172.88	173.04
372	U1517	C	34	F	CC		174.4	174.7
372	U1517	C	35	F		1	179.1	179.44
372	U1517	C	35	F		2	179.44	180.06
372	U1517	C	35	F		3	180.06	181.32
372	U1517	C	35	F		4	181.32	182.6
372	U1517	C	36	F		1	183.8	184.34
372	U1517	C	36	F		2	184.34	185.63
372	U1517	C	36	F		3	185.63	186.6
372	U1517	C	36	F		4	186.6	187.38
372	U1517	C	36	F	CC		187.38	187.58