

U1354 F

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
317	U1354	B	1	H	1	1.50
317	U1354	B	1	H	2	1.50
317	U1354	B	1	H	3	1.06
317	U1354	B	2	H	1	1.50
317	U1354	B	2	H	2	1.50
317	U1354	B	2	H	3	1.50
317	U1354	B	2	H	4	1.32
317	U1354	B	2	H	5	1.22
317	U1354	B	2	H	6	0.54
317	U1354	B	3	H	1	0.38
317	U1354	B	4	H	1	1.50
317	U1354	B	4	H	2	1.50
317	U1354	B	4	H	3	1.50
317	U1354	B	4	H	4	1.04
317	U1354	B	5	H	1	1.50
317	U1354	B	5	H	2	1.11
317	U1354	B	6	H	1	0.48
317	U1354	B	7	H	1	0.98
317	U1354	B	7	H	2	1.11
317	U1354	B	7	H	3	1.33
317	U1354	B	7	H	4	1.24
317	U1354	B	7	H	5	0.94
317	U1354	B	8	H	1	1.50
317	U1354	B	8	H	2	1.50
317	U1354	B	8	H	3	1.50
317	U1354	B	8	H	4	1.50
317	U1354	B	8	H	5	0.64
317	U1354	B	8	H	CC	0.26
317	U1354	B	9	H	1	1.50
317	U1354	B	9	H	2	1.50
317	U1354	B	9	H	3	1.50

317	U1354	B	9	H	4	1.50
317	U1354	B	9	H	5	1.10
317	U1354	B	9	H	6	0.60
317	U1354	B	9	H	CC	0.31
317	U1354	B	10	H	1	1.50
317	U1354	B	10	H	2	1.50
317	U1354	B	10	H	3	1.50
317	U1354	B	10	H	4	1.50
317	U1354	B	10	H	5	1.50
317	U1354	B	10	H	6	1.07
317	U1354	B	10	H	CC	0.27
317	U1354	B	11	H	1	1.50
317	U1354	B	11	H	2	1.50
317	U1354	B	11	H	3	1.50
317	U1354	B	11	H	4	1.50
317	U1354	B	11	H	5	0.97
317	U1354	B	11	H	CC	0.31
317	U1354	B	12	H	1	0.92
317	U1354	B	12	H	2	1.50
317	U1354	B	12	H	3	1.50
317	U1354	B	12	H	4	0.75
317	U1354	B	12	H	CC	0.32
317	U1354	B	13	H	1	1.50
317	U1354	B	13	H	2	1.50
317	U1354	B	13	H	3	1.50
317	U1354	B	13	H	4	1.50
317	U1354	B	13	H	5	1.09
317	U1354	B	13	H	6	0.61
317	U1354	B	13	H	CC	0.25
317	U1354	B	14	H	1	1.50
317	U1354	B	14	H	2	1.39
317	U1354	B	14	H	CC	0.22
317	U1354	B	15	H	1	1.24
317	U1354	B	15	H	2	0.74
317	U1354	B	15	H	3	0.51

317	U1354	B	15	H	4	1.26
317	U1354	B	15	H	CC	0.05
317	U1354	C	2	H	1	1.50
317	U1354	C	2	H	2	1.50
317	U1354	C	2	H	3	1.50
317	U1354	C	2	H	4	1.50
317	U1354	C	2	H	5	1.34
317	U1354	C	2	H	CC	0.28
317	U1354	C	3	H	1	0.50
317	U1354	C	3	H	2	1.29
317	U1354	C	3	H	3	1.50
317	U1354	C	3	H	4	1.50
317	U1354	C	3	H	5	0.84
317	U1354	C	3	H	CC	0.05
317	U1354	C	4	X	1	1.50
317	U1354	C	4	X	2	1.50
317	U1354	C	4	X	3	1.50
317	U1354	C	4	X	4	1.47
317	U1354	C	4	X	CC	0.35
317	U1354	C	5	X	1	1.50
317	U1354	C	5	X	2	1.50
317	U1354	C	5	X	3	1.24
317	U1354	C	5	X	CC	0.35
317	U1354	C	6	X	1	1.50
317	U1354	C	6	X	2	1.50
317	U1354	C	6	X	3	1.50
317	U1354	C	6	X	4	0.97
317	U1354	C	6	X	CC	0.44
317	U1354	C	7	X	1	1.50
317	U1354	C	7	X	2	1.50
317	U1354	C	7	X	3	1.36
317	U1354	C	8	X	1	1.50
317	U1354	C	8	X	2	1.50
317	U1354	C	8	X	3	1.20
317	U1354	C	8	X	4	0.62

317	U1354	C	8	X	CC	0.29
317	U1354	C	9	X	1	1.50
317	U1354	C	9	X	2	1.50
317	U1354	C	9	X	3	1.50
317	U1354	C	9	X	4	1.26
317	U1354	C	9	X	CC	0.39
317	U1354	C	10	X	1	1.50
317	U1354	C	10	X	2	1.50
317	U1354	C	10	X	3	1.50
317	U1354	C	10	X	4	1.50
317	U1354	C	10	X	5	1.45
317	U1354	C	10	X	CC	0.37
317	U1354	C	11	X	1	1.50
317	U1354	C	11	X	2	1.50
317	U1354	C	11	X	3	1.50
317	U1354	C	11	X	4	1.50
317	U1354	C	11	X	5	1.50
317	U1354	C	11	X	6	1.00
317	U1354	C	11	X	7	0.96
317	U1354	C	11	X	CC	0.44
317	U1354	C	12	X	1	1.50
317	U1354	C	12	X	2	1.50
317	U1354	C	12	X	3	1.50
317	U1354	C	12	X	4	1.50
317	U1354	C	12	X	5	1.00
317	U1354	C	12	X	6	0.87
317	U1354	C	12	X	CC	0.46
317	U1354	C	13	X	1	1.50
317	U1354	C	13	X	2	1.50
317	U1354	C	13	X	3	1.50
317	U1354	C	13	X	4	1.50
317	U1354	C	13	X	5	1.50
317	U1354	C	13	X	6	0.91
317	U1354	C	13	X	CC	0.38
317	U1354	C	14	X	1	1.42

317	U1354	C	14	X	2	0.84
317	U1354	C	15	X	1	1.50
317	U1354	C	15	X	2	1.50
317	U1354	C	15	X	3	1.50
317	U1354	C	15	X	4	1.50
317	U1354	C	15	X	5	1.22
317	U1354	C	15	X	CC	0.34
317	U1354	C	16	X	CC	0.23
317	U1354	C	17	X	CC	0.20
317	U1354	C	18	X	1	1.50
317	U1354	C	18	X	2	1.50
317	U1354	C	18	X	3	1.40
317	U1354	C	18	X	4	0.56
317	U1354	C	18	X	CC	0.44
317	U1354	C	19	X	1	1.50
317	U1354	C	19	X	2	1.50
317	U1354	C	19	X	3	1.50
317	U1354	C	19	X	4	1.28
317	U1354	C	19	X	CC	0.37
317	U1354	C	20	X	1	0.42
317	U1354	C	20	X	CC	0.47
317	U1354	C	21	X	1	1.50
317	U1354	C	21	X	2	1.50
317	U1354	C	21	X	3	1.50
317	U1354	C	21	X	4	1.50
317	U1354	C	21	X	5	1.50
317	U1354	C	21	X	6	1.40
317	U1354	C	21	X	7	0.55
317	U1354	C	21	X	CC	0.37
317	U1354	C	22	X	1	1.50
317	U1354	C	22	X	2	1.50
317	U1354	C	22	X	3	1.50
317	U1354	C	22	X	4	1.50
317	U1354	C	22	X	5	0.58
317	U1354	C	22	X	CC	0.38

317	U1354	C	23	X	1	0.51
317	U1354	C	23	X	CC	0.25
317	U1354	C	25	X	CC	0.24
317	U1354	C	26	X	1	1.48
317	U1354	C	26	X	CC	0.40
317	U1354	C	27	X	1	1.50
317	U1354	C	27	X	2	1.45
317	U1354	C	27	X	3	1.50
317	U1354	C	27	X	CC	0.42
317	U1354	C	28	X	1	1.22
317	U1354	C	28	X	CC	0.39
317	U1354	C	29	X	1	0.64
317	U1354	C	30	X	1	1.29
317	U1354	C	30	X	CC	0.41
317	U1354	C	31	X	CC	0.23
317	U1354	C	32	X	1	0.72
317	U1354	C	36	X	1	0.73

Permanent Archive List

Curated length (m)	Top depth CSF-A (m)
1.50	0.00
1.50	1.50
1.06	3.00
1.50	4.10
1.50	5.60
1.50	7.10
1.32	8.60
1.22	9.92
0.54	11.14
0.38	11.70
1.50	12.10
1.50	13.60
1.50	15.10
1.04	16.60
1.50	17.70
1.11	19.20
0.48	20.40
0.98	20.90
1.11	21.88
1.33	22.99
1.24	24.32
0.94	25.56
1.50	26.60
1.50	28.10
1.50	29.60
1.50	31.10
0.64	32.60
0.26	33.24
1.50	33.50
1.50	35.00
1.50	36.50

1.50	38.00
1.10	39.50
0.60	40.60
0.31	41.20
1.50	41.50
1.50	43.00
1.50	44.50
1.50	46.00
1.50	47.50
1.07	49.00
0.27	50.07
1.50	50.50
1.50	52.00
1.50	53.50
1.50	55.00
0.97	56.50
0.31	57.47
0.92	57.50
1.50	58.42
1.50	59.92
0.75	61.42
0.32	62.17
1.50	62.50
1.50	64.00
1.50	65.50
1.50	67.00
1.09	68.50
0.61	69.59
0.25	70.20
1.50	70.50
1.39	72.00
0.22	73.39
1.24	73.50
0.74	74.74
0.51	75.48

1.26	75.99
0.05	77.25
1.50	65.00
1.50	66.50
1.50	68.00
1.50	69.50
1.34	71.00
0.28	72.34
0.50	72.50
1.29	73.00
1.50	74.29
1.50	75.79
0.84	77.29
0.05	78.13
1.50	78.10
1.50	79.60
1.50	81.10
1.47	82.60
0.35	84.07
1.50	82.30
1.50	83.80
1.24	85.30
0.35	86.54
1.50	91.90
1.50	93.40
1.50	94.90
0.97	96.40
0.44	97.37
1.50	101.50
1.50	103.00
1.36	104.50
1.50	106.50
1.50	108.00
1.20	109.50
0.62	110.70

0.29	111.32
1.50	116.10
1.50	117.60
1.50	119.10
1.26	120.60
0.39	121.86
1.50	125.60
1.50	127.10
1.50	128.60
1.50	130.10
1.45	131.60
0.37	133.05
1.50	135.10
1.50	136.60
1.50	138.10
1.50	139.60
1.50	141.10
1.00	142.60
0.96	143.60
0.44	144.56
1.50	144.70
1.50	146.20
1.50	147.70
1.50	149.20
1.00	150.70
0.87	151.70
0.46	152.57
1.50	154.30
1.50	155.80
1.50	157.30
1.50	158.80
1.50	160.30
0.91	161.80
0.38	162.71
1.42	163.90

0.84	165.32
1.50	173.50
1.50	175.00
1.50	176.50
1.50	178.00
1.22	179.50
0.34	180.72
0.23	183.00
0.20	192.60
1.50	202.30
1.50	203.80
1.40	205.30
0.56	206.70
0.44	207.26
1.50	211.80
1.50	213.30
1.50	214.80
1.28	216.30
0.37	217.58
0.42	221.40
0.47	221.82
1.50	231.00
1.50	232.50
1.50	234.00
1.50	235.50
1.50	237.00
1.40	238.50
0.55	239.90
0.37	240.45
1.50	240.50
1.50	242.00
1.50	243.50
1.50	245.00
0.58	246.50
0.38	247.08

0.51	250.10
0.25	250.61
0.24	269.30
1.48	278.90
0.40	280.38
1.50	288.50
1.45	290.00
1.50	291.45
0.42	292.95
1.22	298.10
0.39	299.32
0.64	307.70
1.29	317.00
0.41	318.29
0.23	326.60
0.72	336.20
0.73	374.60

Bottom depth CSF-A (m)	Comments
1.50	2 holes, slight overlap
3.00	2 holes, slight overlap
4.06	2 holes, slight overlap
5.60	2 holes, slight overlap
7.10	2 holes, slight overlap
8.60	2 holes, slight overlap
9.92	2 holes, slight overlap
11.14	2 holes, slight overlap
11.68	2 holes, slight overlap
12.08	2 holes, slight overlap
13.60	2 holes, slight overlap
15.10	2 holes, slight overlap
16.60	2 holes, slight overlap
17.64	2 holes, slight overlap
19.20	2 holes, slight overlap
20.31	2 holes, slight overlap
20.88	2 holes, slight overlap
21.88	2 holes, slight overlap
22.99	2 holes, slight overlap
24.32	2 holes, slight overlap
25.56	2 holes, slight overlap
26.50	2 holes, slight overlap
28.10	2 holes, slight overlap
29.60	2 holes, slight overlap
31.10	2 holes, slight overlap
32.60	2 holes, slight overlap
33.24	2 holes, slight overlap
33.50	2 holes, slight overlap
35.00	2 holes, slight overlap
36.50	2 holes, slight overlap
38.00	2 holes, slight overlap

39.50	2 holes, slight overlap
40.60	2 holes, slight overlap
41.20	2 holes, slight overlap
41.51	2 holes, slight overlap
43.00	2 holes, slight overlap
44.50	2 holes, slight overlap
46.00	2 holes, slight overlap
47.50	2 holes, slight overlap
49.00	2 holes, slight overlap
50.07	2 holes, slight overlap
50.34	2 holes, slight overlap
52.00	2 holes, slight overlap
53.50	2 holes, slight overlap
55.00	2 holes, slight overlap
56.50	2 holes, slight overlap
57.47	2 holes, slight overlap
57.78	2 holes, slight overlap
58.42	2 holes, slight overlap
59.92	2 holes, slight overlap
61.42	2 holes, slight overlap
62.17	2 holes, slight overlap
62.49	2 holes, slight overlap
64.00	2 holes, slight overlap
65.50	2 holes, slight overlap
67.00	2 holes, slight overlap
68.50	2 holes, slight overlap
69.59	2 holes, slight overlap
70.20	2 holes, slight overlap
70.45	2 holes, slight overlap
72.00	2 holes, slight overlap
73.39	2 holes, slight overlap
73.61	2 holes, slight overlap
74.74	2 holes, slight overlap
75.48	2 holes, slight overlap
75.99	2 holes, slight overlap

77.25	2 holes, slight overlap
77.30	2 holes, slight overlap
66.50	2 holes, slight overlap
68.00	2 holes, slight overlap
69.50	2 holes, slight overlap
71.00	2 holes, slight overlap
72.34	2 holes, slight overlap
72.62	2 holes, slight overlap
73.00	2 holes, slight overlap
74.29	2 holes, slight overlap
75.79	2 holes, slight overlap
77.29	2 holes, slight overlap
78.13	2 holes, slight overlap
78.18	2 holes, slight overlap
79.60	2 holes, slight overlap
81.10	2 holes, slight overlap
82.60	2 holes, slight overlap
84.07	2 holes, slight overlap
84.42	2 holes, slight overlap
83.80	2 holes, slight overlap
85.30	2 holes, slight overlap
86.54	2 holes, slight overlap
86.89	2 holes, slight overlap
93.40	2 holes, slight overlap
94.90	2 holes, slight overlap
96.40	2 holes, slight overlap
97.37	2 holes, slight overlap
97.81	2 holes, slight overlap
103.00	2 holes, slight overlap
104.50	2 holes, slight overlap
105.86	2 holes, slight overlap
108.00	2 holes, slight overlap
109.50	2 holes, slight overlap
110.70	2 holes, slight overlap
111.32	2 holes, slight overlap

111.61	2 holes, slight overlap
117.60	2 holes, slight overlap
119.10	2 holes, slight overlap
120.60	2 holes, slight overlap
121.86	2 holes, slight overlap
122.25	2 holes, slight overlap
127.10	2 holes, slight overlap
128.60	2 holes, slight overlap
130.10	2 holes, slight overlap
131.60	2 holes, slight overlap
133.05	2 holes, slight overlap
133.42	2 holes, slight overlap
136.60	2 holes, slight overlap
138.10	2 holes, slight overlap
139.60	2 holes, slight overlap
141.10	2 holes, slight overlap
142.60	2 holes, slight overlap
143.60	2 holes, slight overlap
144.56	2 holes, slight overlap
145.00	2 holes, slight overlap
146.20	2 holes, slight overlap
147.70	2 holes, slight overlap
149.20	2 holes, slight overlap
150.70	2 holes, slight overlap
151.70	2 holes, slight overlap
152.57	2 holes, slight overlap
153.03	2 holes, slight overlap
155.80	2 holes, slight overlap
157.30	2 holes, slight overlap
158.80	2 holes, slight overlap
160.30	2 holes, slight overlap
161.80	2 holes, slight overlap
162.71	2 holes, slight overlap
163.09	2 holes, slight overlap
165.32	2 holes, slight overlap

166.16	2 holes, slight overlap
175.00	2 holes, slight overlap
176.50	2 holes, slight overlap
178.00	2 holes, slight overlap
179.50	2 holes, slight overlap
180.72	2 holes, slight overlap
181.06	2 holes, slight overlap
183.23	2 holes, slight overlap
192.80	2 holes, slight overlap
203.80	2 holes, slight overlap
205.30	2 holes, slight overlap
206.70	2 holes, slight overlap
207.26	2 holes, slight overlap
207.70	2 holes, slight overlap
213.30	2 holes, slight overlap
214.80	2 holes, slight overlap
216.30	2 holes, slight overlap
217.58	2 holes, slight overlap
217.95	2 holes, slight overlap
221.82	2 holes, slight overlap
222.29	2 holes, slight overlap
232.50	2 holes, slight overlap
234.00	2 holes, slight overlap
235.50	2 holes, slight overlap
237.00	2 holes, slight overlap
238.50	2 holes, slight overlap
239.90	2 holes, slight overlap
240.45	2 holes, slight overlap
240.82	2 holes, slight overlap
242.00	2 holes, slight overlap
243.50	2 holes, slight overlap
245.00	2 holes, slight overlap
246.50	2 holes, slight overlap
247.08	2 holes, slight overlap
247.46	2 holes, slight overlap

250.61	2 holes, slight overlap
250.86	2 holes, slight overlap
269.54	2 holes, slight overlap
280.38	2 holes, slight overlap
280.78	2 holes, slight overlap
290.00	2 holes, slight overlap
291.45	2 holes, slight overlap
292.95	2 holes, slight overlap
293.37	2 holes, slight overlap
299.32	2 holes, slight overlap
299.71	2 holes, slight overlap
308.34	2 holes, slight overlap
318.29	2 holes, slight overlap
318.70	2 holes, slight overlap
326.83	2 holes, slight overlap
336.92	2 holes, slight overlap
375.33	2 holes, slight overlap

Remainder of CC put in Section 1.
Rest of CC put in section 1.
Rest of CC put in section 1.