

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
320	U1333	C	1	H	1	1.50
320	U1333	C	1	H	CC	0.15
320	U1333	C	2	H	1	1.50
320	U1333	C	2	H	2	1.50
320	U1333	C	2	H	3	1.50
320	U1333	C	2	H	4	1.50
320	U1333	C	2	H	5	1.50
320	U1333	C	2	H	6	1.50
320	U1333	C	2	H	7	0.79
320	U1333	C	2	H	CC	0.24
320	U1333	A	2	H	1	1.50
320	U1333	A	2	H	2	1.50
320	U1333	A	2	H	3	1.50
320	U1333	A	2	H	4	1.50
320	U1333	A	2	H	5	1.50
320	U1333	A	2	H	6	1.50
320	U1333	A	2	H	7	0.86
320	U1333	A	2	H	CC	0.26
320	U1333	C	3	H	CC	0.20
320	U1333	C	4	H	1	1.50
320	U1333	A	3	H	1	1.50
320	U1333	A	3	H	2	1.50
320	U1333	A	3	H	3	1.50
320	U1333	A	3	H	4	1.50
320	U1333	A	3	H	5	1.50
320	U1333	A	3	H	6	1.50
320	U1333	A	3	H	7	0.70
320	U1333	A	3	H	CC	0.22
320	U1333	A	4	H	1	1.50
320	U1333	A	4	H	2	1.50
320	U1333	A	4	H	3	1.50

320	U1333	A	4	H	4	1.50
320	U1333	A	4	H	5	1.50
320	U1333	A	4	H	6	1.50
320	U1333	A	4	H	7	0.87
320	U1333	A	4	H	CC	0.28
320	U1333	C	5	H	7	0.61
320	U1333	C	5	H	CC	0.18
320	U1333	A	5	H	1	1.50
320	U1333	A	5	H	2	1.50
320	U1333	A	5	H	3	1.50
320	U1333	A	5	H	4	1.50
320	U1333	A	5	H	5	1.50
320	U1333	A	5	H	6	1.50
320	U1333	A	5	H	7	0.48
320	U1333	A	5	H	CC	0.22
320	U1333	C	6	H	7	0.86
320	U1333	C	6	H	CC	0.28
320	U1333	A	6	H	1	1.50
320	U1333	A	6	H	2	1.50
320	U1333	C	7	H	2	1.50
320	U1333	C	7	H	3	1.50
320	U1333	C	7	H	4	1.50
320	U1333	C	7	H	5	1.50
320	U1333	A	6	H	6	1.50
320	U1333	A	6	H	7	0.57
320	U1333	A	6	H	CC	0.25
320	U1333	A	7	H	1	1.50
320	U1333	A	7	H	2	1.50
320	U1333	A	7	H	3	1.50
320	U1333	A	7	H	4	1.50
320	U1333	A	7	H	5	1.50
320	U1333	A	7	H	6	1.50
320	U1333	A	7	H	7	0.45
320	U1333	A	7	H	CC	0.15
320	U1333	A	8	H	1	1.30

320	U1333	C	9	H	1	1.50
320	U1333	C	9	H	2	1.50
320	U1333	B	9	H	1	1.50
320	U1333	A	8	H	5	1.50
320	U1333	A	8	H	6	1.50
320	U1333	A	8	H	7	0.63
320	U1333	A	8	H	CC	0.26
320	U1333	C	9	H	6	1.50
320	U1333	C	9	H	7	0.58
320	U1333	C	9	H	CC	0.14
320	U1333	C	10	H	1	1.50
320	U1333	C	10	H	2	1.50
320	U1333	A	9	H	4	1.50
320	U1333	A	9	H	5	1.50
320	U1333	A	9	H	6	1.50
320	U1333	A	9	H	7	0.70
320	U1333	A	9	H	CC	0.22
320	U1333	C	10	H	7	0.87
320	U1333	C	10	H	CC	0.23
320	U1333	A	10	H	1	1.50
320	U1333	C	11	H	3	1.50
320	U1333	C	11	H	4	1.50
320	U1333	C	11	H	5	1.50
320	U1333	C	11	H	6	1.50
320	U1333	C	12	H	1	1.50
320	U1333	C	12	H	2	1.50
320	U1333	C	12	H	3	1.50
320	U1333	C	12	H	4	1.50
320	U1333	C	12	H	5	0.51
320	U1333	C	12	H	CC	0.14
320	U1333	C	13	H	2	1.50
320	U1333	B	11	H	CC	0.22
320	U1333	B	12	H	1	1.50
320	U1333	A	12	X	1	1.50
320	U1333	A	12	X	2	1.50

320	U1333	A	12	X	3	1.50
320	U1333	A	12	X	4	1.50
320	U1333	A	12	X	5	1.24
320	U1333	A	12	X	CC	0.05
320	U1333	B	12	H	7	0.45
320	U1333	B	12	H	CC	0.19
320	U1333	A	13	X	1	1.50
320	U1333	A	13	X	2	1.50
320	U1333	A	13	X	3	1.50
320	U1333	C	14	H	7	0.75
320	U1333	C	14	H	CC	0.28
320	U1333	C	15	H	1	1.50
320	U1333	B	13	H	7	0.71
320	U1333	B	13	H	CC	0.26
320	U1333	A	13	X	7	0.36
320	U1333	A	13	X	CC	0.32
320	U1333	A	14	X	1	1.50
320	U1333	A	14	X	2	1.50
320	U1333	A	14	X	3	1.50
320	U1333	A	14	X	4	1.50
320	U1333	A	14	X	5	1.50
320	U1333	A	14	X	6	1.50
320	U1333	C	16	H	2	1.50
320	U1333	C	16	H	3	1.50
320	U1333	C	16	H	4	0.98
320	U1333	A	15	X	1	1.50
320	U1333	A	15	X	2	1.50
320	U1333	A	15	X	3	1.50
320	U1333	A	15	X	4	1.50
320	U1333	A	15	X	5	1.50
320	U1333	A	15	X	6	1.50
320	U1333	A	15	X	7	0.39
320	U1333	A	15	X	CC	0.20
320	U1333	C	17	H	7	0.72
320	U1333	C	17	H	CC	0.29

320	U1333	C	18	H	1	0.32
320	U1333	A	16	X	1	1.50
320	U1333	A	16	X	2	1.50
320	U1333	A	16	X	3	1.50
320	U1333	A	16	X	4	1.50
320	U1333	A	16	X	5	1.50
320	U1333	A	16	X	6	1.50
320	U1333	A	16	X	7	0.46
320	U1333	A	16	X	CC	0.48
320	U1333	C	19	H	1	1.50
320	U1333	C	19	H	2	1.50
320	U1333	A	17	X	1	1.50
320	U1333	A	17	X	2	1.50
320	U1333	A	17	X	3	1.50
320	U1333	A	17	X	4	1.50
320	U1333	A	17	X	5	1.50
320	U1333	A	17	X	6	1.50
320	U1333	A	17	X	7	0.49
320	U1333	A	17	X	CC	0.43
320	U1333	A	18	X	3	1.50
320	U1333	A	18	X	4	1.45
320	U1333	A	18	X	CC	0.22
320	U1333	B	19	X	2	1.50
320	U1333	B	19	X	3	1.50
320	U1333	B	19	X	4	1.50
320	U1333	A	19	X	1	1.50
320	U1333	A	19	X	2	1.50
320	U1333	A	19	X	3	1.50
320	U1333	A	19	X	4	1.50
320	U1333	A	19	X	5	0.48
320	U1333	A	19	X	CC	0.27
320	U1333	B	20	X	2	1.50
320	U1333	B	20	X	3	1.50
320	U1333	B	20	X	4	1.37
320	U1333	A	20	X	1	1.50

320	U1333	A	20	X	2	0.81
320	U1333	A	20	X	CC	0.22
320	U1333	A	21	X	CC	0.06
320	U1333	A	22	X	CC	0.06

U1333 Permanent Arc

Curated length (m)	Top depth CSF-A (m)
1.50	0.00
0.15	1.50
1.50	1.60
1.50	3.10
1.50	4.60
1.50	6.10
1.50	7.60
1.50	9.10
0.79	10.60
0.24	11.39
1.50	9.50
1.50	11.00
1.50	12.50
1.50	14.00
1.50	15.50
1.50	17.00
0.86	18.50
0.26	19.36
0.20	20.90
1.50	20.60
1.50	19.00
1.50	20.50
1.50	22.00
1.50	23.50
1.50	25.00
1.50	26.50
0.70	28.00
0.22	28.70
1.50	28.50
1.50	30.00
1.50	31.50

1.50	33.00
1.50	34.50
1.50	36.00
0.87	37.50
0.28	38.37
0.61	39.10
0.18	39.71
1.50	38.00
1.50	39.50
1.50	41.00
1.50	42.50
1.50	44.00
1.50	45.50
0.48	47.00
0.22	47.48
0.86	48.60
0.28	49.46
1.50	47.50
1.50	49.00
1.50	50.60
1.50	52.10
1.50	53.60
1.50	55.10
1.50	55.00
0.57	56.50
0.25	57.07
1.50	57.00
1.50	58.50
1.50	60.00
1.50	61.50
1.50	63.00
1.50	64.50
0.45	66.00
0.15	66.45
1.30	66.50

1.50	68.10
1.50	69.60
1.50	74.20
1.50	72.30
1.50	73.80
0.63	75.30
0.26	75.93
1.50	75.60
0.58	77.10
0.14	77.68
1.50	77.60
1.50	79.10
1.50	80.50
1.50	82.00
1.50	83.50
0.70	85.00
0.22	85.70
0.87	86.60
0.23	87.47
1.50	85.50
1.50	90.10
1.50	91.60
1.50	93.10
1.50	94.60
1.50	93.10
1.50	94.60
1.50	96.10
1.50	97.60
0.51	99.10
0.14	99.61
1.50	99.60
0.22	103.09
1.50	102.70
1.50	100.70
1.50	102.20

1.50	103.70
1.50	105.20
1.24	106.70
0.05	107.94
0.45	111.7
0.19	112.15
1.50	110.30
1.50	111.80
1.50	113.30
0.75	116.60
0.28	117.35
1.50	117.10
0.71	121.2
0.26	121.91
0.36	119.30
0.32	119.66
1.50	120.00
1.50	121.50
1.50	123.00
1.50	124.50
1.50	126.00
1.50	127.50
1.50	128.10
1.50	129.60
0.98	131.10
1.50	129.60
1.50	131.10
1.50	132.60
1.50	134.10
1.50	135.60
1.50	137.10
0.39	138.60
0.20	138.99
0.72	140.10
0.29	140.82

0.32	140.60
1.50	139.20
1.50	140.70
1.50	142.20
1.50	143.70
1.50	145.20
1.50	146.70
0.46	148.20
0.48	148.66
1.50	150.10
1.50	151.60
1.50	148.80
1.50	150.30
1.50	151.80
1.50	153.30
1.50	154.80
1.50	156.30
0.49	157.80
0.43	158.29
1.50	160.74
1.45	162.24
0.22	163.69
1.50	164.20
1.50	165.70
1.50	167.20
1.50	168.00
1.50	169.50
1.50	171.00
1.50	172.50
0.48	174.00
0.27	174.48
1.50	173.80
1.50	175.30
1.37	176.80
1.50	177.60

0.81	179.10
0.22	179.91
0.06	181.60
0.06	182.60

hive List

Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)
1.50	0.00	1.50
1.65	1.50	1.65
3.10	3.90	5.40
4.60	5.40	6.90
6.10	6.90	8.40
7.60	8.40	9.90
9.10	9.90	11.40
10.60	11.40	12.90
11.39	12.90	13.69
11.63	13.69	13.93
11.00	13.18	14.68
12.50	14.68	16.18
14.00	16.18	17.68
15.50	17.68	19.18
17.00	19.18	20.68
18.50	20.68	22.18
19.36	22.18	23.04
19.62	23.04	23.30
21.10	23.56	23.76
22.10	23.88	25.38
20.50	25.84	27.34
22.00	27.34	28.84
23.50	28.84	30.34
25.00	30.34	31.84
26.50	31.84	33.34
28.00	33.34	34.84
28.70	34.84	35.54
28.92	35.54	35.76
30.00	35.07	36.57
31.50	36.57	38.07
33.00	38.07	39.57

34.50	39.57	41.07
36.00	41.07	42.57
37.50	42.57	44.07
38.37	44.07	44.94
38.65	44.94	45.22
39.71	45.65	46.26
39.89	46.26	46.44
39.50	47.80	49.30
41.00	49.30	50.80
42.50	50.80	52.30
44.00	52.30	53.80
45.50	53.80	55.30
47.00	55.30	56.80
47.48	56.80	57.28
47.70	57.28	57.50
49.46	57.20	58.06
49.74	58.06	58.34
49.00	59.25	60.75
50.50	60.75	62.25
52.10	61.73	63.23
53.60	63.23	64.73
55.10	64.73	66.23
56.60	66.23	67.73
56.50	66.75	68.25
57.07	68.25	68.82
57.32	68.82	69.07
58.50	70.30	71.80
60.00	71.80	73.30
61.50	73.30	74.80
63.00	74.80	76.30
64.50	76.30	77.80
66.00	77.80	79.30
66.45	79.30	79.75
66.60	79.75	79.90
67.80	81.88	83.18

69.60	83.44	84.94
71.10	84.94	86.44
75.70	86.23	87.73
73.80	87.68	89.18
75.30	89.18	90.68
75.93	90.68	91.31
76.19	91.31	91.57
77.10	90.94	92.44
77.68	92.44	93.02
77.82	93.02	93.16
79.10	94.41	95.91
80.60	95.91	97.41
82.00	98.23	99.73
83.50	99.73	101.23
85.00	101.23	102.73
85.70	102.73	103.43
85.92	103.43	103.65
87.47	103.41	104.28
87.70	104.28	104.51
87.00	104.86	106.36
91.60	106.70	108.20
93.10	108.20	109.70
94.60	109.70	111.20
96.10	111.20	112.70
94.60	112.23	113.73
96.10	113.73	115.23
97.60	115.23	116.73
99.10	116.73	118.23
99.61	118.23	118.74
99.75	118.74	118.88
101.10	118.60	120.10
103.31	120.42	120.64
104.20	121.20	122.70
102.20	122.15	123.65
103.70	123.65	125.15

105.20	125.15	126.65
106.70	126.65	128.15
107.94	128.15	129.39
107.99	129.39	129.44
112.15	130.2	130.65
112.34	130.65	130.84
111.80	133.65	135.15
113.30	135.15	136.65
114.80	136.65	138.15
117.35	138.50	139.25
117.63	139.25	139.53
118.60	139.30	140.80
121.91	140.75	141.46
122.17	141.46	141.72
119.66	142.65	143.01
119.98	143.01	143.33
121.50	143.61	145.11
123.00	145.11	146.61
124.50	146.61	148.11
126.00	148.11	149.61
127.50	149.61	151.11
129.00	151.11	152.61
129.60	152.46	153.96
131.10	153.96	155.46
132.08	155.46	156.44
131.10	156.30	157.80
132.60	157.80	159.30
134.10	159.30	160.80
135.60	160.80	162.30
137.10	162.30	163.80
138.60	163.80	165.30
138.99	165.30	165.69
139.19	165.69	165.89
140.82	165.80	166.52
141.11	166.52	166.81

140.92	167.10	167.42
140.70	167.20	168.70
142.20	168.70	170.20
143.70	170.20	171.70
145.20	171.70	173.20
146.70	173.20	174.70
148.20	174.70	176.20
148.66	176.20	176.66
149.14	176.66	177.14
151.60	176.60	178.10
153.10	178.10	179.60
150.30	179.00	180.50
151.80	180.50	182.00
153.30	182.00	183.50
154.80	183.50	185.00
156.30	185.00	186.50
157.80	186.50	188.00
158.29	188.00	188.49
158.72	188.49	188.92
162.24	187.64	189.14
163.69	189.14	190.59
163.91	190.59	190.81
165.70	189.85	191.35
167.20	191.35	192.85
168.70	192.85	194.35
169.50	193.75	195.25
171.00	195.25	196.75
172.50	196.75	198.25
174.00	198.25	199.75
174.48	199.75	200.23
174.75	200.23	200.50
175.30	199.80	201.30
176.80	201.30	202.80
178.17	202.80	204.17
179.10	203.35	204.85

179.91	204.85	205.66
180.13	205.66	205.88
181.66	207.35	207.41
182.66	208.35	208.41

Overlap/Gap	Comments	Curation Comments
0.00	accommodates splice	
0.00	accommodates splice	
2.25	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.75	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.26	accommodates splice	
0.12	accommodates splice	
0.46	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.69	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	

0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.43	accommodates splice	
0.00	accommodates splice	
1.36	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.30	accommodates splice	
0.00	accommodates splice	
0.91	accommodates splice	
0.00	accommodates splice	
-0.52	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.98	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
1.23	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
1.98	accommodates splice	

0.26	accommodates splice	
0.00	accommodates splice	
-0.21	accommodates splice	
-0.05	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.63	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
1.25	accommodates splice	
0.00	accommodates splice	
0.82	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.24	accommodates splice	
0.00	accommodates splice	
0.35	accommodates splice	
0.34	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.47	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.28	accommodates splice	
0.32	accommodates splice	
0.56	accommodates splice	
-0.55	accommodates splice	
0.00	accommodates splice	

0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.76	accommodates splice	
0.00	accommodates splice	
2.81	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.35	accommodates splice	
0.00	accommodates splice	
-0.23	accommodates splice	
-0.05	accommodates splice	
0.00	accommodates splice	
0.93	accommodates splice	
0.00	accommodates splice	
0.28	accommodates splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
-0.15	below splice	
0.00	below splice	
0.00	below splice	
-0.14	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
-0.09	below splice	
0.00	below splice	

0.29	below splice	
-0.22	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
-0.54	below splice	
0.00	below splice	
-0.60	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
-1.28	below splice	
0.00	below splice	
0.00	below splice	
-0.96	below splice	
0.00	below splice	
0.00	below splice	
-0.60	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
0.00	below splice	
-0.70	below splice	
0.00	below splice	
0.00	below splice	
-0.82	below splice	

0.00	below splice	
0.00	below splice	
1.47	below splice	
0.94	below splice	