

<b>Exp</b>	<b>Site</b>	<b>Hole</b>	<b>Core</b>	<b>Type</b>	<b>Sect</b>	<b>Recovered length (m)</b>
323	U1339	B	1	H	1	1.50
323	U1339	B	1	H	2	1.50
323	U1339	B	1	H	3	0.81
323	U1339	B	1	H	CC	0.20
323	U1339	B	2	H	1	1.50
323	U1339	B	2	H	2	1.50
323	U1339	B	2	H	3	1.50
323	U1339	B	2	H	4	1.50
323	U1339	B	2	H	5	1.50
323	U1339	B	2	H	6	1.50
323	U1339	B	2	H	7	0.58
323	U1339	B	2	H	CC	0.00
323	U1339	B	3	H	1	1.50
323	U1339	B	3	H	2	1.50
323	U1339	B	3	H	3	1.50
323	U1339	B	3	H	4	1.50
323	U1339	B	3	H	5	1.50
323	U1339	B	3	H	6	1.50
323	U1339	B	3	H	7	0.49
323	U1339	B	3	H	CC	0.00
323	U1339	B	4	H	1	1.50
323	U1339	B	4	H	2	1.50
323	U1339	B	4	H	3	1.50
323	U1339	B	4	H	4	1.50
323	U1339	B	4	H	5	1.50
323	U1339	B	4	H	6	1.50
323	U1339	B	4	H	7	0.73
323	U1339	B	4	H	CC	0.00
323	U1339	B	5	H	1	1.50
323	U1339	B	5	H	2	1.50
323	U1339	B	5	H	3	1.50

323	U1339	B	5	H	4	1.50
323	U1339	B	5	H	5	1.50
323	U1339	B	5	H	6	1.50
323	U1339	B	5	H	7	0.53
323	U1339	B	5	H	CC	0.24
323	U1339	B	6	H	1	1.50
323	U1339	B	6	H	2	1.50
323	U1339	B	6	H	3	1.50
323	U1339	B	6	H	4	1.50
323	U1339	B	6	H	5	1.50
323	U1339	B	6	H	6	1.50
323	U1339	B	6	H	7	0.90
323	U1339	B	6	H	CC	0.00
323	U1339	B	7	H	1	1.50
323	U1339	B	7	H	2	1.50
323	U1339	B	7	H	3	1.50
323	U1339	B	7	H	4	1.50
323	U1339	B	7	H	5	1.50
323	U1339	B	7	H	6	1.50
323	U1339	B	7	H	7	0.57
323	U1339	B	7	H	CC	0.53
323	U1339	B	8	H	1	1.50
323	U1339	B	8	H	2	1.50
323	U1339	B	8	H	3	1.50
323	U1339	B	8	H	4	1.50
323	U1339	B	8	H	5	1.50
323	U1339	B	8	H	6	1.50
323	U1339	B	8	H	7	0.35
323	U1339	B	8	H	CC	0.60
323	U1339	B	9	H	1	0.63
323	U1339	B	9	H	2	1.46
323	U1339	B	9	H	3	1.50
323	U1339	B	9	H	4	1.46
323	U1339	B	9	H	5	1.50
323	U1339	B	9	H	6	1.46

323	U1339	B	9	H	7	1.43
323	U1339	B	9	H	CC	0.53
323	U1339	B	10	H	1	1.00
323	U1339	B	10	H	2	1.50
323	U1339	B	10	H	3	1.45
323	U1339	B	10	H	4	1.45
323	U1339	B	10	H	5	1.50
323	U1339	B	10	H	6	1.45
323	U1339	B	10	H	7	1.02
323	U1339	B	10	H	CC	0.61
323	U1339	B	11	H	1	0.47
323	U1339	B	11	H	2	1.50
323	U1339	B	11	H	3	1.45
323	U1339	B	11	H	4	1.50
323	U1339	B	11	H	5	1.50
323	U1339	B	11	H	6	1.50
323	U1339	B	11	H	7	1.50
323	U1339	B	11	H	CC	0.43
323	U1339	B	12	H	1	0.59
323	U1339	B	12	H	2	1.50
323	U1339	B	12	H	3	1.45
323	U1339	B	12	H	4	1.50
323	U1339	B	12	H	5	1.50
323	U1339	B	12	H	6	1.46
323	U1339	B	12	H	7	0.78
323	U1339	B	12	H	CC	0.00
323	U1339	D	12	H	7	1.50
323	U1339	D	12	H	8	0.57
323	U1339	D	12	H	CC	0.57
323	U1339	B	13	X	CC	0.49
323	U1339	C	12	H	6	1.50
323	U1339	C	12	H	7	0.39
323	U1339	B	14	H	1	1.30
323	U1339	B	14	H	2	1.50
323	U1339	B	14	H	3	1.47

323	U1339	B	14	H	4	1.50
323	U1339	B	14	H	5	1.36
323	U1339	B	14	H	6	1.40
323	U1339	B	15	H	1	0.81
323	U1339	B	15	H	2	1.42
323	U1339	B	15	H	3	1.50
323	U1339	B	15	H	4	1.42
323	U1339	B	15	H	5	1.50
323	U1339	B	15	H	6	1.54
323	U1339	B	15	H	7	1.50
323	U1339	B	15	H	CC	0.41
323	U1339	B	16	H	1	0.82
323	U1339	C	14	H	7	1.00
323	U1339	D	15	H	1	1.50
323	U1339	D	15	H	2	1.50
323	U1339	D	15	H	3	1.50
323	U1339	D	15	H	4	1.50
323	U1339	B	16	H	7	1.44
323	U1339	B	16	H	CC	0.48
323	U1339	B	17	H	1	0.40
323	U1339	B	17	H	2	1.50
323	U1339	C	15	H	7	0.62
323	U1339	C	15	H	CC	0.00
323	U1339	C	16	H	1	1.43
323	U1339	C	16	H	2	1.43
323	U1339	C	16	H	3	0.63
323	U1339	B	17	H	7	1.39
323	U1339	B	17	H	CC	0.38
323	U1339	B	18	H	1	0.64
323	U1339	B	18	H	2	1.43
323	U1339	B	18	H	3	1.45
323	U1339	B	18	H	4	1.38
323	U1339	B	18	H	5	1.50
323	U1339	B	18	H	6	1.50
323	U1339	B	18	H	7	0.69

323	U1339	B	18	H	8	0.99
323	U1339	B	18	H	CC	0.81
323	U1339	B	19	H	1	0.96
323	U1339	B	19	H	2	1.50
323	U1339	B	19	H	3	1.50
323	U1339	B	19	H	4	1.50
323	U1339	B	19	H	5	1.50
323	U1339	B	19	H	6	1.50
323	U1339	B	19	H	7	1.18
323	U1339	B	19	H	CC	0.32
323	U1339	B	20	H	1	1.43
323	U1339	B	20	H	2	1.50
323	U1339	B	20	H	3	1.50
323	U1339	B	20	H	4	1.50
323	U1339	B	20	H	5	1.50
323	U1339	B	20	H	6	1.50
323	U1339	B	20	H	7	0.88
323	U1339	B	20	H	CC	0.43
323	U1339	B	21	H	1	0.49
323	U1339	B	21	H	2	1.50
323	U1339	B	21	H	3	1.50
323	U1339	B	21	H	4	1.50
323	U1339	B	21	H	5	1.50
323	U1339	B	21	H	6	1.50
323	U1339	B	21	H	7	1.50
323	U1339	B	21	H	8	0.79
323	U1339	B	21	H	CC	0.42
323	U1339	B	22	H	1	0.90
323	U1339	B	22	H	2	1.29
323	U1339	B	22	H	3	1.50
323	U1339	B	22	H	4	0.67
323	U1339	B	22	H	5	1.50
323	U1339	B	22	H	6	1.50
323	U1339	B	22	H	7	1.50
323	U1339	B	22	H	8	1.20

323	U1339	B	22	H	CC	0.37
323	U1339	D	21	H	CC	0.58
323	U1339	D	22	H	1	1.43
323	U1339	D	22	H	2	1.50
323	U1339	D	22	H	3	1.43
323	U1339	D	22	H	4	1.09
323	U1339	D	22	H	CC	0.38

## U1339 Permanent Archi

Curated length (m)	Top depth CSF-A (m)
1.50	0.00
1.50	1.50
0.81	3.00
0.20	3.81
1.50	4.00
1.50	5.50
1.50	7.00
1.50	8.50
1.50	10.00
1.50	11.50
0.58	13.00
0.17	13.58
1.50	13.50
1.50	15.00
1.50	16.50
1.50	18.00
1.50	19.50
1.50	21.00
0.49	22.50
0.00	22.99
1.50	23.00
1.50	24.50
1.50	26.00
1.50	27.50
1.50	29.00
1.50	30.50
0.73	32.00
0.00	32.73
1.50	32.50
1.50	34.00
1.50	35.50

1.50	37.00
1.50	38.50
1.50	40.00
0.53	41.50
0.24	42.03
1.50	42.00
1.50	43.50
1.50	45.00
1.50	46.50
1.50	48.00
1.50	49.50
0.90	51.00
0.43	51.90
1.50	51.50
1.50	53.00
1.50	54.50
1.50	56.00
1.50	57.50
1.50	59.00
0.57	60.50
0.53	61.07
1.50	61.00
1.50	62.50
1.50	64.00
1.50	65.50
1.50	67.00
1.50	68.50
0.35	70.00
0.60	70.35
0.63	70.50
1.46	71.13
1.50	72.59
1.46	74.09
1.50	75.55
1.46	77.05



1.43	78.51
0.53	79.94
1.00	80.00
1.50	81.00
1.45	82.50
1.45	83.95
1.50	85.40
1.45	86.90
1.02	88.35
0.61	89.37
0.47	89.50
1.50	89.97
1.45	91.47
1.50	92.92
1.50	94.42
1.50	95.92
1.50	97.42
0.43	98.92
0.59	99.00
1.50	99.59
1.45	101.09
1.50	102.54
1.50	104.04
1.46	105.54
0.78	107.00
0.70	107.78
1.50	107.78
0.57	109.28
0.57	109.85
0.49	108.50
1.50	112.22
0.39	113.72
1.30	110.50
1.50	111.80
1.47	113.30

1.50	114.77
1.36	116.27
1.40	117.63
0.81	120.00
1.42	120.83
1.50	122.25
1.42	123.75
1.50	125.17
1.54	126.67
1.50	128.21
0.39	129.69
0.82	129.50
1.00	132.10
1.50	128.50
1.50	130.00
1.50	131.50
1.50	133.00
1.44	137.59
0.48	139.03
0.40	139.00
1.50	139.40
0.62	141.76
0.64	142.38
1.43	142.80
1.43	144.23
0.63	145.66
1.39	146.90
0.38	148.29
0.64	148.50
1.43	149.14
1.45	150.57
1.38	152.02
1.50	153.40
1.50	154.90
0.69	156.40

0.99	157.09
0.81	158.08
0.96	158.00
1.50	158.96
1.50	160.46
1.50	161.96
1.50	163.46
1.50	164.96
1.18	166.46
0.32	167.64
1.43	167.50
1.50	168.93
1.50	170.43
1.50	171.93
1.50	173.43
1.50	174.93
0.88	176.43
0.43	177.31
0.49	177.00
1.50	177.49
1.50	178.99
1.50	180.49
1.50	181.99
1.50	183.49
1.50	184.99
0.79	186.49
0.42	187.28
0.90	186.50
1.29	187.40
1.50	188.69
0.67	190.19
1.50	190.86
1.50	192.36
1.50	193.86
1.20	195.36

0.37	196.56
0.58	193.63
1.43	195.00
1.50	196.43
1.43	197.93
1.09	199.36
0.38	200.45

## ve List

Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)
1.50	0.23	1.73
3.00	1.73	3.23
3.81	3.23	4.04
4.01	4.04	4.24
5.50	4.38	5.88
7.00	5.88	7.38
8.50	7.38	8.88
10.00	8.88	10.38
11.50	10.38	11.88
13.00	11.88	13.38
13.58	13.38	13.96
13.75	13.96	14.13
15.00	14.82	16.32
16.50	16.32	17.82
18.00	17.82	19.32
19.50	19.32	20.82
21.00	20.82	22.32
22.50	22.32	23.82
22.99	23.82	24.31
22.99	24.31	24.31
24.50	24.55	26.05
26.00	26.05	27.55
27.50	27.55	29.05
29.00	29.05	30.55
30.50	30.55	32.05
32.00	32.05	33.55
32.73	33.55	34.28
32.73	34.28	34.28
34.00	34.80	36.30
35.50	36.30	37.80
37.00	37.80	39.30

38.50	39.30	40.80
40.00	40.80	42.30
41.50	42.30	43.80
42.03	43.80	44.33
42.27	44.33	44.57
43.50	44.85	46.35
45.00	46.35	47.85
46.50	47.85	49.35
48.00	49.35	50.85
49.50	50.85	52.35
51.00	52.35	53.85
51.90	53.85	54.75
52.33	54.75	55.18
53.00	55.46	56.96
54.50	56.96	58.46
56.00	58.46	59.96
57.50	59.96	61.46
59.00	61.46	62.96
60.50	62.96	64.46
61.07	64.46	65.03
61.60	65.03	65.56
62.50	66.52	68.02
64.00	68.02	69.52
65.50	69.52	71.02
67.00	71.02	72.52
68.50	72.52	74.02
70.00	74.02	75.52
70.35	75.52	75.87
70.95	75.87	76.47
71.13	75.82	76.45
72.59	76.45	77.91
74.09	77.91	79.41
75.55	79.41	80.87
77.05	80.87	82.37
78.51	82.37	83.83

79.94	83.83	85.26
80.47	85.26	85.79
81.00	88.06	89.06
82.50	89.06	90.56
83.95	90.56	92.01
85.40	92.01	93.46
86.90	93.46	94.96
88.35	94.96	96.41
89.37	96.41	97.43
89.98	97.43	98.04
89.97	97.31	97.78
91.47	97.78	99.28
92.92	99.28	100.73
94.42	100.73	102.23
95.92	102.23	103.73
97.42	103.73	105.23
98.92	105.23	106.73
99.35	106.73	107.16
99.59	106.58	107.17
101.09	107.17	108.67
102.54	108.67	110.12
104.04	110.12	111.62
105.54	111.62	113.12
107.00	113.12	114.58
107.78	114.58	115.36
108.48	115.36	116.06
109.28	116.62	118.12
109.85	118.12	118.69
110.42	118.69	119.26
108.99	122.02	122.51
113.72	122.05	123.55
114.11	123.55	123.94
111.80	124.02	125.32
113.30	125.32	126.82
114.77	126.82	128.29

116.27	128.29	129.79
117.63	129.79	131.15
119.03	131.15	132.55
120.81	131.50	132.31
122.25	132.33	133.75
123.75	133.75	135.25
125.17	135.25	136.67
126.67	136.67	138.17
128.21	138.17	139.71
129.71	139.71	141.21
130.08	141.19	141.58
130.32	142.51	143.33
133.10	144.51	145.51
130.00	145.39	146.89
131.50	146.89	148.39
133.00	148.39	149.89
134.50	149.89	151.39
139.03	150.60	152.04
139.51	152.04	152.52
139.40	153.63	154.03
140.90	154.03	155.53
142.38	156.17	156.79
143.02	156.79	157.43
144.23	158.37	159.80
145.66	159.80	161.23
146.29	161.23	161.86
148.29	161.53	162.92
148.67	162.92	163.30
149.14	165.01	165.65
150.57	165.65	167.08
152.02	167.08	168.53
153.40	168.53	169.91
154.90	169.91	171.41
156.40	171.41	172.91
157.09	172.91	173.60



158.08	173.60	174.59
158.89	174.59	175.40
158.96	176.07	177.03
160.46	177.03	178.53
161.96	178.53	180.03
163.46	180.03	181.53
164.96	181.53	183.03
166.46	183.03	184.53
167.64	184.53	185.71
167.96	185.71	186.03
168.93	187.82	189.25
170.43	189.25	190.75
171.93	190.75	192.25
173.43	192.25	193.75
174.93	193.75	195.25
176.43	195.25	196.75
177.31	196.75	197.63
177.74	197.63	198.06
177.49	198.89	199.38
178.99	199.38	200.88
180.49	200.88	202.38
181.99	202.38	203.88
183.49	203.88	205.38
184.99	205.38	206.88
186.49	206.88	208.38
187.28	208.38	209.17
187.70	209.17	209.59
187.40	209.08	209.98
188.69	209.98	211.27
190.19	211.27	212.77
190.86	212.77	213.44
192.36	213.44	214.94
193.86	214.94	216.44
195.36	216.44	217.94
196.56	217.94	219.14

196.93	219.14	219.51
194.21	219.04	219.62
196.43	222.03	223.46
197.93	223.46	224.96
199.36	224.96	226.39
200.45	226.39	227.48
200.83	227.48	227.86

<b>Overlap/Gap</b>	<b>Comments</b>
0.23	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.14	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.69	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.24	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.52	accommodates splice
0.00	accommodates splice
0.00	accommodates splice



0.00	accommodates splice
0.00	accommodates splice
2.27	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
-0.73	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
-0.58	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
0.56	accommodates splice
0.00	accommodates splice
0.00	accommodates splice
2.76	accommodates splice
-0.46	accommodates splice
0.00	accommodates splice
0.08	accommodates splice
0.00	accommodates splice
0.00	accommodates splice





0.00	single cored, below splice
-0.47	single cored, below splice
2.41	single cored, below splice
0.00	single cored, below splice
0.00	single cored, below splice
0.00	single cored, below splice
0.00	single cored, below splice











Disturbed
Disturbed
Disturbed
Disturbed
Shattered Liner
Highly Disturbed

