

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
323	U1345	E	1	H	1	1.50
323	U1345	E	1	H	2	1.50
323	U1345	E	1	H	3	1.50
323	U1345	E	1	H	4	1.50
323	U1345	E	1	H	5	1.50
323	U1345	E	1	H	6	0.62
323	U1345	E	1	H	CC	0.15
323	U1345	A	2	H	3	1.50
323	U1345	E	2	H	1	1.50
323	U1345	E	2	H	2	1.50
323	U1345	E	2	H	3	1.50
323	U1345	E	2	H	4	1.50
323	U1345	E	2	H	5	1.26
323	U1345	E	2	H	CC	0.22
323	U1345	B	2	H	6	1.50
323	U1345	C	3	H	1	1.50
323	U1345	E	3	H	1	1.50
323	U1345	E	3	H	2	1.50
323	U1345	E	3	H	3	1.50
323	U1345	E	3	H	4	1.50
323	U1345	E	3	H	5	1.50
323	U1345	E	3	H	6	1.50
323	U1345	E	3	H	7	0.87
323	U1345	E	3	H	CC	0.29
323	U1345	E	4	H	1	1.50
323	U1345	E	4	H	2	1.50
323	U1345	E	4	H	3	1.50
323	U1345	E	4	H	4	1.50
323	U1345	E	4	H	5	1.50
323	U1345	E	4	H	6	1.50
323	U1345	E	4	H	7	0.89

323	U1345	E	4	H	CC	0.38
323	U1345	E	5	H	1	0.69
323	U1345	E	5	H	2	1.50
323	U1345	E	5	H	3	1.50
323	U1345	E	5	H	4	1.50
323	U1345	E	5	H	5	1.50
323	U1345	E	5	H	6	1.49
323	U1345	E	5	H	7	1.34
323	U1345	E	5	H	CC	0.37
323	U1345	C	6	H	2	1.50
323	U1345	E	6	H	1	1.27
323	U1345	E	6	H	2	1.50
323	U1345	E	6	H	3	1.50
323	U1345	E	6	H	4	1.50
323	U1345	E	6	H	5	1.50
323	U1345	E	6	H	6	1.50
323	U1345	E	6	H	7	1.09
323	U1345	E	6	H	CC	0.48
323	U1345	E	7	H	1	0.80
323	U1345	E	7	H	2	1.50
323	U1345	E	7	H	3	1.50
323	U1345	E	7	H	4	1.50
323	U1345	E	7	H	5	1.50
323	U1345	E	7	H	6	1.50
323	U1345	E	7	H	7	0.66
323	U1345	E	7	H	CC	0.42
323	U1345	A	8	H	4	1.50
323	U1345	E	8	H	1	1.50
323	U1345	E	8	H	2	1.50
323	U1345	E	8	H	3	1.50
323	U1345	E	8	H	4	1.50
323	U1345	E	8	H	5	1.50
323	U1345	E	8	H	6	1.48
323	U1345	E	8	H	7	0.82
323	U1345	E	8	H	CC	0.46

323	U1345	E	9	H	1	0.75
323	U1345	E	9	H	2	1.50
323	U1345	E	9	H	3	1.42
323	U1345	E	9	H	4	1.50
323	U1345	E	9	H	5	1.38
323	U1345	E	9	H	6	1.48
323	U1345	E	9	H	7	1.29
323	U1345	E	9	H	CC	0.53
323	U1345	E	10	H	1	1.18
323	U1345	E	10	H	2	1.50
323	U1345	E	10	H	3	1.50
323	U1345	E	10	H	4	1.47
323	U1345	E	10	H	5	1.45
323	U1345	E	10	H	6	1.50
323	U1345	E	10	H	7	0.76
323	U1345	E	10	H	CC	0.43
323	U1345	C	11	H	2	1.48
323	U1345	E	11	H	1	1.50
323	U1345	E	11	H	2	1.48
323	U1345	E	11	H	3	1.45
323	U1345	E	11	H	4	1.50
323	U1345	E	11	H	5	1.50
323	U1345	E	11	H	6	1.27
323	U1345	E	11	H	7	0.52
323	U1345	E	11	H	CC	0.52
323	U1345	E	12	H	1	0.83
323	U1345	E	12	H	2	1.41
323	U1345	E	12	H	3	1.49
323	U1345	E	12	H	4	1.50
323	U1345	E	12	H	5	1.46
323	U1345	E	12	H	6	1.50
323	U1345	E	12	H	7	1.31
323	U1345	E	12	H	CC	0.49
323	U1345	E	13	H	1	0.64
323	U1345	E	13	H	2	1.50

323	U1345	E	13	H	3	1.47
323	U1345	E	13	H	4	1.50
323	U1345	E	13	H	5	1.39
323	U1345	E	13	H	6	1.50
323	U1345	E	13	H	7	1.08
323	U1345	C	14	H	1	0.77
323	U1345	C	14	H	2	1.46
323	U1345	E	14	H	1	0.60
323	U1345	E	14	H	2	1.48
323	U1345	E	14	H	3	1.50
323	U1345	E	14	H	4	1.45
323	U1345	E	14	H	5	1.50
323	U1345	E	14	H	6	1.50
323	U1345	E	14	H	7	1.00
323	U1345	E	14	H	8	0.58
323	U1345	E	14	H	CC	0.33
323	U1345	E	15	H	1	1.53
323	U1345	E	15	H	2	1.50
323	U1345	E	15	H	3	1.50
323	U1345	E	15	H	4	1.50
323	U1345	E	15	H	5	1.50
323	U1345	E	15	H	6	1.50
323	U1345	E	15	H	7	0.68
323	U1345	E	15	H	CC	0.21
323	U1345	E	16	H	1	1.50
323	U1345	E	16	H	2	1.50
323	U1345	E	16	H	3	1.50
323	U1345	E	16	H	4	1.33
323	U1345	E	16	H	5	1.50
323	U1345	E	16	H	6	1.35
323	U1345	E	16	H	7	0.46
323	U1345	E	16	H	CC	0.55

U1345 Permanent Arch

Curated length (m)	Top depth CSF-A (m)
1.50	0.00
1.50	1.50
1.50	3.00
1.50	4.50
1.50	6.00
0.62	7.50
0.15	8.12
1.50	7.40
1.50	8.20
1.50	9.70
1.50	11.20
1.50	12.70
1.26	14.20
0.22	15.46
1.50	15.70
1.50	15.50
1.50	17.70
1.50	19.20
1.50	20.70
1.50	22.20
1.50	23.70
1.50	25.20
0.87	26.70
0.29	27.57
1.50	27.20
1.50	28.70
1.50	30.20
1.50	31.70
1.50	33.20
1.50	34.70
0.89	36.20

0.38	37.09
0.69	36.70
1.50	37.39
1.50	38.89
1.50	40.39
1.50	41.89
1.49	43.39
1.34	44.88
0.37	46.22
1.50	44.61
1.27	46.20
1.50	47.47
1.50	48.97
1.50	50.47
1.50	51.97
1.50	53.47
1.09	54.97
0.48	56.06
0.80	55.70
1.50	56.50
1.50	58.00
1.50	59.50
1.50	61.00
1.50	62.50
0.66	64.00
0.42	64.66
1.50	65.74
1.50	65.20
1.50	66.70
1.50	68.20
1.50	69.70
1.50	71.20
1.48	72.70
0.82	74.18
0.46	75.00

0.75	74.70
1.50	75.45
1.42	76.95
1.50	78.37
1.38	79.87
1.48	81.25
1.29	82.73
0.53	84.02
1.18	84.20
1.50	85.38
1.50	86.88
1.47	88.38
1.45	89.85
1.50	91.30
0.76	92.80
0.43	93.56
1.48	92.59
1.50	93.70
1.48	95.20
1.45	96.68
1.50	98.13
1.50	99.63
1.27	101.13
0.52	102.40
0.52	102.92
0.83	103.20
1.41	104.03
1.49	105.44
1.50	106.93
1.46	108.43
1.50	109.89
1.31	111.39
0.49	112.70
0.64	112.70
1.50	113.34

1.47	114.84
1.50	116.31
1.39	117.81
1.50	119.20
1.08	120.70
0.77	120.00
1.46	120.77
0.60	122.20
1.48	122.80
1.50	124.28
1.45	125.78
1.50	127.23
1.50	128.73
1.00	130.23
0.58	131.23
0.33	131.81
1.53	131.70
1.50	133.23
1.50	134.73
1.50	136.23
1.50	137.73
1.50	139.23
0.68	140.73
0.21	141.41
1.50	141.20
1.50	142.70
1.50	144.20
1.33	145.70
1.50	147.03
1.35	148.53
0.46	149.88
0.55	150.34

ive List

Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)
1.50	-0.09	1.41
3.00	1.41	2.91
4.50	2.91	4.41
6.00	4.41	5.91
7.50	5.91	7.41
8.12	7.41	8.03
8.27	8.03	8.18
8.90	7.44	8.94
9.70	8.95	10.45
11.20	10.45	11.95
12.70	11.95	13.45
14.20	13.45	14.95
15.46	14.95	16.21
15.68	16.21	16.43
17.20	15.91	17.41
17.00	17.53	19.03
19.20	18.70	20.20
20.70	20.20	21.70
22.20	21.70	23.20
23.70	23.20	24.70
25.20	24.70	26.20
26.70	26.20	27.70
27.57	27.70	28.57
27.86	28.57	28.86
28.70	29.44	30.94
30.20	30.94	32.44
31.70	32.44	33.94
33.20	33.94	35.44
34.70	35.44	36.94
36.20	36.94	38.44
37.09	38.44	39.33

37.47	39.33	39.71
37.39	40.19	40.88
38.89	40.88	42.38
40.39	42.38	43.88
41.89	43.88	45.38
43.39	45.38	46.88
44.88	46.88	48.37
46.22	48.37	49.71
46.59	49.71	50.08
46.11	49.54	51.04
47.47	50.96	52.23
48.97	52.23	53.73
50.47	53.73	55.23
51.97	55.23	56.73
53.47	56.73	58.23
54.97	58.23	59.73
56.06	59.73	60.82
56.54	60.82	61.30
56.50	61.72	62.52
58.00	62.52	64.02
59.50	64.02	65.52
61.00	65.52	67.02
62.50	67.02	68.52
64.00	68.52	70.02
64.66	70.02	70.68
65.08	70.68	71.10
67.24	71.28	72.78
66.70	72.54	74.04
68.20	74.04	75.54
69.70	75.54	77.04
71.20	77.04	78.54
72.70	78.54	80.04
74.18	80.04	81.52
75.00	81.52	82.34
75.46	82.34	82.80

75.45	83.20	83.95
76.95	83.95	85.45
78.37	85.45	86.87
79.87	86.87	88.37
81.25	88.37	89.75
82.73	89.75	91.23
84.02	91.23	92.52
84.55	92.52	93.05
85.38	93.32	94.50
86.88	94.50	96.00
88.38	96.00	97.50
89.85	97.50	98.97
91.30	98.97	100.42
92.80	100.42	101.92
93.56	101.92	102.68
93.99	102.68	103.11
94.07	103.26	104.74
95.20	104.22	105.72
96.68	105.72	107.20
98.13	107.20	108.65
99.63	108.65	110.15
101.13	110.15	111.65
102.40	111.65	112.92
102.92	112.92	113.44
103.44	113.44	113.96
104.03	114.49	115.32
105.44	115.32	116.73
106.93	116.73	118.22
108.43	118.22	119.72
109.89	119.72	121.18
111.39	121.18	122.68
112.70	122.68	123.99
113.19	123.99	124.48
113.34	124.74	125.38
114.84	125.38	126.88

116.31	126.88	128.35
117.81	128.35	129.85
119.20	129.85	131.24
120.70	131.24	132.74
121.78	132.74	133.82
120.77	133.92	134.69
122.23	134.69	136.15
122.80	135.76	136.36
124.28	136.36	137.84
125.78	137.84	139.34
127.23	139.34	140.79
128.73	140.79	142.29
130.23	142.29	143.79
131.23	143.79	144.79
131.81	144.79	145.37
132.14	145.37	145.70
133.23	146.01	147.54
134.73	147.54	149.04
136.23	149.04	150.54
137.73	150.54	152.04
139.23	152.04	153.54
140.73	153.54	155.04
141.41	155.04	155.72
141.62	155.72	155.93
142.70	156.70	158.20
144.20	158.20	159.70
145.70	159.70	161.20
147.03	161.20	162.53
148.53	162.53	164.03
149.88	164.03	165.38
150.34	165.38	165.84
150.89	165.84	166.39

0.40	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.27	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.15	accomodates splice
-0.52	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.53	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.26	accomodates splice
0.00	accomodates splice

0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
#REF!	accomodates splice
0.00	accomodates splice
-0.39	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.31	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.77	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	accomodates splice
0.00	below splice, deepest hole
0.00	below splice, deepest hole
0.00	below splice, deepest hole
0.00	below splice, deepest hole

--

Extruded on rigfloor, disturbed

--

--

--

--

--

--

--

Extruded on rigfloor, disturbed

--

--

--

--

--

--

Extruded on rigfloor, disturbed

--

--

--

--

--

--

--

Extruded on rigfloor, disturbed

--

--

--

--

--

--

