

U136

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
327	U1363	B	1	H	1	1.50
327	U1363	B	1	H	2	0.80
327	U1363	B	1	H	CC	0.20
327	U1363	B	2	H	1	1.50
327	U1363	B	2	H	2	1.50
327	U1363	B	2	H	3	1.50
327	U1363	B	2	H	4	1.50
327	U1363	B	2	H	5	1.50
327	U1363	B	2	H	6	1.50
327	U1363	B	2	H	7	0.63
327	U1363	B	2	H	CC	0.22
327	U1363	B	3	H	1	1.50
327	U1363	B	3	H	2	1.50
327	U1363	B	3	H	3	1.50
327	U1363	B	3	H	4	1.50
327	U1363	B	3	H	5	1.50
327	U1363	B	3	H	6	1.50
327	U1363	B	3	H	7	0.42
327	U1363	B	3	H	CC	0.15
327	U1363	B	4	H	1	1.50
327	U1363	B	4	H	2	1.50
327	U1363	B	4	H	3	1.50
327	U1363	B	4	H	4	1.50
327	U1363	B	4	H	5	1.50
327	U1363	B	4	H	6	1.50
327	U1363	B	4	H	7	0.77
327	U1363	B	4	H	CC	0.18
327	U1363	B	5	H	1	1.50
327	U1363	B	5	H	2	1.50
327	U1363	B	5	H	3	1.25
327	U1363	B	5	H	4	0.61

327	U1363	B	5	H	5	1.00
327	U1363	B	6	H	1	1.00
327	U1363	B	6	H	2	0.61
327	U1363	B	6	H	CC	0.15
327	U1363	B	7	X	1	1.50
327	U1363	B	7	X	2	1.45
327	U1363	B	7	X	CC	0.18
327	U1363	B	8	X	1	1.50
327	U1363	B	8	X	2	1.50
327	U1363	B	8	X	3	1.50
327	U1363	B	8	X	4	1.11
327	U1363	B	8	X	5	0.55
327	U1363	B	8	X	CC	0.33
327	U1363	B	9	X	1	0.47
327	U1363	B	10	X	1	0.16
327	U1363	C	2	X	CC	0.50
327	U1363	C	3	X	1	0.48
327	U1363	C	3	X	CC	0.39
327	U1363	C	4	X	1	1.50
327	U1363	C	4	X	2	1.50
327	U1363	C	4	X	3	1.50
327	U1363	C	4	X	CC	0.40
327	U1363	C	5	X	1	0.73
327	U1363	D	2	X	1	1.42
327	U1363	D	2	X	2	0.43
327	U1363	D	2	X	CC	0.42
327	U1363	D	3	X	1	1.50
327	U1363	D	3	X	2	1.50
327	U1363	D	3	X	3	1.50
327	U1363	D	3	X	4	0.62
327	U1363	D	3	X	CC	0.32
327	U1363	D	4	X	1	1.50
327	U1363	D	4	X	2	1.50
327	U1363	D	4	X	3	1.50
327	U1363	D	4	X	4	0.92

327	U1363	D	4	X	CC	0.35
327	U1363	D	5	X	1	1.25
327	U1363	D	5	X	CC	0.20
327	U1363	D	6	X	1	0.10

3 Permanent Archive List

Curated length (m)	Top depth CSF-A (m)
1.50	0.00
0.80	1.50
0.20	2.30
1.50	2.50
1.50	4.00
1.50	5.50
1.50	7.00
1.50	8.50
1.50	10.00
0.63	11.50
0.22	12.13
1.50	12.00
1.50	13.50
1.50	15.00
1.50	16.50
1.50	18.00
1.50	19.50
0.42	21.00
0.15	21.42
1.50	21.50
1.50	23.00
1.50	24.50
1.50	26.00
1.50	27.50
1.50	29.00
0.77	30.50
0.18	31.27
1.50	31.00
1.50	32.50
1.25	34.00
0.61	35.25

1.00	35.86
1.00	40.50
0.61	41.50
0.15	42.11
1.50	42.50
1.45	44.00
0.18	45.45
1.50	47.50
1.50	49.00
1.50	50.50
1.11	52.00
0.55	53.11
0.33	53.66
0.47	55.00
0.16	57.00
0.50	170.00
0.48	173.60
0.39	174.08
1.50	183.20
1.50	184.70
1.50	186.20
0.40	187.70
0.73	192.80
1.42	198.00
0.43	199.42
0.42	199.85
1.50	202.40
1.50	203.90
1.50	205.40
0.62	206.90
0.32	208.40
1.50	212.00
1.50	213.50
1.50	215.00
0.92	216.50

0.35	217.42
1.25	221.60
0.20	222.85
0.10	231.20

Bottom depth CSF-A (m)
1.50
2.30
2.50
4.00
5.50
7.00
8.50
10.00
11.50
12.13
12.35
13.50
15.00
16.50
18.00
19.50
21.00
21.42
21.57
23.00
24.50
26.00
27.50
29.00
30.50
31.27
31.45
32.50
34.00
35.25
35.86

36.86
41.50
42.11
42.26
44.00
45.45
45.63
49.00
50.50
52.00
53.11
53.66
53.99
55.47
57.16
170.50
174.08
174.47
184.70
186.20
187.70
188.10
193.53
199.42
199.85
200.27
203.90
205.40
206.90
207.52
208.72
213.50
215.00
216.50
217.42

217.77
222.85
223.05
231.30

multiple holes, partial overlap, incomplete coring
multiple holes, partial overlap, incomplete coring
multiple holes, partial overlap, incomplete coring
multiple holes, partial overlap, incomplete coring

