

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
339	U1385	A	1	H	1	1.30
339	U1385	A	1	H	CC	0.23
339	U1385	A	2	H	1	1.50
339	U1385	A	2	H	2	1.50
339	U1385	A	2	H	3	1.50
339	U1385	A	2	H	4	1.50
339	U1385	A	2	H	5	1.50
339	U1385	A	2	H	6	1.50
339	U1385	A	2	H	7	0.71
339	U1385	B	2	H	2	1.50
339	U1385	B	2	H	3	1.50
339	U1385	B	2	H	4	1.50
339	U1385	B	2	H	5	1.50
339	U1385	B	2	H	6	1.50
339	U1385	B	2	H	7	0.75
339	U1385	A	3	H	5	1.50
339	U1385	A	3	H	6	1.50
339	U1385	A	3	H	7	0.62
339	U1385	B	3	H	2	1.50
339	U1385	B	3	H	3	1.50
339	U1385	B	3	H	4	1.50
339	U1385	B	3	H	5	1.50
339	U1385	B	3	H	6	1.50
339	U1385	A	4	H	3	1.50
339	U1385	A	4	H	4	1.50
339	U1385	A	4	H	5	1.50
339	U1385	A	4	H	6	1.50
339	U1385	A	4	H	7	0.88
339	U1385	B	4	H	2	1.50
339	U1385	B	4	H	3	1.50
339	U1385	B	4	H	4	1.50
339	U1385	A	5	H	1	1.50
339	U1385	A	5	H	2	1.50

339	U1385	A	5	H	3	1.50
339	U1385	A	5	H	4	1.50
339	U1385	A	5	H	5	1.50
339	U1385	A	5	H	6	1.50
339	U1385	B	5	H	3	1.50
339	U1385	B	5	H	4	1.50
339	U1385	B	5	H	5	1.50
339	U1385	B	5	H	6	1.50
339	U1385	A	6	H	2	1.50
339	U1385	A	6	H	3	1.50
339	U1385	A	6	H	4	1.50
339	U1385	A	6	H	5	1.50
339	U1385	B	6	H	3	1.50
339	U1385	B	6	H	4	1.50
339	U1385	B	6	H	5	1.50
339	U1385	B	6	H	6	1.20
339	U1385	A	7	H	1	1.50
339	U1385	A	7	H	2	1.50
339	U1385	A	7	H	3	1.50
339	U1385	A	7	H	4	1.50
339	U1385	A	7	H	5	1.50
339	U1385	A	7	H	6	1.22
339	U1385	A	7	H	7	0.54
339	U1385	B	7	H	4	1.50
339	U1385	B	7	H	5	1.50
339	U1385	B	7	H	6	1.50
339	U1385	A	8	H	3	1.51
339	U1385	A	8	H	4	1.51
339	U1385	A	8	H	5	1.51
339	U1385	A	8	H	6	1.50
339	U1385	B	8	H	3	1.50
339	U1385	B	8	H	4	1.50
339	U1385	B	8	H	5	1.50
339	U1385	B	8	H	6	1.10
339	U1385	A	9	H	2	1.50
339	U1385	A	9	H	3	1.50
339	U1385	A	9	H	4	1.51

339	U1385	A	9	H	5	1.50
339	U1385	B	9	H	1	1.50
339	U1385	B	9	H	2	1.50
339	U1385	B	9	H	3	1.50
339	U1385	B	9	H	4	1.54
339	U1385	A	10	H	1	1.50
339	U1385	A	10	H	2	1.51
339	U1385	A	10	H	3	1.53
339	U1385	A	10	H	4	1.52
339	U1385	A	10	H	5	1.51
339	U1385	A	10	H	6	1.52
339	U1385	A	10	H	7	0.64
339	U1385	B	10	H	3	1.50
339	U1385	B	10	H	4	1.50
339	U1385	B	10	H	5	1.50
339	U1385	A	11	H	2	1.50
339	U1385	A	11	H	3	1.51
339	U1385	A	11	H	4	1.50
339	U1385	A	11	H	5	1.50
339	U1385	A	11	H	6	1.50
339	U1385	B	11	H	2	1.51
339	U1385	B	11	H	3	1.53
339	U1385	B	11	H	4	1.54
339	U1385	B	11	H	5	1.55
339	U1385	B	11	H	6	1.53
339	U1385	A	12	H	4	1.53
339	U1385	A	12	H	5	1.53
339	U1385	A	12	H	6	1.23
339	U1385	A	12	H	7	0.59
339	U1385	B	12	H	1	1.46
339	U1385	B	12	H	2	1.49
339	U1385	B	12	H	3	1.48
339	U1385	B	12	H	4	1.47
339	U1385	B	12	H	5	1.47
339	U1385	B	12	H	6	1.46
339	U1385	A	13	H	5	1.50
339	U1385	A	13	H	6	1.50

339	U1385	A	13	H	7	0.64
339	U1385	B	13	H	1	1.50
339	U1385	B	13	H	2	1.51
339	U1385	B	13	H	3	1.52
339	U1385	B	13	H	4	1.51
339	U1385	A	14	H	3	1.52
339	U1385	A	14	H	4	1.52
339	U1385	A	14	H	5	1.52
339	U1385	A	14	H	6	1.22
339	U1385	B	14	H	1	1.50
339	U1385	B	14	H	2	1.50
339	U1385	B	14	H	3	1.50
339	U1385	B	14	H	4	1.50
339	U1385	A	15	H	3	1.51
339	U1385	A	15	H	4	1.50
339	U1385	A	15	H	5	1.51
339	U1385	A	15	H	6	0.98
339	U1385	B	15	H	1	1.46
339	U1385	B	15	H	2	1.48
339	U1385	B	15	H	3	1.48
339	U1385	B	15	H	4	1.50
339	U1385	B	15	H	5	1.34
339	U1385	A	16	H	4	1.53
339	U1385	A	16	H	5	1.50
339	U1385	A	16	H	6	1.48
339	U1385	B	16	H	1	1.50
339	U1385	B	16	H	2	1.50
339	U1385	B	16	H	3	1.50
339	U1385	B	16	H	4	1.50
339	U1385	B	16	H	5	1.50
339	U1385	B	16	H	6	1.10

U1385 Permanent Archive List

Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)
1.21	0.00	1.21
0.23	1.21	1.44
1.50	1.50	3.00
1.50	3.00	4.50
1.50	4.50	6.00
1.50	6.00	7.50
1.50	7.50	9.00
1.50	9.00	10.50
0.71	10.50	11.21
1.50	7.60	9.10
1.50	9.10	10.60
1.50	10.60	12.10
1.50	12.10	13.60
1.50	13.60	15.10
0.75	15.10	15.85
1.50	17.00	18.50
1.50	18.50	20.00
0.62	20.00	20.62
1.50	17.10	18.60
1.50	18.60	20.10
1.50	20.10	21.60
1.50	21.60	23.10
1.50	23.10	24.60
1.50	23.50	25.00
1.50	25.00	26.50
1.50	26.50	28.00
1.50	28.00	29.50
0.88	29.50	30.38
1.50	26.60	28.10
1.50	28.10	29.60
1.50	29.60	31.10
1.50	30.00	31.50
1.50	31.50	33.00

1.50	33.00	34.50
1.50	34.50	36.00
1.50	36.00	37.50
1.50	37.50	39.00
1.50	37.60	39.10
1.50	39.10	40.60
1.50	40.60	42.10
1.50	42.10	43.60
1.50	41.00	42.50
1.50	42.50	44.00
1.50	44.00	45.50
1.50	45.50	47.00
1.50	47.10	48.60
1.50	48.60	50.10
1.50	50.10	51.60
1.20	51.60	52.80
1.50	49.00	50.50
1.50	50.50	52.00
1.50	52.00	53.50
1.50	53.50	55.00
1.50	55.00	56.50
1.22	56.50	57.72
0.54	57.72	58.26
1.50	58.10	59.60
1.50	59.60	61.10
1.50	61.10	62.60
1.51	61.50	63.01
1.51	63.01	64.52
1.51	64.52	66.03
1.50	66.03	67.53
1.50	66.10	67.60
1.50	67.60	69.10
1.50	69.10	70.60
1.10	70.60	71.70
1.50	69.50	71.00
1.50	71.00	72.50
1.51	72.50	74.01

1.50	74.01	75.51
1.50	72.60	74.10
1.50	74.10	75.60
1.50	75.60	77.10
1.54	77.10	78.64
1.50	77.50	79.00
1.51	79.00	80.51
1.53	80.51	82.04
1.52	82.04	83.56
1.51	83.56	85.07
1.52	85.07	86.59
0.64	86.59	87.23
1.53	85.11	86.64
1.51	86.64	88.15
1.55	88.15	89.70
1.50	88.50	90.00
1.51	90.00	91.51
1.50	91.51	93.01
1.50	93.01	94.51
1.50	94.51	96.01
1.51	93.11	94.62
1.55	94.62	96.17
1.55	96.17	97.72
1.56	97.72	99.28
1.50	99.28	100.78
1.58	101.12	102.70
1.54	102.70	104.24
1.21	104.24	105.45
0.60	105.45	106.05
1.47	101.10	102.57
1.50	102.57	104.07
1.50	104.07	105.57
1.48	105.57	107.05
1.49	107.05	108.54
1.42	108.54	109.96
1.50	112.00	113.50
1.50	113.50	115.00

0.64	115.00	115.64
1.50	110.60	112.10
1.50	112.10	113.60
1.50	113.60	115.10
1.50	115.10	116.60
1.55	118.57	120.12
1.53	120.12	121.65
1.52	121.65	123.17
1.25	123.17	124.42
1.50	120.10	121.60
1.51	121.60	123.11
1.52	123.11	124.63
1.53	124.63	126.16
1.53	128.04	129.57
1.54	129.57	131.11
1.56	131.11	132.67
0.98	132.67	133.65
1.46	129.60	131.06
1.52	131.06	132.58
1.51	132.58	134.09
1.52	134.09	135.61
1.36	135.61	136.97
1.53	139.03	140.56
1.50	140.56	142.06
1.48	142.06	143.54
1.50	137.70	139.20
1.50	139.20	140.70
1.50	140.70	142.20
1.50	142.20	143.70
1.50	143.70	145.20
1.10	145.20	146.30

Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments
0.08	1.29		Accommodates Splice
1.65	1.88	0.36	Accommodates Splice
0.44	1.94	-1.44	Accommodates Splice
1.94	3.44	0.00	Accommodates Splice
3.44	4.94	0.00	Accommodates Splice
4.94	6.44	0.00	Accommodates Splice
6.44	7.94	0.00	Accommodates Splice
7.94	9.44	0.00	Accommodates Splice
9.44	10.15	0.00	Accommodates Splice
9.19	10.69	-0.96	Accommodates Splice
10.69	12.19	0.00	Accommodates Splice
12.19	13.69	0.00	Accommodates Splice
13.69	15.19	0.00	Accommodates Splice
15.19	16.69	0.00	Accommodates Splice
16.69	17.44	0.00	Accommodates Splice
16.77	18.27	-0.67	Accommodates Splice
18.27	19.77	0.00	Accommodates Splice
19.77	20.39	0.00	Accommodates Splice
19.20	20.70	-1.19	Accommodates Splice
20.70	22.20	0.00	Accommodates Splice
22.20	23.70	0.00	Accommodates Splice
23.70	25.20	0.00	Accommodates Splice
25.20	26.70	0.00	Accommodates Splice
25.13	26.63	-1.57	Accommodates Splice
26.63	28.13	0.00	Accommodates Splice
28.13	29.63	0.00	Accommodates Splice
29.63	31.13	0.00	Accommodates Splice
31.13	32.01	0.00	Accommodates Splice
30.45	31.95	-1.56	Accommodates Splice
31.95	33.45	0.00	Accommodates Splice
33.45	34.95	0.00	Accommodates Splice
33.47	34.97	-1.48	Accommodates Splice
34.97	36.47	0.00	Accommodates Splice

36.47	37.97	0.00	Accommodates Splice
37.97	39.47	0.00	Accommodates Splice
39.47	40.97	0.00	Accommodates Splice
40.97	42.47	0.00	Accommodates Splice
41.38	42.88	-1.09	Accommodates Splice
42.88	44.38	0.00	Accommodates Splice
44.38	45.88	0.00	Accommodates Splice
45.88	47.38	0.00	Accommodates Splice
46.03	47.53	-1.35	Accommodates Splice
47.53	49.03	0.00	Accommodates Splice
49.03	50.53	0.00	Accommodates Splice
50.53	52.03	0.00	Accommodates Splice
51.64	53.14	-0.39	Accommodates Splice
53.14	54.64	0.00	Accommodates Splice
54.64	56.14	0.00	Accommodates Splice
56.14	57.34	0.00	Accommodates Splice
55.91	57.41	-1.43	Accommodates Splice
57.41	58.91	0.00	Accommodates Splice
58.91	60.41	0.00	Accommodates Splice
60.41	61.91	0.00	Accommodates Splice
61.91	63.41	0.00	Accommodates Splice
63.41	64.63	0.00	Accommodates Splice
64.63	65.17	0.00	Accommodates Splice
64.63	66.13	-0.54	Accommodates Splice
66.13	67.63	0.00	Accommodates Splice
67.63	69.13	0.00	Accommodates Splice
68.81	70.32	-0.32	Accommodates Splice
70.32	71.83	0.00	Accommodates Splice
71.83	73.34	0.00	Accommodates Splice
73.34	74.84	0.00	Accommodates Splice
73.10	74.60	-1.74	Accommodates Splice
74.60	76.10	0.00	Accommodates Splice
76.10	77.60	0.00	Accommodates Splice
77.60	78.70	0.00	Accommodates Splice
77.22	78.72	-1.48	Accommodates Splice
78.72	80.22	0.00	Accommodates Splice
80.22	81.73	0.00	Accommodates Splice

81.73	83.23	0.00	Accommodates Splice
81.73	83.23	-1.50	Accommodates Splice
83.23	84.73	0.00	Accommodates Splice
84.73	86.23	0.00	Accommodates Splice
86.23	87.77	0.00	Accommodates Splice
85.84	87.34	-1.93	Accommodates Splice
87.34	88.85	0.00	Accommodates Splice
88.85	90.38	0.00	Accommodates Splice
90.38	91.90	0.00	Accommodates Splice
91.90	93.41	0.00	Accommodates Splice
93.41	94.93	0.00	Accommodates Splice
94.93	95.57	0.00	Accommodates Splice
95.10	96.63	-0.47	Accommodates Splice
96.63	98.14	0.00	Accommodates Splice
98.14	99.69	0.00	Accommodates Splice
97.38	98.88	-2.31	Accommodates Splice
98.88	100.39	0.00	Accommodates Splice
100.39	101.89	0.00	Accommodates Splice
101.89	103.39	0.00	Accommodates Splice
103.39	104.89	0.00	Accommodates Splice
104.04	105.55	-0.85	Accommodates Splice
105.55	107.10	0.00	Accommodates Splice
107.10	108.65	0.00	Accommodates Splice
108.65	110.21	0.00	Accommodates Splice
110.21	111.71	0.00	Accommodates Splice
109.38	110.96	-2.33	Accommodates Splice
110.96	112.50	0.00	Accommodates Splice
112.50	113.71	0.00	Accommodates Splice
113.71	114.31	0.00	Accommodates Splice
112.98	114.45	-1.33	Accommodates Splice
114.45	115.95	0.00	Accommodates Splice
115.95	117.45	0.00	Accommodates Splice
117.45	118.93	0.00	Accommodates Splice
118.93	120.42	0.00	Accommodates Splice
120.42	121.84	0.00	Accommodates Splice
120.68	122.18	-1.16	Accommodates Splice
122.18	123.68	0.00	Accommodates Splice

123.68	124.32	0.00	Accommodates Splice
123.56	125.06	-0.76	Accommodates Splice
125.06	126.56	0.00	Accommodates Splice
126.56	128.06	0.00	Accommodates Splice
128.06	129.56	0.00	Accommodates Splice
127.79	129.34	-1.77	Accommodates Splice
129.34	130.87	0.00	Accommodates Splice
130.87	132.39	0.00	Accommodates Splice
132.39	133.64	0.00	Accommodates Splice
132.71	134.21	-0.93	Accommodates Splice
134.21	135.72	0.00	Accommodates Splice
135.72	137.24	0.00	Accommodates Splice
137.24	138.77	0.00	Accommodates Splice
137.94	139.47	-0.83	Accommodates Splice
139.47	141.01	0.00	Accommodates Splice
141.01	142.57	0.00	Accommodates Splice
142.57	143.55	0.00	Accommodates Splice
142.18	143.64	-1.37	Accommodates Splice
143.64	145.16	0.00	Accommodates Splice
145.16	146.67	0.00	Accommodates Splice
146.67	148.19	0.00	Accommodates Splice
148.19	149.55	0.00	Accommodates Splice
148.20	149.73	-1.35	Accommodates Splice
149.73	151.23	0.00	Accommodates Splice
151.23	152.71	0.00	Accommodates Splice
152.27	153.77	-0.44	Accommodates Splice
153.77	155.27	0.00	below splice
155.27	156.77	0.00	below splice
156.77	158.27	0.00	below splice
158.27	159.77	0.00	below splice
159.77	160.87	0.00	below splice

