

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
342	U1404	B	1	H	1	1.50
342	U1404	B	1	H	2	0.83
342	U1404	B	1	H	CC	0.15
342	U1404	A	1	H	CC	0.19
342	U1404	A	2	H	1	1.50
342	U1404	A	2	H	2	0.95
342	U1404	A	2	H	3	1.50
342	U1404	A	2	H	4	1.50
342	U1404	A	2	H	5	1.50
342	U1404	A	2	H	6	1.09
342	U1404	A	2	H	7	1.21
342	U1404	A	2	H	CC	0.28
342	U1404	A	3	H	1	1.50
342	U1404	A	3	H	2	1.50
342	U1404	A	3	H	3	1.50
342	U1404	A	3	H	4	1.50
342	U1404	A	3	H	5	1.20
342	U1404	A	3	H	6	0.81
342	U1404	A	3	H	CC	0.17
342	U1404	B	4	H	2	1.50
342	U1404	B	4	H	CC	0.12
342	U1404	A	5	H	1	1.50
342	U1404	B	5	H	5	1.50
342	U1404	B	5	H	6	1.50
342	U1404	B	5	H	7	0.78
342	U1404	B	5	H	CC	0.26
342	U1404	A	5	H	CC	0.12
342	U1404	A	6	H	1	1.50
342	U1404	B	6	H	6	1.50
342	U1404	B	6	H	7	0.63
342	U1404	A	6	H	CC	0.23
342	U1404	A	7	H	1	1.50
342	U1404	A	7	H	2	1.50

342	U1404	A	7	H	3	1.50
342	U1404	A	7	H	4	1.50
342	U1404	A	7	H	5	0.78
342	U1404	A	7	H	CC	0.15
342	U1404	B	8	H	5	1.50
342	U1404	B	8	H	6	1.50
342	U1404	B	8	H	7	0.67
342	U1404	B	8	H	CC	0.24
342	U1404	B	9	H	1	1.50
342	U1404	B	9	H	2	1.50
342	U1404	A	8	H	7	0.58
342	U1404	A	8	H	CC	0.22
342	U1404	A	9	H	1	1.50
342	U1404	B	9	H	6	1.27
342	U1404	B	9	H	7	1.02
342	U1404	B	9	H	CC	0.14
342	U1404	B	10	H	1	1.50
342	U1404	B	10	H	2	1.50
342	U1404	A	9	H	6	1.50
342	U1404	A	9	H	7	0.65
342	U1404	A	9	H	CC	0.23
342	U1404	A	10	H	1	1.50
342	U1404	B	10	H	7	0.67
342	U1404	B	10	H	CC	0.28
342	U1404	B	11	H	1	1.50
342	U1404	A	10	H	5	1.50
342	U1404	A	10	H	6	1.50
342	U1404	A	10	H	7	0.60
342	U1404	A	10	H	CC	0.29
342	U1404	A	11	H	1	1.33
342	U1404	B	11	H	7	0.87
342	U1404	B	11	H	CC	0.14
342	U1404	A	11	H	CC	0.59
342	U1404	A	12	H	1	1.45
342	U1404	B	12	H	5	1.50
342	U1404	B	12	H	6	1.50
342	U1404	B	12	H	7	0.55
342	U1404	B	12	H	CC	0.31

342	U1404	B	13	H	1	1.50
342	U1404	A	12	H	CC	0.20
342	U1404	A	13	H	1	0.52
342	U1404	A	13	H	2	1.51
342	U1404	A	13	H	3	1.50
342	U1404	B	13	H	6	1.22
342	U1404	B	13	H	7	0.86
342	U1404	B	14	H	1	1.50
342	U1404	A	13	H	CC	0.40
342	U1404	A	14	H	1	1.50
342	U1404	A	14	H	2	1.50
342	U1404	B	14	H	6	1.02
342	U1404	B	14	H	7	0.76
342	U1404	B	14	H	CC	0.28
342	U1404	B	15	H	1	1.50
342	U1404	A	14	H	7	1.02
342	U1404	A	14	H	CC	0.17
342	U1404	A	15	H	1	1.46
342	U1404	B	15	H	5	1.50
342	U1404	B	15	H	6	1.22
342	U1404	B	15	H	7	0.82
342	U1404	B	15	H	CC	0.16
342	U1404	B	16	H	1	1.05
342	U1404	B	16	H	2	0.61
342	U1404	A	15	H	7	0.95
342	U1404	A	15	H	CC	0.25
342	U1404	B	16	H	6	1.28
342	U1404	B	16	H	7	1.10
342	U1404	B	16	H	CC	0.52
342	U1404	A	16	H	6	1.20
342	U1404	A	16	H	7	0.85
342	U1404	A	16	H	CC	0.27
342	U1404	A	17	H	1	1.51
342	U1404	B	17	H	5	1.51
342	U1404	B	17	H	6	1.50
342	U1404	B	17	H	7	0.60
342	U1404	B	17	H	CC	0.22
342	U1404	B	18	H	3	1.50

342	U1404	B	18	H	4	1.51
342	U1404	A	17	H	CC	0.31
342	U1404	B	18	H	CC	0.27
342	U1404	B	19	H	1	1.50
342	U1404	B	19	H	2	1.50
342	U1404	A	18	H	6	1.21
342	U1404	A	18	H	7	0.96
342	U1404	A	18	H	CC	0.29
342	U1404	A	19	H	1	1.50
342	U1404	B	19	H	7	0.55
342	U1404	B	19	H	CC	0.20
342	U1404	B	20	H	1	1.50
342	U1404	B	20	H	2	1.50
342	U1404	B	20	H	3	1.50
342	U1404	A	19	H	7	0.94
342	U1404	A	19	H	CC	0.39
342	U1404	B	20	H	7	0.69
342	U1404	B	20	H	CC	0.43
342	U1404	B	21	H	1	0.66
342	U1404	B	21	H	2	1.50
342	U1404	B	21	H	3	1.50
342	U1404	B	21	H	4	1.15
342	U1404	B	21	H	5	0.76
342	U1404	B	21	H	6	0.64
342	U1404	A	20	H	CC	0.27
342	U1404	B	21	H	8	0.67
342	U1404	B	21	H	CC	0.41
342	U1404	B	22	H	1	1.50
342	U1404	B	22	H	2	1.50
342	U1404	A	21	H	5	1.50
342	U1404	A	21	H	6	1.50
342	U1404	A	21	H	7	0.65
342	U1404	A	21	H	CC	0.38
342	U1404	B	22	H	7	0.68
342	U1404	B	22	H	CC	0.36
342	U1404	A	22	H	CC	0.66
342	U1404	B	23	H	4	0.60
342	U1404	B	23	H	5	0.57

342	U1404	B	23	H	6	0.91
342	U1404	B	23	H	7	1.50
342	U1404	B	23	H	CC	0.60
342	U1404	B	24	H	1	1.50
342	U1404	B	24	H	2	1.50
342	U1404	A	23	H	7	0.67
342	U1404	A	23	H	CC	0.30
342	U1404	B	25	H	1	1.50
342	U1404	B	25	H	2	1.50
342	U1404	B	25	H	3	1.50
342	U1404	B	25	H	4	1.02
342	U1404	B	25	H	5	0.65
342	U1404	B	25	H	CC	0.36
342	U1404	B	26	H	3	1.50
342	U1404	B	26	H	4	1.50
342	U1404	B	26	H	5	1.01
342	U1404	B	26	H	6	0.76
342	U1404	B	26	H	CC	0.36
342	U1404	B	27	H	1	0.81
342	U1404	B	27	H	2	1.00
342	U1404	A	26	H	6	0.60
342	U1404	A	26	H	CC	0.41
342	U1404	A	27	H	1	1.50
342	U1404	A	27	H	2	1.50
342	U1404	A	27	H	3	1.50
342	U1404	A	27	H	4	1.50
342	U1404	A	27	H	5	1.45
342	U1404	A	27	H	CC	0.45
342	U1404	A	28	H	1	1.50
342	U1404	A	28	H	2	1.50
342	U1404	A	28	H	3	1.50
342	U1404	A	28	H	4	1.50
342	U1404	A	28	H	5	1.24
342	U1404	A	28	H	CC	0.39
342	U1404	A	29	H	1	1.50
342	U1404	A	29	H	2	1.50
342	U1404	A	29	H	3	1.50
342	U1404	A	29	H	4	1.50

342	U1404	A	29	H	5	1.50
342	U1404	A	29	H	6	1.04
342	U1404	A	29	H	CC	0.44
342	U1404	A	30	H	1	1.25
342	U1404	A	30	H	2	0.89
342	U1404	A	30	H	3	1.50
342	U1404	A	30	H	4	1.50
342	U1404	A	30	H	5	0.81
342	U1404	A	30	H	CC	0.80
342	U1404	A	31	H	1	1.50
342	U1404	A	31	H	2	1.50
342	U1404	A	31	H	3	1.50
342	U1404	A	31	H	4	0.67
342	U1404	A	31	H	CC	0.44
342	U1404	A	32	H	1	0.36
342	U1404	A	32	H	2	1.32
342	U1404	A	32	H	3	1.50
342	U1404	A	32	H	4	1.26
342	U1404	A	32	H	5	0.64
342	U1404	A	32	H	CC	0.63
342	U1404	A	33	X	1	1.50
342	U1404	A	33	X	2	1.50
342	U1404	A	33	X	3	1.50
342	U1404	A	33	X	4	1.50
342	U1404	A	33	X	5	1.50
342	U1404	A	33	X	6	0.75
342	U1404	A	33	X	CC	0.33
342	U1404	A	34	X	1	1.50
342	U1404	A	34	X	2	1.50
342	U1404	A	34	X	3	1.50
342	U1404	A	34	X	4	1.50
342	U1404	A	34	X	5	1.50
342	U1404	A	34	X	6	1.00
342	U1404	A	34	X	7	0.65
342	U1404	A	35	X	1	1.50
342	U1404	A	35	X	2	1.37
342	U1404	A	35	X	3	1.51
342	U1404	A	35	X	CC	0.22

342	U1404	A	36	X	1	0.72
-----	-------	---	----	---	---	------

U1404 Permanent Arc

Curated length (m)	Top depth CSF-A (m)
1.50	0.00
0.83	1.50
0.15	2.33
0.19	4.53
1.50	4.70
0.95	6.20
1.50	7.15
1.50	8.65
1.50	10.15
1.09	11.65
1.21	12.74
0.28	13.95
1.50	14.20
1.50	15.70
1.50	17.20
1.50	18.70
1.20	20.20
0.81	21.40
0.17	22.21
1.50	22.90
0.12	29.69
1.50	33.20
1.50	33.40
1.50	34.90
0.78	36.40
0.26	37.18
0.12	40.49
1.50	42.70
1.50	44.40
0.63	45.90
0.23	49.15
1.50	52.20
1.50	53.70

1.50	55.20
1.50	56.70
0.78	58.20
0.15	58.98
1.50	61.90
1.50	63.40
0.67	64.90
0.24	65.57
1.50	65.40
1.50	66.90
0.58	70.50
0.22	71.08
1.50	71.20
1.27	72.64
1.02	73.91
0.14	74.93
1.50	74.90
1.50	76.40
1.50	78.70
0.65	80.20
0.23	80.85
1.50	80.70
0.67	83.90
0.28	84.57
1.50	84.40
1.50	86.70
1.50	88.20
0.60	89.70
0.29	90.30
1.33	90.20
0.87	92.90
0.14	93.77
0.59	95.67
1.45	96.20
1.50	99.90
1.50	101.40
0.55	102.90
0.31	103.45

1.50	103.40
0.20	105.88
0.52	105.70
1.51	106.22
1.50	107.73
1.22	110.90
0.86	112.12
1.50	112.90
0.40	114.70
1.50	115.20
1.50	116.70
1.02	120.40
0.76	121.42
0.28	122.18
1.50	122.40
1.02	123.70
0.17	124.72
1.46	124.70
1.50	128.40
1.22	129.90
0.82	131.12
0.16	131.94
1.05	131.90
0.61	132.95
0.95	133.53
0.25	134.48
1.28	137.39
1.10	138.67
0.52	139.77
1.20	141.70
0.85	142.90
0.27	143.75
1.51	143.70
1.51	147.41
1.50	148.92
0.60	150.42
0.22	151.02
1.50	153.91

1.51	155.41
0.31	153.43
0.27	159.17
1.50	156.40
1.50	157.90
1.21	160.76
0.96	161.97
0.29	162.93
1.50	162.70
0.55	165.40
0.20	165.95
1.50	165.90
1.50	167.40
1.50	168.90
0.94	171.46
0.39	172.40
0.69	173.95
0.43	174.64
0.66	175.40
1.50	176.06
1.50	177.56
1.15	179.06
0.76	180.21
0.64	180.97
0.27	181.74
0.67	183.11
0.41	183.78
1.50	184.10
1.50	185.60
1.50	187.70
1.50	189.20
0.65	190.70
0.38	191.35
0.68	192.89
0.36	193.57
0.66	194.32
0.60	198.10
0.57	198.70

0.91	199.27
1.50	200.18
0.60	201.68
1.50	202.20
1.50	203.70
0.67	203.40
0.30	204.07
1.50	208.70
1.50	210.20
1.50	211.70
1.02	213.20
0.65	214.22
0.36	214.87
1.50	218.20
1.50	219.70
1.01	221.20
0.76	222.21
0.36	222.97
0.81	223.30
1.00	224.11
0.60	227.70
0.41	228.30
1.50	228.60
1.50	230.10
1.50	231.60
1.50	233.10
1.45	234.60
0.45	236.05
1.50	236.50
1.50	238.00
1.50	239.50
1.50	241.00
1.24	242.50
0.39	243.74
1.50	244.10
1.50	245.60
1.50	247.10
1.50	248.60

1.50	250.10
1.04	251.60
0.44	252.64
1.25	253.00
0.89	254.25
1.50	255.14
1.50	256.64
0.81	258.14
0.80	258.95
1.50	259.70
1.50	261.20
1.50	262.70
0.67	264.20
0.44	264.87
0.36	265.30
1.32	265.66
1.50	266.98
1.26	268.48
0.64	269.74
0.63	270.38
1.50	271.00
1.50	272.50
1.50	274.00
1.50	275.50
1.50	277.00
0.75	278.50
0.33	279.25
1.50	280.70
1.50	282.20
1.50	283.70
1.50	285.20
1.50	286.70
1.00	288.20
0.65	289.20
1.50	289.40
1.37	290.90
1.51	292.27
0.22	293.78

0.72	299.10
------	--------

hive List

Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)
1.50	0.60	2.10
2.33	2.10	2.93
2.48	2.93	3.08
4.72	4.53	4.72
6.20	5.30	6.80
7.15	6.80	7.75
8.65	7.75	9.25
10.15	9.25	10.75
11.65	10.75	12.25
12.74	12.25	13.34
13.95	13.34	14.55
14.23	14.55	14.83
15.70	14.84	16.34
17.20	16.34	17.84
18.70	17.84	19.34
20.20	19.34	20.84
21.40	20.84	22.04
22.21	22.04	22.85
22.38	22.85	23.02
24.40	23.13	24.63
29.81	29.92	30.04
34.70	33.85	35.35
34.90	36.18	37.68
36.40	37.68	39.18
37.18	39.18	39.96
37.44	39.96	40.22
40.61	41.14	41.26
44.20	45.35	46.85
45.90	47.33	48.83
46.53	48.83	49.46
49.38	51.80	52.03
53.70	54.86	56.36
55.20	56.36	57.86

56.70	57.86	59.36
58.20	59.36	60.86
58.98	60.86	61.64
59.13	61.64	61.79
63.40	65.22	66.72
64.90	66.72	68.22
65.57	68.22	68.89
65.81	68.89	69.13
66.90	68.73	70.23
68.40	70.23	71.73
71.08	73.17	73.75
71.30	73.75	73.97
72.70	74.07	75.57
73.91	75.97	77.24
74.93	77.24	78.26
75.07	78.26	78.40
76.40	77.68	79.18
77.90	79.18	80.68
80.20	81.57	83.07
80.85	83.07	83.72
81.08	83.72	83.95
82.20	83.67	85.17
84.57	86.68	87.35
84.85	87.35	87.63
85.90	87.19	88.69
88.20	89.67	91.17
89.70	91.17	92.67
90.30	92.67	93.27
90.59	93.27	93.56
91.53	93.18	94.51
93.77	95.69	96.56
93.91	96.56	96.70
96.26	98.65	99.24
97.65	99.78	101.23
101.40	102.70	104.20
102.90	104.20	105.70
103.45	105.70	106.25
103.76	106.25	106.56

104.90	106.45	107.95
106.08	109.46	109.66
106.22	109.73	110.25
107.73	110.25	111.76
109.23	111.76	113.26
112.12	113.95	115.17
112.98	115.17	116.03
114.40	116.15	117.65
115.10	118.73	119.13
116.70	119.24	120.74
118.20	120.74	122.24
121.42	123.65	124.67
122.18	124.67	125.43
122.46	125.43	125.71
123.90	125.66	127.16
124.72	127.74	128.76
124.89	128.76	128.93
126.16	128.75	130.21
129.90	131.66	133.16
131.12	133.16	134.38
131.94	134.38	135.20
132.10	135.20	135.36
132.95	134.96	136.01
133.56	136.01	136.62
134.48	137.58	138.53
134.73	138.53	138.78
138.67	140.45	141.73
139.77	141.73	142.83
140.29	142.83	143.35
142.90	146.50	147.70
143.75	147.70	148.55
144.02	148.55	148.82
145.21	148.83	150.34
148.92	151.57	153.08
150.42	153.08	154.58
151.02	154.58	155.18
151.24	155.18	155.40
155.41	155.07	156.57

156.92	156.57	158.08
153.74	158.56	158.87
159.44	160.33	160.60
157.90	161.86	163.36
159.40	163.36	164.86
161.97	166.39	167.60
162.93	167.60	168.56
163.22	168.56	168.85
164.20	168.86	170.36
165.95	170.86	171.41
166.15	171.41	171.61
167.40	171.86	172.86
168.90	173.36	174.36
170.40	174.86	175.86
172.40	177.62	178.56
172.79	178.56	178.95
174.64	179.91	180.10
175.07	180.60	180.53
176.06	181.37	182.03
177.56	182.03	183.53
179.06	183.53	185.03
180.21	185.03	186.18
180.97	186.18	186.94
181.61	186.94	187.58
182.01	188.05	188.32
183.78	189.08	189.75
184.19	189.75	190.16
185.60	189.82	191.32
187.10	191.32	192.82
189.20	194.16	195.66
190.70	195.66	197.16
191.35	197.16	197.81
191.73	197.81	198.19
193.57	198.61	199.29
193.93	199.29	199.65
194.98	200.79	201.45
198.70	204.37	204.97
199.27	204.97	205.54

200.18	205.54	206.45
201.68	206.45	207.95
202.28	207.95	208.55
203.70	207.77	209.27
205.20	209.27	210.77
204.07	211.27	211.94
204.37	211.94	212.24
210.20	212.58	214.08
211.70	214.08	215.58
213.20	215.58	217.08
214.22	217.08	218.10
214.87	218.10	218.75
215.23	218.75	219.11
219.70	224.68	226.18
221.20	226.18	227.68
222.21	227.68	228.69
222.97	228.69	229.45
223.33	229.45	229.81
224.11	236.03	236.84
225.11	236.84	237.84
228.30	239.01	239.61
228.71	239.61	240.02
230.10	240.13	241.63
231.60	241.63	243.13
233.10	243.13	244.63
234.60	244.63	246.13
236.05	246.13	247.58
236.50	247.58	248.03
238.00	248.13	249.63
239.50	249.63	251.13
241.00	251.13	252.63
242.50	252.63	254.13
243.74	254.13	255.37
244.13	255.37	255.76
245.60	255.87	257.37
247.10	257.37	258.87
248.60	258.87	260.37
250.10	260.37	261.87

251.60	261.87	263.37
252.64	263.37	264.41
253.08	264.41	264.85
254.25	264.96	266.21
255.14	266.21	267.10
256.64	267.10	268.60
258.14	268.60	270.10
258.95	270.10	270.91
259.75	270.91	271.71
261.20	271.82	273.32
262.70	273.32	274.82
264.20	274.82	276.32
264.87	276.32	276.99
265.31	276.99	277.43
265.66	277.54	277.90
266.98	277.90	279.22
268.48	279.22	280.72
269.74	280.72	281.98
270.38	281.98	282.62
271.01	282.62	283.25
272.50	283.36	284.86
274.00	284.86	286.36
275.50	286.36	287.86
277.00	287.86	289.36
278.50	289.36	290.86
279.25	290.86	291.61
279.58	291.61	291.94
282.20	293.16	294.66
283.70	294.66	296.16
285.20	296.16	297.66
286.70	297.66	299.16
288.20	299.16	300.66
289.20	300.66	301.66
289.85	301.66	302.31
290.90	302.42	303.92
292.27	303.92	305.29
293.78	305.29	306.80
294.00	306.80	307.02

299.82	312.22	312.94
--------	--------	--------

Overlap/ Gap	Comments	Curation Comments
	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
1.45	accommodates splice	
0.58	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.01	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.11	accommodates splice	
5.29	accommodates splice	
3.81	accommodates splice	
0.83	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.92	accommodates splice	
4.09	accommodates splice	
0.48	accommodates splice	
0.00	accommodates splice	
2.34	accommodates splice	
2.83	accommodates splice	
0.00	accommodates splice	

0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
3.43	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.40	accommodates splice	
0.00	accommodates splice	
1.44	accommodates splice	
0.00	accommodates splice	
0.10	accommodates splice	
0.40	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.72	accommodates splice	
0.00	accommodates splice	
0.89	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.28	accommodates splice	
1.51	accommodates splice	
0.00	accommodates splice	
-0.44	accommodates splice	
0.98	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.38	accommodates splice	
1.18	accommodates splice	
0.00	accommodates splice	
1.95	accommodates splice	
0.54	accommodates splice	
1.47	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	

-0.11	accommodates splice	
1.51	accommodates splice	
0.07	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.69	accommodates splice	
0.00	accommodates splice	
0.12	accommodates splice	
1.08	accommodates splice	
0.11	accommodates splice	
0.00	accommodates splice	
1.41	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.05	accommodates splice	
0.58	accommodates splice	
0.00	accommodates splice	
-0.18	accommodates splice	
1.45	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.40	accommodates splice	
0.00	accommodates splice	
0.96	accommodates splice	
0.00	accommodates splice	
1.67	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
3.15	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.01	accommodates splice	
1.23	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.33	accommodates splice	

0.00	accommodates splice	
0.48	accommodates splice	
1.46	accommodates splice	
1.26	accommodates splice	
0.00	accommodates splice	
1.53	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.01	accommodates splice	
0.50	accommodates splice	
0.00	accommodates splice	
0.25	accommodates splice	
0.50	accommodates splice	
0.50	accommodates splice	
1.76	accommodates splice	
0.00	accommodates splice	
0.96	accommodates splice	
0.50	accommodates splice	
0.84	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.47	accommodates splice	
0.76	accommodates splice	
0.00	accommodates splice	
-0.34	accommodates splice	
0.00	accommodates splice	
1.34	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.42	accommodates splice	
0.00	accommodates splice	
1.14	accommodates splice	
2.92	accommodates splice	
0.00	accommodates splice	

0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.78	accommodates splice	
0.00	accommodates splice	
0.50	accommodates splice	
0.00	accommodates splice	
0.34	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
5.57	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
6.22	accommodates splice	
0.00	accommodates splice	
1.17	accommodates splice	
0.00	accommodates splice	
0.11	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.10	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.11	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	
0.00	single cored interval below splice	

5.20

single cored interval below splice