

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
342	U1405	A	1	H	1	1.50
342	U1405	A	1	H	2	1.50
342	U1405	A	1	H	3	1.50
342	U1405	A	1	H	4	1.47
342	U1405	A	1	H	CC	0.23
342	U1405	A	2	H	2	1.50
342	U1405	A	2	H	3	1.50
342	U1405	A	2	H	4	1.50
342	U1405	A	2	H	5	1.50
342	U1405	A	2	H	6	1.50
342	U1405	A	2	H	7	0.72
342	U1405	A	2	H	CC	0.23
342	U1405	B	2	H	6	1.50
342	U1405	B	2	H	7	0.67
342	U1405	B	2	H	CC	0.26
342	U1405	B	3	H	1	1.50
342	U1405	B	3	H	2	1.50
342	U1405	B	3	H	3	1.50
342	U1405	B	3	H	4	1.50
342	U1405	B	3	H	5	1.50
342	U1405	B	3	H	6	1.12
342	U1405	B	3	H	7	0.86
342	U1405	A	3	H	7	0.76
342	U1405	A	3	H	CC	0.23
342	U1405	A	4	H	1	1.50
342	U1405	C	3	H	7	0.61
342	U1405	C	4	H	1	1.50
342	U1405	C	4	H	2	1.50
342	U1405	A	4	H	CC	0.40
342	U1405	A	5	H	1	1.50
342	U1405	B	5	H	2	1.50
342	U1405	B	5	H	3	1.50

342	U1405	B	5	H	4	1.50
342	U1405	C	5	H	2	1.42
342	U1405	C	5	H	3	1.50
342	U1405	B	5	H	6	1.30
342	U1405	B	5	H	7	0.63
342	U1405	B	5	H	CC	0.13
342	U1405	A	5	H	CC	0.26
342	U1405	A	6	H	1	1.50
342	U1405	A	6	H	2	1.50
342	U1405	A	6	H	3	1.50
342	U1405	A	6	H	4	1.50
342	U1405	A	6	H	5	1.50
342	U1405	A	6	H	6	1.50
342	U1405	B	6	H	6	1.50
342	U1405	B	6	H	7	0.72
342	U1405	B	6	H	CC	0.17
342	U1405	B	7	H	1	1.50
342	U1405	C	7	H	7	0.73
342	U1405	C	7	H	CC	0.19
342	U1405	C	8	H	1	1.50
342	U1405	C	8	H	2	1.50
342	U1405	B	7	H	7	0.61
342	U1405	B	7	H	CC	0.15
342	U1405	A	7	H	1	1.50
342	U1405	A	7	H	2	1.50
342	U1405	A	7	H	3	1.50
342	U1405	A	7	H	4	1.50
342	U1405	A	7	H	5	1.50
342	U1405	B	8	H	7	0.59
342	U1405	B	8	H	CC	0.21
342	U1405	C	9	H	1	1.50
342	U1405	C	9	H	2	1.50
342	U1405	C	9	H	3	1.50
342	U1405	C	9	H	4	1.18
342	U1405	C	9	H	5	1.50
342	U1405	C	9	H	6	1.35
342	U1405	C	9	H	7	0.69

342	U1405	C	10	H	1	1.50
342	U1405	C	10	H	2	1.50
342	U1405	C	10	H	3	1.50
342	U1405	C	10	H	4	1.50
342	U1405	C	10	H	5	1.50
342	U1405	C	10	H	6	1.25
342	U1405	C	10	H	7	0.71
342	U1405	C	10	H	CC	0.27
342	U1405	C	11	H	1	1.50
342	U1405	C	11	H	2	1.50
342	U1405	B	11	H	2	1.50
342	U1405	B	11	H	3	1.50
342	U1405	B	11	H	4	1.50
342	U1405	A	10	H	1	1.50
342	U1405	C	11	H	6	1.23
342	U1405	C	11	H	7	0.59
342	U1405	C	11	H	CC	0.29
342	U1405	B	11	H	7	0.86
342	U1405	B	11	H	CC	0.27
342	U1405	B	12	H	1	1.50
342	U1405	B	12	H	2	1.50
342	U1405	C	12	H	1	1.50
342	U1405	C	12	H	2	1.50
342	U1405	A	11	H	2	1.50
342	U1405	A	11	H	3	1.50
342	U1405	A	11	H	4	1.50
342	U1405	A	11	H	5	1.50
342	U1405	A	11	H	6	1.50
342	U1405	A	11	H	7	0.72
342	U1405	A	11	H	CC	0.23
342	U1405	A	12	H	1	1.50
342	U1405	A	12	H	2	1.50
342	U1405	A	12	H	3	1.50
342	U1405	A	12	H	4	1.50
342	U1405	A	12	H	5	1.50
342	U1405	A	12	H	6	1.26
342	U1405	A	12	H	7	0.68

342	U1405	A	12	H	CC	0.23
342	U1405	C	13	H	CC	0.27
342	U1405	B	14	H	CC	0.12
342	U1405	A	13	H	1	1.50
342	U1405	A	13	H	2	1.50
342	U1405	A	13	H	3	1.50
342	U1405	A	13	H	4	1.50
342	U1405	A	13	H	5	1.50
342	U1405	A	13	H	6	1.50
342	U1405	A	13	H	7	0.62
342	U1405	A	13	H	CC	0.19
342	U1405	C	15	H	2	1.50
342	U1405	C	15	H	3	1.50
342	U1405	C	15	H	4	1.50
342	U1405	C	15	H	5	1.50
342	U1405	C	15	H	6	1.24
342	U1405	C	15	H	CC	0.18
342	U1405	B	16	H	1	1.50
342	U1405	B	16	H	2	1.50
342	U1405	B	16	H	3	1.50
342	U1405	B	16	H	4	1.50
342	U1405	A	16	H	6	1.50
342	U1405	A	16	H	7	0.69
342	U1405	A	16	H	CC	0.29
342	U1405	B	16	H	CC	0.10
342	U1405	A	17	H	1	1.50
342	U1405	A	17	H	2	1.50
342	U1405	A	17	H	3	1.50
342	U1405	C	16	H	3	1.50
342	U1405	C	16	H	4	1.50
342	U1405	C	16	H	5	1.50
342	U1405	C	16	H	6	1.37
342	U1405	C	17	H	1	1.50
342	U1405	A	18	H	4	1.51
342	U1405	A	18	H	5	1.51
342	U1405	A	18	H	6	1.21
342	U1405	A	18	H	7	0.62

342	U1405	A	18	H	CC	0.18
342	U1405	C	17	H	7	0.56
342	U1405	C	17	H	CC	0.05
342	U1405	A	19	H	1	1.50
342	U1405	B	18	H	6	1.09
342	U1405	B	18	H	7	0.90
342	U1405	B	18	H	CC	0.23
342	U1405	C	18	H	1	0.45
342	U1405	C	18	H	2	1.50
342	U1405	C	18	H	3	1.50
342	U1405	C	18	H	4	1.50
342	U1405	C	18	H	5	0.76
342	U1405	C	18	H	CC	0.34
342	U1405	B	19	H	7	0.63
342	U1405	A	20	H	1	1.50
342	U1405	A	20	H	2	1.50
342	U1405	A	20	H	3	1.50
342	U1405	A	20	H	4	1.50
342	U1405	A	20	H	5	1.50
342	U1405	A	20	H	6	1.22
342	U1405	A	20	H	7	0.65
342	U1405	A	21	H	1	1.07
342	U1405	A	21	H	2	1.51
342	U1405	A	21	H	3	1.52
342	U1405	A	21	H	4	1.47
342	U1405	A	21	H	5	1.25
342	U1405	A	21	H	6	0.86
342	U1405	A	21	H	CC	0.57
342	U1405	C	21	H	7	0.65
342	U1405	C	21	H	CC	0.29
342	U1405	B	21	H	7	0.67
342	U1405	B	21	H	CC	0.22
342	U1405	C	22	H	1	1.50
342	U1405	B	22	H	1	1.50
342	U1405	A	22	H	5	1.50
342	U1405	A	22	H	6	1.42
342	U1405	A	22	H	7	0.69

342	U1405	A	22	H	CC	0.33
342	U1405	B	22	H	6	1.23
342	U1405	B	22	H	7	1.36
342	U1405	B	22	H	CC	0.60
342	U1405	C	23	H	1	1.50
342	U1405	C	23	H	2	1.50
342	U1405	C	23	H	3	1.50
342	U1405	C	23	H	4	1.51
342	U1405	C	23	H	5	1.51
342	U1405	C	23	H	6	1.32
342	U1405	B	23	H	5	1.51
342	U1405	B	23	H	6	1.50
342	U1405	B	23	H	7	0.67
342	U1405	B	23	H	CC	0.22
342	U1405	C	24	H	2	1.49
342	U1405	C	24	H	3	0.74
342	U1405	C	24	H	4	1.49
342	U1405	C	24	H	5	1.49
342	U1405	C	24	H	6	0.98
342	U1405	C	24	H	7	0.47
342	U1405	C	24	H	8	1.32
342	U1405	C	24	H	CC	0.43
342	U1405	A	25	H	5	1.50
342	U1405	A	25	H	6	1.12
342	U1405	A	25	H	7	0.75
342	U1405	A	26	H	1	0.58
342	U1405	A	26	H	2	0.75
342	U1405	C	25	H	7	0.59
342	U1405	C	25	H	CC	0.20
342	U1405	A	26	H	5	0.90
342	U1405	A	26	H	6	1.50
342	U1405	A	26	H	7	1.05
342	U1405	A	26	H	CC	0.46
342	U1405	A	27	X	1	1.50
342	U1405	A	27	X	2	1.50
342	U1405	A	27	X	3	1.50
342	U1405	A	27	X	4	0.76

342	U1405	A	28	X	1	1.20
342	U1405	A	28	X	2	0.56
342	U1405	A	28	X	CC	0.17
342	U1405	A	29	X	1	1.50
342	U1405	A	29	X	2	1.50
342	U1405	A	29	X	3	1.22
342	U1405	A	29	X	CC	0.27
342	U1405	A	30	X	1	1.11
342	U1405	A	30	X	2	0.71
342	U1405	A	30	X	CC	0.24
342	U1405	A	31	X	1	0.96
342	U1405	A	31	X	CC	0.19
342	U1405	A	32	X	1	1.01
342	U1405	A	32	X	CC	0.38
342	U1405	A	33	X	1	1.50
342	U1405	A	33	X	2	1.50
342	U1405	A	33	X	3	1.50
342	U1405	A	33	X	4	1.50
342	U1405	A	33	X	5	1.43
342	U1405	A	33	X	CC	0.40

U1405 Permanent Archive List

Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)
1.50	0.00	1.50
1.50	1.50	3.00
1.50	3.00	4.50
1.47	4.50	5.97
0.23	5.97	6.20
1.50	7.70	9.20
1.50	9.20	10.70
1.50	10.70	12.20
1.50	12.20	13.70
1.50	13.70	15.20
0.72	15.20	15.92
0.23	15.92	16.15
1.50	17.00	18.50
0.67	18.50	19.17
0.26	19.17	19.43
1.50	19.00	20.50
1.50	20.50	22.00
1.50	22.00	23.50
1.50	23.50	25.00
1.50	25.00	26.50
1.12	26.50	27.62
0.87	27.62	28.49
0.76	24.75	25.51
0.23	25.51	25.74
1.50	25.20	26.70
0.61	25.20	25.81
1.50	25.70	27.20
1.50	27.20	28.70
0.40	34.91	35.31
1.50	34.70	36.20
1.50	35.00	36.50
1.50	36.50	38.00

1.50	38.00	39.50
1.42	36.70	38.12
1.50	38.12	39.62
1.30	41.00	42.30
0.63	42.30	42.93
0.13	42.93	43.06
0.26	44.41	44.67
1.50	44.20	45.70
1.50	45.70	47.20
1.50	47.20	48.70
1.50	48.70	50.20
1.50	50.20	51.70
1.50	51.70	53.20
1.50	50.50	52.00
0.72	52.00	52.72
0.17	52.72	52.89
1.50	52.50	54.00
0.73	62.70	63.43
0.19	63.43	63.62
1.50	63.70	65.20
1.50	65.20	66.70
0.61	61.50	62.11
0.15	62.11	62.26
1.50	53.70	55.20
1.50	55.20	56.70
1.50	56.70	58.20
1.50	58.20	59.70
1.50	59.70	61.20
0.59	70.82	71.41
0.21	71.41	71.62
1.50	73.20	74.70
1.50	74.70	76.20
1.50	76.20	77.70
1.18	77.70	78.88
1.50	78.88	80.38
1.35	80.38	81.73
0.69	81.73	82.42

1.50	82.70	84.20
1.50	84.20	85.70
1.50	85.70	87.20
1.50	87.20	88.70
1.50	88.70	90.20
1.25	90.20	91.45
0.71	91.45	92.16
0.27	92.16	92.43
1.50	92.20	93.70
1.50	93.70	95.20
1.50	91.21	92.71
1.50	92.71	94.21
1.50	94.21	95.71
1.50	82.20	83.70
1.23	99.70	100.93
0.59	100.93	101.52
0.29	101.52	101.81
0.86	98.73	99.59
0.27	99.59	99.86
1.50	100.00	101.50
1.50	101.50	103.00
1.50	101.70	103.20
1.50	103.20	104.70
1.50	93.20	94.70
1.50	94.70	96.20
1.50	96.20	97.70
1.50	97.70	99.20
1.50	99.20	100.70
0.72	100.70	101.42
0.23	101.42	101.65
1.50	101.20	102.70
1.50	102.70	104.20
1.50	104.20	105.70
1.50	105.70	107.20
1.50	107.20	108.70
1.26	108.70	109.96
0.68	109.96	110.64

0.23	110.64	110.87
0.27	120.69	120.96
0.12	128.38	128.50
1.50	110.70	112.20
1.50	112.20	113.70
1.50	113.70	115.20
1.50	115.20	116.70
1.50	116.70	118.20
1.50	118.20	119.70
0.62	119.70	120.32
0.19	120.32	120.51
1.50	131.70	133.20
1.50	133.20	134.70
1.50	134.70	136.20
1.50	136.20	137.70
1.24	137.70	138.94
0.18	138.94	139.12
1.50	138.00	139.50
1.50	139.50	141.00
1.50	141.00	142.50
1.50	142.50	144.00
1.50	146.77	148.27
0.69	148.27	148.96
0.29	148.96	149.25
0.10	147.03	147.13
1.50	148.70	150.20
1.50	150.20	151.70
1.50	151.70	153.20
1.50	142.70	144.20
1.50	144.20	145.70
1.50	145.70	147.20
1.37	147.20	148.57
1.50	149.20	150.70
1.51	162.73	164.24
1.51	164.24	165.75
1.21	165.75	166.96
0.62	166.96	167.58

0.18	167.58	167.76
0.56	157.40	157.96
0.05	157.96	158.01
1.50	167.70	169.20
1.09	164.12	165.21
0.90	165.21	166.11
0.23	166.11	166.34
0.45	158.70	159.15
1.50	159.15	160.65
1.50	160.65	162.15
1.50	162.15	163.65
0.76	163.65	164.41
0.34	164.41	164.75
0.63	175.50	176.13
1.50	177.20	178.70
1.50	178.70	180.20
1.50	180.20	181.70
1.50	181.70	183.20
1.50	183.20	184.70
1.22	184.70	185.92
0.65	185.92	186.57
1.07	186.70	187.77
1.51	187.77	189.28
1.52	189.28	190.80
1.47	190.80	192.27
1.25	192.27	193.52
0.86	193.52	194.38
0.57	194.38	194.95
0.65	193.75	194.40
0.29	194.40	194.69
0.67	194.54	195.21
0.22	195.21	195.43
1.50	194.20	195.70
1.50	195.00	196.50
1.50	202.20	203.70
1.42	203.70	205.12
0.69	205.12	205.81

0.33	205.81	206.14
1.23	200.90	202.13
1.36	202.13	203.49
0.60	203.49	204.09
1.50	203.70	205.20
1.50	205.20	206.70
1.50	206.70	208.20
1.51	208.20	209.71
1.51	209.71	211.22
1.32	211.22	212.54
1.51	210.56	212.07
1.50	212.07	213.57
0.67	213.57	214.24
0.22	214.24	214.46
1.49	214.10	215.59
0.74	215.59	216.33
1.49	216.33	217.82
1.49	217.82	219.31
0.98	219.31	220.29
0.47	220.29	220.76
1.32	220.76	222.08
0.43	222.08	222.51
1.50	230.70	232.20
1.12	232.20	233.32
0.75	233.32	234.07
0.58	234.20	234.78
0.75	234.78	235.53
0.59	231.56	232.15
0.20	232.15	232.35
0.90	238.03	238.93
1.50	238.93	240.43
1.05	240.43	241.48
0.46	241.48	241.94
1.50	241.90	243.40
1.50	243.40	244.90
1.50	244.90	246.40
0.76	246.40	247.16

1.20	251.50	252.70
0.56	252.70	253.26
0.17	253.26	253.43
1.50	261.10	262.60
1.50	262.60	264.10
1.22	264.10	265.32
0.27	265.32	265.59
1.11	270.70	271.81
0.71	271.81	272.52
0.24	272.52	272.76
0.96	280.30	281.26
0.19	281.26	281.45
1.01	289.80	290.81
0.38	290.81	291.19
1.50	299.20	300.70
1.50	300.70	302.20
1.50	302.20	303.70
1.50	303.70	305.20
1.43	305.20	306.63
0.40	306.63	307.03

Top depth (mcd)	Bottom depth (mcd)	Overlap/ Gap	Comments
0.10	1.60		accommodates splice
1.60	3.10	0.00	accommodates splice
3.10	4.60	0.00	accommodates splice
4.60	6.07	0.00	accommodates splice
6.07	6.30	0.00	accommodates splice
7.45	8.95	1.15	accommodates splice
8.95	10.45	0.00	accommodates splice
10.45	11.95	0.00	accommodates splice
11.95	13.45	0.00	accommodates splice
13.45	14.95	0.00	accommodates splice
14.95	15.67	0.00	accommodates splice
15.67	15.90	0.00	accommodates splice
17.47	18.97	1.57	accommodates splice
18.97	19.64	0.00	accommodates splice
19.64	19.90	0.00	accommodates splice
19.91	21.41	0.01	accommodates splice
21.41	22.91	0.00	accommodates splice
22.91	24.41	0.00	accommodates splice
24.41	25.91	0.00	accommodates splice
25.91	27.41	0.00	accommodates splice
27.41	28.53	0.00	accommodates splice
28.53	29.40	0.00	accommodates splice
29.10	29.86	-0.30	accommodates splice
29.86	30.09	0.00	accommodates splice
30.35	31.85	0.26	accommodates splice
33.24	33.85	1.39	accommodates splice
36.88	38.38	3.03	accommodates splice
38.38	39.88	0.00	accommodates splice
40.06	40.46	0.18	accommodates splice
42.05	43.55	1.59	accommodates splice
43.64	45.14	0.09	accommodates splice
45.14	46.64	0.00	accommodates splice

46.64	48.14	0.00	accommodates splice
47.00	48.42	-1.14	accommodates splice
48.42	49.92	0.00	accommodates splice
49.64	50.94	-0.28	accommodates splice
50.94	51.57	0.00	accommodates splice
51.57	51.70	0.00	accommodates splice
51.76	52.02	0.06	accommodates splice
57.75	59.25	5.73	accommodates splice
59.25	60.75	0.00	accommodates splice
60.75	62.25	0.00	accommodates splice
62.25	63.75	0.00	accommodates splice
63.75	65.25	0.00	accommodates splice
65.25	66.75	0.00	accommodates splice
66.74	68.24	-0.01	accommodates splice
68.24	68.96	0.00	accommodates splice
68.96	69.13	0.00	accommodates splice
69.94	71.44	0.81	accommodates splice
73.31	74.04	1.87	accommodates splice
74.04	74.23	0.00	accommodates splice
74.32	75.82	0.09	accommodates splice
75.82	77.32	0.00	accommodates splice
78.94	79.55	1.62	accommodates splice
79.55	79.70	0.00	accommodates splice
80.25	81.75	0.55	accommodates splice
81.75	83.25	0.00	accommodates splice
83.25	84.75	0.00	accommodates splice
84.75	86.25	0.00	accommodates splice
86.25	87.75	0.00	accommodates splice
88.27	88.86	0.52	accommodates splice
88.86	89.07	0.00	accommodates splice
90.62	92.12	1.55	accommodates splice
92.12	93.62	0.00	accommodates splice
93.62	95.12	0.00	accommodates splice
95.12	96.30	0.00	accommodates splice
96.30	97.80	0.00	accommodates splice
97.80	99.15	0.00	accommodates splice
99.15	99.84	0.00	accommodates splice

99.45	100.95	-0.39	accommodates splice
100.95	102.45	0.00	accommodates splice
102.45	103.95	0.00	accommodates splice
103.95	105.45	0.00	accommodates splice
105.45	106.95	0.00	accommodates splice
106.95	108.20	0.00	accommodates splice
108.20	108.91	0.00	accommodates splice
108.91	109.18	0.00	accommodates splice
109.19	110.69	0.01	accommodates splice
110.69	112.19	0.00	accommodates splice
111.49	112.99	-0.70	accommodates splice
112.99	114.49	0.00	accommodates splice
114.49	115.99	0.00	accommodates splice
116.03	117.53	0.04	accommodates splice
116.69	117.92	-0.84	accommodates splice
117.92	118.51	0.00	accommodates splice
118.51	118.80	0.00	accommodates splice
119.01	119.87	0.21	accommodates splice
119.87	120.14	0.00	accommodates splice
120.58	122.08	0.44	accommodates splice
122.08	123.58	0.00	accommodates splice
124.89	126.39	1.31	accommodates splice
126.39	127.89	0.00	accommodates splice
128.23	129.73	0.34	accommodates splice
129.73	131.23	0.00	accommodates splice
131.23	132.73	0.00	accommodates splice
132.73	134.23	0.00	accommodates splice
134.23	135.73	0.00	accommodates splice
135.73	136.45	0.00	accommodates splice
136.45	136.68	0.00	accommodates splice
136.63	138.13	-0.05	accommodates splice
138.13	139.63	0.00	accommodates splice
139.63	141.13	0.00	accommodates splice
141.13	142.63	0.00	accommodates splice
142.63	144.13	0.00	accommodates splice
144.13	145.39	0.00	accommodates splice
145.39	146.07	0.00	accommodates splice

146.07	146.30	0.00	accommodates splice
146.33	146.60	0.03	accommodates splice
147.97	148.09	1.37	accommodates splice
148.28	149.78	0.19	accommodates splice
149.78	151.28	0.00	accommodates splice
151.28	152.78	0.00	accommodates splice
152.78	154.28	0.00	accommodates splice
154.28	155.78	0.00	accommodates splice
155.78	157.28	0.00	accommodates splice
157.28	157.90	0.00	accommodates splice
157.90	158.09	0.00	accommodates splice
158.69	160.19	0.60	accommodates splice
160.19	161.69	0.00	accommodates splice
161.69	163.19	0.00	accommodates splice
163.19	164.69	0.00	accommodates splice
164.69	165.93	0.00	accommodates splice
165.93	166.11	0.00	accommodates splice
181.59	183.09	15.48	accommodates splice
183.09	184.59	0.00	accommodates splice
184.59	186.09	0.00	accommodates splice
186.09	187.59	0.00	accommodates splice
187.98	189.48	0.39	accommodates splice
189.48	190.17	0.00	accommodates splice
190.17	190.46	0.00	accommodates splice
190.62	190.72	0.16	accommodates splice
190.91	192.41	0.19	accommodates splice
192.41	193.91	0.00	accommodates splice
193.91	195.41	0.00	accommodates splice
194.89	196.39	-0.52	accommodates splice
196.39	197.89	0.00	accommodates splice
197.89	199.39	0.00	accommodates splice
199.39	200.76	0.00	accommodates splice
203.50	205.00	2.74	accommodates splice
206.26	207.77	1.26	accommodates splice
207.77	209.28	0.00	accommodates splice
209.28	210.49	0.00	accommodates splice
210.49	211.11	0.00	accommodates splice

211.11	211.29	0.00	accommodates splice
211.70	212.26	0.41	accommodates splice
212.26	212.31	0.00	accommodates splice
212.33	213.83	0.02	accommodates splice
214.32	215.41	0.49	accommodates splice
215.41	216.31	0.00	accommodates splice
216.31	216.54	0.00	accommodates splice
216.45	216.90	-0.09	accommodates splice
216.90	218.40	0.00	accommodates splice
218.40	219.90	0.00	accommodates splice
219.90	221.40	0.00	accommodates splice
221.40	222.16	0.00	accommodates splice
222.16	222.50	0.00	accommodates splice
225.81	226.44	3.31	accommodates splice
232.53	234.03	6.09	accommodates splice
234.03	235.53	0.00	accommodates splice
235.53	237.03	0.00	accommodates splice
237.03	238.53	0.00	accommodates splice
238.53	240.03	0.00	accommodates splice
240.03	241.25	0.00	accommodates splice
241.25	241.90	0.00	accommodates splice
242.38	243.45	0.48	accommodates splice
243.45	244.96	0.00	accommodates splice
244.96	246.48	0.00	accommodates splice
246.48	247.95	0.00	accommodates splice
247.95	249.20	0.00	accommodates splice
249.20	250.06	0.00	accommodates splice
250.06	250.63	0.00	accommodates splice
250.80	251.45	0.17	accommodates splice
251.45	251.74	0.00	accommodates splice
253.30	253.97	1.56	accommodates splice
253.97	254.19	0.00	accommodates splice
255.65	257.15	1.46	accommodates splice
256.96	258.46	-0.19	accommodates splice
258.08	259.58	-0.38	accommodates splice
259.58	261.00	0.00	accommodates splice
261.00	261.69	0.00	accommodates splice

261.69	262.02	0.00	accommodates splice
262.86	264.09	0.84	accommodates splice
264.09	265.45	0.00	accommodates splice
265.45	266.05	0.00	accommodates splice
266.35	267.85	0.30	accommodates splice
267.85	269.35	0.00	accommodates splice
269.35	270.85	0.00	accommodates splice
270.85	272.36	0.00	accommodates splice
272.36	273.87	0.00	accommodates splice
273.87	275.19	0.00	accommodates splice
275.12	276.63	-0.07	accommodates splice
276.63	278.13	0.00	accommodates splice
278.13	278.80	0.00	accommodates splice
278.80	279.02	0.00	accommodates splice
279.57	281.06	0.55	accommodates splice
281.06	281.80	0.00	accommodates splice
281.80	283.29	0.00	accommodates splice
283.29	284.78	0.00	accommodates splice
284.78	285.76	0.00	accommodates splice
285.76	286.23	0.00	accommodates splice
286.23	287.55	0.00	accommodates splice
287.55	287.98	0.00	accommodates splice
289.63	291.13	1.65	accommodates splice
291.13	292.25	0.00	accommodates splice
292.25	293.00	0.00	accommodates splice
293.18	293.76	0.18	accommodates splice
293.76	294.51	0.00	accommodates splice
295.73	296.32	1.22	accommodates splice
296.32	296.52	0.00	accommodates splice
297.01	297.91	0.49	single hole, below splice
297.91	299.41	0.00	single hole, below splice
299.41	300.46	0.00	single hole, below splice
300.46	300.92	0.00	single hole, below splice
300.93	302.43	0.01	single hole, below splice
302.43	303.93	0.00	single hole, below splice
303.93	305.43	0.00	single hole, below splice
305.43	306.19	0.00	single hole, below splice

310.54	311.74	4.35	single hole, below splice
311.74	312.30	0.00	single hole, below splice
312.30	312.47	0.00	single hole, below splice
320.15	321.65	7.68	single hole, below splice
321.65	323.15	0.00	single hole, below splice
323.15	324.37	0.00	single hole, below splice
324.37	324.64	0.00	single hole, below splice
329.76	330.87	5.12	single hole, below splice
330.87	331.58	0.00	single hole, below splice
331.58	331.82	0.00	single hole, below splice
339.37	340.33	7.55	single hole, below splice
340.33	340.52	0.00	single hole, below splice
348.88	349.89	8.36	single hole, below splice
349.89	350.27	0.00	single hole, below splice
358.29	359.79	8.02	single hole, below splice
359.79	361.29	0.00	single hole, below splice
361.29	362.79	0.00	single hole, below splice
362.79	364.29	0.00	single hole, below splice
364.29	365.72	0.00	single hole, below splice
365.72	366.12	0.00	single hole, below splice

