

U1428 F

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)
346	U1428	B	1	H	1	1.50
346	U1428	B	1	H	2	0.89
346	U1428	B	2	H	1	1.50
346	U1428	A	1	H	4	1.11
346	U1428	A	1	H	5	0.61
346	U1428	A	1	H	CC	0.15
346	U1428	A	2	H	1	1.50
346	U1428	B	2	H	6	1.50
346	U1428	B	2	H	7	0.64
346	U1428	B	2	H	CC	0.16
346	U1428	B	3	H	1	1.50
346	U1428	B	3	H	2	1.50
346	U1428	A	2	H	7	0.56
346	U1428	A	2	H	CC	0.29
346	U1428	A	3	H	1	1.50
346	U1428	A	3	H	2	1.50
346	U1428	B	3	H	7	0.57
346	U1428	B	3	H	CC	0.16
346	U1428	B	4	H	1	1.50
346	U1428	A	3	H	7	0.60
346	U1428	A	3	H	CC	0.21
346	U1428	A	4	H	1	1.50
346	U1428	A	4	H	2	1.50
346	U1428	A	4	H	3	1.50
346	U1428	B	4	H	CC	0.21
346	U1428	B	5	H	1	1.50
346	U1428	A	4	H	7	0.58
346	U1428	A	4	H	CC	0.42
346	U1428	A	5	H	1	1.50
346	U1428	A	5	H	2	1.50
346	U1428	B	5	H	6	1.50
346	U1428	B	5	H	7	0.57
346	U1428	B	5	H	CC	0.11

346	U1428	B	6	H	1	1.50
346	U1428	A	5	H	7	0.64
346	U1428	A	5	H	CC	0.34
346	U1428	A	6	H	1	1.50
346	U1428	A	6	H	2	1.50
346	U1428	B	6	H	6	1.22
346	U1428	B	6	H	7	0.67
346	U1428	B	6	H	CC	0.25
346	U1428	B	7	H	1	1.50
346	U1428	A	6	H	CC	0.20
346	U1428	B	7	H	5	1.50
346	U1428	B	7	H	6	1.50
346	U1428	B	7	H	7	0.60
346	U1428	B	7	H	CC	0.27
346	U1428	B	8	H	1	1.50
346	U1428	A	7	H	7	0.60
346	U1428	A	7	H	CC	0.39
346	U1428	A	8	H	1	1.50
346	U1428	A	8	H	2	1.50
346	U1428	A	8	H	3	1.50
346	U1428	B	8	H	CC	0.29
346	U1428	B	9	H	1	1.50
346	U1428	A	8	H	7	0.79
346	U1428	A	8	H	CC	0.25
346	U1428	A	9	H	1	1.50
346	U1428	A	9	H	2	1.50
346	U1428	B	9	H	7	0.61
346	U1428	B	9	H	CC	0.29
346	U1428	B	10	H	1	1.50
346	U1428	A	9	H	7	0.67
346	U1428	A	9	H	CC	0.23
346	U1428	A	10	H	1	1.50
346	U1428	A	10	H	2	1.36
346	U1428	A	10	H	3	1.50
346	U1428	A	10	H	4	1.50
346	U1428	A	10	H	5	1.50
346	U1428	A	10	H	6	1.50

346	U1428	A	10	H	7	0.56
346	U1428	A	10	H	CC	0.07
346	U1428	A	11	H	1	0.51
346	U1428	A	11	H	2	1.50
346	U1428	A	11	H	3	1.50
346	U1428	B	11	H	7	0.47
346	U1428	B	11	H	CC	0.34
346	U1428	B	12	H	1	1.50
346	U1428	B	12	H	2	1.50
346	U1428	A	11	H	CC	0.44
346	U1428	A	12	H	1	1.50
346	U1428	A	12	H	2	1.50
346	U1428	B	12	H	7	0.91
346	U1428	B	12	H	CC	0.48
346	U1428	A	12	H	7	0.60
346	U1428	A	12	H	CC	0.61
346	U1428	A	13	H	1	1.50
346	U1428	A	13	H	2	1.50
346	U1428	B	13	H	6	1.49
346	U1428	B	13	H	7	0.77
346	U1428	B	13	H	CC	0.30
346	U1428	A	13	H	6	1.50
346	U1428	A	13	H	7	0.71
346	U1428	A	13	H	CC	0.33
346	U1428	A	14	H	1	1.50
346	U1428	A	14	H	2	1.50
346	U1428	B	14	H	7	0.68
346	U1428	B	14	H	CC	0.15
346	U1428	A	14	H	7	0.71
346	U1428	A	14	H	CC	0.26
346	U1428	A	15	H	1	1.50
346	U1428	B	15	H	5	1.45
346	U1428	B	15	H	6	1.09
346	U1428	B	15	H	7	0.58
346	U1428	B	15	H	CC	0.13
346	U1428	A	15	H	CC	0.17
346	U1428	A	16	H	1	1.34

346	U1428	A	16	H	2	1.32
346	U1428	A	16	H	3	1.23
346	U1428	A	16	H	4	1.40
346	U1428	A	16	H	5	0.86
346	U1428	A	18	H	1	1.23
346	U1428	A	18	H	2	1.05
346	U1428	A	18	H	3	1.16
346	U1428	A	18	H	4	1.19
346	U1428	A	18	H	5	1.31
346	U1428	A	18	H	6	1.09
346	U1428	A	21	H	1	1.41
346	U1428	A	23	H	1	0.72
346	U1428	A	23	H	2	1.50
346	U1428	A	23	H	3	1.42
346	U1428	A	23	H	4	1.30
346	U1428	A	23	H	5	1.46
346	U1428	A	23	H	6	1.35
346	U1428	A	23	H	7	1.02
346	U1428	A	23	H	CC	0.10
346	U1428	A	24	H	1	0.85
346	U1428	A	24	H	2	1.12
346	U1428	A	24	H	3	0.86
346	U1428	A	24	H	4	1.08
346	U1428	A	26	H	1	0.85
346	U1428	A	26	H	2	0.92
346	U1428	A	26	H	3	0.83
346	U1428	A	26	H	4	0.76
346	U1428	A	26	H	5	1.01
346	U1428	A	32	H	1	1.14
346	U1428	A	32	H	2	1.01
346	U1428	A	32	H	3	1.22
346	U1428	A	32	H	4	1.16

Permanent Archive List

Curated length (m)	Top depth CSF-A (m)
1.50	0.00
0.89	1.50
1.50	2.50
1.11	4.50
0.61	5.61
0.15	6.22
1.50	6.40
1.50	10.00
0.64	11.50
0.16	12.14
1.50	12.00
1.50	13.50
0.56	15.40
0.29	15.96
1.50	15.90
1.50	17.40
0.57	21.00
0.16	21.57
1.50	21.50
0.60	24.62
0.21	25.22
1.50	25.40
1.50	26.90
1.50	28.40
0.21	31.07
1.50	31.00
0.58	34.40
0.42	34.98
1.50	34.90
1.50	36.40
1.50	38.50
0.57	40.00
0.11	40.57

1.50	40.50
0.64	43.90
0.34	44.54
1.50	44.40
1.50	45.90
1.22	48.00
0.67	49.22
0.25	49.89
1.50	50.00
0.20	54.02
1.50	56.00
1.50	57.50
0.60	59.00
0.27	59.60
1.50	59.50
0.60	62.90
0.39	63.50
1.50	63.40
1.50	64.90
1.50	66.40
0.29	69.25
1.50	69.00
0.79	72.42
0.25	73.21
1.50	72.90
1.50	74.40
0.61	77.96
0.29	78.57
1.50	78.50
0.67	81.87
0.23	82.54
1.50	82.40
1.36	83.90
1.50	85.26
1.50	86.76
1.50	88.26
1.50	89.76

0.56	91.26
0.07	91.82
0.51	91.90
1.50	92.41
1.50	93.91
0.47	96.91
0.34	97.38
1.50	97.50
1.50	99.00
0.44	101.76
1.50	101.40
1.50	102.90
0.91	105.82
0.48	106.73
0.60	110.34
0.61	110.94
1.50	110.90
1.50	112.40
1.49	114.18
0.77	115.67
0.30	116.44
1.50	118.34
0.71	119.84
0.33	120.55
1.50	120.40
1.50	121.90
0.68	125.36
0.15	126.04
0.71	128.94
0.26	129.65
1.50	129.90
1.45	131.77
1.09	133.22
0.58	134.31
0.13	134.89
0.17	137.18
1.34	137.30

1.32	138.64
1.23	139.96
1.40	141.19
0.86	142.59
1.23	146.80
1.05	148.03
1.16	149.08
1.19	150.24
1.31	151.43
1.09	152.74
1.41	154.80
0.72	159.50
1.50	160.22
1.42	161.72
1.30	163.14
1.46	164.44
1.35	165.90
1.02	167.25
0.10	168.27
0.85	169.00
1.12	169.85
0.86	170.97
1.08	171.83
0.85	178.50
0.92	179.35
0.83	180.27
0.76	181.10
1.01	181.86
1.14	207.00
1.01	208.14
1.22	209.15
1.16	210.37

Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)
1.50	0.02	1.52
2.39	1.52	2.41
4.00	2.28	3.78
5.61	4.50	5.61
6.22	5.61	6.22
6.37	6.22	6.37
7.90	6.83	8.33
11.50	9.78	11.28
12.14	11.28	11.92
12.30	11.92	12.08
13.50	11.91	13.41
15.00	13.41	14.91
15.96	15.83	16.39
16.25	16.39	16.68
17.40	16.82	18.32
18.90	18.32	19.82
21.57	20.91	21.48
21.73	21.48	21.64
23.00	22.42	23.92
25.22	25.54	26.14
25.43	26.14	26.35
26.90	27.15	28.65
28.40	28.65	30.15
29.90	30.15	31.65
31.28	31.99	32.20
32.50	32.97	34.47
34.98	36.15	36.73
35.40	36.73	37.15
36.40	36.87	38.37
37.90	38.37	39.87
40.00	40.47	41.97
40.57	41.97	42.54
40.68	42.54	42.65

42.00	43.20	44.70
44.54	45.87	46.51
44.88	46.51	46.85
45.90	46.34	47.84
47.40	47.84	49.34
49.22	50.70	51.92
49.89	51.92	52.60
50.14	52.60	52.84
51.50	52.44	53.94
54.22	55.96	56.16
57.50	58.44	59.94
59.00	59.94	61.44
59.60	61.44	62.04
59.87	62.04	62.31
61.00	62.95	64.45
63.50	65.79	66.39
63.89	66.39	66.78
64.90	67.03	68.53
66.40	68.53	70.03
67.90	70.03	71.53
69.54	72.70	72.99
70.50	73.02	74.52
73.21	76.05	76.84
73.46	76.84	77.09
74.40	77.10	78.60
75.90	78.60	80.10
78.57	81.98	82.59
78.86	82.59	82.88
80.00	83.41	84.91
82.54	86.07	86.74
82.77	86.74	86.97
83.90	88.29	89.79
85.26	89.79	91.15
86.76	91.15	92.65
88.26	92.65	94.15
89.76	94.15	95.65
91.26	95.65	97.15

91.82	97.15	97.71
91.89	97.71	97.78
92.41	97.72	98.23
93.91	98.23	99.73
95.41	99.73	101.23
97.38	102.73	103.20
97.72	103.20	103.54
99.00	103.84	105.34
100.50	105.34	106.84
102.20	107.58	108.02
102.90	107.71	109.21
104.40	109.21	110.71
106.73	112.16	113.07
107.21	113.07	113.55
110.94	116.65	117.25
111.55	117.25	117.86
112.40	118.97	120.47
113.90	120.47	121.97
115.67	122.76	124.25
116.44	124.25	125.02
116.74	125.02	125.32
119.84	126.41	127.91
120.55	127.91	128.62
120.88	128.62	128.95
121.90	129.76	131.26
123.40	131.26	132.76
126.04	134.06	134.74
126.19	134.74	134.89
129.65	138.30	139.02
129.91	139.02	139.28
131.40	139.57	141.07
133.22	142.51	143.96
134.31	143.96	145.05
134.89	145.05	145.63
135.02	145.63	145.76
137.35	146.85	147.02
138.64	146.97	148.31

139.96	148.31	149.63
141.19	149.63	150.86
142.59	150.86	152.26
143.45	152.26	153.12
148.03	156.47	157.70
149.08	157.70	158.75
150.24	158.75	159.91
151.43	159.91	161.10
152.74	161.10	162.41
153.83	162.41	163.50
156.21	164.47	165.88
160.22	169.17	169.89
161.72	169.89	171.39
163.14	171.39	172.81
164.44	172.81	174.11
165.90	174.11	175.57
167.25	175.57	176.92
168.27	176.92	177.94
168.37	177.94	178.04
169.85	178.67	179.52
170.97	179.52	180.64
171.83	180.64	181.50
172.91	181.50	182.58
179.35	188.17	189.02
180.27	189.02	189.94
181.10	189.94	190.77
181.86	190.77	191.53
182.87	191.53	192.54
208.14	216.67	217.81
209.15	217.81	218.82
210.37	218.82	220.04
211.53	220.04	221.20

Overlap/Gap	Comments	Curation Comments
0.02	accommodates splice	
0.00	accommodates splice	
-0.13	accommodates splice	
0.72	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.46	accommodates splice	
1.45	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
-0.17	accommodates splice	
0.00	accommodates splice	
0.92	accommodates splice	
0.00	accommodates splice	
0.14	accommodates splice	
0.00	accommodates splice	
1.09	accommodates splice	
0.00	accommodates splice	
0.78	accommodates splice	
1.62	accommodates splice	
0.00	accommodates splice	
0.80	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.34	accommodates splice	
0.77	accommodates splice	
1.68	accommodates splice	
0.00	accommodates splice	
-0.28	accommodates splice	
0.00	accommodates splice	
0.60	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	

0.00	accommodates splice	
0.00	accommodates splice	
-0.06	accommodates splice	Extruded on rig floor
0.00	accommodates splice	
0.00	accommodates splice	
1.50	accommodates splice	
0.00	accommodates splice	
0.30	accommodates splice	
0.00	accommodates splice	
0.74	accommodates splice	
-0.31	accommodates splice	
0.00	accommodates splice	
1.45	accommodates splice	
0.00	accommodates splice	
3.10	accommodates splice	
0.00	accommodates splice	
1.11	accommodates splice	
0.00	accommodates splice	
0.79	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
1.09	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.81	accommodates splice	
0.00	accommodates splice	
1.30	accommodates splice	
0.00	accommodates splice	
3.41	accommodates splice	
0.00	accommodates splice	
0.29	accommodates splice	
1.44	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
0.00	accommodates splice	
1.09	below splice	
-0.05	below splice	All sand

0.00	below splice	All sand
0.00	below splice	All sand
0.00	below splice	All sand
0.00	below splice	All sand
3.35	single cored, below splice	All sand
0.00	single cored, below splice	All sand
0.00	single cored, below splice	All sand
0.00	single cored, below splice	All sand
0.00	single cored, below splice	All sand
0.00	single cored, below splice	All sand
0.00	single cored, below splice	All sand
0.97	single cored, below splice	Sand
3.29	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	Sand
0.00	single cored, below splice	
0.63	single cored, below splice	Sand
0.00	single cored, below splice	Sand
0.00	single cored, below splice	Sand
0.00	single cored, below splice	Sand
0.00	single cored, below splice	Sand
5.59	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	
0.00	single cored, below splice	
24.13	single cored, below splice	Sand
0.00	single cored, below splice	Sand
0.00	single cored, below splice	Sand
0.00	single cored, below splice	Sand