

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	1	H	1	1.50	1.50	0.00	1.50	2 holes, slight overlap	
317	U1352	B	1	H	2	1.50	1.50	1.50	3.00	2 holes, slight overlap	
317	U1352	B	1	H	3	1.50	1.50	3.00	4.50	2 holes, slight overlap	
317	U1352	B	1	H	4	1.50	1.50	4.50	6.00	2 holes, slight overlap	
317	U1352	B	1	H	5	1.40	1.40	6.00	7.40	2 holes, slight overlap	
317	U1352	B	1	H	6	0.53	0.53	7.40	7.93	2 holes, slight overlap	
317	U1352	B	1	H	CC	0.28	0.28	7.93	8.21	2 holes, slight overlap	
317	U1352	B	2	H	1	1.50	1.50	8.20	9.70	2 holes, slight overlap	
317	U1352	B	2	H	2	1.50	1.50	9.70	11.20	2 holes, slight overlap	
317	U1352	B	2	H	3	1.50	1.50	11.20	12.70	2 holes, slight overlap	
317	U1352	B	2	H	4	1.50	1.50	12.70	14.20	2 holes, slight overlap	
317	U1352	B	2	H	5	1.50	1.50	14.20	15.70	2 holes, slight overlap	
317	U1352	B	2	H	6	1.00	1.00	15.70	16.70	2 holes, slight overlap	
317	U1352	B	2	H	7	0.78	0.78	16.70	17.48	2 holes, slight overlap	
317	U1352	B	2	H	CC	0.27	0.27	17.48	17.75	2 holes, slight overlap	
317	U1352	B	3	H	1	1.50	1.50	17.70	19.20	2 holes, slight overlap	
317	U1352	B	3	H	2	1.50	1.50	19.20	20.70	2 holes, slight overlap	
317	U1352	B	3	H	3	1.50	1.50	20.70	22.20	2 holes, slight overlap	
317	U1352	B	3	H	4	1.50	1.50	22.20	23.70	2 holes, slight overlap	
317	U1352	B	3	H	5	1.50	1.50	23.70	25.20	2 holes, slight overlap	
317	U1352	B	3	H	6	1.00	1.00	25.20	26.20	2 holes, slight overlap	
317	U1352	B	3	H	7	0.92	0.92	26.20	27.12	2 holes, slight overlap	
317	U1352	B	3	H	CC	0.34	0.34	27.12	27.46	2 holes, slight overlap	
317	U1352	B	4	H	1	1.50	1.50	27.20	28.70	2 holes, slight overlap	
317	U1352	B	4	H	2	1.50	1.50	28.70	30.20	2 holes, slight overlap	
317	U1352	B	4	H	3	1.50	1.50	30.20	31.70	2 holes, slight overlap	
317	U1352	B	4	H	4	1.50	1.50	31.70	33.20	2 holes, slight overlap	
317	U1352	B	4	H	5	1.50	1.50	33.20	34.70	2 holes, slight overlap	
317	U1352	B	4	H	6	1.50	1.50	34.70	36.20	2 holes, slight overlap	
317	U1352	B	4	H	7	0.76	0.76	36.20	36.96	2 holes, slight overlap	
317	U1352	B	4	H	CC	0.47	0.47	36.96	37.43	2 holes, slight overlap	
317	U1352	B	5	H	1	0.22	0.22	36.70	36.92	2 holes, slight overlap	
317	U1352	B	5	H	2	1.50	1.50	36.92	38.42	2 holes, slight overlap	
317	U1352	B	5	H	3	1.50	1.50	38.42	39.92	2 holes, slight overlap	
317	U1352	B	5	H	4	1.50	1.50	39.92	41.42	2 holes, slight overlap	
317	U1352	B	5	H	5	1.50	1.50	41.42	42.92	2 holes, slight overlap	
317	U1352	B	5	H	6	1.50	1.50	42.92	44.42	2 holes, slight overlap	
317	U1352	B	5	H	7	1.00	1.00	44.42	45.42	2 holes, slight overlap	
317	U1352	B	5	H	8	0.96	0.96	45.42	46.38	2 holes, slight overlap	
317	U1352	B	5	H	CC	0.37	0.37	46.38	46.75	2 holes, slight overlap	
317	U1352	B	6	H	1	1.50	1.50	46.20	47.70	2 holes, slight overlap	0-51 cm extruded on rig floor.
317	U1352	B	6	H	2	1.50	1.50	47.70	49.20	2 holes, slight overlap	
317	U1352	B	6	H	3	1.50	1.50	49.20	50.70	2 holes, slight overlap	
317	U1352	B	6	H	4	1.50	1.50	50.70	52.20	2 holes, slight overlap	
317	U1352	B	6	H	5	1.50	1.50	52.20	53.70	2 holes, slight overlap	
317	U1352	B	6	H	6	1.00	1.00	53.70	54.70	2 holes, slight overlap	
317	U1352	B	6	H	7	0.76	0.76	54.70	55.46	2 holes, slight overlap	
317	U1352	B	6	H	CC	0.35	0.35	55.46	55.81	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	7	H	1	1.50	1.50	55.70	57.20	2 holes, slight overlap	
317	U1352	B	7	H	2	1.50	1.50	57.20	58.70	2 holes, slight overlap	
317	U1352	B	7	H	3	1.50	1.50	58.70	60.20	2 holes, slight overlap	
317	U1352	B	7	H	4	1.50	1.50	60.20	61.70	2 holes, slight overlap	
317	U1352	B	7	H	5	1.50	1.50	61.70	63.20	2 holes, slight overlap	
317	U1352	B	7	H	6	1.25	1.25	63.20	64.45	2 holes, slight overlap	
317	U1352	B	7	H	CC	0.52	0.52	64.45	64.97	2 holes, slight overlap	
317	U1352	B	8	H	1	1.50	1.50	65.20	66.70	2 holes, slight overlap	
317	U1352	B	8	H	2	1.50	1.50	66.70	68.20	2 holes, slight overlap	
317	U1352	B	8	H	3	1.50	1.50	68.20	69.70	2 holes, slight overlap	
317	U1352	B	8	H	4	1.50	1.50	69.70	71.20	2 holes, slight overlap	
317	U1352	B	8	H	5	1.50	1.50	71.20	72.70	2 holes, slight overlap	
317	U1352	B	8	H	6	1.00	1.00	72.70	73.70	2 holes, slight overlap	
317	U1352	B	8	H	7	0.86	0.86	73.70	74.56	2 holes, slight overlap	
317	U1352	B	8	H	CC	0.83	0.83	74.56	75.39	2 holes, slight overlap	
317	U1352	B	9	H	1	1.50	1.50	74.70	76.20	2 holes, slight overlap	
317	U1352	B	9	H	2	1.50	1.50	76.20	77.70	2 holes, slight overlap	
317	U1352	B	9	H	3	1.50	1.50	77.70	79.20	2 holes, slight overlap	
317	U1352	B	9	H	4	1.50	1.50	79.20	80.70	2 holes, slight overlap	
317	U1352	B	9	H	5	1.50	1.50	80.70	82.20	2 holes, slight overlap	
317	U1352	B	9	H	6	1.00	1.00	82.20	83.20	2 holes, slight overlap	
317	U1352	B	9	H	7	0.67	0.67	83.20	83.87	2 holes, slight overlap	
317	U1352	B	9	H	CC	0.40	0.40	83.87	84.27	2 holes, slight overlap	
317	U1352	B	10	H	1	0.26	0.26	84.20	84.46	2 holes, slight overlap	Extruded on rig floor.
317	U1352	B	10	H	2	1.50	1.50	84.46	85.96	2 holes, slight overlap	
317	U1352	B	10	H	3	1.50	1.50	85.96	87.46	2 holes, slight overlap	
317	U1352	B	10	H	4	1.50	1.50	87.46	88.96	2 holes, slight overlap	
317	U1352	B	10	H	5	1.50	1.50	88.96	90.46	2 holes, slight overlap	
317	U1352	B	10	H	6	1.50	1.50	90.46	91.96	2 holes, slight overlap	
317	U1352	B	10	H	7	1.00	1.00	91.96	92.96	2 holes, slight overlap	
317	U1352	B	10	H	8	0.65	0.65	92.96	93.61	2 holes, slight overlap	
317	U1352	B	10	H	CC	0.56	0.56	93.61	94.17	2 holes, slight overlap	
317	U1352	B	11	H	1	1.50	1.50	93.70	95.20	2 holes, slight overlap	
317	U1352	B	11	H	2	1.50	1.50	95.20	96.70	2 holes, slight overlap	
317	U1352	B	11	H	3	1.48	1.48	96.70	98.18	2 holes, slight overlap	
317	U1352	B	11	H	4	1.50	1.50	98.18	99.68	2 holes, slight overlap	
317	U1352	B	11	H	5	1.50	1.50	99.68	101.18	2 holes, slight overlap	
317	U1352	B	11	H	6	1.00	1.00	101.18	102.18	2 holes, slight overlap	
317	U1352	B	11	H	7	0.96	0.96	102.18	103.14	2 holes, slight overlap	
317	U1352	B	11	H	CC	0.65	0.65	103.14	103.79	2 holes, slight overlap	
317	U1352	B	12	H	1	1.50	1.50	103.20	104.70	2 holes, slight overlap	
317	U1352	B	12	H	2	1.46	1.46	104.70	106.16	2 holes, slight overlap	
317	U1352	B	12	H	3	1.50	1.50	106.16	107.66	2 holes, slight overlap	
317	U1352	B	12	H	4	1.50	1.50	107.66	109.16	2 holes, slight overlap	
317	U1352	B	12	H	5	1.50	1.50	109.16	110.66	2 holes, slight overlap	
317	U1352	B	12	H	6	1.50	1.50	110.66	112.16	2 holes, slight overlap	
317	U1352	B	12	H	7	0.66	0.66	112.16	112.82	2 holes, slight overlap	
317	U1352	B	12	H	CC	0.21	0.21	112.82	113.03	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	13	H	1	1.48	1.48	112.70	114.18	2 holes, slight overlap	
317	U1352	B	13	H	2	1.50	1.50	114.18	115.68	2 holes, slight overlap	
317	U1352	B	13	H	3	1.50	1.50	115.68	117.18	2 holes, slight overlap	
317	U1352	B	13	H	4	1.50	1.50	117.18	118.68	2 holes, slight overlap	
317	U1352	B	13	H	5	1.50	1.50	118.68	120.18	2 holes, slight overlap	
317	U1352	B	13	H	6	0.92	0.92	120.18	121.10	2 holes, slight overlap	
317	U1352	B	14	H	1	1.50	1.50	122.20	123.70	2 holes, slight overlap	
317	U1352	B	14	H	2	1.50	1.50	123.70	125.20	2 holes, slight overlap	
317	U1352	B	14	H	3	1.50	1.50	125.20	126.70	2 holes, slight overlap	
317	U1352	B	14	H	4	1.50	1.50	126.70	128.20	2 holes, slight overlap	
317	U1352	B	14	H	5	1.50	1.50	128.20	129.70	2 holes, slight overlap	
317	U1352	B	14	H	6	0.56	0.56	129.70	130.26	2 holes, slight overlap	
317	U1352	B	14	H	CC	0.65	0.65	130.26	130.91	2 holes, slight overlap	
317	U1352	B	15	H	1	1.50	1.50	131.70	133.20	2 holes, slight overlap	
317	U1352	B	15	H	2	1.43	1.43	133.20	134.63	2 holes, slight overlap	
317	U1352	B	15	H	3	1.50	1.50	134.63	136.13	2 holes, slight overlap	
317	U1352	B	15	H	4	1.37	1.37	136.13	137.50	2 holes, slight overlap	
317	U1352	B	15	H	5	1.50	1.50	137.50	139.00	2 holes, slight overlap	
317	U1352	B	15	H	6	1.50	1.50	139.00	140.50	2 holes, slight overlap	
317	U1352	B	15	H	7	0.64	0.64	140.50	141.14	2 holes, slight overlap	
317	U1352	B	15	H	CC	0.61	0.61	141.14	141.75	2 holes, slight overlap	
317	U1352	B	16	H	1	1.50	1.50	141.20	142.70	2 holes, slight overlap	
317	U1352	B	16	H	2	1.47	1.47	142.70	144.17	2 holes, slight overlap	
317	U1352	B	16	H	3	1.50	1.50	144.17	145.67	2 holes, slight overlap	
317	U1352	B	16	H	4	1.50	1.50	145.67	147.17	2 holes, slight overlap	
317	U1352	B	16	H	5	1.50	1.50	147.17	148.67	2 holes, slight overlap	
317	U1352	B	16	H	6	1.37	1.37	148.67	150.04	2 holes, slight overlap	
317	U1352	B	16	H	7	0.70	0.70	150.04	150.74	2 holes, slight overlap	
317	U1352	B	16	H	CC	0.10	0.10	150.74	150.84	2 holes, slight overlap	
317	U1352	B	17	H	1	1.50	1.50	150.70	152.20	2 holes, slight overlap	Shattered Liner
317	U1352	B	17	H	2	1.50	1.50	152.20	153.70	2 holes, slight overlap	Shattered Liner
317	U1352	B	17	H	3	0.79	0.79	153.70	154.49	2 holes, slight overlap	Extruded and re-curated
317	U1352	B	17	H	4	1.50	1.50	154.49	155.99	2 holes, slight overlap	Extruded and re-curated
317	U1352	B	17	H	CC	0.16	0.16	155.99	156.15	2 holes, slight overlap	
317	U1352	B	18	H	1	1.50	1.50	156.20	157.70	2 holes, slight overlap	
317	U1352	B	18	H	2	1.50	1.50	157.70	159.20	2 holes, slight overlap	
317	U1352	B	18	H	3	1.07	1.07	159.20	160.27	2 holes, slight overlap	
317	U1352	B	18	H	4	0.33	0.33	160.27	160.60	2 holes, slight overlap	Liner Collapsed In
317	U1352	B	18	H	5	1.50	1.50	160.60	162.10	2 holes, slight overlap	
317	U1352	B	18	H	6	1.10	1.10	162.10	163.20	2 holes, slight overlap	
317	U1352	B	18	H	7	0.55	0.55	163.20	163.75	2 holes, slight overlap	
317	U1352	B	19	H	1	1.50	1.50	165.70	167.20	2 holes, slight overlap	
317	U1352	B	19	H	2	1.50	1.50	167.20	168.70	2 holes, slight overlap	
317	U1352	B	19	H	3	1.50	1.50	168.70	170.20	2 holes, slight overlap	
317	U1352	B	19	H	4	1.50	1.50	170.20	171.70	2 holes, slight overlap	
317	U1352	B	19	H	5	1.47	1.47	171.70	173.17	2 holes, slight overlap	
317	U1352	B	19	H	6	0.54	0.54	173.17	173.71	2 holes, slight overlap	
317	U1352	B	19	H	CC	0.68	0.68	173.71	174.39	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	20	H	1	1.50	1.50	174.70	176.20	2 holes, slight overlap	
317	U1352	B	20	H	2	1.18	1.18	176.20	177.38	2 holes, slight overlap	
317	U1352	B	20	H	3	1.50	1.50	177.38	178.88	2 holes, slight overlap	
317	U1352	B	20	H	4	1.50	1.50	178.88	180.38	2 holes, slight overlap	
317	U1352	B	21	H	1	1.50	1.50	179.70	181.20	2 holes, slight overlap	
317	U1352	B	21	H	2	1.50	1.50	181.20	182.70	2 holes, slight overlap	
317	U1352	B	21	H	3	1.50	1.50	182.70	184.20	2 holes, slight overlap	
317	U1352	B	21	H	4	1.50	1.50	184.20	185.70	2 holes, slight overlap	
317	U1352	B	21	H	5	1.50	1.50	185.70	187.20	2 holes, slight overlap	
317	U1352	B	21	H	6	1.20	1.20	187.20	188.40	2 holes, slight overlap	
317	U1352	B	21	H	7	0.66	0.66	188.40	189.06	2 holes, slight overlap	
317	U1352	B	21	H	CC	0.41	0.41	189.06	189.47	2 holes, slight overlap	
317	U1352	B	22	H	1	1.50	1.50	189.20	190.70	2 holes, slight overlap	
317	U1352	B	22	H	2	1.50	1.50	190.70	192.20	2 holes, slight overlap	
317	U1352	B	22	H	3	1.50	1.50	192.20	193.70	2 holes, slight overlap	
317	U1352	B	22	H	4	1.50	1.50	193.70	195.20	2 holes, slight overlap	
317	U1352	B	22	H	5	1.50	1.50	195.20	196.70	2 holes, slight overlap	
317	U1352	B	22	H	6	1.50	1.50	196.70	198.20	2 holes, slight overlap	
317	U1352	B	22	H	7	0.67	0.67	198.20	198.87	2 holes, slight overlap	
317	U1352	B	22	H	CC	0.26	0.26	198.87	199.13	2 holes, slight overlap	
317	U1352	B	23	H	1	1.50	1.50	198.70	200.20	2 holes, slight overlap	
317	U1352	B	23	H	2	1.50	1.50	200.20	201.70	2 holes, slight overlap	
317	U1352	B	23	H	3	1.50	1.50	201.70	203.20	2 holes, slight overlap	
317	U1352	B	23	H	4	1.50	1.50	203.20	204.70	2 holes, slight overlap	
317	U1352	B	23	H	5	1.50	1.50	204.70	206.20	2 holes, slight overlap	
317	U1352	B	23	H	6	1.50	1.50	206.20	207.70	2 holes, slight overlap	
317	U1352	B	23	H	7	0.76	0.76	207.70	208.46	2 holes, slight overlap	
317	U1352	B	23	H	CC	0.26	0.26	208.46	208.72	2 holes, slight overlap	
317	U1352	B	24	H	1	1.50	1.50	208.20	209.70	2 holes, slight overlap	
317	U1352	B	24	H	2	1.50	1.50	209.70	211.20	2 holes, slight overlap	
317	U1352	B	24	H	3	1.50	1.50	211.20	212.70	2 holes, slight overlap	
317	U1352	B	24	H	4	1.50	1.50	212.70	214.20	2 holes, slight overlap	
317	U1352	B	24	H	5	1.50	1.50	214.20	215.70	2 holes, slight overlap	
317	U1352	B	24	H	6	1.50	1.50	215.70	217.20	2 holes, slight overlap	
317	U1352	B	24	H	7	0.76	0.76	217.20	217.96	2 holes, slight overlap	
317	U1352	B	25	H	1	1.50	1.50	217.70	219.20	2 holes, slight overlap	
317	U1352	B	25	H	2	1.50	1.50	219.20	220.70	2 holes, slight overlap	
317	U1352	B	25	H	3	1.50	1.50	220.70	222.20	2 holes, slight overlap	
317	U1352	B	25	H	4	1.50	1.50	222.20	223.70	2 holes, slight overlap	
317	U1352	B	25	H	5	1.50	1.50	223.70	225.20	2 holes, slight overlap	
317	U1352	B	25	H	6	1.00	1.00	225.20	226.20	2 holes, slight overlap	
317	U1352	B	25	H	7	0.80	0.80	226.20	227.00	2 holes, slight overlap	
317	U1352	B	25	H	CC	0.63	0.63	227.00	227.63	2 holes, slight overlap	
317	U1352	B	26	H	1	1.42	1.42	227.20	228.62	2 holes, slight overlap	
317	U1352	B	26	H	2	1.50	1.50	228.62	230.12	2 holes, slight overlap	
317	U1352	B	26	H	3	1.50	1.50	230.12	231.62	2 holes, slight overlap	
317	U1352	B	26	H	4	1.50	1.50	231.62	233.12	2 holes, slight overlap	
317	U1352	B	26	H	5	1.50	1.50	233.12	234.62	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	26	H	6	0.86	0.86	234.62	235.48	2 holes, slight overlap	
317	U1352	B	26	H	CC	0.57	0.57	235.48	236.05	2 holes, slight overlap	
317	U1352	B	27	H	1	1.50	1.50	236.70	238.20	2 holes, slight overlap	
317	U1352	B	27	H	2	1.50	1.50	238.20	239.70	2 holes, slight overlap	
317	U1352	B	27	H	3	1.50	1.50	239.70	241.20	2 holes, slight overlap	
317	U1352	B	27	H	4	1.50	1.50	241.20	242.70	2 holes, slight overlap	
317	U1352	B	27	H	5	1.50	1.50	242.70	244.20	2 holes, slight overlap	
317	U1352	B	27	H	6	1.00	1.00	244.20	245.20	2 holes, slight overlap	
317	U1352	B	27	H	7	0.88	0.88	245.20	246.08	2 holes, slight overlap	
317	U1352	B	28	H	1	1.43	1.43	246.20	247.63	2 holes, slight overlap	
317	U1352	B	28	H	2	1.50	1.50	247.63	249.13	2 holes, slight overlap	
317	U1352	B	28	H	3	1.00	1.00	249.13	250.13	2 holes, slight overlap	
317	U1352	B	28	H	4	0.57	0.57	250.13	250.70	2 holes, slight overlap	
317	U1352	B	28	H	CC	0.21	0.21	250.70	250.91	2 holes, slight overlap	
317	U1352	B	29	H	1	1.50	1.50	251.20	252.70	2 holes, slight overlap	
317	U1352	B	29	H	2	1.50	1.50	252.70	254.20	2 holes, slight overlap	
317	U1352	B	29	H	3	1.50	1.50	254.20	255.70	2 holes, slight overlap	
317	U1352	B	29	H	4	1.39	1.39	255.70	257.09	2 holes, slight overlap	
317	U1352	B	29	H	CC	0.36	0.36	257.09	257.45	2 holes, slight overlap	
317	U1352	B	30	H	1	1.50	1.50	257.70	259.20	2 holes, slight overlap	
317	U1352	B	30	H	2	1.50	1.50	259.20	260.70	2 holes, slight overlap	
317	U1352	B	30	H	3	1.50	1.50	260.70	262.20	2 holes, slight overlap	
317	U1352	B	30	H	4	1.50	1.50	262.20	263.70	2 holes, slight overlap	
317	U1352	B	30	H	5	1.50	1.50	263.70	265.20	2 holes, slight overlap	
317	U1352	B	30	H	6	1.00	1.00	265.20	266.20	2 holes, slight overlap	
317	U1352	B	30	H	7	0.72	0.72	266.20	266.92	2 holes, slight overlap	
317	U1352	B	30	H	CC	0.29	0.29	266.92	267.21	2 holes, slight overlap	
317	U1352	B	31	H	1	1.50	1.50	267.20	268.70	2 holes, slight overlap	
317	U1352	B	31	H	2	0.70	0.70	268.70	269.40	2 holes, slight overlap	
317	U1352	B	31	H	3	1.06	1.06	269.40	270.46	2 holes, slight overlap	57-106 cm is crushed liner.
317	U1352	B	31	H	4	0.55	0.55	270.46	271.01	2 holes, slight overlap	
317	U1352	B	31	H	5	1.43	1.43	271.01	272.44	2 holes, slight overlap	
317	U1352	B	32	H	1	1.50	1.50	272.20	273.70	2 holes, slight overlap	
317	U1352	B	32	H	2	1.50	1.50	273.70	275.20	2 holes, slight overlap	
317	U1352	B	32	H	3	1.50	1.50	275.20	276.70	2 holes, slight overlap	
317	U1352	B	32	H	4	1.45	1.45	276.70	278.15	2 holes, slight overlap	
317	U1352	B	32	H	5	1.42	1.42	278.15	279.57	2 holes, slight overlap	
317	U1352	B	32	H	6	1.27	1.27	279.57	280.84	2 holes, slight overlap	
317	U1352	B	32	H	CC	0.71	0.71	280.84	281.55	2 holes, slight overlap	
317	U1352	B	33	H	1	1.41	1.41	281.70	283.11	2 holes, slight overlap	100-141 cm crushed in liner.
317	U1352	B	33	H	2	0.77	0.77	283.11	283.88	2 holes, slight overlap	42-77 cm crushed in liner.
317	U1352	B	33	H	3	0.76	0.76	283.88	284.64	2 holes, slight overlap	45-76 cm crushed in liner.
317	U1352	B	33	H	4	1.50	1.50	284.64	286.14	2 holes, slight overlap	
317	U1352	B	33	H	5	1.48	1.48	286.14	287.62	2 holes, slight overlap	
317	U1352	B	33	H	6	0.55	0.55	287.62	288.17	2 holes, slight overlap	
317	U1352	B	34	H	1	0.26	0.26	288.20	288.46	2 holes, slight overlap	Extruded on rig floor.
317	U1352	B	34	H	2	1.43	1.43	288.46	289.89	2 holes, slight overlap	
317	U1352	B	34	H	3	0.88	0.88	289.89	290.77	2 holes, slight overlap	Split liner (patched)

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	34	H	4	0.37	0.37	290.77	291.14	2 holes, slight overlap	
317	U1352	B	34	H	5	1.40	1.40	291.14	292.54	2 holes, slight overlap	Split liner (patched)
317	U1352	B	34	H	CC	0.37	0.37	292.54	292.91	2 holes, slight overlap	
317	U1352	B	35	H	1	1.44	1.44	292.90	294.34	2 holes, slight overlap	
317	U1352	B	35	H	2	0.90	0.90	294.34	295.24	2 holes, slight overlap	
317	U1352	B	36	H	1	1.20	1.20	295.30	296.50	2 holes, slight overlap	
317	U1352	B	36	H	2	0.51	0.51	296.50	297.01	2 holes, slight overlap	
317	U1352	B	37	X	1	1.50	1.50	297.00	298.50	2 holes, slight overlap	
317	U1352	B	37	X	2	1.05	1.05	298.50	299.55	2 holes, slight overlap	
317	U1352	B	37	X	CC	0.37	0.37	299.55	299.92	2 holes, slight overlap	
317	U1352	B	38	X	1	1.50	1.50	302.60	304.10	2 holes, slight overlap	
317	U1352	B	38	X	2	1.50	1.50	304.10	305.60	2 holes, slight overlap	
317	U1352	B	38	X	3	1.50	1.50	305.60	307.10	2 holes, slight overlap	
317	U1352	B	38	X	4	1.50	1.50	307.10	308.60	2 holes, slight overlap	
317	U1352	B	38	X	5	1.50	1.50	308.60	310.10	2 holes, slight overlap	
317	U1352	B	38	X	6	0.75	0.75	310.10	310.85	2 holes, slight overlap	
317	U1352	B	38	X	CC	0.29	0.29	310.85	311.14	2 holes, slight overlap	
317	U1352	B	39	X	1	1.50	1.50	312.20	313.70	2 holes, slight overlap	
317	U1352	B	39	X	2	1.50	1.50	313.70	315.20	2 holes, slight overlap	
317	U1352	B	39	X	3	1.50	1.50	315.20	316.70	2 holes, slight overlap	
317	U1352	B	39	X	4	1.50	1.50	316.70	318.20	2 holes, slight overlap	
317	U1352	B	39	X	5	1.50	1.50	318.20	319.70	2 holes, slight overlap	
317	U1352	B	39	X	6	1.30	1.30	319.70	321.00	2 holes, slight overlap	
317	U1352	B	39	X	7	0.55	0.55	321.00	321.55	2 holes, slight overlap	
317	U1352	B	39	X	CC	0.35	0.35	321.55	321.90	2 holes, slight overlap	
317	U1352	B	40	X	1	1.50	1.50	321.90	323.40	2 holes, slight overlap	
317	U1352	B	40	X	2	1.50	1.50	323.40	324.90	2 holes, slight overlap	
317	U1352	B	40	X	3	1.50	1.50	324.90	326.40	2 holes, slight overlap	
317	U1352	B	40	X	4	1.50	1.50	326.40	327.90	2 holes, slight overlap	
317	U1352	B	40	X	5	1.50	1.50	327.90	329.40	2 holes, slight overlap	
317	U1352	B	40	X	6	1.14	1.14	329.40	330.54	2 holes, slight overlap	
317	U1352	B	40	X	CC	0.35	0.35	330.54	330.89	2 holes, slight overlap	
317	U1352	B	41	X	1	1.50	1.50	331.50	333.00	2 holes, slight overlap	
317	U1352	B	41	X	2	1.50	1.50	333.00	334.50	2 holes, slight overlap	
317	U1352	B	41	X	3	1.50	1.50	334.50	336.00	2 holes, slight overlap	
317	U1352	B	41	X	4	1.50	1.50	336.00	337.50	2 holes, slight overlap	
317	U1352	B	41	X	5	1.50	1.50	337.50	339.00	2 holes, slight overlap	
317	U1352	B	41	X	6	1.10	1.10	339.00	340.10	2 holes, slight overlap	
317	U1352	B	41	X	7	0.81	0.81	340.10	340.91	2 holes, slight overlap	
317	U1352	B	41	X	CC	0.42	0.42	340.91	341.33	2 holes, slight overlap	
317	U1352	B	42	X	1	1.50	1.50	341.10	342.60	2 holes, slight overlap	
317	U1352	B	42	X	2	1.50	1.50	342.60	344.10	2 holes, slight overlap	
317	U1352	B	42	X	3	1.50	1.50	344.10	345.60	2 holes, slight overlap	
317	U1352	B	42	X	4	1.50	1.50	345.60	347.10	2 holes, slight overlap	
317	U1352	B	42	X	5	1.49	1.49	347.10	348.59	2 holes, slight overlap	
317	U1352	B	42	X	CC	0.33	0.33	348.59	348.92	2 holes, slight overlap	
317	U1352	B	43	X	1	1.50	1.50	350.70	352.20	2 holes, slight overlap	
317	U1352	B	43	X	2	1.50	1.50	352.20	353.70	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	43	X	3	1.50	1.50	353.70	355.20	2 holes, slight overlap	
317	U1352	B	43	X	4	1.50	1.50	355.20	356.70	2 holes, slight overlap	
317	U1352	B	43	X	5	1.50	1.50	356.70	358.20	2 holes, slight overlap	
317	U1352	B	43	X	6	1.00	1.00	358.20	359.20	2 holes, slight overlap	
317	U1352	B	43	X	7	0.88	0.88	359.20	360.08	2 holes, slight overlap	
317	U1352	B	43	X	CC	0.36	0.36	360.08	360.44	2 holes, slight overlap	
317	U1352	B	44	X	1	1.50	1.50	360.40	361.90	2 holes, slight overlap	
317	U1352	B	44	X	2	1.50	1.50	361.90	363.40	2 holes, slight overlap	
317	U1352	B	44	X	3	1.50	1.50	363.40	364.90	2 holes, slight overlap	
317	U1352	B	44	X	4	1.50	1.50	364.90	366.40	2 holes, slight overlap	
317	U1352	B	44	X	5	1.50	1.50	366.40	367.90	2 holes, slight overlap	
317	U1352	B	44	X	6	1.00	1.00	367.90	368.90	2 holes, slight overlap	
317	U1352	B	44	X	7	0.94	0.94	368.90	369.84	2 holes, slight overlap	
317	U1352	B	44	X	CC	0.37	0.37	369.84	370.21	2 holes, slight overlap	
317	U1352	B	45	X	1	1.50	1.50	370.00	371.50	2 holes, slight overlap	
317	U1352	B	45	X	2	1.50	1.50	371.50	373.00	2 holes, slight overlap	
317	U1352	B	45	X	3	1.50	1.50	373.00	374.50	2 holes, slight overlap	
317	U1352	B	45	X	4	1.50	1.50	374.50	376.00	2 holes, slight overlap	
317	U1352	B	45	X	5	1.50	1.50	376.00	377.50	2 holes, slight overlap	
317	U1352	B	45	X	6	1.05	1.05	377.50	378.55	2 holes, slight overlap	
317	U1352	B	45	X	CC	0.33	0.33	378.55	378.88	2 holes, slight overlap	
317	U1352	B	46	X	1	1.50	1.50	379.60	381.10	2 holes, slight overlap	
317	U1352	B	46	X	2	1.48	1.48	381.10	382.58	2 holes, slight overlap	
317	U1352	B	46	X	3	1.50	1.50	382.58	384.08	2 holes, slight overlap	
317	U1352	B	46	X	4	1.50	1.50	384.08	385.58	2 holes, slight overlap	
317	U1352	B	46	X	5	1.50	1.50	385.58	387.08	2 holes, slight overlap	
317	U1352	B	46	X	6	1.10	1.10	387.08	388.18	2 holes, slight overlap	
317	U1352	B	46	X	7	0.77	0.77	388.18	388.95	2 holes, slight overlap	
317	U1352	B	46	X	CC	0.52	0.52	388.95	389.47	2 holes, slight overlap	
317	U1352	B	47	X	1	1.50	1.50	389.20	390.70	2 holes, slight overlap	
317	U1352	B	47	X	2	1.50	1.50	390.70	392.20	2 holes, slight overlap	
317	U1352	B	47	X	3	1.50	1.50	392.20	393.70	2 holes, slight overlap	
317	U1352	B	47	X	4	1.50	1.50	393.70	395.20	2 holes, slight overlap	
317	U1352	B	47	X	5	1.50	1.50	395.20	396.70	2 holes, slight overlap	
317	U1352	B	47	X	6	1.30	1.30	396.70	398.00	2 holes, slight overlap	
317	U1352	B	47	X	7	0.56	0.56	398.00	398.56	2 holes, slight overlap	
317	U1352	B	47	X	CC	0.47	0.47	398.56	399.03	2 holes, slight overlap	
317	U1352	B	48	X	1	1.50	1.50	398.70	400.20	2 holes, slight overlap	
317	U1352	B	48	X	2	1.50	1.50	400.20	401.70	2 holes, slight overlap	
317	U1352	B	48	X	3	1.50	1.50	401.70	403.20	2 holes, slight overlap	
317	U1352	B	48	X	4	1.50	1.50	403.20	404.70	2 holes, slight overlap	
317	U1352	B	48	X	5	1.50	1.50	404.70	406.20	2 holes, slight overlap	
317	U1352	B	48	X	6	1.30	1.30	406.20	407.50	2 holes, slight overlap	
317	U1352	B	48	X	7	0.68	0.68	407.50	408.18	2 holes, slight overlap	
317	U1352	B	48	X	CC	0.25	0.25	408.18	408.43	2 holes, slight overlap	
317	U1352	B	49	X	1	1.50	1.50	408.30	409.80	2 holes, slight overlap	
317	U1352	B	49	X	2	1.50	1.50	409.80	411.30	2 holes, slight overlap	
317	U1352	B	49	X	3	1.00	1.00	411.30	412.30	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	49	X	CC	0.39	0.39	412.30	412.69	2 holes, slight overlap	
317	U1352	B	50	X	1	1.50	1.50	417.90	419.40	2 holes, slight overlap	
317	U1352	B	50	X	2	1.50	1.50	419.40	420.90	2 holes, slight overlap	
317	U1352	B	50	X	3	1.50	1.50	420.90	422.40	2 holes, slight overlap	
317	U1352	B	50	X	4	1.50	1.50	422.40	423.90	2 holes, slight overlap	
317	U1352	B	50	X	5	1.50	1.50	423.90	425.40	2 holes, slight overlap	
317	U1352	B	50	X	6	1.30	1.30	425.40	426.70	2 holes, slight overlap	
317	U1352	B	50	X	7	0.64	0.64	426.70	427.34	2 holes, slight overlap	
317	U1352	B	50	X	CC	0.20	0.20	427.34	427.54	2 holes, slight overlap	
317	U1352	B	51	X	1	1.50	1.50	427.50	429.00	2 holes, slight overlap	
317	U1352	B	51	X	2	1.50	1.50	429.00	430.50	2 holes, slight overlap	
317	U1352	B	51	X	3	1.50	1.50	430.50	432.00	2 holes, slight overlap	
317	U1352	B	51	X	4	1.50	1.50	432.00	433.50	2 holes, slight overlap	
317	U1352	B	51	X	5	1.50	1.50	433.50	435.00	2 holes, slight overlap	
317	U1352	B	51	X	6	1.20	1.20	435.00	436.20	2 holes, slight overlap	
317	U1352	B	51	X	7	0.62	0.62	436.20	436.82	2 holes, slight overlap	
317	U1352	B	51	X	CC	0.35	0.35	436.82	437.17	2 holes, slight overlap	
317	U1352	B	52	X	1	1.50	1.50	437.10	438.60	2 holes, slight overlap	
317	U1352	B	52	X	2	1.50	1.50	438.60	440.10	2 holes, slight overlap	
317	U1352	B	52	X	3	1.50	1.50	440.10	441.60	2 holes, slight overlap	
317	U1352	B	52	X	4	1.50	1.50	441.60	443.10	2 holes, slight overlap	
317	U1352	B	52	X	5	1.50	1.50	443.10	444.60	2 holes, slight overlap	
317	U1352	B	52	X	6	1.20	1.20	444.60	445.80	2 holes, slight overlap	
317	U1352	B	52	X	7	0.58	0.58	445.80	446.38	2 holes, slight overlap	
317	U1352	B	52	X	CC	0.52	0.52	446.38	446.90	2 holes, slight overlap	
317	U1352	B	53	X	1	1.50	1.50	446.70	448.20	2 holes, slight overlap	
317	U1352	B	53	X	2	1.50	1.50	448.20	449.70	2 holes, slight overlap	
317	U1352	B	53	X	3	1.50	1.50	449.70	451.20	2 holes, slight overlap	
317	U1352	B	53	X	4	1.50	1.50	451.20	452.70	2 holes, slight overlap	
317	U1352	B	53	X	5	1.47	1.47	452.70	454.17	2 holes, slight overlap	
317	U1352	B	53	X	6	1.32	1.32	454.17	455.49	2 holes, slight overlap	
317	U1352	B	53	X	CC	0.60	0.60	455.49	456.09	2 holes, slight overlap	
317	U1352	B	54	X	1	1.50	1.50	456.30	457.80	2 holes, slight overlap	
317	U1352	B	54	X	2	1.50	1.50	457.80	459.30	2 holes, slight overlap	
317	U1352	B	54	X	3	1.50	1.50	459.30	460.80	2 holes, slight overlap	
317	U1352	B	54	X	4	1.50	1.50	460.80	462.30	2 holes, slight overlap	
317	U1352	B	54	X	5	1.37	1.37	462.30	463.67	2 holes, slight overlap	
317	U1352	B	54	X	CC	0.41	0.41	463.67	464.08	2 holes, slight overlap	
317	U1352	B	55	X	1	1.50	1.50	465.90	467.40	2 holes, slight overlap	
317	U1352	B	55	X	2	1.50	1.50	467.40	468.90	2 holes, slight overlap	
317	U1352	B	55	X	3	0.94	0.94	468.90	469.84	2 holes, slight overlap	
317	U1352	B	55	X	CC	0.27	0.27	469.84	470.11	2 holes, slight overlap	
317	U1352	B	56	X	1	1.50	1.50	475.50	477.00	2 holes, slight overlap	
317	U1352	B	56	X	2	1.50	1.50	477.00	478.50	2 holes, slight overlap	
317	U1352	B	56	X	3	1.50	1.50	478.50	480.00	2 holes, slight overlap	Section is thicker than usual, bowed.
317	U1352	B	56	X	4	1.50	1.50	480.00	481.50	2 holes, slight overlap	Section is thicker than usual, bowed.
317	U1352	B	56	X	5	1.50	1.50	481.50	483.00	2 holes, slight overlap	Section is thicker than usual, bowed.
317	U1352	B	56	X	6	1.10	1.10	483.00	484.10	2 holes, slight overlap	Section is thicker than usual.

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	56	X	7	0.73	0.73	484.10	484.83	2 holes, slight overlap	Section is thicker than usual.
317	U1352	B	56	X	CC	0.81	0.81	484.83	485.64	2 holes, slight overlap	
317	U1352	B	57	X	1	1.50	1.50	485.10	486.60	2 holes, slight overlap	
317	U1352	B	57	X	2	1.50	1.50	486.60	488.10	2 holes, slight overlap	
317	U1352	B	57	X	3	1.50	1.50	488.10	489.60	2 holes, slight overlap	
317	U1352	B	57	X	4	1.50	1.50	489.60	491.10	2 holes, slight overlap	
317	U1352	B	57	X	5	0.64	0.64	491.10	491.74	2 holes, slight overlap	
317	U1352	B	57	X	CC	0.43	0.43	491.74	492.17	2 holes, slight overlap	
317	U1352	B	58	X	1	0.22	0.22	494.70	494.92	2 holes, slight overlap	Extruded on rig floor.
317	U1352	B	58	X	2	1.50	1.50	494.92	496.42	2 holes, slight overlap	
317	U1352	B	58	X	3	1.50	1.50	496.42	497.92	2 holes, slight overlap	
317	U1352	B	58	X	4	1.50	1.50	497.92	499.42	2 holes, slight overlap	
317	U1352	B	58	X	5	1.50	1.50	499.42	500.92	2 holes, slight overlap	
317	U1352	B	58	X	6	1.50	1.50	500.92	502.42	2 holes, slight overlap	
317	U1352	B	58	X	7	1.00	1.00	502.42	503.42	2 holes, slight overlap	
317	U1352	B	58	X	8	0.72	0.72	503.42	504.14	2 holes, slight overlap	
317	U1352	B	58	X	CC	0.53	0.53	504.14	504.67	2 holes, slight overlap	
317	U1352	B	59	X	1	1.50	1.50	504.30	505.80	2 holes, slight overlap	
317	U1352	B	59	X	2	1.29	1.29	505.80	507.09	2 holes, slight overlap	
317	U1352	B	59	X	CC	0.39	0.39	507.09	507.48	2 holes, slight overlap	
317	U1352	B	60	X	1	0.71	0.71	513.90	514.61	2 holes, slight overlap	
317	U1352	B	60	X	CC	0.38	0.38	514.61	514.99	2 holes, slight overlap	
317	U1352	B	61	X	1	1.00	1.00	523.50	524.50	2 holes, slight overlap	
317	U1352	B	61	X	2	0.84	0.84	524.50	525.34	2 holes, slight overlap	
317	U1352	B	61	X	CC	0.40	0.40	525.34	525.74	2 holes, slight overlap	
317	U1352	B	62	X	1	1.50	1.50	533.10	534.60	2 holes, slight overlap	
317	U1352	B	62	X	2	1.50	1.50	534.60	536.10	2 holes, slight overlap	
317	U1352	B	62	X	3	1.50	1.50	536.10	537.60	2 holes, slight overlap	
317	U1352	B	62	X	4	1.50	1.50	537.60	539.10	2 holes, slight overlap	
317	U1352	B	62	X	5	1.50	1.50	539.10	540.60	2 holes, slight overlap	
317	U1352	B	62	X	6	1.00	1.00	540.60	541.60	2 holes, slight overlap	
317	U1352	B	62	X	7	0.98	0.98	541.60	542.58	2 holes, slight overlap	
317	U1352	B	62	X	CC	0.39	0.39	542.58	542.97	2 holes, slight overlap	
317	U1352	B	63	X	1	1.50	1.50	542.70	544.20	2 holes, slight overlap	
317	U1352	B	63	X	2	1.50	1.50	544.20	545.70	2 holes, slight overlap	
317	U1352	B	63	X	3	1.50	1.50	545.70	547.20	2 holes, slight overlap	
317	U1352	B	63	X	4	1.50	1.50	547.20	548.70	2 holes, slight overlap	
317	U1352	B	63	X	5	1.50	1.50	548.70	550.20	2 holes, slight overlap	
317	U1352	B	63	X	6	1.40	1.40	550.20	551.60	2 holes, slight overlap	
317	U1352	B	63	X	7	0.55	0.55	551.60	552.15	2 holes, slight overlap	
317	U1352	B	63	X	CC	0.46	0.46	552.15	552.61	2 holes, slight overlap	
317	U1352	B	64	X	1	1.50	1.50	552.20	553.70	2 holes, slight overlap	
317	U1352	B	64	X	2	1.50	1.50	553.70	555.20	2 holes, slight overlap	
317	U1352	B	64	X	3	1.50	1.50	555.20	556.70	2 holes, slight overlap	
317	U1352	B	64	X	4	0.58	0.58	556.70	557.28	2 holes, slight overlap	
317	U1352	B	64	X	CC	0.39	0.39	557.28	557.67	2 holes, slight overlap	
317	U1352	B	65	X	1	0.55	0.55	561.80	562.35	2 holes, slight overlap	
317	U1352	B	65	X	CC	0.37	0.37	562.35	562.72	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	66	X	1	1.00	1.00	571.40	572.40	2 holes, slight overlap	
317	U1352	B	66	X	CC	0.28	0.28	572.40	572.68	2 holes, slight overlap	
317	U1352	B	67	X	1	0.63	0.63	572.70	573.33	2 holes, slight overlap	
317	U1352	B	67	X	CC	0.34	0.34	573.33	573.67	2 holes, slight overlap	
317	U1352	B	68	X	1	1.50	1.50	581.10	582.60	2 holes, slight overlap	
317	U1352	B	68	X	2	0.96	0.96	582.60	583.56	2 holes, slight overlap	
317	U1352	B	68	X	CC	0.40	0.40	583.56	583.96	2 holes, slight overlap	
317	U1352	B	69	X	CC	0.48	0.48	590.70	591.18	2 holes, slight overlap	
317	U1352	B	70	X	1	0.89	0.89	600.30	601.19	2 holes, slight overlap	
317	U1352	B	70	X	CC	0.34	0.34	601.19	601.53	2 holes, slight overlap	
317	U1352	B	71	X	1	1.50	1.50	609.90	611.40	2 holes, slight overlap	
317	U1352	B	71	X	2	1.50	1.50	611.40	612.90	2 holes, slight overlap	
317	U1352	B	71	X	3	1.10	1.10	612.90	614.00	2 holes, slight overlap	
317	U1352	B	71	X	4	0.56	0.56	614.00	614.56	2 holes, slight overlap	
317	U1352	B	71	X	CC	0.37	0.37	614.56	614.93	2 holes, slight overlap	
317	U1352	B	72	X	1	1.47	1.47	619.50	620.97	2 holes, slight overlap	
317	U1352	B	72	X	2	1.50	1.50	620.97	622.47	2 holes, slight overlap	
317	U1352	B	72	X	3	1.50	1.50	622.47	623.97	2 holes, slight overlap	
317	U1352	B	72	X	4	1.50	1.50	623.97	625.47	2 holes, slight overlap	
317	U1352	B	72	X	5	0.79	0.79	625.47	626.26	2 holes, slight overlap	
317	U1352	B	72	X	CC	0.37	0.37	626.26	626.63	2 holes, slight overlap	
317	U1352	B	73	X	1	1.50	1.50	629.10	630.60	2 holes, slight overlap	
317	U1352	B	73	X	2	1.50	1.50	630.60	632.10	2 holes, slight overlap	
317	U1352	B	73	X	3	1.50	1.50	632.10	633.60	2 holes, slight overlap	
317	U1352	B	73	X	4	1.50	1.50	633.60	635.10	2 holes, slight overlap	
317	U1352	B	73	X	5	1.50	1.50	635.10	636.60	2 holes, slight overlap	
317	U1352	B	73	X	6	1.37	1.37	636.60	637.97	2 holes, slight overlap	
317	U1352	B	73	X	CC	0.30	0.30	637.97	638.27	2 holes, slight overlap	
317	U1352	B	74	X	1	1.50	1.50	638.70	640.20	2 holes, slight overlap	
317	U1352	B	74	X	2	1.50	1.50	640.20	641.70	2 holes, slight overlap	
317	U1352	B	74	X	3	1.50	1.50	641.70	643.20	2 holes, slight overlap	
317	U1352	B	74	X	4	1.50	1.50	643.20	644.70	2 holes, slight overlap	
317	U1352	B	74	X	5	1.50	1.50	644.70	646.20	2 holes, slight overlap	
317	U1352	B	74	X	6	1.30	1.30	646.20	647.50	2 holes, slight overlap	
317	U1352	B	74	X	7	0.66	0.66	647.50	648.16	2 holes, slight overlap	
317	U1352	B	74	X	CC	0.44	0.44	648.16	648.60	2 holes, slight overlap	
317	U1352	B	75	X	1	1.50	1.50	648.30	649.80	2 holes, slight overlap	
317	U1352	B	75	X	2	1.50	1.50	649.80	651.30	2 holes, slight overlap	
317	U1352	B	75	X	3	1.50	1.50	651.30	652.80	2 holes, slight overlap	
317	U1352	B	75	X	4	1.50	1.50	652.80	654.30	2 holes, slight overlap	
317	U1352	B	75	X	5	1.50	1.50	654.30	655.80	2 holes, slight overlap	
317	U1352	B	75	X	6	1.00	1.00	655.80	656.80	2 holes, slight overlap	
317	U1352	B	75	X	7	0.95	0.95	656.80	657.75	2 holes, slight overlap	
317	U1352	B	75	X	CC	0.58	0.58	657.75	658.33	2 holes, slight overlap	
317	U1352	B	76	X	1	1.50	1.50	657.90	659.40	2 holes, slight overlap	
317	U1352	B	76	X	2	1.50	1.50	659.40	660.90	2 holes, slight overlap	
317	U1352	B	76	X	3	1.50	1.50	660.90	662.40	2 holes, slight overlap	
317	U1352	B	76	X	4	1.50	1.50	662.40	663.90	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	76	X	5	1.50	1.50	663.90	665.40	2 holes, slight overlap	
317	U1352	B	76	X	6	1.00	1.00	665.40	666.40	2 holes, slight overlap	
317	U1352	B	76	X	7	0.93	0.93	666.40	667.33	2 holes, slight overlap	
317	U1352	B	76	X	CC	0.51	0.51	667.33	667.84	2 holes, slight overlap	
317	U1352	B	77	X	1	1.50	1.50	667.60	669.10	2 holes, slight overlap	
317	U1352	B	77	X	2	0.70	0.70	669.10	669.80	2 holes, slight overlap	
317	U1352	B	77	X	CC	0.41	0.41	669.80	670.21	2 holes, slight overlap	
317	U1352	B	78	X	1	1.50	1.50	677.30	678.80	2 holes, slight overlap	
317	U1352	B	78	X	2	0.71	0.71	678.80	679.51	2 holes, slight overlap	
317	U1352	B	78	X	CC	0.40	0.40	679.51	679.91	2 holes, slight overlap	
317	U1352	B	79	X	1	0.56	0.56	686.90	687.46	2 holes, slight overlap	
317	U1352	B	79	X	CC	0.43	0.43	687.46	687.89	2 holes, slight overlap	
317	U1352	B	80	X	1	1.50	1.50	696.50	698.00	2 holes, slight overlap	
317	U1352	B	80	X	2	1.50	1.50	698.00	699.50	2 holes, slight overlap	
317	U1352	B	80	X	3	1.50	1.50	699.50	701.00	2 holes, slight overlap	
317	U1352	B	80	X	4	1.50	1.50	701.00	702.50	2 holes, slight overlap	
317	U1352	B	80	X	5	0.75	0.75	702.50	703.25	2 holes, slight overlap	
317	U1352	B	80	X	CC	0.39	0.39	703.25	703.64	2 holes, slight overlap	
317	U1352	B	81	X	1	1.50	1.50	706.10	707.60	2 holes, slight overlap	
317	U1352	B	81	X	2	1.50	1.50	707.60	709.10	2 holes, slight overlap	
317	U1352	B	81	X	3	1.00	1.00	709.10	710.10	2 holes, slight overlap	
317	U1352	B	81	X	4	0.55	0.55	710.10	710.65	2 holes, slight overlap	
317	U1352	B	81	X	CC	0.13	0.13	710.65	710.78	2 holes, slight overlap	
317	U1352	B	82	X	1	0.72	0.72	709.70	710.42	2 holes, slight overlap	
317	U1352	B	82	X	CC	0.37	0.37	710.42	710.79	2 holes, slight overlap	
317	U1352	B	83	X	CC	0.44	0.44	715.70	716.14	2 holes, slight overlap	
317	U1352	B	84	X	CC	0.60	0.60	725.30	725.90	2 holes, slight overlap	
317	U1352	B	85	X	1	1.50	1.50	734.90	736.40	2 holes, slight overlap	
317	U1352	B	85	X	2	1.50	1.50	736.40	737.90	2 holes, slight overlap	
317	U1352	B	85	X	3	1.30	1.30	737.90	739.20	2 holes, slight overlap	
317	U1352	B	85	X	4	0.65	0.65	739.20	739.85	2 holes, slight overlap	
317	U1352	B	85	X	CC	0.39	0.39	739.85	740.24	2 holes, slight overlap	
317	U1352	B	86	X	1	0.35	0.35	744.50	744.85	2 holes, slight overlap	
317	U1352	B	86	X	CC	0.48	0.48	744.85	745.33	2 holes, slight overlap	
317	U1352	B	87	X	1	1.30	1.30	754.10	755.40	2 holes, slight overlap	
317	U1352	B	87	X	2	0.70	0.70	755.40	756.10	2 holes, slight overlap	
317	U1352	B	87	X	CC	0.44	0.44	756.10	756.54	2 holes, slight overlap	
317	U1352	B	88	X	1	1.50	1.50	763.60	765.10	2 holes, slight overlap	
317	U1352	B	88	X	2	0.62	0.62	765.10	765.72	2 holes, slight overlap	
317	U1352	B	88	X	CC	0.43	0.43	765.72	766.15	2 holes, slight overlap	
317	U1352	B	89	X	CC	0.79	0.79	773.20	773.99	2 holes, slight overlap	
317	U1352	B	90	X	1	0.71	0.71	782.90	783.61	2 holes, slight overlap	
317	U1352	B	90	X	CC	0.41	0.41	783.61	784.02	2 holes, slight overlap	
317	U1352	B	91	X	1	0.52	0.52	792.50	793.02	2 holes, slight overlap	
317	U1352	B	91	X	CC	0.41	0.41	793.02	793.43	2 holes, slight overlap	
317	U1352	B	92	X	1	0.68	0.68	802.10	802.78	2 holes, slight overlap	
317	U1352	B	92	X	CC	0.40	0.40	802.78	803.18	2 holes, slight overlap	
317	U1352	B	93	X	CC	0.53	0.53	811.70	812.23	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	B	94	X	1	0.44	0.44	821.30	821.74	2 holes, slight overlap	
317	U1352	B	94	X	CC	0.39	0.39	821.74	822.13	2 holes, slight overlap	
317	U1352	C	2	R	1	1.04	1.04	574.70	575.74	2 holes, slight overlap	
317	U1352	C	2	R	2	0.73	0.73	575.74	576.47	2 holes, slight overlap	
317	U1352	C	3	R	1	1.20	1.20	584.40	585.60	2 holes, slight overlap	
317	U1352	C	3	R	2	1.50	1.50	585.60	587.10	2 holes, slight overlap	
317	U1352	C	3	R	3	0.94	0.94	587.10	588.04	2 holes, slight overlap	
317	U1352	C	4	R	1	1.48	1.48	594.00	595.48	2 holes, slight overlap	
317	U1352	C	4	R	2	1.42	1.42	595.48	596.90	2 holes, slight overlap	
317	U1352	C	4	R	3	1.50	1.50	596.90	598.40	2 holes, slight overlap	
317	U1352	C	4	R	4	1.31	1.31	598.40	599.71	2 holes, slight overlap	
317	U1352	C	4	R	5	0.87	0.87	599.71	600.58	2 holes, slight overlap	
317	U1352	C	4	R	6	0.65	0.65	600.58	601.23	2 holes, slight overlap	
317	U1352	C	6	R	1	1.00	1.00	660.00	661.00	2 holes, slight overlap	
317	U1352	C	6	R	CC	0.21	0.21	661.00	661.21	2 holes, slight overlap	
317	U1352	C	7	R	1	0.66	0.66	669.60	670.26	2 holes, slight overlap	
317	U1352	C	7	R	2	0.82	0.82	670.26	671.08	2 holes, slight overlap	
317	U1352	C	7	R	CC	0.26	0.26	671.08	671.34	2 holes, slight overlap	
317	U1352	C	8	R	1	0.94	0.94	679.30	680.24	2 holes, slight overlap	
317	U1352	C	9	R	1	0.84	0.84	689.00	689.84	2 holes, slight overlap	
317	U1352	C	9	R	CC	0.24	0.24	689.84	690.08	2 holes, slight overlap	
317	U1352	C	10	R	1	0.64	0.64	698.70	699.34	2 holes, slight overlap	
317	U1352	C	10	R	2	1.50	1.50	699.34	700.84	2 holes, slight overlap	
317	U1352	C	10	R	CC	0.21	0.21	700.84	701.05	2 holes, slight overlap	
317	U1352	C	11	R	1	0.92	0.92	708.40	709.32	2 holes, slight overlap	
317	U1352	C	11	R	2	0.41	0.41	709.32	709.73	2 holes, slight overlap	
317	U1352	C	12	R	1	1.31	1.31	718.10	719.41	2 holes, slight overlap	
317	U1352	C	12	R	CC	0.10	0.10	719.41	719.51	2 holes, slight overlap	
317	U1352	C	13	R	1	1.13	1.13	727.80	728.93	2 holes, slight overlap	
317	U1352	C	14	R	1	1.50	1.50	737.50	739.00	2 holes, slight overlap	
317	U1352	C	14	R	2	0.99	0.99	739.00	739.99	2 holes, slight overlap	
317	U1352	C	14	R	CC	0.20	0.20	739.99	740.19	2 holes, slight overlap	
317	U1352	C	15	R	1	1.36	1.36	747.20	748.56	2 holes, slight overlap	
317	U1352	C	15	R	2	1.07	1.07	748.56	749.63	2 holes, slight overlap	
317	U1352	C	15	R	CC	0.19	0.19	749.63	749.82	2 holes, slight overlap	
317	U1352	C	16	R	1	1.37	1.37	756.90	758.27	2 holes, slight overlap	
317	U1352	C	16	R	2	0.95	0.95	758.27	759.22	2 holes, slight overlap	
317	U1352	C	16	R	CC	0.21	0.21	759.22	759.43	2 holes, slight overlap	
317	U1352	C	17	R	1	1.47	1.47	766.60	768.07	2 holes, slight overlap	
317	U1352	C	17	R	2	0.96	0.96	768.07	769.03	2 holes, slight overlap	
317	U1352	C	17	R	3	0.67	0.67	769.03	769.70	2 holes, slight overlap	
317	U1352	C	18	R	1	1.50	1.50	776.30	777.80	2 holes, slight overlap	
317	U1352	C	18	R	2	1.01	1.01	777.80	778.81	2 holes, slight overlap	
317	U1352	C	18	R	3	0.92	0.92	778.81	779.73	2 holes, slight overlap	
317	U1352	C	18	R	CC	0.19	0.19	779.73	779.92	2 holes, slight overlap	
317	U1352	C	19	R	1	1.50	1.50	786.00	787.50	2 holes, slight overlap	
317	U1352	C	19	R	2	1.30	1.30	787.50	788.80	2 holes, slight overlap	
317	U1352	C	19	R	CC	0.19	0.19	788.80	788.99	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	20	R	1	1.39	1.39	795.70	797.09	2 holes, slight overlap	
317	U1352	C	20	R	2	1.02	1.02	797.09	798.11	2 holes, slight overlap	
317	U1352	C	20	R	CC	0.25	0.25	798.11	798.36	2 holes, slight overlap	
317	U1352	C	21	R	1	1.40	1.40	805.40	806.80	2 holes, slight overlap	
317	U1352	C	21	R	2	0.55	0.55	806.80	807.35	2 holes, slight overlap	
317	U1352	C	22	R	1	1.42	1.42	815.00	816.42	2 holes, slight overlap	
317	U1352	C	22	R	2	1.05	1.05	816.42	817.47	2 holes, slight overlap	
317	U1352	C	23	R	1	1.00	1.00	824.60	825.60	2 holes, slight overlap	
317	U1352	C	23	R	2	0.74	0.74	825.60	826.34	2 holes, slight overlap	
317	U1352	C	23	R	CC	0.24	0.24	826.34	826.58	2 holes, slight overlap	
317	U1352	C	24	R	1	1.43	1.43	834.20	835.63	2 holes, slight overlap	
317	U1352	C	24	R	2	1.16	1.16	835.63	836.79	2 holes, slight overlap	
317	U1352	C	25	R	1	1.50	1.50	843.80	845.30	2 holes, slight overlap	
317	U1352	C	25	R	2	0.70	0.70	845.30	846.00	2 holes, slight overlap	
317	U1352	C	25	R	CC	0.27	0.27	846.00	846.27	2 holes, slight overlap	
317	U1352	C	26	R	1	1.18	1.18	853.40	854.58	2 holes, slight overlap	
317	U1352	C	26	R	2	0.71	0.71	854.58	855.29	2 holes, slight overlap	
317	U1352	C	27	R	1	1.00	1.00	863.00	864.00	2 holes, slight overlap	
317	U1352	C	27	R	2	0.76	0.76	864.00	864.76	2 holes, slight overlap	
317	U1352	C	27	R	CC	0.23	0.23	864.76	864.99	2 holes, slight overlap	
317	U1352	C	28	R	1	1.31	1.31	872.60	873.91	2 holes, slight overlap	
317	U1352	C	28	R	2	1.50	1.50	873.91	875.41	2 holes, slight overlap	
317	U1352	C	29	R	1	1.03	1.03	882.20	883.23	2 holes, slight overlap	
317	U1352	C	29	R	2	1.10	1.10	883.23	884.33	2 holes, slight overlap	
317	U1352	C	29	R	3	0.58	0.58	884.33	884.91	2 holes, slight overlap	
317	U1352	C	30	R	1	1.50	1.50	891.80	893.30	2 holes, slight overlap	
317	U1352	C	30	R	2	1.07	1.07	893.30	894.37	2 holes, slight overlap	
317	U1352	C	30	R	CC	0.05	0.05	894.37	894.42	2 holes, slight overlap	
317	U1352	C	31	R	1	1.46	1.46	901.30	902.76	2 holes, slight overlap	
317	U1352	C	31	R	2	0.95	0.95	902.76	903.71	2 holes, slight overlap	
317	U1352	C	31	R	3	0.99	0.99	903.71	904.70	2 holes, slight overlap	
317	U1352	C	31	R	4	0.78	0.78	904.70	905.48	2 holes, slight overlap	
317	U1352	C	32	R	1	1.22	1.22	910.90	912.12	2 holes, slight overlap	
317	U1352	C	32	R	2	0.91	0.91	912.12	913.03	2 holes, slight overlap	
317	U1352	C	33	R	1	1.42	1.42	920.50	921.92	2 holes, slight overlap	
317	U1352	C	33	R	2	1.33	1.33	921.92	923.25	2 holes, slight overlap	
317	U1352	C	33	R	3	1.47	1.47	923.25	924.72	2 holes, slight overlap	
317	U1352	C	33	R	4	1.40	1.40	924.72	926.12	2 holes, slight overlap	
317	U1352	C	33	R	CC	0.24	0.24	926.12	926.36	2 holes, slight overlap	
317	U1352	C	34	R	1	1.07	1.07	930.10	931.17	2 holes, slight overlap	
317	U1352	C	34	R	2	1.50	1.50	931.17	932.67	2 holes, slight overlap	
317	U1352	C	34	R	3	0.97	0.97	932.67	933.64	2 holes, slight overlap	
317	U1352	C	34	R	4	0.73	0.73	933.64	934.37	2 holes, slight overlap	
317	U1352	C	34	R	CC	0.21	0.21	934.37	934.58	2 holes, slight overlap	
317	U1352	C	35	R	1	1.50	1.50	939.70	941.20	2 holes, slight overlap	
317	U1352	C	35	R	2	1.50	1.50	941.20	942.70	2 holes, slight overlap	
317	U1352	C	35	R	3	1.44	1.44	942.70	944.14	2 holes, slight overlap	
317	U1352	C	35	R	CC	0.36	0.36	944.14	944.50	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	36	R	1	1.50	1.50	949.40	950.90	2 holes, slight overlap	
317	U1352	C	36	R	2	1.50	1.50	950.90	952.40	2 holes, slight overlap	
317	U1352	C	36	R	3	0.83	0.83	952.40	953.23	2 holes, slight overlap	
317	U1352	C	36	R	CC	0.31	0.31	953.23	953.54	2 holes, slight overlap	
317	U1352	C	37	R	1	1.41	1.41	959.00	960.41	2 holes, slight overlap	
317	U1352	C	37	R	2	1.25	1.25	960.41	961.66	2 holes, slight overlap	
317	U1352	C	37	R	3	1.20	1.20	961.66	962.86	2 holes, slight overlap	
317	U1352	C	37	R	4	1.28	1.28	962.86	964.14	2 holes, slight overlap	
317	U1352	C	37	R	CC	0.30	0.30	964.14	964.44	2 holes, slight overlap	
317	U1352	C	38	R	1	1.50	1.50	968.50	970.00	2 holes, slight overlap	
317	U1352	C	38	R	2	1.50	1.50	970.00	971.50	2 holes, slight overlap	
317	U1352	C	38	R	3	1.50	1.50	971.50	973.00	2 holes, slight overlap	
317	U1352	C	38	R	4	1.50	1.50	973.00	974.50	2 holes, slight overlap	
317	U1352	C	38	R	5	1.50	1.50	974.50	976.00	2 holes, slight overlap	
317	U1352	C	38	R	6	1.50	1.50	976.00	977.50	2 holes, slight overlap	
317	U1352	C	38	R	7	0.73	0.73	977.50	978.23	2 holes, slight overlap	
317	U1352	C	38	R	CC	0.31	0.31	978.23	978.54	2 holes, slight overlap	
317	U1352	C	39	R	1	1.50	1.50	978.10	979.60	2 holes, slight overlap	
317	U1352	C	39	R	2	1.50	1.50	979.60	981.10	2 holes, slight overlap	
317	U1352	C	39	R	3	1.50	1.50	981.10	982.60	2 holes, slight overlap	
317	U1352	C	39	R	4	1.50	1.50	982.60	984.10	2 holes, slight overlap	
317	U1352	C	39	R	5	1.50	1.50	984.10	985.60	2 holes, slight overlap	
317	U1352	C	39	R	6	1.50	1.50	985.60	987.10	2 holes, slight overlap	
317	U1352	C	39	R	7	0.64	0.64	987.10	987.74	2 holes, slight overlap	
317	U1352	C	40	R	1	1.31	1.31	987.70	989.01	2 holes, slight overlap	
317	U1352	C	40	R	2	1.50	1.50	989.01	990.51	2 holes, slight overlap	
317	U1352	C	40	R	3	1.42	1.42	990.51	991.93	2 holes, slight overlap	
317	U1352	C	40	R	CC	0.30	0.30	991.93	992.23	2 holes, slight overlap	
317	U1352	C	41	R	1	1.50	1.50	997.30	998.80	2 holes, slight overlap	
317	U1352	C	41	R	2	1.50	1.50	998.80	1000.30	2 holes, slight overlap	
317	U1352	C	41	R	3	1.50	1.50	1000.30	1001.80	2 holes, slight overlap	
317	U1352	C	41	R	4	1.50	1.50	1001.80	1003.30	2 holes, slight overlap	
317	U1352	C	41	R	5	1.00	1.00	1003.30	1004.30	2 holes, slight overlap	
317	U1352	C	41	R	6	0.65	0.65	1004.30	1004.95	2 holes, slight overlap	
317	U1352	C	42	R	1	1.04	1.04	1006.90	1007.94	2 holes, slight overlap	
317	U1352	C	42	R	2	1.50	1.50	1007.94	1009.44	2 holes, slight overlap	
317	U1352	C	42	R	3	1.50	1.50	1009.44	1010.94	2 holes, slight overlap	
317	U1352	C	42	R	4	0.61	0.61	1010.94	1011.55	2 holes, slight overlap	
317	U1352	C	42	R	CC	0.19	0.19	1011.55	1011.74	2 holes, slight overlap	
317	U1352	C	43	R	1	1.43	1.43	1016.50	1017.93	2 holes, slight overlap	
317	U1352	C	43	R	2	1.00	1.00	1017.93	1018.93	2 holes, slight overlap	
317	U1352	C	43	R	3	0.62	0.62	1018.93	1019.55	2 holes, slight overlap	
317	U1352	C	43	R	CC	0.19	0.19	1019.55	1019.74	2 holes, slight overlap	
317	U1352	C	44	R	1	1.50	1.50	1026.10	1027.60	2 holes, slight overlap	
317	U1352	C	44	R	2	1.50	1.50	1027.60	1029.10	2 holes, slight overlap	
317	U1352	C	44	R	3	1.38	1.38	1029.10	1030.48	2 holes, slight overlap	
317	U1352	C	44	R	4	1.36	1.36	1030.48	1031.84	2 holes, slight overlap	
317	U1352	C	44	R	5	1.50	1.50	1031.84	1033.34	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	44	R	6	1.06	1.06	1033.34	1034.40	2 holes, slight overlap	
317	U1352	C	44	R	CC	0.18	0.18	1034.40	1034.58	2 holes, slight overlap	
317	U1352	C	45	R	1	1.41	1.41	1035.70	1037.11	2 holes, slight overlap	
317	U1352	C	45	R	2	1.46	1.46	1037.11	1038.57	2 holes, slight overlap	
317	U1352	C	45	R	3	1.24	1.24	1038.57	1039.81	2 holes, slight overlap	
317	U1352	C	45	R	4	0.55	0.55	1039.81	1040.36	2 holes, slight overlap	
317	U1352	C	45	R	CC	0.29	0.29	1040.36	1040.65	2 holes, slight overlap	
317	U1352	C	46	R	1	1.44	1.44	1045.30	1046.74	2 holes, slight overlap	
317	U1352	C	46	R	2	1.50	1.50	1046.74	1048.24	2 holes, slight overlap	
317	U1352	C	46	R	3	1.48	1.48	1048.24	1049.72	2 holes, slight overlap	
317	U1352	C	47	R	1	1.28	1.28	1054.90	1056.18	2 holes, slight overlap	
317	U1352	C	47	R	2	1.34	1.34	1056.18	1057.52	2 holes, slight overlap	
317	U1352	C	47	R	3	0.80	0.80	1057.52	1058.32	2 holes, slight overlap	
317	U1352	C	47	R	CC	0.22	0.22	1058.32	1058.54	2 holes, slight overlap	
317	U1352	C	48	R	1	1.48	1.48	1064.40	1065.88	2 holes, slight overlap	
317	U1352	C	48	R	2	1.50	1.50	1065.88	1067.38	2 holes, slight overlap	
317	U1352	C	48	R	3	0.98	0.98	1067.38	1068.36	2 holes, slight overlap	
317	U1352	C	48	R	4	0.57	0.57	1068.36	1068.93	2 holes, slight overlap	
317	U1352	C	49	R	1	1.47	1.47	1073.80	1075.27	2 holes, slight overlap	
317	U1352	C	49	R	2	1.50	1.50	1075.27	1076.77	2 holes, slight overlap	
317	U1352	C	49	R	3	0.69	0.69	1076.77	1077.46	2 holes, slight overlap	
317	U1352	C	49	R	CC	0.23	0.23	1077.46	1077.69	2 holes, slight overlap	
317	U1352	C	50	R	1	1.50	1.50	1083.30	1084.80	2 holes, slight overlap	
317	U1352	C	50	R	2	1.50	1.50	1084.80	1086.30	2 holes, slight overlap	
317	U1352	C	50	R	3	1.50	1.50	1086.30	1087.80	2 holes, slight overlap	
317	U1352	C	50	R	4	1.50	1.50	1087.80	1089.30	2 holes, slight overlap	
317	U1352	C	50	R	5	1.50	1.50	1089.30	1090.80	2 holes, slight overlap	
317	U1352	C	50	R	6	1.50	1.50	1090.80	1092.30	2 holes, slight overlap	
317	U1352	C	50	R	7	0.70	0.70	1092.30	1093.00	2 holes, slight overlap	
317	U1352	C	50	R	CC	0.21	0.21	1093.00	1093.21	2 holes, slight overlap	
317	U1352	C	51	R	1	1.50	1.50	1092.90	1094.40	2 holes, slight overlap	
317	U1352	C	51	R	2	1.47	1.47	1094.40	1095.87	2 holes, slight overlap	
317	U1352	C	51	R	3	1.50	1.50	1095.87	1097.37	2 holes, slight overlap	
317	U1352	C	51	R	4	1.50	1.50	1097.37	1098.87	2 holes, slight overlap	
317	U1352	C	52	R	1	1.40	1.40	1102.50	1103.90	2 holes, slight overlap	
317	U1352	C	52	R	2	0.72	0.72	1103.90	1104.62	2 holes, slight overlap	
317	U1352	C	52	R	CC	0.20	0.20	1104.62	1104.82	2 holes, slight overlap	
317	U1352	C	53	R	1	1.44	1.44	1112.10	1113.54	2 holes, slight overlap	
317	U1352	C	53	R	2	1.31	1.31	1113.54	1114.85	2 holes, slight overlap	
317	U1352	C	53	R	CC	0.27	0.27	1114.85	1115.12	2 holes, slight overlap	
317	U1352	C	54	R	1	1.50	1.50	1121.70	1123.20	2 holes, slight overlap	
317	U1352	C	54	R	2	1.48	1.48	1123.20	1124.68	2 holes, slight overlap	
317	U1352	C	54	R	3	1.50	1.50	1124.68	1126.18	2 holes, slight overlap	
317	U1352	C	54	R	4	1.15	1.15	1126.18	1127.33	2 holes, slight overlap	
317	U1352	C	54	R	CC	0.29	0.29	1127.33	1127.62	2 holes, slight overlap	
317	U1352	C	55	R	1	1.20	1.20	1131.30	1132.50	2 holes, slight overlap	
317	U1352	C	55	R	2	1.50	1.50	1132.50	1134.00	2 holes, slight overlap	
317	U1352	C	55	R	3	1.50	1.50	1134.00	1135.50	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	55	R	4	0.58	0.58	1135.50	1136.08	2 holes, slight overlap	
317	U1352	C	55	R	CC	0.16	0.16	1136.08	1136.24	2 holes, slight overlap	
317	U1352	C	56	R	1	1.38	1.38	1140.90	1142.28	2 holes, slight overlap	
317	U1352	C	56	R	2	1.50	1.50	1142.28	1143.78	2 holes, slight overlap	
317	U1352	C	56	R	3	1.50	1.50	1143.78	1145.28	2 holes, slight overlap	
317	U1352	C	56	R	4	1.50	1.50	1145.28	1146.78	2 holes, slight overlap	
317	U1352	C	56	R	5	0.63	0.63	1146.78	1147.41	2 holes, slight overlap	
317	U1352	C	57	R	1	1.50	1.50	1150.50	1152.00	2 holes, slight overlap	
317	U1352	C	57	R	2	1.50	1.50	1152.00	1153.50	2 holes, slight overlap	
317	U1352	C	57	R	3	0.82	0.82	1153.50	1154.32	2 holes, slight overlap	
317	U1352	C	57	R	4	0.71	0.71	1154.32	1155.03	2 holes, slight overlap	
317	U1352	C	58	R	1	1.26	1.26	1160.10	1161.36	2 holes, slight overlap	
317	U1352	C	58	R	2	0.98	0.98	1161.36	1162.34	2 holes, slight overlap	
317	U1352	C	58	R	3	0.93	0.93	1162.34	1163.27	2 holes, slight overlap	
317	U1352	C	58	R	4	1.30	1.30	1163.27	1164.57	2 holes, slight overlap	
317	U1352	C	58	R	5	0.72	0.72	1164.57	1165.29	2 holes, slight overlap	
317	U1352	C	58	R	CC	0.25	0.25	1165.29	1165.54	2 holes, slight overlap	
317	U1352	C	59	R	1	1.50	1.50	1169.70	1171.20	2 holes, slight overlap	
317	U1352	C	59	R	2	1.50	1.50	1171.20	1172.70	2 holes, slight overlap	
317	U1352	C	59	R	3	1.50	1.50	1172.70	1174.20	2 holes, slight overlap	
317	U1352	C	59	R	4	1.50	1.50	1174.20	1175.70	2 holes, slight overlap	
317	U1352	C	59	R	5	1.50	1.50	1175.70	1177.20	2 holes, slight overlap	
317	U1352	C	59	R	6	1.50	1.50	1177.20	1178.70	2 holes, slight overlap	
317	U1352	C	59	R	7	0.70	0.70	1178.70	1179.40	2 holes, slight overlap	
317	U1352	C	59	R	CC	0.17	0.17	1179.40	1179.57	2 holes, slight overlap	
317	U1352	C	60	R	1	1.50	1.50	1179.40	1180.90	2 holes, slight overlap	
317	U1352	C	60	R	2	1.50	1.50	1180.90	1182.40	2 holes, slight overlap	
317	U1352	C	60	R	3	1.50	1.50	1182.40	1183.90	2 holes, slight overlap	
317	U1352	C	60	R	4	1.50	1.50	1183.90	1185.40	2 holes, slight overlap	
317	U1352	C	60	R	5	1.50	1.50	1185.40	1186.90	2 holes, slight overlap	
317	U1352	C	60	R	6	1.30	1.30	1186.90	1188.20	2 holes, slight overlap	
317	U1352	C	60	R	7	0.55	0.55	1188.20	1188.75	2 holes, slight overlap	
317	U1352	C	61	R	1	1.50	1.50	1189.00	1190.50	2 holes, slight overlap	
317	U1352	C	61	R	2	1.50	1.50	1190.50	1192.00	2 holes, slight overlap	
317	U1352	C	61	R	3	1.50	1.50	1192.00	1193.50	2 holes, slight overlap	
317	U1352	C	61	R	4	1.50	1.50	1193.50	1195.00	2 holes, slight overlap	
317	U1352	C	61	R	5	1.50	1.50	1195.00	1196.50	2 holes, slight overlap	
317	U1352	C	61	R	6	1.07	1.07	1196.50	1197.57	2 holes, slight overlap	
317	U1352	C	62	R	1	1.50	1.50	1198.60	1200.10	2 holes, slight overlap	
317	U1352	C	62	R	2	1.50	1.50	1200.10	1201.60	2 holes, slight overlap	
317	U1352	C	62	R	3	1.50	1.50	1201.60	1203.10	2 holes, slight overlap	
317	U1352	C	62	R	4	1.50	1.50	1203.10	1204.60	2 holes, slight overlap	
317	U1352	C	62	R	5	1.00	1.00	1204.60	1205.60	2 holes, slight overlap	
317	U1352	C	62	R	6	0.67	0.67	1205.60	1206.27	2 holes, slight overlap	
317	U1352	C	63	R	CC	0.30	0.30	1208.20	1208.50	2 holes, slight overlap	
317	U1352	C	65	R	1	0.81	0.81	1221.40	1222.21	2 holes, slight overlap	
317	U1352	C	66	R	CC	0.15	0.15	1227.40	1227.55	2 holes, slight overlap	
317	U1352	C	67	R	CC	0.04	0.04	1232.00	1232.04	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	70	R	1	1.50	1.50	1246.70	1248.20	2 holes, slight overlap	
317	U1352	C	70	R	2	1.50	1.50	1248.20	1249.70	2 holes, slight overlap	
317	U1352	C	70	R	3	1.46	1.46	1249.70	1251.16	2 holes, slight overlap	
317	U1352	C	70	R	4	1.50	1.50	1251.16	1252.66	2 holes, slight overlap	
317	U1352	C	70	R	5	1.50	1.50	1252.66	1254.16	2 holes, slight overlap	
317	U1352	C	70	R	6	1.50	1.50	1254.16	1255.66	2 holes, slight overlap	
317	U1352	C	70	R	7	0.76	0.76	1255.66	1256.42	2 holes, slight overlap	
317	U1352	C	70	R	CC	0.25	0.25	1256.42	1256.67	2 holes, slight overlap	
317	U1352	C	71	R	1	1.50	1.50	1256.30	1257.80	2 holes, slight overlap	
317	U1352	C	71	R	2	1.50	1.50	1257.80	1259.30	2 holes, slight overlap	
317	U1352	C	71	R	3	1.50	1.50	1259.30	1260.80	2 holes, slight overlap	
317	U1352	C	71	R	4	1.50	1.50	1260.80	1262.30	2 holes, slight overlap	
317	U1352	C	71	R	5	1.50	1.50	1262.30	1263.80	2 holes, slight overlap	
317	U1352	C	71	R	6	1.50	1.50	1263.80	1265.30	2 holes, slight overlap	
317	U1352	C	71	R	7	0.74	0.74	1265.30	1266.04	2 holes, slight overlap	
317	U1352	C	71	R	CC	0.17	0.17	1266.04	1266.21	2 holes, slight overlap	
317	U1352	C	72	R	1	0.58	0.58	1265.80	1266.38	2 holes, slight overlap	
317	U1352	C	73	R	1	1.50	1.50	1275.00	1276.50	2 holes, slight overlap	
317	U1352	C	73	R	2	1.50	1.50	1276.50	1278.00	2 holes, slight overlap	
317	U1352	C	73	R	3	1.50	1.50	1278.00	1279.50	2 holes, slight overlap	
317	U1352	C	73	R	4	1.50	1.50	1279.50	1281.00	2 holes, slight overlap	
317	U1352	C	73	R	5	1.50	1.50	1281.00	1282.50	2 holes, slight overlap	
317	U1352	C	73	R	6	1.45	1.45	1282.50	1283.95	2 holes, slight overlap	
317	U1352	C	76	R	1	1.32	1.32	1303.90	1305.22	2 holes, slight overlap	
317	U1352	C	76	R	CC	0.12	0.12	1305.22	1305.34	2 holes, slight overlap	
317	U1352	C	77	R	1	1.50	1.50	1308.40	1309.90	2 holes, slight overlap	
317	U1352	C	77	R	2	0.85	0.85	1309.90	1310.75	2 holes, slight overlap	
317	U1352	C	78	R	1	1.44	1.44	1313.40	1314.84	2 holes, slight overlap	
317	U1352	C	78	R	2	1.50	1.50	1314.84	1316.34	2 holes, slight overlap	
317	U1352	C	78	R	3	1.10	1.10	1316.34	1317.44	2 holes, slight overlap	
317	U1352	C	78	R	4	0.71	0.71	1317.44	1318.15	2 holes, slight overlap	
317	U1352	C	79	R	1	1.50	1.50	1317.90	1319.40	2 holes, slight overlap	
317	U1352	C	79	R	2	1.18	1.18	1319.40	1320.58	2 holes, slight overlap	
317	U1352	C	79	R	3	0.72	0.72	1320.58	1321.30	2 holes, slight overlap	
317	U1352	C	80	R	1	1.50	1.50	1322.90	1324.40	2 holes, slight overlap	
317	U1352	C	80	R	2	1.50	1.50	1324.40	1325.90	2 holes, slight overlap	
317	U1352	C	80	R	3	1.14	1.14	1325.90	1327.04	2 holes, slight overlap	
317	U1352	C	80	R	CC	0.06	0.06	1327.04	1327.10	2 holes, slight overlap	
317	U1352	C	81	R	1	1.50	1.50	1327.50	1329.00	2 holes, slight overlap	
317	U1352	C	81	R	2	1.45	1.45	1329.00	1330.45	2 holes, slight overlap	
317	U1352	C	82	R	1	0.46	0.46	1332.50	1332.96	2 holes, slight overlap	
317	U1352	C	83	R	CC	0.09	0.09	1337.10	1337.19	2 holes, slight overlap	
317	U1352	C	84	R	CC	0.40	0.40	1342.10	1342.50	2 holes, slight overlap	
317	U1352	C	85	R	1	1.50	1.50	1346.70	1348.20	2 holes, slight overlap	
317	U1352	C	85	R	2	1.50	1.50	1348.20	1349.70	2 holes, slight overlap	
317	U1352	C	85	R	3	1.50	1.50	1349.70	1351.20	2 holes, slight overlap	
317	U1352	C	85	R	4	1.19	1.19	1351.20	1352.39	2 holes, slight overlap	
317	U1352	C	86	R	1	1.46	1.46	1351.70	1353.16	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	86	R	2	1.45	1.45	1353.16	1354.61	2 holes, slight overlap	
317	U1352	C	86	R	3	0.73	0.73	1354.61	1355.34	2 holes, slight overlap	
317	U1352	C	87	R	1	1.50	1.50	1361.40	1362.90	2 holes, slight overlap	
317	U1352	C	87	R	2	1.50	1.50	1362.90	1364.40	2 holes, slight overlap	
317	U1352	C	87	R	3	1.50	1.50	1364.40	1365.90	2 holes, slight overlap	
317	U1352	C	87	R	4	1.50	1.50	1365.90	1367.40	2 holes, slight overlap	
317	U1352	C	87	R	5	1.50	1.50	1367.40	1368.90	2 holes, slight overlap	
317	U1352	C	87	R	6	1.29	1.29	1368.90	1370.19	2 holes, slight overlap	
317	U1352	C	88	R	1	1.50	1.50	1371.00	1372.50	2 holes, slight overlap	
317	U1352	C	88	R	2	1.50	1.50	1372.50	1374.00	2 holes, slight overlap	
317	U1352	C	88	R	3	1.50	1.50	1374.00	1375.50	2 holes, slight overlap	
317	U1352	C	88	R	4	1.50	1.50	1375.50	1377.00	2 holes, slight overlap	
317	U1352	C	88	R	5	1.50	1.50	1377.00	1378.50	2 holes, slight overlap	
317	U1352	C	88	R	6	1.38	1.38	1378.50	1379.88	2 holes, slight overlap	
317	U1352	C	89	R	1	1.37	1.37	1380.60	1381.97	2 holes, slight overlap	
317	U1352	C	89	R	2	1.45	1.45	1381.97	1383.42	2 holes, slight overlap	
317	U1352	C	89	R	3	1.47	1.47	1383.42	1384.89	2 holes, slight overlap	
317	U1352	C	89	R	4	0.93	0.93	1384.89	1385.82	2 holes, slight overlap	18-85 cm dropped on catwalk, may be out of order.
317	U1352	C	89	R	CC	0.27	0.27	1385.82	1386.09	2 holes, slight overlap	
317	U1352	C	90	R	1	1.50	1.50	1390.20	1391.70	2 holes, slight overlap	
317	U1352	C	90	R	2	1.50	1.50	1391.70	1393.20	2 holes, slight overlap	
317	U1352	C	90	R	3	1.19	1.19	1393.20	1394.39	2 holes, slight overlap	
317	U1352	C	90	R	CC	0.28	0.28	1394.39	1394.67	2 holes, slight overlap	
317	U1352	C	91	R	1	1.40	1.40	1399.80	1401.20	2 holes, slight overlap	
317	U1352	C	91	R	2	1.50	1.50	1401.20	1402.70	2 holes, slight overlap	
317	U1352	C	91	R	3	1.50	1.50	1402.70	1404.20	2 holes, slight overlap	
317	U1352	C	91	R	4	1.50	1.50	1404.20	1405.70	2 holes, slight overlap	
317	U1352	C	91	R	5	1.30	1.30	1405.70	1407.00	2 holes, slight overlap	
317	U1352	C	91	R	6	1.39	1.39	1407.00	1408.39	2 holes, slight overlap	
317	U1352	C	91	R	7	1.09	1.09	1408.39	1409.48	2 holes, slight overlap	
317	U1352	C	91	R	CC	0.23	0.23	1409.48	1409.71	2 holes, slight overlap	
317	U1352	C	92	R	CC	0.23	0.23	1409.40	1409.63	2 holes, slight overlap	
317	U1352	C	93	R	CC	0.11	0.11	1419.00	1419.11	2 holes, slight overlap	
317	U1352	C	94	R	1	1.50	1.50	1428.60	1430.10	2 holes, slight overlap	
317	U1352	C	94	R	2	1.50	1.50	1430.10	1431.60	2 holes, slight overlap	
317	U1352	C	94	R	3	1.50	1.50	1431.60	1433.10	2 holes, slight overlap	
317	U1352	C	94	R	4	1.50	1.50	1433.10	1434.60	2 holes, slight overlap	
317	U1352	C	94	R	5	1.50	1.50	1434.60	1436.10	2 holes, slight overlap	
317	U1352	C	94	R	6	1.50	1.50	1436.10	1437.60	2 holes, slight overlap	
317	U1352	C	94	R	7	0.70	0.70	1437.60	1438.30	2 holes, slight overlap	
317	U1352	C	94	R	CC	0.18	0.18	1438.30	1438.48	2 holes, slight overlap	
317	U1352	C	95	R	1	1.50	1.50	1438.30	1439.80	2 holes, slight overlap	
317	U1352	C	95	R	2	1.50	1.50	1439.80	1441.30	2 holes, slight overlap	
317	U1352	C	95	R	3	1.50	1.50	1441.30	1442.80	2 holes, slight overlap	
317	U1352	C	95	R	4	1.50	1.50	1442.80	1444.30	2 holes, slight overlap	
317	U1352	C	95	R	5	1.50	1.50	1444.30	1445.80	2 holes, slight overlap	
317	U1352	C	95	R	6	1.11	1.11	1445.80	1446.91	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	98	R	1	0.20	0.20	1467.30	1467.50	2 holes, slight overlap	
317	U1352	C	99	R	1	0.98	0.98	1477.00	1477.98	2 holes, slight overlap	
317	U1352	C	101	R	CC	0.13	0.13	1486.70	1486.83	2 holes, slight overlap	
317	U1352	C	102	R	CC	0.14	0.14	1496.40	1496.54	2 holes, slight overlap	
317	U1352	C	103	R	1	1.50	1.50	1506.10	1507.60	2 holes, slight overlap	
317	U1352	C	103	R	2	1.50	1.50	1507.60	1509.10	2 holes, slight overlap	
317	U1352	C	103	R	3	1.50	1.50	1509.10	1510.60	2 holes, slight overlap	
317	U1352	C	103	R	4	1.50	1.50	1510.60	1512.10	2 holes, slight overlap	
317	U1352	C	103	R	5	1.50	1.50	1512.10	1513.60	2 holes, slight overlap	
317	U1352	C	103	R	6	1.50	1.50	1513.60	1515.10	2 holes, slight overlap	
317	U1352	C	103	R	7	0.71	0.71	1515.10	1515.81	2 holes, slight overlap	
317	U1352	C	103	R	CC	0.18	0.18	1515.81	1515.99	2 holes, slight overlap	
317	U1352	C	104	R	1	1.50	1.50	1515.80	1517.30	2 holes, slight overlap	
317	U1352	C	104	R	2	1.50	1.50	1517.30	1518.80	2 holes, slight overlap	
317	U1352	C	104	R	3	1.50	1.50	1518.80	1520.30	2 holes, slight overlap	
317	U1352	C	104	R	4	1.50	1.50	1520.30	1521.80	2 holes, slight overlap	
317	U1352	C	104	R	5	1.50	1.50	1521.80	1523.30	2 holes, slight overlap	
317	U1352	C	104	R	6	1.50	1.50	1523.30	1524.80	2 holes, slight overlap	
317	U1352	C	104	R	7	0.71	0.71	1524.80	1525.51	2 holes, slight overlap	
317	U1352	C	104	R	CC	0.20	0.20	1525.51	1525.71	2 holes, slight overlap	
317	U1352	C	105	R	1	1.50	1.50	1525.50	1527.00	2 holes, slight overlap	
317	U1352	C	105	R	2	1.50	1.50	1527.00	1528.50	2 holes, slight overlap	
317	U1352	C	105	R	3	1.50	1.50	1528.50	1530.00	2 holes, slight overlap	
317	U1352	C	105	R	4	1.50	1.50	1530.00	1531.50	2 holes, slight overlap	
317	U1352	C	105	R	5	1.23	1.23	1531.50	1532.73	2 holes, slight overlap	
317	U1352	C	105	R	6	1.47	1.47	1532.73	1534.20	2 holes, slight overlap	
317	U1352	C	106	R	1	1.50	1.50	1535.20	1536.70	2 holes, slight overlap	
317	U1352	C	106	R	2	1.50	1.50	1536.70	1538.20	2 holes, slight overlap	
317	U1352	C	106	R	3	1.50	1.50	1538.20	1539.70	2 holes, slight overlap	
317	U1352	C	106	R	4	1.36	1.36	1539.70	1541.06	2 holes, slight overlap	
317	U1352	C	106	R	5	1.00	1.00	1541.06	1542.06	2 holes, slight overlap	
317	U1352	C	106	R	6	0.64	0.64	1542.06	1542.70	2 holes, slight overlap	
317	U1352	C	107	R	1	1.50	1.50	1544.90	1546.40	2 holes, slight overlap	
317	U1352	C	107	R	2	1.50	1.50	1546.40	1547.90	2 holes, slight overlap	
317	U1352	C	107	R	3	1.50	1.50	1547.90	1549.40	2 holes, slight overlap	
317	U1352	C	107	R	4	1.50	1.50	1549.40	1550.90	2 holes, slight overlap	
317	U1352	C	107	R	5	1.47	1.47	1550.90	1552.37	2 holes, slight overlap	
317	U1352	C	107	R	6	1.48	1.48	1552.37	1553.85	2 holes, slight overlap	
317	U1352	C	107	R	CC	0.17	0.17	1553.85	1554.02	2 holes, slight overlap	
317	U1352	C	108	R	1	1.45	1.45	1554.60	1556.05	2 holes, slight overlap	
317	U1352	C	108	R	2	1.50	1.50	1556.05	1557.55	2 holes, slight overlap	
317	U1352	C	108	R	3	1.15	1.15	1557.55	1558.70	2 holes, slight overlap	
317	U1352	C	108	R	4	0.78	0.78	1558.70	1559.48	2 holes, slight overlap	
317	U1352	C	109	R	1	1.34	1.34	1564.40	1565.74	2 holes, slight overlap	
317	U1352	C	109	R	2	1.50	1.50	1565.74	1567.24	2 holes, slight overlap	
317	U1352	C	109	R	3	1.50	1.50	1567.24	1568.74	2 holes, slight overlap	
317	U1352	C	109	R	4	0.56	0.56	1568.74	1569.30	2 holes, slight overlap	
317	U1352	C	110	R	1	1.47	1.47	1574.10	1575.57	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	110	R	2	1.44	1.44	1575.57	1577.01	2 holes, slight overlap	
317	U1352	C	110	R	3	0.58	0.58	1577.01	1577.59	2 holes, slight overlap	
317	U1352	C	111	R	1	1.44	1.44	1583.80	1585.24	2 holes, slight overlap	
317	U1352	C	111	R	2	1.44	1.44	1585.24	1586.68	2 holes, slight overlap	
317	U1352	C	111	R	3	1.43	1.43	1586.68	1588.11	2 holes, slight overlap	
317	U1352	C	111	R	4	0.66	0.66	1588.11	1588.77	2 holes, slight overlap	
317	U1352	C	112	R	1	1.42	1.42	1593.50	1594.92	2 holes, slight overlap	
317	U1352	C	112	R	2	1.50	1.50	1594.92	1596.42	2 holes, slight overlap	
317	U1352	C	112	R	3	0.66	0.66	1596.42	1597.08	2 holes, slight overlap	
317	U1352	C	113	R	1	1.50	1.50	1603.20	1604.70	2 holes, slight overlap	
317	U1352	C	113	R	2	1.50	1.50	1604.70	1606.20	2 holes, slight overlap	
317	U1352	C	113	R	3	1.50	1.50	1606.20	1607.70	2 holes, slight overlap	
317	U1352	C	113	R	4	1.45	1.45	1607.70	1609.15	2 holes, slight overlap	
317	U1352	C	113	R	5	1.40	1.40	1609.15	1610.55	2 holes, slight overlap	
317	U1352	C	113	R	6	1.17	1.17	1610.55	1611.72	2 holes, slight overlap	
317	U1352	C	114	R	1	1.50	1.50	1612.90	1614.40	2 holes, slight overlap	
317	U1352	C	114	R	2	1.50	1.50	1614.40	1615.90	2 holes, slight overlap	
317	U1352	C	114	R	3	1.50	1.50	1615.90	1617.40	2 holes, slight overlap	
317	U1352	C	114	R	4	1.50	1.50	1617.40	1618.90	2 holes, slight overlap	
317	U1352	C	114	R	5	1.47	1.47	1618.90	1620.37	2 holes, slight overlap	
317	U1352	C	114	R	6	0.99	0.99	1620.37	1621.36	2 holes, slight overlap	
317	U1352	C	114	R	7	0.80	0.80	1621.36	1622.16	2 holes, slight overlap	
317	U1352	C	115	R	1	1.50	1.50	1622.70	1624.20	2 holes, slight overlap	
317	U1352	C	115	R	2	1.50	1.50	1624.20	1625.70	2 holes, slight overlap	
317	U1352	C	115	R	3	1.50	1.50	1625.70	1627.20	2 holes, slight overlap	
317	U1352	C	115	R	4	1.50	1.50	1627.20	1628.70	2 holes, slight overlap	
317	U1352	C	115	R	5	1.50	1.50	1628.70	1630.20	2 holes, slight overlap	
317	U1352	C	115	R	6	1.50	1.50	1630.20	1631.70	2 holes, slight overlap	
317	U1352	C	115	R	7	0.75	0.75	1631.70	1632.45	2 holes, slight overlap	
317	U1352	C	115	R	CC	0.21	0.21	1632.45	1632.66	2 holes, slight overlap	
317	U1352	C	116	R	1	1.50	1.50	1632.40	1633.90	2 holes, slight overlap	
317	U1352	C	116	R	2	1.50	1.50	1633.90	1635.40	2 holes, slight overlap	
317	U1352	C	116	R	3	1.50	1.50	1635.40	1636.90	2 holes, slight overlap	
317	U1352	C	116	R	4	0.86	0.86	1636.90	1637.76	2 holes, slight overlap	
317	U1352	C	117	R	1	0.67	0.67	1642.10	1642.77	2 holes, slight overlap	
317	U1352	C	117	R	2	1.50	1.50	1642.77	1644.27	2 holes, slight overlap	
317	U1352	C	117	R	3	1.50	1.50	1644.27	1645.77	2 holes, slight overlap	
317	U1352	C	117	R	4	1.50	1.50	1645.77	1647.27	2 holes, slight overlap	
317	U1352	C	117	R	5	1.50	1.50	1647.27	1648.77	2 holes, slight overlap	
317	U1352	C	117	R	6	1.20	1.20	1648.77	1649.97	2 holes, slight overlap	
317	U1352	C	117	R	7	1.50	1.50	1649.97	1651.47	2 holes, slight overlap	
317	U1352	C	117	R	8	0.55	0.55	1651.47	1652.02	2 holes, slight overlap	
317	U1352	C	117	R	CC	0.28	0.28	1652.02	1652.30	2 holes, slight overlap	
317	U1352	C	118	R	1	0.41	0.41	1651.80	1652.21	2 holes, slight overlap	
317	U1352	C	118	R	2	1.50	1.50	1652.21	1653.71	2 holes, slight overlap	
317	U1352	C	118	R	3	1.50	1.50	1653.71	1655.21	2 holes, slight overlap	
317	U1352	C	118	R	4	1.50	1.50	1655.21	1656.71	2 holes, slight overlap	
317	U1352	C	118	R	5	1.31	1.31	1656.71	1658.02	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	118	R	6	1.50	1.50	1658.02	1659.52	2 holes, slight overlap	
317	U1352	C	118	R	7	0.88	0.88	1659.52	1660.40	2 holes, slight overlap	
317	U1352	C	118	R	8	0.76	0.76	1660.40	1661.16	2 holes, slight overlap	
317	U1352	C	118	R	CC	0.72	0.72	1661.16	1661.88	2 holes, slight overlap	
317	U1352	C	119	R	1	1.50	1.50	1661.50	1663.00	2 holes, slight overlap	
317	U1352	C	119	R	2	1.50	1.50	1663.00	1664.50	2 holes, slight overlap	
317	U1352	C	119	R	3	1.50	1.50	1664.50	1666.00	2 holes, slight overlap	
317	U1352	C	119	R	4	1.50	1.50	1666.00	1667.50	2 holes, slight overlap	
317	U1352	C	119	R	5	1.50	1.50	1667.50	1669.00	2 holes, slight overlap	
317	U1352	C	119	R	6	1.41	1.41	1669.00	1670.41	2 holes, slight overlap	
317	U1352	C	120	R	CC	0.51	0.51	1668.90	1669.41	2 holes, slight overlap	
317	U1352	C	121	R	CC	0.15	0.15	1678.50	1678.65	2 holes, slight overlap	
317	U1352	C	122	R	1	1.50	1.50	1688.10	1689.60	2 holes, slight overlap	
317	U1352	C	122	R	2	0.84	0.84	1689.60	1690.44	2 holes, slight overlap	
317	U1352	C	123	R	1	1.50	1.50	1692.50	1694.00	2 holes, slight overlap	
317	U1352	C	123	R	2	1.43	1.43	1694.00	1695.43	2 holes, slight overlap	
317	U1352	C	123	R	3	1.00	1.00	1695.43	1696.43	2 holes, slight overlap	
317	U1352	C	123	R	4	0.96	0.96	1696.43	1697.39	2 holes, slight overlap	
317	U1352	C	124	R	1	1.44	1.44	1697.50	1698.94	2 holes, slight overlap	
317	U1352	C	124	R	2	1.50	1.50	1698.94	1700.44	2 holes, slight overlap	
317	U1352	C	124	R	3	1.50	1.50	1700.44	1701.94	2 holes, slight overlap	
317	U1352	C	124	R	4	1.50	1.50	1701.94	1703.44	2 holes, slight overlap	
317	U1352	C	124	R	5	1.50	1.50	1703.44	1704.94	2 holes, slight overlap	
317	U1352	C	124	R	6	1.25	1.25	1704.94	1706.19	2 holes, slight overlap	
317	U1352	C	124	R	7	0.58	0.58	1706.19	1706.77	2 holes, slight overlap	
317	U1352	C	124	R	8	0.35	0.35	1706.77	1707.12	2 holes, slight overlap	
317	U1352	C	124	R	CC	0.56	0.56	1707.12	1707.68	2 holes, slight overlap	
317	U1352	C	125	R	1	1.50	1.50	1707.00	1708.50	2 holes, slight overlap	
317	U1352	C	125	R	2	1.50	1.50	1708.50	1710.00	2 holes, slight overlap	
317	U1352	C	125	R	3	1.50	1.50	1710.00	1711.50	2 holes, slight overlap	
317	U1352	C	125	R	4	1.50	1.50	1711.50	1713.00	2 holes, slight overlap	
317	U1352	C	125	R	5	1.42	1.42	1713.00	1714.42	2 holes, slight overlap	
317	U1352	C	126	R	1	1.50	1.50	1716.60	1718.10	2 holes, slight overlap	
317	U1352	C	126	R	2	1.40	1.40	1718.10	1719.50	2 holes, slight overlap	
317	U1352	C	126	R	3	1.50	1.50	1719.50	1721.00	2 holes, slight overlap	
317	U1352	C	126	R	4	1.34	1.34	1721.00	1722.34	2 holes, slight overlap	
317	U1352	C	126	R	5	1.43	1.43	1722.34	1723.77	2 holes, slight overlap	
317	U1352	C	126	R	6	1.45	1.45	1723.77	1725.22	2 holes, slight overlap	
317	U1352	C	126	R	CC	0.28	0.28	1725.22	1725.50	2 holes, slight overlap	
317	U1352	C	127	R	1	1.50	1.50	1726.20	1727.70	2 holes, slight overlap	
317	U1352	C	127	R	2	1.41	1.41	1727.70	1729.11	2 holes, slight overlap	
317	U1352	C	127	R	3	1.45	1.45	1729.11	1730.56	2 holes, slight overlap	
317	U1352	C	127	R	4	0.93	0.93	1730.56	1731.49	2 holes, slight overlap	
317	U1352	C	127	R	CC	0.27	0.27	1731.49	1731.76	2 holes, slight overlap	
317	U1352	C	128	R	1	1.50	1.50	1735.80	1737.30	2 holes, slight overlap	
317	U1352	C	128	R	2	1.50	1.50	1737.30	1738.80	2 holes, slight overlap	
317	U1352	C	128	R	3	1.36	1.36	1738.80	1740.16	2 holes, slight overlap	
317	U1352	C	128	R	4	1.41	1.41	1740.16	1741.57	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	128	R	5	1.03	1.03	1741.57	1742.60	2 holes, slight overlap	
317	U1352	C	128	R	6	0.70	0.70	1742.60	1743.30	2 holes, slight overlap	
317	U1352	C	128	R	CC	0.25	0.25	1743.30	1743.55	2 holes, slight overlap	
317	U1352	C	129	R	1	1.44	1.44	1745.40	1746.84	2 holes, slight overlap	
317	U1352	C	129	R	2	1.50	1.50	1746.84	1748.34	2 holes, slight overlap	
317	U1352	C	129	R	3	1.16	1.16	1748.34	1749.50	2 holes, slight overlap	
317	U1352	C	129	R	CC	0.21	0.21	1749.50	1749.71	2 holes, slight overlap	
317	U1352	C	130	R	1	1.50	1.50	1755.00	1756.50	2 holes, slight overlap	
317	U1352	C	130	R	2	1.48	1.48	1756.50	1757.98	2 holes, slight overlap	
317	U1352	C	130	R	3	1.43	1.43	1757.98	1759.41	2 holes, slight overlap	
317	U1352	C	130	R	4	1.28	1.28	1759.41	1760.69	2 holes, slight overlap	
317	U1352	C	131	R	1	1.42	1.42	1764.60	1766.02	2 holes, slight overlap	
317	U1352	C	131	R	2	1.47	1.47	1766.02	1767.49	2 holes, slight overlap	
317	U1352	C	131	R	3	1.00	1.00	1767.49	1768.49	2 holes, slight overlap	
317	U1352	C	131	R	4	0.56	0.56	1768.49	1769.05	2 holes, slight overlap	
317	U1352	C	131	R	CC	0.18	0.18	1769.05	1769.23	2 holes, slight overlap	
317	U1352	C	132	R	1	1.47	1.47	1774.20	1775.67	2 holes, slight overlap	
317	U1352	C	132	R	2	1.10	1.10	1775.67	1776.77	2 holes, slight overlap	
317	U1352	C	132	R	3	0.72	0.72	1776.77	1777.49	2 holes, slight overlap	
317	U1352	C	132	R	CC	0.15	0.15	1777.49	1777.64	2 holes, slight overlap	
317	U1352	C	133	R	1	1.50	1.50	1783.80	1785.30	2 holes, slight overlap	
317	U1352	C	133	R	2	1.46	1.46	1785.30	1786.76	2 holes, slight overlap	
317	U1352	C	133	R	3	1.32	1.32	1786.76	1788.08	2 holes, slight overlap	
317	U1352	C	133	R	4	1.46	1.46	1788.08	1789.54	2 holes, slight overlap	
317	U1352	C	133	R	CC	0.11	0.11	1789.54	1789.65	2 holes, slight overlap	
317	U1352	C	134	R	1	1.23	1.23	1793.40	1794.63	2 holes, slight overlap	
317	U1352	C	134	R	2	1.25	1.25	1794.63	1795.88	2 holes, slight overlap	
317	U1352	C	134	R	3	1.31	1.31	1795.88	1797.19	2 holes, slight overlap	
317	U1352	C	134	R	4	0.51	0.51	1797.19	1797.70	2 holes, slight overlap	
317	U1352	C	135	R	1	1.43	1.43	1803.00	1804.43	2 holes, slight overlap	
317	U1352	C	135	R	2	1.46	1.46	1804.43	1805.89	2 holes, slight overlap	
317	U1352	C	135	R	3	1.50	1.50	1805.89	1807.39	2 holes, slight overlap	
317	U1352	C	135	R	4	1.35	1.35	1807.39	1808.74	2 holes, slight overlap	
317	U1352	C	135	R	5	1.45	1.45	1808.74	1810.19	2 holes, slight overlap	
317	U1352	C	135	R	CC	0.26	0.26	1810.19	1810.45	2 holes, slight overlap	
317	U1352	C	136	R	1	1.42	1.42	1812.70	1814.12	2 holes, slight overlap	
317	U1352	C	136	R	2	1.47	1.47	1814.12	1815.59	2 holes, slight overlap	
317	U1352	C	136	R	3	1.50	1.50	1815.59	1817.09	2 holes, slight overlap	
317	U1352	C	136	R	4	1.50	1.50	1817.09	1818.59	2 holes, slight overlap	
317	U1352	C	136	R	5	0.77	0.77	1818.59	1819.36	2 holes, slight overlap	
317	U1352	C	136	R	CC	0.25	0.25	1819.36	1819.61	2 holes, slight overlap	
317	U1352	C	137	R	1	1.50	1.50	1822.30	1823.80	2 holes, slight overlap	
317	U1352	C	137	R	2	1.50	1.50	1823.80	1825.30	2 holes, slight overlap	
317	U1352	C	137	R	3	1.39	1.39	1825.30	1826.69	2 holes, slight overlap	
317	U1352	C	137	R	4	1.50	1.50	1826.69	1828.19	2 holes, slight overlap	
317	U1352	C	137	R	5	1.45	1.45	1828.19	1829.64	2 holes, slight overlap	
317	U1352	C	137	R	CC	0.16	0.16	1829.64	1829.80	2 holes, slight overlap	
317	U1352	C	138	R	1	1.50	1.50	1831.90	1833.40	2 holes, slight overlap	

U1352 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1352	C	138	R	2	1.49	1.49	1833.40	1834.89	2 holes, slight overlap	
317	U1352	C	138	R	3	1.50	1.50	1834.89	1836.39	2 holes, slight overlap	
317	U1352	C	138	R	4	1.50	1.50	1836.39	1837.89	2 holes, slight overlap	
317	U1352	C	138	R	5	1.50	1.50	1837.89	1839.39	2 holes, slight overlap	
317	U1352	C	138	R	6	1.42	1.42	1839.39	1840.81	2 holes, slight overlap	
317	U1352	C	138	R	7	0.57	0.57	1840.81	1841.38	2 holes, slight overlap	
317	U1352	C	138	R	CC	0.21	0.21	1841.38	1841.59	2 holes, slight overlap	
317	U1352	C	139	R	1	1.48	1.48	1841.50	1842.98	2 holes, slight overlap	
317	U1352	C	139	R	2	1.48	1.48	1842.98	1844.46	2 holes, slight overlap	
317	U1352	C	139	R	3	1.43	1.43	1844.46	1845.89	2 holes, slight overlap	
317	U1352	C	139	R	4	1.47	1.47	1845.89	1847.36	2 holes, slight overlap	
317	U1352	C	139	R	5	1.07	1.07	1847.36	1848.43	2 holes, slight overlap	
317	U1352	C	139	R	CC	0.11	0.11	1848.43	1848.54	2 holes, slight overlap	
317	U1352	C	140	R	1	1.06	1.06	1851.10	1852.16	2 holes, slight overlap	
317	U1352	C	140	R	2	0.55	0.55	1852.16	1852.71	2 holes, slight overlap	
317	U1352	C	141	R	1	1.22	1.22	1860.80	1862.02	2 holes, slight overlap	
317	U1352	C	141	R	2	0.55	0.55	1862.02	1862.57	2 holes, slight overlap	
317	U1352	C	142	R	1	1.06	1.06	1870.40	1871.46	2 holes, slight overlap	
317	U1352	C	143	R	1	1.50	1.50	1875.00	1876.50	2 holes, slight overlap	
317	U1352	C	143	R	2	1.44	1.44	1876.50	1877.94	2 holes, slight overlap	
317	U1352	C	143	R	3	0.91	0.91	1877.94	1878.85	2 holes, slight overlap	
317	U1352	C	144	R	1	1.48	1.48	1880.00	1881.48	2 holes, slight overlap	
317	U1352	C	144	R	2	1.47	1.47	1881.48	1882.95	2 holes, slight overlap	
317	U1352	C	144	R	3	1.22	1.22	1882.95	1884.17	2 holes, slight overlap	
317	U1352	C	144	R	4	1.50	1.50	1884.17	1885.67	2 holes, slight overlap	
317	U1352	C	144	R	CC	0.23	0.23	1885.67	1885.90	2 holes, slight overlap	
317	U1352	C	145	R	1	1.45	1.45	1889.50	1890.95	2 holes, slight overlap	
317	U1352	C	145	R	2	1.50	1.50	1890.95	1892.45	2 holes, slight overlap	
317	U1352	C	145	R	3	1.05	1.05	1892.45	1893.50	2 holes, slight overlap	
317	U1352	C	146	R	1	1.50	1.50	1898.70	1900.20	2 holes, slight overlap	
317	U1352	C	146	R	2	1.50	1.50	1900.20	1901.70	2 holes, slight overlap	
317	U1352	C	146	R	3	1.40	1.40	1901.70	1903.10	2 holes, slight overlap	
317	U1352	C	146	R	CC	0.24	0.24	1903.10	1903.34	2 holes, slight overlap	
317	U1352	C	147	R	1	1.41	1.41	1908.30	1909.71	2 holes, slight overlap	
317	U1352	C	147	R	2	1.50	1.50	1909.71	1911.21	2 holes, slight overlap	
317	U1352	C	147	R	3	1.47	1.47	1911.21	1912.68	2 holes, slight overlap	
317	U1352	C	147	R	4	1.42	1.42	1912.68	1914.10	2 holes, slight overlap	
317	U1352	C	147	R	5	1.50	1.50	1914.10	1915.60	2 holes, slight overlap	
317	U1352	C	147	R	6	1.03	1.03	1915.60	1916.63	2 holes, slight overlap	
317	U1352	C	148	R	1	1.50	1.50	1917.90	1919.40	2 holes, slight overlap	
317	U1352	C	148	R	2	1.45	1.45	1919.40	1920.85	2 holes, slight overlap	
317	U1352	C	148	R	3	1.50	1.50	1920.85	1922.35	2 holes, slight overlap	
317	U1352	C	148	R	4	1.09	1.09	1922.35	1923.44	2 holes, slight overlap	
317	U1352	C	148	R	5	0.70	0.70	1923.44	1924.14	2 holes, slight overlap	
317	U1352	C	148	R	CC	0.17	0.17	1924.14	1924.31	2 holes, slight overlap	