

U1331 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1331	C	1	H	1	1.50	1.50	0.00	1.50	0.54	2.04	0.54	accomodates splice	
320	U1331	C	1	H	2	1.50	1.50	1.50	3.00	2.04	3.54	0.00	accomodates splice	
320	U1331	B	1	H	3	1.50	1.50	3.00	4.50	3.85	5.35	0.31	accomodates splice	
320	U1331	B	1	H	4	1.50	1.50	4.50	6.00	5.35	6.85	0.00	accomodates splice	
320	U1331	B	1	H	5	1.50	1.50	6.00	7.50	6.85	8.35	0.00	accomodates splice	
320	U1331	C	1	H	6	1.10	1.10	7.50	8.60	8.04	9.14	-0.31	accomodates splice	
320	U1331	C	1	H	7	0.60	0.60	8.60	9.20	9.14	9.74	0.00	accomodates splice	
320	U1331	C	1	H	CC	0.26	0.26	9.20	9.46	9.74	10.00	0.00	accomodates splice	
320	U1331	B	1	H	7	0.77	0.77	9.00	9.77	9.85	10.62	-0.15	accomodates splice	
320	U1331	B	1	H	CC	0.32	0.32	9.77	10.09	10.62	10.94	0.00	accomodates splice	
320	U1331	C	2	H	1	1.50	1.50	9.50	11.00	11.62	13.12	0.68	accomodates splice	
320	U1331	B	2	H	3	1.50	1.50	13.10	14.60	13.37	14.87	0.25	accomodates splice	
320	U1331	B	2	H	4	1.50	1.50	14.60	16.10	14.87	16.37	0.00	accomodates splice	
320	U1331	B	2	H	5	1.50	1.50	16.10	17.60	16.37	17.87	0.00	accomodates splice	
320	U1331	B	2	H	6	1.50	1.50	17.60	19.10	17.87	19.37	0.00	accomodates splice	
320	U1331	B	2	H	7	0.64	0.64	19.10	19.74	19.37	20.01	0.00	accomodates splice	
320	U1331	B	2	H	CC	0.39	0.39	19.74	20.13	20.01	20.40	0.00	accomodates splice	
320	U1331	C	2	H	7	0.79	0.79	18.50	19.29	20.62	21.41	0.22	accomodates splice	
320	U1331	C	2	H	CC	0.23	0.23	19.29	19.52	21.41	21.64	0.00	accomodates splice	
320	U1331	C	3	H	1	1.50	1.50	19.00	20.50	21.07	22.57	-0.57	accomodates splice	
320	U1331	C	3	H	2	1.50	1.50	20.50	22.00	22.57	24.07	0.00	accomodates splice	
320	U1331	C	3	H	3	1.50	1.50	22.00	23.50	24.07	25.57	0.00	accomodates splice	
320	U1331	C	3	H	4	1.50	1.50	23.50	25.00	25.57	27.07	0.00	accomodates splice	
320	U1331	C	3	H	5	1.50	1.50	25.00	26.50	27.07	28.57	0.00	accomodates splice	
320	U1331	C	3	H	6	1.50	1.50	26.50	28.00	28.57	30.07	0.00	accomodates splice	
320	U1331	C	3	H	7	0.59	0.59	28.00	28.59	30.07	30.66	0.00	accomodates splice	
320	U1331	C	3	H	CC	0.18	0.18	28.59	28.77	30.66	30.84	0.00	accomodates splice	
320	U1331	C	4	H	1	1.50	1.50	28.50	30.00	31.14	32.64	0.30	accomodates splice	
320	U1331	C	4	H	2	1.50	1.50	30.00	31.50	32.64	34.14	0.00	accomodates splice	
320	U1331	C	4	H	3	1.50	1.50	31.50	33.00	34.14	35.64	0.00	accomodates splice	
320	U1331	C	4	H	4	1.50	1.50	33.00	34.50	35.64	37.14	0.00	accomodates splice	
320	U1331	C	4	H	5	1.50	1.50	34.50	36.00	37.14	38.64	0.00	accomodates splice	
320	U1331	C	4	H	6	1.50	1.50	36.00	37.50	38.64	40.14	0.00	accomodates splice	
320	U1331	C	4	H	7	0.83	0.83	37.50	38.33	40.14	40.97	0.00	accomodates splice	
320	U1331	C	4	H	CC	0.16	0.16	38.33	38.49	40.97	41.13	0.00	accomodates splice	
320	U1331	B	4	H	7	0.84	0.84	38.10	38.94	41.86	42.70	0.73	accomodates splice	
320	U1331	B	4	H	CC	0.23	0.23	38.94	39.17	42.70	42.93	0.00	accomodates splice	
320	U1331	B	5	H	1	1.50	1.50	38.60	40.10	44.45	45.95	1.52	accomodates splice	
320	U1331	A	5	H	6	1.00	1.00	41.20	42.20	46.79	47.79	0.84	accomodates splice	
320	U1331	A	5	H	7	0.55	0.55	42.20	42.75	47.79	48.34	0.00	accomodates splice	
320	U1331	A	5	H	CC	0.27	0.27	42.75	43.02	48.34	48.61	0.00	accomodates splice	
320	U1331	A	6	H	1	1.50	1.50	43.20	44.70	50.70	52.20	2.09	accomodates splice	
320	U1331	B	5	H	CC	0.30	0.30	47.80	48.10	53.65	53.95	1.45	accomodates splice	
320	U1331	B	6	H	1	1.50	1.50	48.10	49.60	55.53	57.03	1.58	accomodates splice	
320	U1331	B	6	H	2	1.50	1.50	49.60	51.10	57.03	58.53	0.00	accomodates splice	
320	U1331	B	6	H	6	1.50	1.50	55.60	57.10	63.03	64.53	4.50	accomodates splice	
320	U1331	B	6	H	7	0.81	0.81	57.10	57.91	64.53	65.34	0.00	accomodates splice	
320	U1331	B	6	H	CC	0.34	0.34	57.91	58.25	65.34	65.68	0.00	accomodates splice	
320	U1331	B	7	H	1	1.50	1.50	57.60	59.10	65.15	66.65	-0.53	accomodates splice	
320	U1331	B	7	H	2	1.50	1.50	59.10	60.60	66.65	68.15	0.00	accomodates splice	
320	U1331	B	7	H	3	1.50	1.50	60.60	62.10	68.15	69.65	0.00	accomodates splice	
320	U1331	B	7	H	4	1.50	1.50	62.10	63.60	69.65	71.15	0.00	accomodates splice	
320	U1331	B	7	H	5	1.50	1.50	63.60	65.10	71.15	72.65	0.00	accomodates splice	
320	U1331	B	7	H	6	1.50	1.50	65.10	66.60	72.65	74.15	0.00	accomodates splice	
320	U1331	B	7	H	7	0.42	0.42	66.60	67.02	74.15	74.57	0.00	accomodates splice	
320	U1331	B	7	H	CC	0.19	0.19	67.02	67.21	74.57	74.76	0.00	accomodates splice	
320	U1331	C	6	H	5	1.50	1.50	65.00	66.50	75.70	77.20	0.94	accomodates splice	
320	U1331	C	6	H	6	1.00	1.00	66.50	67.50	77.20	78.20	0.00	accomodates splice	
320	U1331	C	6	H	7	0.79	0.79	67.50	68.29	78.20	78.99	0.00	accomodates splice	
320	U1331	C	6	H	CC	0.25	0.25	68.29	68.54	78.99	79.24	0.00	accomodates splice	
320	U1331	A	8	H	6	1.50	1.50	69.70	71.20	79.56	81.06	0.32	accomodates splice	
320	U1331	A	8	H	7	0.78	0.78	71.20	71.98	81.06	81.84	0.00	accomodates splice	

U1331 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1331	A	8	H	CC	0.24	0.24	71.98	72.22	81.84	82.08	0.00	acomodates splice	
320	U1331	A	9	H	1	1.50	1.50	71.70	73.20	82.15	83.65	0.07	acomodates splice	
320	U1331	B	8	H	7	0.81	0.81	76.10	76.91	85.98	86.79	2.33	acomodates splice	
320	U1331	B	8	H	CC	0.28	0.28	76.91	77.19	86.79	87.07	0.00	acomodates splice	
320	U1331	B	9	H	1	1.50	1.50	76.60	78.10	86.69	88.19	-0.38	acomodates splice	
320	U1331	B	9	H	4	1.50	1.50	81.10	82.60	91.19	92.69	3.00	acomodates splice	
320	U1331	B	9	H	5	1.50	1.50	82.60	84.10	92.69	94.19	0.00	acomodates splice	
320	U1331	B	9	H	6	1.50	1.50	84.10	85.60	94.19	95.69	0.00	acomodates splice	
320	U1331	B	9	H	7	0.80	0.80	85.60	86.40	95.69	96.49	0.00	acomodates splice	
320	U1331	B	9	H	CC	0.25	0.25	86.40	86.65	96.49	96.74	0.00	acomodates splice	
320	U1331	A	10	H	7	0.57	0.57	89.70	90.27	98.22	98.79	1.48	acomodates splice	
320	U1331	A	10	H	CC	0.26	0.26	90.27	90.53	98.79	99.05	0.00	acomodates splice	
320	U1331	A	11	H	1	0.68	0.68	90.70	91.38	101.71	102.39	2.66	acomodates splice	
320	U1331	A	11	H	2	1.50	1.50	91.38	92.88	102.39	103.89	0.00	acomodates splice	
320	U1331	C	8	H	1	1.50	1.50	92.50	94.00	104.68	106.18	0.79	acomodates splice	
320	U1331	C	8	H	2	1.50	1.50	94.00	95.50	106.18	107.68	0.00	acomodates splice	
320	U1331	B	11	H	1	1.50	1.50	95.60	97.10	107.72	109.22	0.04	acomodates splice	
320	U1331	B	11	H	2	1.50	1.50	97.10	98.60	109.22	110.72	0.00	acomodates splice	
320	U1331	C	8	H	7	0.52	0.52	101.00	101.52	113.18	113.70	2.46	acomodates splice	
320	U1331	C	8	H	CC	0.19	0.19	101.52	101.71	113.70	113.89	0.00	acomodates splice	
320	U1331	C	10	H	1	1.50	1.50	102.50	104.00	114.68	116.18	0.79	acomodates splice	
320	U1331	C	10	H	2	1.50	1.50	104.00	105.50	116.18	117.68	0.00	acomodates splice	
320	U1331	C	10	H	3	1.50	1.50	105.50	107.00	117.68	119.18	0.00	acomodates splice	
320	U1331	C	10	H	4	1.50	1.50	107.00	108.50	119.18	120.68	0.00	acomodates splice	
320	U1331	C	10	H	5	1.50	1.50	108.50	110.00	120.68	122.18	0.00	acomodates splice	
320	U1331	C	10	H	6	0.71	0.71	110.00	110.71	122.18	122.89	0.00	acomodates splice	
320	U1331	C	10	H	CC	0.27	0.27	110.71	110.98	122.89	123.16	0.00	acomodates splice	
320	U1331	A	12	H	CC	0.23	0.23	109.97	110.20	123.19	123.42	0.03	acomodates splice	
320	U1331	A	13	H	1	1.50	1.50	109.70	111.20	124.76	126.26	1.34	acomodates splice	
320	U1331	B	12	H	7	0.83	0.83	114.10	114.93	127.73	128.56	1.47	acomodates splice	
320	U1331	B	12	H	CC	0.09	0.09	114.93	115.02	128.56	128.65	0.00	acomodates splice	
320	U1331	B	13	H	1	1.50	1.50	114.60	116.10	129.42	130.92	0.77	acomodates splice	
320	U1331	B	13	H	2	1.50	1.50	116.10	117.60	130.92	132.42	0.00	acomodates splice	
320	U1331	A	13	H	7	0.66	0.66	118.70	119.36	133.76	134.42	1.34	acomodates splice	
320	U1331	A	13	H	CC	0.27	0.27	119.36	119.63	134.42	134.69	0.00	acomodates splice	
320	U1331	A	14	H	1	1.47	1.47	119.20	120.67	135.38	136.85	0.69	acomodates splice	
320	U1331	A	14	H	2	1.50	1.50	120.67	122.17	136.85	138.35	0.00	acomodates splice	
320	U1331	B	13	H	CC	0.24	0.24	124.17	124.41	138.99	139.23	0.64	acomodates splice	
320	U1331	B	14	H	1	1.50	1.50	124.10	125.60	138.44	139.94	-0.79	acomodates splice	
320	U1331	B	14	H	2	1.50	1.50	125.60	127.10	139.94	141.44	0.00	acomodates splice	
320	U1331	A	14	H	6	1.50	1.10	126.67	127.77	142.85	143.95	1.41	acomodates splice	
320	U1331	C	12	H	1	1.50	1.50	129.00	130.50	143.17	144.67	-0.78	acomodates splice	
320	U1331	A	15	H	1	1.50	1.50	128.70	130.20	144.88	146.38	0.21	acomodates splice	
320	U1331	A	15	H	2	1.50	1.50	130.20	131.70	146.38	147.88	0.00	acomodates splice	
320	U1331	A	15	H	3	1.50	1.50	131.70	133.20	147.88	149.38	0.00	acomodates splice	
320	U1331	A	15	H	4	1.50	1.50	133.20	134.70	149.38	150.88	0.00	acomodates splice	
320	U1331	A	15	H	5	1.50	1.50	134.70	136.20	150.88	152.38	0.00	acomodates splice	
320	U1331	A	15	H	6	1.50	1.50	136.20	137.70	152.38	153.88	0.00	acomodates splice	
320	U1331	C	12	H	CC	0.22	0.22	138.83	139.05	153.00	153.22	-0.88	acomodates splice	
320	U1331	A	15	H	7	0.75	0.75	137.70	138.45	153.88	154.63	0.66	acomodates splice	
320	U1331	B	15	H	4	1.50	1.50	138.10	139.60	154.77	156.27	0.14	acomodates splice	
320	U1331	B	15	H	5	1.50	1.50	139.60	141.10	156.27	157.77	0.00	acomodates splice	
320	U1331	B	15	H	6	1.50	1.50	141.10	142.60	157.77	159.27	0.00	acomodates splice	
320	U1331	B	15	H	7	0.84	0.84	142.60	143.44	159.27	160.11	0.00	acomodates splice	
320	U1331	B	15	H	CC	0.18	0.18	143.44	143.62	160.11	160.29	0.00	acomodates splice	
320	U1331	C	13	H	6	1.50	1.50	146.00	147.50	160.67	162.17	0.38	acomodates splice	
320	U1331	C	13	H	7	0.83	0.83	147.50	148.33	162.17	163.00	0.00	acomodates splice	
320	U1331	C	13	H	CC	0.26	0.26	148.33	148.59	163.00	163.26	0.00	acomodates splice	
320	U1331	C	14	H	1	1.50	1.50	148.00	149.50	163.42	164.92	0.16	below splice	
320	U1331	C	14	H	2	1.50	1.50	149.50	151.00	164.92	166.42	0.00	below splice	
320	U1331	C	14	H	3	1.50	1.50	151.00	152.50	166.42	167.92	0.00	below splice	
320	U1331	C	14	H	4	1.50	1.50	152.50	154.00	167.92	169.42	0.00	below splice	

U1331 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1331	C	14	H	5	1.50	1.50	154.00	155.50	169.42	170.92	0.00	below splice	
320	U1331	C	14	H	6	1.15	1.15	155.50	156.65	170.92	172.07	0.00	below splice	
320	U1331	C	14	H	CC	0.29	0.29	156.65	156.94	172.07	172.36	0.00	below splice	
320	U1331	A	18	X	1	0.25	0.25	157.30	157.55	172.37	172.62	0.01	below splice	
320	U1331	A	19	X	1	1.00	1.00	160.50	161.50	175.57	176.57	2.95	below splice	Mixture of chert & sediment
320	U1331	A	19	X	2	0.58	0.58	161.50	162.08	176.57	177.15	0.00	below splice	Mixture of chert & sediment
320	U1331	A	19	X	CC	0.33	0.33	162.08	162.41	177.15	177.48	0.00	below splice	
320	U1331	A	20	X	CC	0.06	0.06	167.00	167.06	182.07	182.13	4.59	below splice	
320	U1331	C	16	H	1	1.50	1.50	177.00	178.50	192.42	193.92	10.29	below splice	
320	U1331	B	22	X	CC	0.01	0.01	179.00	179.01	194.56	194.57	0.64	igneous rock	2 small pieces of hard rock.
320	U1331	C	16	H	2	1.50	1.50	178.50	180.00	193.92	195.42	-0.65	below splice	
320	U1331	C	16	H	3	1.50	1.50	180.00	181.50	195.42	196.92	0.00	below splice	
320	U1331	C	16	H	4	1.50	1.50	181.50	183.00	196.92	198.42	0.00	below splice	
320	U1331	C	16	H	5	1.50	1.50	183.00	184.50	198.42	199.92	0.00	below splice	
320	U1331	C	16	H	6	0.74	0.74	184.50	185.24	199.92	200.66	0.00	below splice	
320	U1331	C	16	H	CC	0.22	0.22	185.24	185.46	200.66	200.88	0.00	below splice	
320	U1331	C	17	H	1	1.50	1.50	184.00	185.50	199.42	200.92	-1.46	below splice	
320	U1331	C	17	H	2	1.50	1.50	185.50	187.00	200.92	202.42	0.00	below splice	
320	U1331	C	17	H	3	1.50	1.50	187.00	188.50	202.42	203.92	0.00	below splice	
320	U1331	C	17	H	4	0.90	0.90	188.50	189.40	203.92	204.82	0.00	below splice	
320	U1331	C	17	H	CC	0.13	0.13	189.40	189.53	204.82	204.95	0.00	below splice	