

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	B	1	H	1	1.50	1.50	0.00	1.50	0.01	1.51	0.01	accommodates splice	
323	U1343	B	1	H	2	1.50	1.50	1.50	3.00	1.51	3.01	0.00	accommodates splice	
323	U1343	B	1	H	3	1.50	1.50	3.00	4.50	3.01	4.51	0.00	accommodates splice	
323	U1343	B	1	H	4	1.50	1.50	4.50	6.00	4.51	6.01	0.00	accommodates splice	
323	U1343	B	1	H	5	0.72	0.72	6.00	6.72	6.01	6.73	0.00	accommodates splice	
323	U1343	B	1	H	CC	0.13	0.13	6.72	6.85	6.73	6.86	0.00	accommodates splice	
323	U1343	B	2	H	1	1.50	1.50	7.00	8.50	6.81	8.31	-0.05	accommodates splice	
323	U1343	B	2	H	2	1.50	1.50	8.50	10.00	8.31	9.81	0.00	accommodates splice	
323	U1343	B	2	H	3	1.50	1.50	10.00	11.50	9.81	11.31	0.00	accommodates splice	
323	U1343	B	2	H	4	1.50	1.50	11.50	13.00	11.31	12.81	0.00	accommodates splice	
323	U1343	B	2	H	5	1.50	1.50	13.00	14.50	12.81	14.31	0.00	accommodates splice	
323	U1343	B	2	H	6	1.50	1.50	14.50	16.00	14.31	15.81	0.00	accommodates splice	
323	U1343	B	2	H	7	0.61	0.61	16.00	16.61	15.81	16.42	0.00	accommodates splice	
323	U1343	B	2	H	CC	0.26	0.26	16.61	16.87	16.42	16.68	0.00	accommodates splice	
323	U1343	B	3	H	1	1.50	1.50	16.50	18.00	16.48	17.98	-0.20	accommodates splice	mbio
323	U1343	B	3	H	2	1.50	1.50	18.00	19.50	17.98	19.48	0.00	accommodates splice	mbio
323	U1343	B	3	H	3	1.33	1.33	19.50	20.83	19.48	20.81	0.00	accommodates splice	Cracked liner, practice mbio
323	U1343	B	3	H	4	1.50	1.50	20.83	22.33	20.81	22.31	0.00	accommodates splice	Cracked liner, practice mbio
323	U1343	B	3	H	5	1.50	1.50	22.33	23.83	22.31	23.81	0.00	accommodates splice	Top was crushed, hack-sawed off, mbio
323	U1343	B	3	H	6	1.03	1.03	23.83	24.86	23.81	24.84	0.00	accommodates splice	mbio
323	U1343	B	3	H	CC	0.22	0.22	24.86	25.08	24.84	25.06	0.00	accommodates splice	
323	U1343	C	3	H	7	0.66	0.66	25.70	26.36	25.59	26.25	0.53	accommodates splice	
323	U1343	C	3	H	CC	0.24	0.24	26.36	26.60	26.25	26.49	0.00	accommodates splice	
323	U1343	B	4	H	1	1.50	1.50	26.00	27.50	26.67	28.17	0.18	accommodates splice	
323	U1343	B	4	H	2	1.50	1.50	27.50	29.00	28.17	29.67	0.00	accommodates splice	
323	U1343	B	4	H	3	1.50	1.50	29.00	30.50	29.67	31.17	0.00	accommodates splice	
323	U1343	B	4	H	4	1.50	1.50	30.50	32.00	31.17	32.67	0.00	accommodates splice	
323	U1343	B	4	H	5	1.50	1.50	32.00	33.50	32.67	34.17	0.00	accommodates splice	
323	U1343	B	4	H	6	1.50	1.50	33.50	35.00	34.17	35.67	0.00	accommodates splice	
323	U1343	B	4	H	CC	0.26	0.26	35.00	35.26	35.67	35.93	0.00	accommodates splice	
323	U1343	A	5	H	1	1.50	1.50	34.00	35.50	36.62	38.12	0.69	accommodates splice	
323	U1343	A	5	H	2	1.50	1.50	35.50	37.00	38.12	39.62	0.00	accommodates splice	
323	U1343	A	5	H	3	1.50	1.50	37.00	38.50	39.62	41.12	0.00	accommodates splice	
323	U1343	A	5	H	4	1.38	1.38	38.50	39.88	41.12	42.50	0.00	accommodates splice	
323	U1343	A	5	H	5	1.46	1.46	39.88	41.34	42.50	43.96	0.00	accommodates splice	
323	U1343	A	5	H	6	1.50	1.50	41.34	42.84	43.96	45.46	0.00	accommodates splice	
323	U1343	A	5	H	7	0.71	0.71	42.84	43.55	45.46	46.17	0.00	accommodates splice	
323	U1343	A	5	H	CC	0.46	0.46	43.55	44.01	46.17	46.63	0.00	accommodates splice	
323	U1343	C	5	H	CC	0.29	0.29	44.46	44.75	46.17	46.46	-0.46	accommodates splice	
323	U1343	C	6	H	1	0.72	0.72	45.20	45.92	48.23	48.95	1.77	accommodates splice	
323	U1343	C	6	H	2	1.50	1.50	45.92	47.42	48.95	50.45	0.00	accommodates splice	
323	U1343	C	6	H	3	1.50	1.50	47.42	48.92	50.45	51.95	0.00	accommodates splice	
323	U1343	C	6	H	4	1.37	1.37	48.92	50.29	51.95	53.32	0.00	accommodates splice	
323	U1343	C	6	H	5	1.48	1.48	50.29	51.77	53.32	54.80	0.00	accommodates splice	
323	U1343	C	6	H	6	1.43	1.43	51.77	53.20	54.80	56.23	0.00	accommodates splice	
323	U1343	C	6	H	7	1.50	1.50	53.20	54.70	56.23	57.73	0.00	accommodates splice	Disturbed; extruded on rig floor.
323	U1343	C	6	H	8	0.46	0.46	54.70	55.16	57.73	58.19	0.00	accommodates splice	
323	U1343	A	7	H	1	0.57	0.57	53.00	53.57	57.97	58.54	-0.22	accommodates splice	
323	U1343	A	7	H	2	1.50	1.50	53.57	55.07	58.54	60.04	0.00	accommodates splice	
323	U1343	A	7	H	3	1.45	1.45	55.07	56.52	60.04	61.49	0.00	accommodates splice	
323	U1343	A	7	H	4	1.48	1.48	56.52	58.00	61.49	62.97	0.00	accommodates splice	
323	U1343	A	7	H	5	1.46	1.46	58.00	59.46	62.97	64.43	0.00	accommodates splice	
323	U1343	A	7	H	6	1.34	1.34	59.46	60.80	64.43	65.77	0.00	accommodates splice	Disturbed; extruded on rig floor.
323	U1343	A	7	H	7	0.93	0.93	60.80	61.73	65.77	66.70	0.00	accommodates splice	
323	U1343	A	7	H	CC	0.56	0.56	61.73	62.29	66.70	67.26	0.00	accommodates splice	
323	U1343	C	7	H	6	1.45	1.45	62.03	63.48	66.44	67.89	-0.82	accommodates splice	
323	U1343	C	7	H	CC	0.43	0.43	63.48	63.91	67.89	68.32	0.00	accommodates splice	
323	U1343	C	8	H	1	1.50	1.50	64.20	65.70	67.02	68.52	-1.30	accommodates splice	
323	U1343	C	8	H	2	1.40	1.40	65.70	67.10	68.52	69.92	0.00	accommodates splice	
323	U1343	C	8	H	3	1.47	1.47	67.10	68.57	69.92	71.39	0.00	accommodates splice	
323	U1343	C	8	H	4	1.28	1.28	68.57	69.85	71.39	72.67	0.00	accommodates splice	Disturbed; extruded on rig floor.
323	U1343	C	8	H	5	0.44	0.44	69.85	70.29	72.67	73.11	0.00	accommodates splice	
323	U1343	C	8	H	CC	0.39	0.39	70.29	70.68	73.11	73.50	0.00	accommodates splice	
323	U1343	C	9	H	1	1.23	1.23	68.20	69.43	73.46	74.69	-0.04	accommodates splice	
323	U1343	C	9	H	2	1.34	1.34	69.43	70.77	74.69	76.03	0.00	accommodates splice	
323	U1343	C	9	H	3	1.48	1.48	70.77	72.25	76.03	77.51	0.00	accommodates splice	
323	U1343	C	9	H	4	1.46	1.46	72.25	73.71	77.51	78.97	0.00	accommodates splice	
323	U1343	C	9	H	5	1.50	1.50	73.71	75.21	78.97	80.47	0.00	accommodates splice	
323	U1343	C	9	H	6	1.50	1.50	75.21	76.71	80.47	81.97	0.00	accommodates splice	

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	C	9	H	7	1.15	1.15	76.71	77.86	81.97	83.12	0.00	accommodates splice	
323	U1343	C	9	H	CC	0.49	0.49	77.86	78.35	83.12	83.61	0.00	accommodates splice	
323	U1343	C	10	H	1	0.74	0.74	77.70	78.44	84.41	85.15	0.80	accommodates splice	
323	U1343	E	9	H	1	0.28	0.28	74.70	74.98	86.26	86.54	1.11	accommodates splice	
323	U1343	E	9	H	2	1.50	1.50	74.98	76.48	86.54	88.04	0.00	accommodates splice	
323	U1343	E	9	H	3	1.50	1.50	76.48	77.98	88.04	89.54	0.00	accommodates splice	
323	U1343	E	9	H	4	1.27	1.27	77.98	79.25	89.54	90.81	0.00	accommodates splice	
323	U1343	E	9	H	5	1.50	1.50	79.25	80.75	90.81	92.31	0.00	accommodates splice	
323	U1343	E	9	H	6	1.50	1.50	80.75	82.25	92.31	93.81	0.00	accommodates splice	
323	U1343	E	9	H	7	1.31	1.31	82.25	83.56	93.81	95.12	0.00	accommodates splice	
323	U1343	E	9	H	CC	0.59	0.59	83.56	84.15	95.12	95.71	0.00	accommodates splice	
323	U1343	E	10	H	1	1.50	1.50	84.20	85.70	97.00	98.50	1.29	accommodates splice	
323	U1343	E	10	H	2	1.36	1.36	85.70	87.06	98.50	99.86	0.00	accommodates splice	
323	U1343	E	10	H	3	1.50	1.50	87.06	88.56	99.86	101.36	0.00	accommodates splice	
323	U1343	E	10	H	4	1.44	1.44	88.56	90.00	101.36	102.80	0.00	accommodates splice	
323	U1343	E	10	H	5	0.73	0.73	89.92	90.65	102.72	103.45	-0.08	accommodates splice	
323	U1343	E	10	H	CC	0.35	0.35	90.65	91.00	103.45	103.80	0.00	accommodates splice	
323	U1343	E	11	H	1	1.50	1.50	93.70	95.20	107.59	109.09	3.79	accommodates splice	
323	U1343	E	11	H	2	1.40	1.40	95.20	96.60	109.09	110.49	0.00	accommodates splice	
323	U1343	E	11	H	3	1.50	1.50	96.60	98.10	110.49	111.99	0.00	accommodates splice	
323	U1343	E	11	H	4	1.50	1.50	98.10	99.60	111.99	113.49	0.00	accommodates splice	
323	U1343	E	11	H	5	1.48	1.48	99.60	101.08	113.49	114.97	0.00	accommodates splice	
323	U1343	E	11	H	6	0.35	0.35	101.08	101.43	114.97	115.32	0.00	accommodates splice	
323	U1343	E	11	H	CC	0.34	0.34	101.43	101.77	115.32	115.66	0.00	accommodates splice	
323	U1343	C	12	H	7	1.13	1.13	105.18	106.31	114.97	116.10	-0.69	accommodates splice	
323	U1343	C	12	H	CC	0.37	0.37	106.31	106.68	116.10	116.47	0.00	accommodates splice	
323	U1343	E	12	H	1	1.50	1.50	101.20	102.70	116.60	118.10	0.13	accommodates splice	
323	U1343	E	12	H	2	1.50	1.50	102.70	104.20	118.10	119.60	0.00	accommodates splice	
323	U1343	E	12	H	3	1.44	1.44	104.20	105.64	119.60	121.04	0.00	accommodates splice	
323	U1343	E	12	H	4	0.56	0.56	105.64	106.20	121.04	121.60	0.00	accommodates splice	
323	U1343	E	12	H	CC	0.49	0.49	106.20	106.69	121.60	122.09	0.00	accommodates splice	
323	U1343	E	14	H	1	1.50	1.50	109.70	111.20	125.07	126.57	2.98	accommodates splice	
323	U1343	E	14	H	2	1.37	1.37	111.20	112.57	126.57	127.94	0.00	accommodates splice	
323	U1343	E	14	H	3	1.47	1.47	112.57	114.04	127.94	129.41	0.00	accommodates splice	
323	U1343	E	14	H	4	1.10	1.10	114.04	115.14	129.41	130.51	0.00	accommodates splice	
323	U1343	E	14	H	5	0.76	0.76	115.14	115.90	130.51	131.27	0.00	accommodates splice	
323	U1343	E	14	H	CC	0.15	0.15	115.90	116.05	131.27	131.42	0.00	accommodates splice	
323	U1343	E	15	H	1	1.46	1.46	114.70	116.16	132.48	133.94	1.06	accommodates splice	
323	U1343	E	15	H	2	1.45	1.45	116.16	117.61	133.94	135.39	0.00	accommodates splice	
323	U1343	E	15	H	3	1.37	1.37	117.61	118.98	135.39	136.76	0.00	accommodates splice	
323	U1343	E	15	H	4	1.50	1.50	118.98	120.48	136.76	138.26	0.00	accommodates splice	Disturbed
323	U1343	E	15	H	5	1.50	1.50	120.48	121.98	138.26	139.76	0.00	accommodates splice	
323	U1343	E	15	H	6	0.92	0.92	121.98	122.90	139.76	140.68	0.00	accommodates splice	Disturbed
323	U1343	E	15	H	CC	0.55	0.55	122.90	123.45	140.68	141.23	0.00	accommodates splice	
323	U1343	E	16	H	1	1.46	1.46	124.20	125.66	142.48	143.94	1.25	accommodates splice	
323	U1343	E	16	H	2	1.24	1.24	125.66	126.90	143.94	145.18	0.00	accommodates splice	
323	U1343	E	16	H	3	1.50	1.50	126.90	128.40	145.18	146.68	0.00	accommodates splice	
323	U1343	E	16	H	4	0.75	0.75	128.40	129.15	146.68	147.43	0.00	accommodates splice	
323	U1343	E	16	H	CC	0.41	0.41	129.15	129.56	147.43	147.84	0.00	accommodates splice	
323	U1343	E	17	H	1	1.48	1.48	129.20	130.68	148.36	149.84	0.52	accommodates splice	
323	U1343	E	17	H	CC	0.40	0.40	130.68	131.44	149.84	151.20	7.36	accommodates splice	
323	U1343	E	18	H	1	0.52	0.52	131.44	132.20	151.20	152.08	1.68	accommodates splice	
323	U1343	E	18	H	2	1.47	1.47	132.20	139.22	152.08	159.80	0.00	accommodates splice	
323	U1343	C	17	H	1	0.66	0.66	144.20	144.86	161.42	162.08	0.15	accommodates splice	
323	U1343	C	17	H	2	1.34	1.34	144.86	146.20	162.08	163.42	0.00	accommodates splice	
323	U1343	C	17	H	3	1.50	1.50	146.20	147.70	163.42	164.92	0.00	accommodates splice	
323	U1343	C	17	H	4	1.48	1.48	147.70	149.18	164.92	166.40	0.00	accommodates splice	
323	U1343	C	17	H	5	1.50	1.50	149.18	150.68	166.40	167.90	0.00	accommodates splice	
323	U1343	C	17	H	6	1.50	1.50	150.68	152.18	167.90	169.40	0.00	accommodates splice	
323	U1343	C	17	H	7	0.85	0.85	152.18	153.03	169.40	170.25	0.00	accommodates splice	
323	U1343	C	17	H	CC	0.37	0.37	153.03	153.40	170.25	170.62	0.00	accommodates splice	
323	U1343	E	19	H	1	1.50	1.50	148.20	149.70	170.22	171.72	-0.40	accommodates splice	
323	U1343	E	19	H	2	1.50	1.50	149.70	151.20	171.72	173.22	0.00	accommodates splice	Disturbed
323	U1343	E	19	H	3	1.36	1.36	151.20	152.56	173.22	174.58	0.00	accommodates splice	
323	U1343	E	19	H	4	1.50	1.50	152.56	154.06	174.58	176.08	0.00	accommodates splice	
323	U1343	E	19	H	5	1.00	1.00	154.06	155.06	176.08	177.08	0.00	accommodates splice	
323	U1343	E	19	H	6	0.57	0.57	155.06	155.63	177.08	177.65	0.00	accommodates splice	
323	U1343	E	19	H	CC	0.34	0.34	155.63	155.97	177.65	177.99	0.00	accommodates splice	
323	U1343	C	18	H	7	1.05	1.05	161.37	162.42	179.61	180.66	1.62	accommodates splice	

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	C	18	H	CC	0.73	0.73	162.42	163.15	180.66	181.39	0.00	accommodates splice	
323	U1343	C	19	H	1	1.48	1.48	163.20	164.68	183.62	185.10	2.23	accommodates splice	Disturbed
323	U1343	C	19	H	2	1.42	1.42	164.68	166.10	185.10	186.52	0.00	accommodates splice	
323	U1343	C	19	H	3	1.50	1.50	166.10	167.60	186.52	188.02	0.00	accommodates splice	
323	U1343	A	19	H	1	1.50	1.50	167.00	168.50	186.93	188.43	-1.09	accommodates splice	
323	U1343	A	19	H	2	1.43	1.43	168.50	169.93	188.43	189.86	0.00	accommodates splice	
323	U1343	A	19	H	3	1.50	1.50	169.93	171.43	189.86	191.36	0.00	accommodates splice	
323	U1343	A	19	H	4	0.68	0.68	171.43	172.11	191.36	192.04	0.00	accommodates splice	
323	U1343	A	19	H	5	1.23	1.23	172.11	173.34	192.04	193.27	0.00	accommodates splice	
323	U1343	A	19	H	CC	0.56	0.56	173.34	173.90	193.27	193.83	0.00	accommodates splice	Material missing from bottom
323	U1343	C	20	H	1	0.66	0.66	172.70	173.36	193.81	194.47	-0.02	accommodates splice	
323	U1343	C	20	H	2	1.49	1.49	173.36	174.85	194.47	195.96	0.00	accommodates splice	
323	U1343	A	20	H	1	1.14	1.14	173.00	174.14	194.79	195.93	-1.17	accommodates splice	
323	U1343	A	20	H	2	1.13	1.13	174.14	175.27	195.93	197.06	0.00	accommodates splice	
323	U1343	A	20	H	3	1.46	1.46	175.27	176.73	197.06	198.52	0.00	accommodates splice	Disturbed, not oriented
323	U1343	A	20	H	4	1.47	1.47	176.73	178.20	198.52	199.99	0.00	accommodates splice	
323	U1343	A	20	H	5	1.40	1.40	178.20	179.60	199.99	201.39	0.00	accommodates splice	
323	U1343	A	20	H	6	0.65	0.65	179.60	180.25	201.39	202.04	0.00	accommodates splice	
323	U1343	A	20	H	7	1.29	1.29	180.25	181.54	202.04	203.33	0.00	accommodates splice	
323	U1343	A	20	H	CC	0.52	0.52	181.54	182.06	203.33	203.85	0.00	accommodates splice	
323	U1343	C	21	H	1	0.77	0.77	182.20	182.97	204.44	205.21	0.59	accommodates splice	
323	U1343	C	21	H	2	1.43	1.43	182.97	184.40	205.21	206.64	0.00	accommodates splice	Disturbed
323	U1343	C	21	H	3	1.50	1.50	184.40	185.90	206.64	208.14	0.00	accommodates splice	
323	U1343	C	21	H	4	1.50	1.50	185.90	187.40	208.14	209.64	0.00	accommodates splice	
323	U1343	C	21	H	5	1.47	1.47	187.40	188.87	209.64	211.11	0.00	accommodates splice	
323	U1343	C	21	H	6	1.50	1.50	188.87	190.37	211.11	212.61	0.00	accommodates splice	
323	U1343	C	21	H	7	0.71	0.71	190.37	191.08	212.61	213.32	0.00	accommodates splice	
323	U1343	C	21	H	8	0.79	0.79	191.08	191.87	213.32	214.11	0.00	accommodates splice	
323	U1343	C	21	H	CC	0.28	0.28	191.87	192.15	214.11	214.39	0.00	accommodates splice	
323	U1343	C	22	H	1	1.50	1.50	191.70	193.20	215.55	217.05	1.16	accommodates splice	Disturbed
323	U1343	C	22	H	2	1.33	1.33	193.20	194.53	217.05	218.38	0.00	accommodates splice	
323	U1343	C	22	H	3	0.62	0.62	194.53	195.15	218.38	219.00	0.00	accommodates splice	
323	U1343	C	22	H	4	0.58	0.58	195.15	195.73	219.00	219.58	0.00	accommodates splice	
323	U1343	C	22	H	CC	0.43	0.43	195.73	196.16	219.58	220.01	0.00	accommodates splice	
323	U1343	E	23	H	CC	0.59	0.59	192.82	193.41	220.03	220.62	0.02	accommodates splice	
323	U1343	C	23	H	1	0.61	0.61	196.20	196.81	222.02	222.63	1.40	accommodates splice	
323	U1343	C	23	H	2	1.33	1.33	196.81	198.14	222.63	223.96	0.00	accommodates splice	Disturbed
323	U1343	E	24	H	1	1.40	1.40	193.00	194.40	222.78	224.18	-1.18	accommodates splice	
323	U1343	E	24	H	2	1.50	1.50	194.40	195.90	224.18	225.68	0.00	accommodates splice	
323	U1343	E	24	H	3	1.25	1.25	195.90	197.15	225.68	226.93	0.00	accommodates splice	
323	U1343	E	24	H	CC	0.42	0.42	197.15	197.57	226.93	227.35	0.00	accommodates splice	
323	U1343	E	25	H	1	0.41	0.41	197.50	197.91	227.68	228.09	0.33	accommodates splice	
323	U1343	C	23	H	7	0.79	0.79	203.44	204.23	229.26	230.05	1.17	accommodates splice	
323	U1343	C	23	H	8	0.96	0.96	204.23	205.19	230.05	231.01	0.00	accommodates splice	
323	U1343	C	23	H	CC	0.26	0.26	205.19	205.45	231.01	231.27	0.00	accommodates splice	Disturbed; extruded on rig floor.
323	U1343	C	24	H	1	0.39	0.39	205.70	206.09	233.30	233.69	2.03	accommodates splice	
323	U1343	C	24	H	2	1.47	1.47	206.09	207.56	233.69	235.16	0.00	accommodates splice	
323	U1343	C	24	H	3	0.72	0.72	207.56	208.28	235.16	235.88	0.00	accommodates splice	
323	U1343	E	25	H	8	0.89	0.89	206.91	207.80	237.09	237.98	1.21	accommodates splice	
323	U1343	E	25	H	CC	0.29	0.29	207.80	208.09	237.98	238.27	0.00	accommodates splice	
323	U1343	E	26	H	1	0.76	0.76	207.00	207.76	239.61	240.37	1.34	accommodates splice	
323	U1343	C	24	H	8	0.93	0.93	214.18	215.11	241.78	242.71	1.41	accommodates splice	
323	U1343	C	24	H	CC	0.43	0.43	215.11	215.54	242.71	243.14	0.00	accommodates splice	
323	U1343	C	25	H	1	0.51	0.51	215.20	215.71	243.61	244.12	0.47	accommodates splice	
323	U1343	C	25	H	2	1.50	1.50	215.71	217.21	244.12	245.62	0.00	accommodates splice	
323	U1343	C	25	H	3	1.50	1.50	217.21	218.71	245.62	247.12	0.00	accommodates splice	
323	U1343	E	26	H	7	1.30	1.30	214.96	216.26	247.57	248.87	0.45	accommodates splice	
323	U1343	E	26	H	8	0.44	0.44	216.26	216.70	248.87	249.31	0.00	accommodates splice	
323	U1343	E	26	H	CC	0.44	0.44	216.70	217.14	249.31	249.75	0.00	accommodates splice	
323	U1343	C	25	H	CC	0.41	0.41	224.36	224.77	252.77	253.18	3.02	accommodates splice	
323	U1343	C	26	H	1	0.77	0.77	224.70	225.47	254.68	255.45	1.50	accommodates splice	
323	U1343	C	26	H	2	1.50	1.50	225.47	226.97	255.45	256.95	0.00	accommodates splice	
323	U1343	E	27	H	6	1.50	1.50	224.00	225.50	258.51	260.01	1.56	accommodates splice	
323	U1343	E	27	H	7	0.46	0.46	225.50	225.96	260.01	260.47	0.00	accommodates splice	
323	U1343	E	27	H	CC	0.15	0.15	225.96	226.11	260.47	260.62	0.00	accommodates splice	
323	U1343	E	28	H	1	1.50	1.50	226.00	227.50	261.62	263.12	1.00	accommodates splice	
323	U1343	C	26	H	8	0.75	0.75	233.66	234.41	263.64	264.39	0.52	accommodates splice	
323	U1343	C	26	H	CC	0.31	0.31	234.41	234.72	264.39	264.70	0.00	accommodates splice	
323	U1343	E	29	H	1	1.08	1.08	234.80	235.88	270.42	271.50	5.72	below splice, deepest hole	

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	E	29	H	2	1.24	1.24	235.88	237.12	271.50	272.74	0.00	below splice, deepest hole	Extruded on rig floor.
323	U1343	E	29	H	3	1.46	1.46	237.12	238.58	272.74	274.20	0.00	below splice, deepest hole	
323	U1343	E	29	H	4	1.50	1.50	238.58	240.08	274.20	275.70	0.00	below splice, deepest hole	
323	U1343	E	29	H	5	1.50	1.50	240.08	241.58	275.70	277.20	0.00	below splice, deepest hole	
323	U1343	E	29	H	6	1.39	1.39	241.58	242.97	277.20	278.59	0.00	below splice, deepest hole	
323	U1343	E	29	H	7	1.50	1.50	242.97	244.47	278.59	280.09	0.00	below splice, deepest hole	
323	U1343	E	29	H	8	0.72	0.72	244.47	245.19	280.09	280.81	0.00	below splice, deepest hole	
323	U1343	E	29	H	CC	0.40	0.40	245.19	245.59	280.81	281.21	0.00	below splice, deepest hole	
323	U1343	E	30	H	1	1.50	1.50	244.30	245.80	279.92	281.42	-1.29	below splice, deepest hole	
323	U1343	E	30	H	2	1.50	1.50	245.80	247.30	281.42	282.92	0.00	below splice, deepest hole	Extruded on rig floor.
323	U1343	E	30	H	3	1.43	1.43	247.30	248.73	282.92	284.35	0.00	below splice, deepest hole	
323	U1343	E	30	H	4	1.50	1.50	248.73	250.23	284.35	285.85	0.00	below splice, deepest hole	
323	U1343	E	30	H	5	1.50	1.50	250.23	251.73	285.85	287.35	0.00	below splice, deepest hole	
323	U1343	E	30	H	6	1.50	1.50	251.73	253.23	287.35	288.85	0.00	below splice, deepest hole	
323	U1343	E	30	H	7	0.73	0.73	253.23	253.96	288.85	289.58	0.00	below splice, deepest hole	
323	U1343	E	30	H	CC	0.35	0.35	253.96	254.31	289.58	289.93	0.00	below splice, deepest hole	
323	U1343	E	31	H	1	1.50	1.50	253.80	255.30	289.42	290.92	-0.51	below splice, deepest hole	PAL space left out.
323	U1343	E	31	H	2	1.50	1.50	255.30	256.80	290.92	292.42	0.00	below splice, deepest hole	
323	U1343	E	31	H	3	1.46	1.46	256.80	258.26	292.42	293.88	0.00	below splice, deepest hole	
323	U1343	E	31	H	4	1.50	1.50	258.26	259.76	293.88	295.38	0.00	below splice, deepest hole	
323	U1343	E	31	H	5	1.50	1.50	259.76	261.26	295.38	296.88	0.00	below splice, deepest hole	
323	U1343	E	31	H	6	1.50	1.50	261.26	262.76	296.88	298.38	0.00	below splice, deepest hole	
323	U1343	E	31	H	7	0.83	0.83	262.76	263.59	298.38	299.21	0.00	below splice, deepest hole	
323	U1343	E	31	H	CC	0.26	0.26	263.59	263.85	299.21	299.47	0.00	below splice, deepest hole	
323	U1343	E	32	H	1	0.20	0.20	263.30	263.50	298.92	299.12	-0.55	below splice, deepest hole	Extruded on rig floor.
323	U1343	E	32	H	2	0.63	0.63	263.50	264.13	299.12	299.75	0.00	below splice, deepest hole	
323	U1343	E	32	H	3	1.50	1.50	264.13	265.63	299.75	301.25	0.00	below splice, deepest hole	
323	U1343	E	32	H	4	1.39	1.39	265.63	267.02	301.25	302.64	0.00	below splice, deepest hole	
323	U1343	E	32	H	5	1.50	1.50	267.02	268.52	302.64	304.14	0.00	below splice, deepest hole	
323	U1343	E	32	H	6	1.50	1.50	268.52	270.02	304.14	305.64	0.00	below splice, deepest hole	
323	U1343	E	32	H	7	1.45	1.45	270.02	271.47	305.64	307.09	0.00	below splice, deepest hole	
323	U1343	E	32	H	8	0.86	0.86	271.47	272.33	307.09	307.95	0.00	below splice, deepest hole	
323	U1343	E	32	H	CC	0.26	0.26	272.33	272.59	307.95	308.21	0.00	below splice, deepest hole	
323	U1343	E	33	H	1	0.20	0.20	272.80	273.00	308.42	308.62	0.21	below splice, deepest hole	Extruded on rig floor.
323	U1343	E	33	H	2	1.22	1.22	273.00	274.22	308.62	309.84	0.00	below splice, deepest hole	
323	U1343	E	33	H	3	1.50	1.50	274.22	275.72	309.84	311.34	0.00	below splice, deepest hole	
323	U1343	E	33	H	4	1.50	1.50	275.72	277.22	311.34	312.84	0.00	below splice, deepest hole	
323	U1343	E	33	H	5	1.50	1.50	277.22	278.72	312.84	314.34	0.00	below splice, deepest hole	
323	U1343	E	33	H	6	1.27	1.27	278.72	279.99	314.34	315.61	0.00	below splice, deepest hole	
323	U1343	E	33	H	7	1.42	1.42	279.99	281.41	315.61	317.03	0.00	below splice, deepest hole	
323	U1343	E	33	H	CC	0.89	0.99	281.41	282.40	317.03	318.02	0.00	below splice, deepest hole	
323	U1343	E	34	H	1	1.42	1.42	282.30	283.72	317.92	319.34	-0.10	below splice, deepest hole	
323	U1343	E	34	H	2	1.41	1.41	283.72	285.13	319.34	320.75	0.00	below splice, deepest hole	
323	U1343	E	34	H	3	1.50	1.50	285.13	286.63	320.75	322.25	0.00	below splice, deepest hole	
323	U1343	E	34	H	4	1.38	1.38	286.63	288.01	322.25	323.63	0.00	below splice, deepest hole	
323	U1343	E	34	H	5	1.50	1.50	288.01	289.51	323.63	325.13	0.00	below splice, deepest hole	
323	U1343	E	34	H	6	1.17	1.17	289.51	290.68	325.13	326.30	0.00	below splice, deepest hole	
323	U1343	E	34	H	CC	0.60	0.60	290.68	291.28	326.30	326.90	0.00	below splice, deepest hole	
323	U1343	E	35	H	1	0.18	0.18	291.30	291.48	326.92	327.10	0.02	below splice, deepest hole	
323	U1343	E	35	H	2	1.50	1.50	291.48	292.98	327.10	328.60	0.00	below splice, deepest hole	
323	U1343	E	35	H	3	1.50	1.50	292.98	294.48	328.60	330.10	0.00	below splice, deepest hole	
323	U1343	E	35	H	4	1.50	1.50	294.48	295.98	330.10	331.60	0.00	below splice, deepest hole	
323	U1343	E	35	H	5	1.50	1.50	295.98	297.48	331.60	333.10	0.00	below splice, deepest hole	
323	U1343	E	35	H	6	1.50	1.50	297.48	298.98	333.10	334.60	0.00	below splice, deepest hole	
323	U1343	E	35	H	7	1.48	1.48	298.98	300.46	334.60	336.08	0.00	below splice, deepest hole	
323	U1343	E	35	H	8	0.71	0.71	300.46	301.17	336.08	336.79	0.00	below splice, deepest hole	
323	U1343	E	35	H	CC	0.32	0.32	301.17	301.49	336.79	337.11	0.00	below splice, deepest hole	
323	U1343	E	36	H	1	0.27	0.27	300.80	301.07	336.42	336.69	-0.69	below splice, deepest hole	
323	U1343	E	36	H	2	1.50	1.50	301.07	302.57	336.69	338.19	0.00	below splice, deepest hole	
323	U1343	E	36	H	3	1.50	1.50	302.57	304.07	338.19	339.69	0.00	below splice, deepest hole	
323	U1343	E	36	H	4	1.50	1.50	304.07	305.57	339.69	341.19	0.00	below splice, deepest hole	
323	U1343	E	36	H	5	1.50	1.50	305.57	307.07	341.19	342.69	0.00	below splice, deepest hole	
323	U1343	E	36	H	6	1.50	1.50	307.07	308.57	342.69	344.19	0.00	below splice, deepest hole	
323	U1343	E	36	H	7	1.48	1.48	308.57	310.05	344.19	345.67	0.00	below splice, deepest hole	
323	U1343	E	36	H	8	0.59	0.59	310.05	310.64	345.67	346.26	0.00	below splice, deepest hole	
323	U1343	E	36	H	CC	0.59	0.56	310.64	311.20	346.26	346.82	0.00	below splice, deepest hole	
323	U1343	E	37	H	1	1.50	1.50	310.30	311.80	345.92	347.42	-0.90	below splice, deepest hole	
323	U1343	E	37	H	2	1.50	1.50	311.80	313.30	347.42	348.92	0.00	below splice, deepest hole	
323	U1343	E	37	H	3	1.50	1.50	313.30	314.80	348.92	350.42	0.00	below splice, deepest hole	

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	E	37	H	4	1.50	1.50	314.80	316.30	350.42	351.92	0.00	below splice, deepest hole	
323	U1343	E	37	H	5	1.50	1.50	316.30	317.80	351.92	353.42	0.00	below splice, deepest hole	
323	U1343	E	37	H	6	1.18	1.18	317.80	318.98	353.42	354.60	0.00	below splice, deepest hole	
323	U1343	E	37	H	7	0.44	0.44	318.98	319.42	354.60	355.04	0.00	below splice, deepest hole	Shattered Liner
323	U1343	E	37	H	CC	0.87	0.87	319.42	320.29	355.04	355.91	0.00	below splice, deepest hole	Shattered Liner
323	U1343	E	38	H	1	1.45	1.45	319.80	321.25	355.42	356.87	-0.49	below splice, deepest hole	Shattered Liner
323	U1343	E	38	H	2	1.50	1.50	321.25	322.75	356.87	358.37	0.00	below splice, deepest hole	Shattered Liner
323	U1343	E	38	H	3	1.50	1.50	322.75	324.25	358.37	359.87	0.00	below splice, deepest hole	Shattered Liner
323	U1343	E	38	H	4	1.50	1.50	324.25	325.75	359.87	361.37	0.00	below splice, deepest hole	Shattered Liner
323	U1343	E	38	H	5	1.50	1.50	325.75	327.25	361.37	362.87	0.00	below splice, deepest hole	
323	U1343	E	38	H	6	1.45	1.45	327.25	328.70	362.87	364.32	0.00	below splice, deepest hole	
323	U1343	E	38	H	7	0.81	0.81	328.70	329.51	364.32	365.13	0.00	below splice, deepest hole	
323	U1343	E	38	H	CC	0.33	0.33	329.51	329.84	365.13	365.46	0.00	below splice, deepest hole	
323	U1343	E	39	H	1	1.50	1.50	329.30	330.80	364.92	366.42	-0.54	below splice, deepest hole	~1m lost from bottom
323	U1343	E	39	H	2	1.50	1.50	330.80	332.30	366.42	367.92	0.00	below splice, deepest hole	
323	U1343	E	39	H	3	1.50	1.50	332.30	333.80	367.92	369.42	0.00	below splice, deepest hole	Highly Disturbed
323	U1343	E	39	H	4	1.50	1.50	333.80	335.30	369.42	370.92	0.00	below splice, deepest hole	
323	U1343	E	39	H	5	1.50	1.50	335.30	336.80	370.92	372.42	0.00	below splice, deepest hole	
323	U1343	E	39	H	6	1.36	1.36	336.80	338.16	372.42	373.78	0.00	below splice, deepest hole	
323	U1343	E	39	H	CC	0.35	0.35	338.16	338.51	373.78	374.13	0.00	below splice, deepest hole	
323	U1343	E	40	H	1	0.97	0.97	338.80	339.77	374.42	375.39	0.29	below splice, deepest hole	
323	U1343	E	40	H	2	1.50	1.50	339.77	341.27	375.39	376.89	0.00	below splice, deepest hole	Top Disturbed
323	U1343	E	40	H	3	1.46	1.46	341.27	342.73	376.89	378.35	0.00	below splice, deepest hole	
323	U1343	E	40	H	4	1.50	1.50	342.73	344.23	378.35	379.85	0.00	below splice, deepest hole	
323	U1343	E	40	H	5	1.50	1.50	344.23	345.73	379.85	381.35	0.00	below splice, deepest hole	
323	U1343	E	40	H	6	0.75	0.75	345.73	346.48	381.35	382.10	0.00	below splice, deepest hole	~3m of material blown out of Bottom
323	U1343	E	40	H	CC	0.36	0.36	346.48	346.84	382.10	382.46	0.00	below splice, deepest hole	
323	U1343	E	41	H	1	0.68	0.68	346.80	347.48	382.42	383.10	-0.04	below splice, deepest hole	Top Disturbed
323	U1343	E	41	H	2	0.85	0.85	347.48	348.33	383.10	383.95	0.00	below splice, deepest hole	
323	U1343	E	41	H	3	1.16	1.16	348.33	349.49	383.95	385.11	0.00	below splice, deepest hole	
323	U1343	E	41	H	4	1.50	1.50	349.49	350.99	385.11	386.61	0.00	below splice, deepest hole	
323	U1343	E	41	H	5	1.50	1.50	350.99	352.49	386.61	388.11	0.00	below splice, deepest hole	
323	U1343	E	41	H	6	1.50	1.50	352.49	353.99	388.11	389.61	0.00	below splice, deepest hole	
323	U1343	E	41	H	CC	0.43	0.43	353.99	354.42	389.61	390.04	0.00	below splice, deepest hole	
323	U1343	E	42	X	1	1.50	1.50	354.40	355.90	390.02	391.52	-0.02	below splice, deepest hole	
323	U1343	E	42	X	2	1.50	1.50	355.90	357.40	391.52	393.02	0.00	below splice, deepest hole	
323	U1343	E	42	X	3	1.15	1.15	357.40	358.55	393.02	394.17	0.00	below splice, deepest hole	
323	U1343	E	42	X	4	0.78	0.78	358.55	359.33	394.17	394.95	0.00	below splice, deepest hole	
323	U1343	E	42	X	CC	0.34	0.34	359.33	359.67	394.95	395.29	0.00	below splice, deepest hole	
323	U1343	E	43	X	1	0.99	0.99	360.40	361.39	396.02	397.01	0.73	below splice, deepest hole	
323	U1343	E	43	X	2	1.50	1.50	361.39	362.89	397.01	398.51	0.00	below splice, deepest hole	
323	U1343	E	43	X	3	1.50	1.50	362.89	364.39	398.51	400.01	0.00	below splice, deepest hole	
323	U1343	E	43	X	4	1.50	1.50	364.39	365.89	400.01	401.51	0.00	below splice, deepest hole	
323	U1343	E	43	X	5	1.12	1.12	365.89	367.01	401.51	402.63	0.00	below splice, deepest hole	
323	U1343	E	43	X	CC	0.41	0.41	367.01	367.42	402.63	403.04	0.00	below splice, deepest hole	
323	U1343	E	44	X	1	1.50	1.50	370.00	371.50	405.62	407.12	2.58	below splice, deepest hole	
323	U1343	E	44	X	2	1.50	1.50	371.50	373.00	407.12	408.62	0.00	below splice, deepest hole	
323	U1343	E	44	X	3	1.50	1.50	373.00	374.50	408.62	410.12	0.00	below splice, deepest hole	
323	U1343	E	44	X	4	1.40	1.40	374.50	375.90	410.12	411.52	0.00	below splice, deepest hole	
323	U1343	E	44	X	5	0.31	0.31	375.90	376.21	411.52	411.83	0.00	below splice, deepest hole	
323	U1343	E	44	X	CC	0.48	0.48	376.21	376.69	411.83	412.31	0.00	below splice, deepest hole	
323	U1343	E	45	X	1	1.50	1.50	379.60	381.10	415.22	416.72	2.91	below splice, deepest hole	
323	U1343	E	45	X	2	1.50	1.50	381.10	382.60	416.72	418.22	0.00	below splice, deepest hole	
323	U1343	E	45	X	3	1.50	1.50	382.60	384.10	418.22	419.72	0.00	below splice, deepest hole	
323	U1343	E	45	X	4	1.50	1.50	384.10	385.60	419.72	421.22	0.00	below splice, deepest hole	
323	U1343	E	45	X	5	1.50	1.50	385.60	387.10	421.22	422.72	0.00	below splice, deepest hole	
323	U1343	E	45	X	6	0.86	0.86	387.10	387.96	422.72	423.58	0.00	below splice, deepest hole	
323	U1343	E	45	X	CC	0.40	0.40	387.96	388.36	423.58	423.98	0.00	below splice, deepest hole	
323	U1343	E	46	H	1	0.48	0.48	389.20	389.68	424.82	425.30	0.84	below splice, deepest hole	
323	U1343	E	46	H	2	0.66	0.66	389.68	390.34	425.30	425.96	0.00	below splice, deepest hole	
323	U1343	E	46	H	3	0.44	0.44	390.34	390.78	425.96	426.40	0.00	below splice, deepest hole	
323	U1343	E	46	H	4	1.50	1.50	390.78	392.28	426.40	427.90	0.00	below splice, deepest hole	
323	U1343	E	46	H	5	1.50	1.50	392.28	393.78	427.90	429.40	0.00	below splice, deepest hole	Extruded on rig floor.
323	U1343	E	46	H	6	1.50	1.50	393.78	395.28	429.40	430.90	0.00	below splice, deepest hole	
323	U1343	E	46	H	7	1.50	1.50	395.28	396.78	430.90	432.40	0.00	below splice, deepest hole	
323	U1343	E	46	H	8	0.91	0.91	396.78	397.69	432.40	433.31	0.00	below splice, deepest hole	
323	U1343	E	46	H	9	0.75	0.75	397.69	398.44	433.31	434.06	0.00	below splice, deepest hole	
323	U1343	E	46	H	CC	0.23	0.23	398.44	398.67	434.06	434.29	0.00	below splice, deepest hole	
323	U1343	E	47	H	1	0.92	0.92	398.70	399.62	434.32	435.24	0.03	below splice, deepest hole	

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	E	47	H	2	0.74	0.74	399.62	400.36	435.24	435.98	0.00	below splice, deepest hole	
323	U1343	E	47	H	3	1.50	1.50	400.36	401.86	435.98	437.48	0.00	below splice, deepest hole	
323	U1343	E	47	H	4	1.50	1.50	401.86	403.36	437.48	438.98	0.00	below splice, deepest hole	0-31 cm extruded on rig floor.
323	U1343	E	47	H	5	1.50	1.50	403.36	404.86	438.98	440.48	0.00	below splice, deepest hole	
323	U1343	E	47	H	6	0.86	0.86	404.86	405.72	440.48	441.34	0.00	below splice, deepest hole	
323	U1343	E	47	H	CC	0.37	0.37	405.72	406.09	441.34	441.71	0.00	below splice, deepest hole	
323	U1343	E	48	H	1	1.12	1.12	406.10	407.22	441.72	442.84	0.01	below splice, deepest hole	
323	U1343	E	48	H	2	1.50	1.50	407.22	408.72	442.84	444.34	0.00	below splice, deepest hole	
323	U1343	E	48	H	3	1.50	1.50	408.72	410.22	444.34	445.84	0.00	below splice, deepest hole	
323	U1343	E	48	H	4	1.46	1.46	410.22	411.68	445.84	447.30	0.00	below splice, deepest hole	
323	U1343	E	48	H	5	0.42	0.42	411.68	412.10	447.30	447.72	0.00	below splice, deepest hole	
323	U1343	E	48	H	CC	0.33	0.33	412.10	412.43	447.72	448.05	0.00	below splice, deepest hole	
323	U1343	E	49	H	1	1.50	1.50	412.40	413.90	448.02	449.52	-0.03	below splice, deepest hole	
323	U1343	E	49	H	2	1.50	1.50	413.90	415.40	449.52	451.02	0.00	below splice, deepest hole	
323	U1343	E	49	H	3	1.50	1.50	415.40	416.90	451.02	452.52	0.00	below splice, deepest hole	
323	U1343	E	49	H	4	1.30	1.30	416.90	418.20	452.52	453.82	0.00	below splice, deepest hole	
323	U1343	E	49	H	CC	0.34	0.34	418.20	418.54	453.82	454.16	0.00	below splice, deepest hole	
323	U1343	E	50	X	1	0.57	0.57	418.50	419.07	454.12	454.69	-0.04	below splice, deepest hole	
323	U1343	E	50	X	2	1.50	1.50	419.07	420.57	454.69	456.19	0.00	below splice, deepest hole	
323	U1343	E	50	X	3	1.50	1.50	420.57	422.07	456.19	457.69	0.00	below splice, deepest hole	
323	U1343	E	50	X	4	1.38	1.38	422.07	423.45	457.69	459.07	0.00	below splice, deepest hole	
323	U1343	E	50	X	5	1.50	1.50	423.45	424.95	459.07	460.57	0.00	below splice, deepest hole	
323	U1343	E	50	X	6	1.21	1.21	424.95	426.16	460.57	461.78	0.00	below splice, deepest hole	
323	U1343	E	50	X	7	1.50	1.50	426.16	427.66	461.78	463.28	0.00	below splice, deepest hole	
323	U1343	E	50	X	8	0.62	0.62	427.66	428.28	463.28	463.90	0.00	below splice, deepest hole	
323	U1343	E	50	X	CC	0.32	0.32	428.28	428.60	463.90	464.22	0.00	below splice, deepest hole	
323	U1343	E	51	X	1	1.42	1.42	427.50	428.92	463.12	464.54	-1.10	below splice, deepest hole	
323	U1343	E	51	X	2	1.50	1.50	428.92	430.42	464.54	466.04	0.00	below splice, deepest hole	
323	U1343	E	51	X	3	1.50	1.50	430.42	431.92	466.04	467.54	0.00	below splice, deepest hole	
323	U1343	E	51	X	4	1.50	1.50	431.92	433.42	467.54	469.04	0.00	below splice, deepest hole	
323	U1343	E	51	X	5	1.50	1.50	433.42	434.92	469.04	470.54	0.00	below splice, deepest hole	
323	U1343	E	51	X	6	0.79	0.79	434.92	435.71	470.54	471.33	0.00	below splice, deepest hole	
323	U1343	E	51	X	CC	0.24	0.24	435.71	435.95	471.33	471.57	0.00	below splice, deepest hole	
323	U1343	E	52	X	1	1.50	1.50	437.10	438.60	472.72	474.22	1.15	below splice, deepest hole	
323	U1343	E	52	X	2	1.50	1.50	438.60	440.10	474.22	475.72	0.00	below splice, deepest hole	
323	U1343	E	52	X	3	1.50	1.50	440.10	441.60	475.72	477.22	0.00	below splice, deepest hole	
323	U1343	E	52	X	4	1.44	1.44	441.60	443.04	477.22	478.66	0.00	below splice, deepest hole	
323	U1343	E	52	X	5	1.50	1.50	443.04	444.54	478.66	480.16	0.00	below splice, deepest hole	
323	U1343	E	52	X	6	1.00	1.00	444.54	445.54	480.16	481.16	0.00	below splice, deepest hole	
323	U1343	E	52	X	7	0.55	0.55	445.54	446.09	481.16	481.71	0.00	below splice, deepest hole	
323	U1343	E	52	X	CC	0.12	0.12	446.09	446.21	481.71	481.83	0.00	below splice, deepest hole	
323	U1343	E	53	X	1	1.50	1.50	446.80	448.30	482.42	483.92	0.59	below splice, deepest hole	
323	U1343	E	53	X	2	1.50	1.50	448.30	449.80	483.92	485.42	0.00	below splice, deepest hole	
323	U1343	E	53	X	3	1.50	1.50	449.80	451.30	485.42	486.92	0.00	below splice, deepest hole	
323	U1343	E	53	X	4	1.50	1.50	451.30	452.80	486.92	488.42	0.00	below splice, deepest hole	Extruded on rig floor.
323	U1343	E	53	X	5	1.50	1.50	452.80	454.30	488.42	489.92	0.00	below splice, deepest hole	
323	U1343	E	53	X	6	1.47	1.47	454.30	455.77	489.92	491.39	0.00	below splice, deepest hole	
323	U1343	E	53	X	CC	0.21	0.21	455.77	455.98	491.39	491.60	0.00	below splice, deepest hole	
323	U1343	E	54	X	1	1.50	1.50	456.40	457.90	492.02	493.52	0.42	below splice, deepest hole	
323	U1343	E	54	X	2	1.36	1.36	457.90	459.26	493.52	494.88	0.00	below splice, deepest hole	
323	U1343	E	54	X	3	1.50	1.50	459.26	460.76	494.88	496.38	0.00	below splice, deepest hole	
323	U1343	E	54	X	4	1.43	1.43	460.76	462.19	496.38	497.81	0.00	below splice, deepest hole	
323	U1343	E	54	X	5	0.86	0.86	462.19	463.05	497.81	498.67	0.00	below splice, deepest hole	
323	U1343	E	54	X	CC	0.44	0.44	463.05	463.49	498.67	499.11	0.00	below splice, deepest hole	
323	U1343	E	55	X	1	1.50	1.50	465.70	467.20	501.32	502.82	2.21	below splice, deepest hole	
323	U1343	E	55	X	2	1.50	1.50	467.20	468.70	502.82	504.32	0.00	below splice, deepest hole	
323	U1343	E	55	X	3	1.50	1.50	468.70	470.20	504.32	505.82	0.00	below splice, deepest hole	
323	U1343	E	55	X	4	1.50	1.50	470.20	471.70	505.82	507.32	0.00	below splice, deepest hole	
323	U1343	E	55	X	5	1.50	1.50	471.70	473.20	507.32	508.82	0.00	below splice, deepest hole	
323	U1343	E	55	X	6	1.50	1.50	473.20	474.70	508.82	510.32	0.00	below splice, deepest hole	
323	U1343	E	55	X	7	0.58	0.58	474.70	475.28	510.32	510.90	0.00	below splice, deepest hole	Extruded on rig floor.
323	U1343	E	55	X	CC	0.42	0.42	475.28	475.70	510.90	511.32	0.00	below splice, deepest hole	
323	U1343	E	56	X	1	1.50	1.50	475.30	476.80	510.92	512.42	-0.40	below splice, deepest hole	
323	U1343	E	56	X	2	1.46	1.46	476.80	478.26	512.42	513.88	0.00	below splice, deepest hole	
323	U1343	E	56	X	3	0.99	0.99	478.26	479.25	513.88	514.87	0.00	below splice, deepest hole	
323	U1343	E	56	X	4	1.50	1.50	479.25	480.75	514.87	516.37	0.00	below splice, deepest hole	
323	U1343	E	56	X	5	1.04	1.04	480.75	481.79	516.37	517.41	0.00	below splice, deepest hole	
323	U1343	E	56	X	CC	0.88	0.88	481.79	482.67	517.41	518.29	0.00	below splice, deepest hole	
323	U1343	E	57	X	1	0.31	0.31	484.80	485.11	520.42	520.73	2.13	below splice, deepest hole	

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	E	57	X	2	1.50	1.50	485.11	486.61	520.73	522.23	0.00	below splice, deepest hole	
323	U1343	E	57	X	3	1.45	1.45	486.61	488.06	522.23	523.68	0.00	below splice, deepest hole	
323	U1343	E	57	X	4	1.50	1.50	488.06	489.56	523.68	525.18	0.00	below splice, deepest hole	
323	U1343	E	57	X	5	1.50	1.50	489.56	491.06	525.18	526.68	0.00	below splice, deepest hole	
323	U1343	E	57	X	6	1.50	1.50	491.06	492.56	526.68	528.18	0.00	below splice, deepest hole	
323	U1343	E	57	X	7	1.11	1.11	492.56	493.67	528.18	529.29	0.00	below splice, deepest hole	
323	U1343	E	57	X	CC	0.40	0.40	493.67	494.07	529.29	529.69	0.00	below splice, deepest hole	Top Disturbed
323	U1343	E	58	X	1	0.79	0.79	494.07	495.19	530.02	530.81	0.33	below splice, deepest hole	
323	U1343	E	58	X	2	1.50	1.50	495.19	496.69	530.81	532.31	0.00	below splice, deepest hole	
323	U1343	E	58	X	3	1.50	1.50	496.69	498.19	532.31	533.81	0.00	below splice, deepest hole	
323	U1343	E	58	X	4	1.45	1.45	498.19	499.64	533.81	535.26	0.00	below splice, deepest hole	
323	U1343	E	58	X	5	1.34	1.34	499.64	500.98	535.26	536.60	0.00	below splice, deepest hole	
323	U1343	E	58	X	6	1.00	1.00	500.98	501.98	536.60	537.60	0.00	below splice, deepest hole	
323	U1343	E	58	X	7	0.61	0.61	501.98	502.59	537.60	538.21	0.00	below splice, deepest hole	Extruded on Rigfloor; possibly un-oriented
323	U1343	E	58	X	CC	0.39	0.39	502.59	502.98	538.21	538.60	0.00	below splice, deepest hole	
323	U1343	E	59	X	1	0.43	0.43	504.00	504.43	539.62	540.05	1.02	below splice, deepest hole	
323	U1343	E	59	X	2	1.50	1.50	504.43	505.93	540.05	541.55	0.00	below splice, deepest hole	
323	U1343	E	59	X	3	1.45	1.45	505.93	507.38	541.55	543.00	0.00	below splice, deepest hole	
323	U1343	E	59	X	4	1.50	1.50	507.38	508.88	543.00	544.50	0.00	below splice, deepest hole	
323	U1343	E	59	X	5	1.38	1.38	508.88	510.26	544.50	545.88	0.00	below splice, deepest hole	
323	U1343	E	59	X	6	1.34	1.34	510.26	511.60	545.88	547.22	0.00	below splice, deepest hole	Extruded on Rigfloor; un-oriented
323	U1343	E	59	X	7	0.68	0.68	511.60	512.28	547.22	547.90	0.00	below splice, deepest hole	
323	U1343	E	59	X	CC	0.34	0.34	512.28	512.62	547.90	548.24	0.00	below splice, deepest hole	
323	U1343	E	60	X	1	1.50	1.50	513.70	515.20	549.32	550.82	1.08	below splice, deepest hole	
323	U1343	E	60	X	2	1.50	1.50	515.20	516.70	550.82	552.32	0.00	below splice, deepest hole	
323	U1343	E	60	X	3	1.50	1.50	516.70	518.20	552.32	553.82	0.00	below splice, deepest hole	
323	U1343	E	60	X	4	1.50	1.50	518.20	519.70	553.82	555.32	0.00	below splice, deepest hole	Disturbed
323	U1343	E	60	X	5	1.50	1.50	519.70	521.20	555.32	556.82	0.00	below splice, deepest hole	
323	U1343	E	60	X	6	0.46	0.46	521.20	521.66	556.82	557.28	0.00	below splice, deepest hole	
323	U1343	E	60	X	CC	0.34	0.34	521.66	522.00	557.28	557.62	0.00	below splice, deepest hole	
323	U1343	E	61	X	1	1.50	1.50	523.30	524.80	558.92	560.42	1.30	below splice, deepest hole	
323	U1343	E	61	X	2	1.50	1.50	524.80	526.30	560.42	561.92	0.00	below splice, deepest hole	
323	U1343	E	61	X	3	1.50	1.50	526.30	527.80	561.92	563.42	0.00	below splice, deepest hole	
323	U1343	E	61	X	4	1.47	1.47	527.80	529.27	563.42	564.89	0.00	below splice, deepest hole	
323	U1343	E	61	X	5	1.23	1.23	529.27	530.50	564.89	566.12	0.00	below splice, deepest hole	
323	U1343	E	61	X	6	1.32	1.32	530.50	531.82	566.12	567.44	0.00	below splice, deepest hole	Top Disturbed
323	U1343	E	61	X	CC	0.69	0.69	531.82	532.51	567.44	568.13	0.00	below splice, deepest hole	
323	U1343	E	62	X	1	0.92	0.92	532.90	533.82	568.52	569.44	0.39	below splice, deepest hole	
323	U1343	E	62	X	2	1.50	1.50	533.82	535.32	569.44	570.94	0.00	below splice, deepest hole	
323	U1343	E	62	X	3	1.50	1.50	535.32	536.82	570.94	572.44	0.00	below splice, deepest hole	
323	U1343	E	62	X	4	1.50	1.50	536.82	538.32	572.44	573.94	0.00	below splice, deepest hole	
323	U1343	E	62	X	5	1.48	1.48	538.32	539.80	573.94	575.42	0.00	below splice, deepest hole	
323	U1343	E	62	X	6	1.50	1.50	539.80	541.30	575.42	576.92	0.00	below splice, deepest hole	
323	U1343	E	62	X	CC	0.58	0.58	541.30	541.88	576.92	577.50	0.00	below splice, deepest hole	
323	U1343	E	63	X	1	0.63	0.63	542.50	543.13	578.12	578.75	0.62	below splice, deepest hole	
323	U1343	E	63	X	2	1.50	1.50	543.13	544.63	578.75	580.25	0.00	below splice, deepest hole	
323	U1343	E	63	X	3	1.50	1.50	544.63	546.13	580.25	581.75	0.00	below splice, deepest hole	
323	U1343	E	63	X	4	1.46	1.46	546.13	547.59	581.75	583.21	0.00	below splice, deepest hole	
323	U1343	E	63	X	5	1.05	1.05	547.59	548.64	583.21	584.26	0.00	below splice, deepest hole	
323	U1343	E	63	X	6	0.84	0.84	548.64	549.48	584.26	585.10	0.00	below splice, deepest hole	
323	U1343	E	63	X	7	0.71	0.71	549.48	550.19	585.10	585.81	0.00	below splice, deepest hole	
323	U1343	E	63	X	CC	0.45	0.45	550.19	550.64	585.81	586.26	0.00	below splice, deepest hole	
323	U1343	E	64	X	1	1.50	1.50	552.20	553.70	587.82	589.32	1.56	below splice, deepest hole	
323	U1343	E	64	X	2	1.50	1.50	553.70	555.20	589.32	590.82	0.00	below splice, deepest hole	
323	U1343	E	64	X	3	1.50	1.50	555.20	556.70	590.82	592.32	0.00	below splice, deepest hole	
323	U1343	E	64	X	4	1.50	1.50	556.70	558.20	592.32	593.82	0.00	below splice, deepest hole	Disturbed Top
323	U1343	E	64	X	5	1.12	1.12	558.20	559.32	593.82	594.94	0.00	below splice, deepest hole	
323	U1343	E	64	X	6	1.43	1.43	559.32	560.75	594.94	596.37	0.00	below splice, deepest hole	
323	U1343	E	64	X	CC	0.40	0.40	560.75	561.15	596.37	596.77	0.00	below splice, deepest hole	
323	U1343	E	65	X	1	1.50	1.50	561.80	563.30	597.42	598.92	0.65	below splice, deepest hole	
323	U1343	E	65	X	2	1.50	1.50	563.30	564.80	598.92	600.42	0.00	below splice, deepest hole	
323	U1343	E	65	X	3	1.44	1.44	564.80	566.24	600.42	601.86	0.00	below splice, deepest hole	
323	U1343	E	65	X	4	0.95	0.95	566.24	567.19	601.86	602.81	0.00	below splice, deepest hole	
323	U1343	E	65	X	5	1.22	1.22	567.19	568.41	602.81	604.03	0.00	below splice, deepest hole	
323	U1343	E	65	X	CC	0.46	0.46	568.41	568.87	604.03	604.49	0.00	below splice, deepest hole	
323	U1343	E	66	X	1	1.50	1.50	571.40	572.90	607.02	608.52	2.53	below splice, deepest hole	
323	U1343	E	66	X	2	1.50	1.50	572.90	574.40	608.52	610.02	0.00	below splice, deepest hole	
323	U1343	E	66	X	3	1.50	1.50	574.40	575.90	610.02	611.52	0.00	below splice, deepest hole	
323	U1343	E	66	X	4	1.50	1.50	575.90	577.40	611.52	613.02	0.00	below splice, deepest hole	Extruded on rigfloor; disturbed

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	E	66	X	5	1.50	1.50	577.40	578.90	613.02	614.52	0.00	below splice, deepest hole	
323	U1343	E	66	X	6	1.50	1.50	578.90	580.40	614.52	616.02	0.00	below splice, deepest hole	
323	U1343	E	66	X	7	0.44	0.44	580.40	580.84	616.02	616.46	0.00	below splice, deepest hole	
323	U1343	E	66	X	CC	0.30	0.30	580.84	581.14	616.46	616.76	0.00	below splice, deepest hole	
323	U1343	E	67	X	1	1.50	1.50	580.90	582.40	616.52	618.02	-0.24	below splice, deepest hole	
323	U1343	E	67	X	2	1.50	1.50	582.40	583.90	618.02	619.52	0.00	below splice, deepest hole	
323	U1343	E	67	X	3	1.50	1.50	583.90	585.40	619.52	621.02	0.00	below splice, deepest hole	
323	U1343	E	67	X	4	1.48	1.48	585.40	586.88	621.02	622.50	0.00	below splice, deepest hole	
323	U1343	E	67	X	5	1.39	1.39	586.88	588.27	622.50	623.89	0.00	below splice, deepest hole	
323	U1343	E	67	X	CC	0.33	0.33	588.27	588.60	623.89	624.22	0.00	below splice, deepest hole	
323	U1343	E	68	X	1	1.50	1.50	590.50	592.00	626.12	627.62	1.90	below splice, deepest hole	
323	U1343	E	68	X	2	1.50	1.50	592.00	593.50	627.62	629.12	0.00	below splice, deepest hole	
323	U1343	E	68	X	3	1.50	1.50	593.50	595.00	629.12	630.62	0.00	below splice, deepest hole	
323	U1343	E	68	X	4	1.50	1.50	595.00	596.50	630.62	632.12	0.00	below splice, deepest hole	
323	U1343	E	68	X	5	1.47	1.47	596.50	597.97	632.12	633.59	0.00	below splice, deepest hole	
323	U1343	E	68	X	6	0.73	0.73	597.97	598.70	633.59	634.32	0.00	below splice, deepest hole	
323	U1343	E	68	X	CC	0.66	0.66	598.70	599.36	634.32	634.98	0.00	below splice, deepest hole	
323	U1343	E	69	X	1	1.50	1.50	600.20	601.70	635.82	637.32	0.84	below splice, deepest hole	
323	U1343	E	69	X	2	1.50	1.50	601.70	603.20	637.32	638.82	0.00	below splice, deepest hole	
323	U1343	E	69	X	3	1.50	1.50	603.20	604.70	638.82	640.32	0.00	below splice, deepest hole	
323	U1343	E	69	X	4	1.15	1.15	604.70	605.85	640.32	641.47	0.00	below splice, deepest hole	
323	U1343	E	69	X	5	0.57	0.57	605.85	606.42	641.47	642.04	0.00	below splice, deepest hole	Material Missing from Bottom
323	U1343	E	69	X	CC	0.52	0.52	606.42	606.94	642.04	642.56	0.00	below splice, deepest hole	
323	U1343	E	70	X	1	0.94	0.94	609.80	610.74	645.42	646.36	2.86	below splice, deepest hole	Top Disturbed
323	U1343	E	70	X	2	1.50	1.50	610.74	612.24	646.36	647.86	0.00	below splice, deepest hole	
323	U1343	E	70	X	3	1.43	1.43	612.24	613.67	647.86	649.29	0.00	below splice, deepest hole	
323	U1343	E	70	X	4	1.50	1.50	613.67	615.17	649.29	650.79	0.00	below splice, deepest hole	
323	U1343	E	70	X	5	1.50	1.50	615.17	616.67	650.79	652.29	0.00	below splice, deepest hole	
323	U1343	E	70	X	6	0.94	0.94	616.67	617.61	652.29	653.23	0.00	below splice, deepest hole	
323	U1343	E	70	X	CC	0.39	0.39	617.61	618.00	653.23	653.62	0.00	below splice, deepest hole	
323	U1343	E	71	X	1	1.50	1.50	619.40	620.90	655.02	656.52	1.40	below splice, deepest hole	0-59 cm disturbed.
323	U1343	E	71	X	2	1.50	1.50	620.90	622.40	656.52	658.02	0.00	below splice, deepest hole	
323	U1343	E	71	X	3	1.50	1.50	622.40	623.90	658.02	659.52	0.00	below splice, deepest hole	
323	U1343	E	71	X	4	1.50	1.50	623.90	625.40	659.52	661.02	0.00	below splice, deepest hole	
323	U1343	E	71	X	5	1.46	1.46	625.40	626.86	661.02	662.48	0.00	below splice, deepest hole	
323	U1343	E	71	X	6	0.99	0.99	626.86	627.85	662.48	663.47	0.00	below splice, deepest hole	
323	U1343	E	71	X	CC	0.41	0.41	627.85	628.26	663.47	663.88	0.00	below splice, deepest hole	
323	U1343	E	72	X	1	1.50	1.50	629.00	630.50	664.62	666.12	0.74	below splice, deepest hole	0-27 cm disturbed.
323	U1343	E	72	X	2	1.50	1.50	630.50	632.00	666.12	667.62	0.00	below splice, deepest hole	
323	U1343	E	72	X	3	1.50	1.50	632.00	633.50	667.62	669.12	0.00	below splice, deepest hole	
323	U1343	E	72	X	4	0.77	0.77	633.50	634.27	669.12	669.89	0.00	below splice, deepest hole	
323	U1343	E	72	X	CC	0.27	0.27	634.27	634.54	669.89	670.16	0.00	below splice, deepest hole	
323	U1343	E	73	X	1	1.50	1.50	638.60	640.10	674.22	675.72	4.06	below splice, deepest hole	Lots of rock in CC.
323	U1343	E	73	X	2	1.50	1.50	640.10	641.60	675.72	677.22	0.00	below splice, deepest hole	0-21 cm disturbed.
323	U1343	E	73	X	3	1.20	1.20	641.60	642.80	677.22	678.42	0.00	below splice, deepest hole	
323	U1343	E	73	X	4	0.54	0.54	642.80	643.34	678.42	678.96	0.00	below splice, deepest hole	
323	U1343	E	73	X	CC	0.55	0.55	643.34	643.89	678.96	679.51	0.00	below splice, deepest hole	
323	U1343	E	74	X	1	1.50	1.50	648.20	649.70	683.82	685.32	4.31	below splice, deepest hole	
323	U1343	E	74	X	2	1.50	1.50	649.70	651.20	685.32	686.82	0.00	below splice, deepest hole	
323	U1343	E	74	X	3	1.50	1.50	651.20	652.70	686.82	688.32	0.00	below splice, deepest hole	
323	U1343	E	74	X	4	1.43	1.43	652.70	654.13	688.32	689.75	0.00	below splice, deepest hole	
323	U1343	E	74	X	5	1.52	1.52	654.13	655.65	689.75	691.27	0.00	below splice, deepest hole	0-35 cm disturbed.
323	U1343	E	74	X	6	1.41	1.41	655.65	657.06	691.27	692.68	0.00	below splice, deepest hole	
323	U1343	E	74	X	CC	0.45	0.45	657.06	657.51	692.68	693.13	0.00	below splice, deepest hole	
323	U1343	E	75	X	1	1.50	1.50	657.80	659.30	693.42	694.92	0.29	below splice, deepest hole	
323	U1343	E	75	X	2	1.50	1.50	659.30	660.80	694.92	696.42	0.00	below splice, deepest hole	
323	U1343	E	75	X	3	1.50	1.50	660.80	662.30	696.42	697.92	0.00	below splice, deepest hole	
323	U1343	E	75	X	4	1.42	1.42	662.30	663.72	697.92	699.34	0.00	below splice, deepest hole	
323	U1343	E	75	X	5	1.35	1.35	663.72	665.07	699.34	700.69	0.00	below splice, deepest hole	
323	U1343	E	75	X	6	1.48	1.48	665.07	666.55	700.69	702.17	0.00	below splice, deepest hole	
323	U1343	E	75	X	CC	0.64	0.64	666.55	667.19	702.17	702.81	0.00	below splice, deepest hole	
323	U1343	E	76	X	1	1.50	1.50	667.30	668.80	702.92	704.42	0.11	below splice, deepest hole	
323	U1343	E	76	X	2	1.50	1.50	668.80	670.30	704.42	705.92	0.00	below splice, deepest hole	
323	U1343	E	76	X	3	1.50	1.50	670.30	671.80	705.92	707.42	0.00	below splice, deepest hole	
323	U1343	E	76	X	4	1.50	1.50	671.80	673.30	707.42	708.92	0.00	below splice, deepest hole	
323	U1343	E	76	X	5	1.34	1.34	673.30	674.64	708.92	710.26	0.00	below splice, deepest hole	
323	U1343	E	76	X	CC	0.42	0.42	674.64	675.06	710.26	710.68	0.00	below splice, deepest hole	Disturbed; extruded on rig floor.
323	U1343	E	77	X	1	1.50	1.50	676.90	678.40	712.52	714.02	1.84	below splice, deepest hole	
323	U1343	E	77	X	2	1.50	1.50	678.40	679.90	714.02	715.52	0.00	below splice, deepest hole	

U1343 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1343	E	77	X	3	1.50	1.50	679.90	681.40	715.52	717.02	0.00	below splice, deepest hole	
323	U1343	E	77	X	4	1.50	1.50	681.40	682.90	717.02	718.52	0.00	below splice, deepest hole	
323	U1343	E	77	X	5	1.50	1.50	682.90	684.40	718.52	720.02	0.00	below splice, deepest hole	
323	U1343	E	77	X	6	1.00	1.00	684.40	685.40	720.02	721.02	0.00	below splice, deepest hole	
323	U1343	E	77	X	7	0.86	0.86	685.40	686.26	721.02	721.88	0.00	below splice, deepest hole	0-49 cm disturbed.
323	U1343	E	77	X	CC	0.21	0.21	686.26	686.47	721.88	722.09	0.00	below splice, deepest hole	
323	U1343	E	78	X	1	1.50	1.50	686.50	688.00	722.12	723.62	0.03	below splice, deepest hole	
323	U1343	E	78	X	2	1.50	1.50	688.00	689.50	723.62	725.12	0.00	below splice, deepest hole	
323	U1343	E	78	X	3	1.50	1.50	689.50	691.00	725.12	726.62	0.00	below splice, deepest hole	
323	U1343	E	78	X	4	1.50	1.50	691.00	692.50	726.62	728.12	0.00	below splice, deepest hole	
323	U1343	E	78	X	5	1.50	1.50	692.50	694.00	728.12	729.62	0.00	below splice, deepest hole	
323	U1343	E	78	X	6	1.03	1.03	694.00	695.03	729.62	730.65	0.00	below splice, deepest hole	
323	U1343	E	78	X	CC	0.27	0.27	695.03	695.30	730.65	730.92	0.00	below splice, deepest hole	
323	U1343	E	79	X	1	1.50	1.50	696.10	697.60	731.72	733.22	0.80	below splice, deepest hole	
323	U1343	E	79	X	2	1.50	1.50	697.60	699.10	733.22	734.72	0.00	below splice, deepest hole	
323	U1343	E	79	X	3	1.50	1.50	699.10	700.60	734.72	736.22	0.00	below splice, deepest hole	
323	U1343	E	79	X	4	1.50	1.50	700.60	702.10	736.22	737.72	0.00	below splice, deepest hole	
323	U1343	E	79	X	5	1.50	1.50	702.10	703.60	737.72	739.22	0.00	below splice, deepest hole	
323	U1343	E	79	X	6	1.50	1.50	703.60	705.10	739.22	740.72	0.00	below splice, deepest hole	
323	U1343	E	79	X	7	0.43	0.43	705.10	705.53	740.72	741.15	0.00	below splice, deepest hole	
323	U1343	E	79	X	CC	0.29	0.29	705.53	705.82	741.15	741.44	0.00	below splice, deepest hole	Disturbed; extruded on rig floor.
323	U1343	E	80	X	1	0.96	0.96	705.70	706.66	741.32	742.28	-0.12	below splice, deepest hole	
323	U1343	E	80	X	2	1.50	1.50	706.66	708.16	742.28	743.78	0.00	below splice, deepest hole	
323	U1343	E	80	X	3	1.50	1.50	708.16	709.66	743.78	745.28	0.00	below splice, deepest hole	
323	U1343	E	80	X	4	1.45	1.45	709.66	711.11	745.28	746.73	0.00	below splice, deepest hole	
323	U1343	E	80	X	5	1.50	1.50	711.11	712.61	746.73	748.23	0.00	below splice, deepest hole	
323	U1343	E	80	X	6	1.05	1.05	712.61	713.66	748.23	749.28	0.00	below splice, deepest hole	
323	U1343	E	80	X	CC	0.24	0.24	713.66	713.90	749.28	749.52	0.00	below splice, deepest hole	
323	U1343	E	81	X	1	1.50	1.50	715.40	716.90	751.02	752.52	1.50	below splice, deepest hole	
323	U1343	E	81	X	2	1.50	1.50	716.90	718.40	752.52	754.02	0.00	below splice, deepest hole	
323	U1343	E	81	X	3	1.50	1.50	718.40	719.90	754.02	755.52	0.00	below splice, deepest hole	
323	U1343	E	81	X	4	1.50	1.50	719.90	721.40	755.52	757.02	0.00	below splice, deepest hole	
323	U1343	E	81	X	5	1.50	1.50	721.40	722.90	757.02	758.52	0.00	below splice, deepest hole	
323	U1343	E	81	X	6	1.00	1.00	722.90	723.90	758.52	759.52	0.00	below splice, deepest hole	
323	U1343	E	81	X	7	0.70	0.70	723.90	724.60	759.52	760.22	0.00	below splice, deepest hole	
323	U1343	E	81	X	CC	0.46	0.46	724.60	725.06	760.22	760.68	0.00	below splice, deepest hole	
323	U1343	E	82	X	1	1.50	1.50	725.00	726.50	760.62	762.12	-0.06	below splice, deepest hole	
323	U1343	E	82	X	2	1.50	1.50	726.50	728.00	762.12	763.62	0.00	below splice, deepest hole	
323	U1343	E	82	X	3	1.50	1.50	728.00	729.50	763.62	765.12	0.00	below splice, deepest hole	
323	U1343	E	82	X	4	1.50	1.50	729.50	731.00	765.12	766.62	0.00	below splice, deepest hole	
323	U1343	E	82	X	5	1.50	1.50	731.00	732.50	766.62	768.12	0.00	below splice, deepest hole	
323	U1343	E	82	X	6	1.00	1.00	732.50	733.50	768.12	769.12	0.00	below splice, deepest hole	
323	U1343	E	82	X	7	0.68	0.68	733.50	734.18	769.12	769.80	0.00	below splice, deepest hole	
323	U1343	E	82	X	CC	0.33	0.33	734.18	734.51	769.80	770.13	0.00	below splice, deepest hole	
323	U1343	E	83	X	1	1.19	1.19	734.60	735.79	770.22	771.41	0.09	below splice, deepest hole	
323	U1343	E	83	X	2	1.50	1.50	735.79	737.29	771.41	772.91	0.00	below splice, deepest hole	
323	U1343	E	83	X	3	1.50	1.50	737.29	738.79	772.91	774.41	0.00	below splice, deepest hole	
323	U1343	E	83	X	4	1.46	1.46	738.79	740.25	774.41	775.87	0.00	below splice, deepest hole	
323	U1343	E	83	X	5	1.50	1.50	740.25	741.75	775.87	777.37	0.00	below splice, deepest hole	
323	U1343	E	83	X	6	1.50	1.50	741.75	743.25	777.37	778.87	0.00	below splice, deepest hole	
323	U1343	E	83	X	7	0.35	0.35	743.25	743.60	778.87	779.22	0.00	below splice, deepest hole	
323	U1343	E	83	X	CC	0.40	0.40	743.60	744.00	779.22	779.62	0.00	below splice, deepest hole	