

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	C	1	H	1	1.50	1.50	0.00	1.50	0.04	1.54	0.04	accommodates splice	
323	U1344	C	1	H	2	1.50	1.50	1.50	3.00	1.54	3.04	0.00	accommodates splice	
323	U1344	C	1	H	3	1.50	1.50	3.00	4.50	3.04	4.54	0.00	accommodates splice	
323	U1344	C	1	H	4	1.50	1.50	4.50	6.00	4.54	6.04	0.00	accommodates splice	
323	U1344	C	1	H	5	0.87	0.87	6.00	6.87	6.04	6.91	0.00	accommodates splice	
323	U1344	C	1	H	CC	0.25	0.25	6.87	7.12	6.91	7.16	0.00	accommodates splice	
323	U1344	C	2	H	1	1.50	1.50	7.10	8.60	8.36	9.86	1.20	accommodates splice	
323	U1344	C	2	H	2	1.50	1.50	8.60	10.10	9.86	11.36	0.00	accommodates splice	
323	U1344	C	2	H	3	1.50	1.50	10.10	11.60	11.36	12.86	0.00	accommodates splice	
323	U1344	C	2	H	4	1.50	1.50	11.60	13.10	12.86	14.36	0.00	accommodates splice	
323	U1344	C	2	H	5	0.96	0.96	13.10	14.06	14.36	15.32	0.00	accommodates splice	
323	U1344	C	2	H	CC	0.18	0.18	14.06	14.24	15.32	15.50	0.00	accommodates splice	
323	U1344	C	3	H	1	1.50	1.50	16.60	18.10	19.30	20.80	3.80	accommodates splice	
323	U1344	C	3	H	2	1.50	1.50	18.10	19.60	20.80	22.30	0.00	accommodates splice	
323	U1344	C	3	H	3	1.50	1.50	19.60	21.10	22.30	23.80	0.00	accommodates splice	
323	U1344	C	3	H	4	1.50	1.50	21.10	22.60	23.80	25.30	0.00	accommodates splice	
323	U1344	C	3	H	5	1.50	1.50	22.60	24.10	25.30	26.80	0.00	accommodates splice	
323	U1344	C	3	H	6	1.50	1.50	24.10	25.60	26.80	28.30	0.00	accommodates splice	
323	U1344	C	3	H	7	0.65	0.65	25.60	26.25	28.30	28.95	0.00	accommodates splice	
323	U1344	C	4	H	1	1.50	1.50	26.10	27.60	29.76	31.26	0.81	accommodates splice	
323	U1344	C	4	H	2	1.50	1.50	27.60	29.10	31.26	32.76	0.00	accommodates splice	
323	U1344	C	4	H	3	1.50	1.50	29.10	30.60	32.76	34.26	0.00	accommodates splice	
323	U1344	C	4	H	4	1.50	1.50	30.60	32.10	34.26	35.76	0.00	accommodates splice	
323	U1344	C	4	H	5	1.50	1.50	32.10	33.60	35.76	37.26	0.00	accommodates splice	
323	U1344	C	4	H	6	1.50	1.50	33.60	35.10	37.26	38.76	0.00	accommodates splice	
323	U1344	C	4	H	CC	0.45	0.45	35.10	35.55	38.76	39.21	0.00	accommodates splice	
323	U1344	A	4	H	6	1.50	1.50	35.60	37.10	39.46	40.96	0.25	accommodates splice	
323	U1344	A	4	H	7	0.74	0.74	37.10	37.84	40.96	41.70	0.00	accommodates splice	
323	U1344	A	4	H	CC	0.38	0.38	37.84	38.22	41.70	42.08	0.00	accommodates splice	
323	U1344	A	5	H	1	0.50	0.50	37.60	38.10	43.53	44.03	1.45	accommodates splice	
323	U1344	A	5	H	2	1.50	1.50	38.10	39.60	44.03	45.53	0.00	accommodates splice	
323	U1344	A	5	H	3	1.50	1.50	39.60	41.10	45.53	47.03	0.00	accommodates splice	
323	U1344	A	5	H	4	1.50	1.50	41.10	42.60	47.03	48.53	0.00	accommodates splice	
323	U1344	D	6	H	1	0.80	0.80	40.70	41.50	48.86	49.66	0.33	accommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	6	H	2	1.50	1.50	41.50	43.00	49.66	51.16	0.00	accommodates splice	
323	U1344	E	6	H	1	1.29	1.29	43.30	44.59	51.97	53.26	0.81	accommodates splice	Extruded on rigfloor; disturbed
323	U1344	A	5	H	CC	0.54	0.54	47.07	47.61	53.00	53.54	-0.26	accommodates splice	
323	U1344	A	6	H	1	1.42	1.42	47.10	48.52	54.74	56.16	1.20	accommodates splice	
323	U1344	A	6	H	2	1.50	1.50	48.52	50.02	56.16	57.66	0.00	accommodates splice	
323	U1344	A	6	H	3	1.50	1.50	50.02	51.52	57.66	59.16	0.00	accommodates splice	
323	U1344	E	6	H	7	0.89	0.89	52.09	52.98	60.76	61.65	1.60	accommodates splice	
323	U1344	E	6	H	CC	0.40	0.40	52.98	53.38	61.65	62.05	0.00	accommodates splice	
323	U1344	E	7	H	1	0.25	0.25	52.80	53.05	64.13	64.38	2.08	accommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	7	H	2	1.50	1.50	53.05	54.55	64.38	65.88	0.00	accommodates splice	
323	U1344	E	7	H	3	1.50	1.50	54.55	56.05	65.88	67.38	0.00	accommodates splice	
323	U1344	E	7	H	4	1.50	1.50	56.05	57.55	67.38	68.88	0.00	accommodates splice	
323	U1344	E	7	H	5	1.46	1.46	57.55	59.01	68.88	70.34	0.00	accommodates splice	
323	U1344	E	7	H	6	1.46	1.46	59.01	60.47	70.34	71.80	0.00	accommodates splice	
323	U1344	E	7	H	7	1.18	1.18	60.47	61.65	71.80	72.98	0.00	accommodates splice	
323	U1344	E	7	H	CC	0.45	0.45	61.65	62.10	72.98	73.43	0.00	accommodates splice	
323	U1344	E	8	H	1	0.35	0.35	62.30	62.65	72.50	72.85	-0.93	accommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	8	H	3	1.50	1.50	62.70	64.20	72.37	73.87	-0.48	accommodates splice	
323	U1344	D	8	H	4	1.38	1.38	64.20	65.58	73.87	75.25	0.00	accommodates splice	
323	U1344	D	8	H	5	0.56	0.56	65.58	66.14	75.25	75.81	0.00	accommodates splice	
323	U1344	D	8	H	CC	0.37	0.37	66.14	66.51	75.81	76.18	0.00	accommodates splice	
323	U1344	A	8	H	2	1.46	1.46	66.67	68.13	76.03	77.49	-0.15	accommodates splice	
323	U1344	A	8	H	3	1.50	1.50	68.13	69.63	77.49	78.99	0.00	accommodates splice	
323	U1344	A	8	H	4	1.32	1.32	69.63	70.95	78.99	80.31	0.00	accommodates splice	
323	U1344	E	8	H	8	0.63	0.63	71.08	71.71	81.28	81.91	0.97	accommodates splice	
323	U1344	E	8	H	CC	0.34	0.34	71.71	72.05	81.91	82.25	0.00	accommodates splice	
323	U1344	E	9	H	1	0.89	0.89	71.80	72.69	83.78	84.67	1.53	accommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	9	H	2	1.50	1.50	72.69	74.19	84.67	86.17	0.00	accommodates splice	
323	U1344	E	9	H	3	1.46	1.46	74.19	75.65	86.17	87.63	0.00	accommodates splice	
323	U1344	A	9	H	1	0.76	0.76	75.60	76.36	87.71	88.47	0.08	accommodates splice	Extruded on rigfloor; disturbed
323	U1344	A	9	H	2	1.50	1.50	76.36	77.86	88.47	89.97	0.00	accommodates splice	
323	U1344	A	9	H	3	1.34	1.34	77.86	79.20	89.97	91.31	0.00	accommodates splice	
323	U1344	E	9	H	7	0.86	0.86	80.11	80.97	92.09	92.95	0.78	accommodates splice	
323	U1344	E	9	H	CC	0.40	0.40	80.97	81.37	92.95	93.35	0.00	accommodates splice	
323	U1344	E	10	H	1	1.22	1.22	81.30	82.52	94.51	95.73	1.16	accommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	10	H	2	1.50	1.50	82.52	84.02	95.73	97.23	0.00	accommodates splice	
323	U1344	E	10	H	3	1.48	1.48	84.02	85.50	97.23	98.71	0.00	accommodates splice	
323	U1344	E	10	H	4	1.50	1.50	85.50	87.00	98.71	100.21	0.00	accommodates splice	

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	E	10	H	5	1.46	1.46	87.00	88.46	100.21	101.67	0.00	acommodates splice	
323	U1344	E	10	H	6	1.00	1.00	88.46	89.46	101.67	102.67	0.00	acommodates splice	
323	U1344	E	10	H	7	0.90	0.90	89.46	90.36	102.67	103.57	0.00	acommodates splice	
323	U1344	E	10	H	CC	0.49	0.49	90.36	90.85	103.57	104.06	0.00	acommodates splice	
323	U1344	D	11	H	3	1.50	1.50	90.20	91.70	104.73	106.23	0.67	acommodates splice	
323	U1344	A	10	H	7	0.83	0.83	93.85	94.68	107.05	107.88	0.82	acommodates splice	
323	U1344	A	10	H	CC	0.51	0.51	94.68	95.19	107.88	108.39	0.00	acommodates splice	
323	U1344	A	11	H	1	0.59	0.59	94.60	95.19	108.82	109.41	0.43	acommodates splice	Extruded on rigfloor, disturbed
323	U1344	E	12	H	1	0.43	0.43	93.80	94.23	110.22	110.65	0.81	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	12	H	2	1.50	1.50	94.23	95.73	110.65	112.15	0.00	acommodates splice	
323	U1344	E	12	H	3	1.50	1.50	95.73	97.23	112.15	113.65	0.00	acommodates splice	
323	U1344	E	12	H	4	1.46	1.46	97.23	98.69	113.65	115.11	0.00	acommodates splice	
323	U1344	E	12	H	5	1.45	1.45	98.69	100.14	115.11	116.56	0.00	acommodates splice	
323	U1344	E	12	H	6	1.42	1.42	100.14	101.56	116.56	117.98	0.00	acommodates splice	
323	U1344	E	12	H	7	1.05	1.05	101.56	102.61	117.98	119.03	0.00	acommodates splice	
323	U1344	E	12	H	CC	0.44	0.44	102.61	103.05	119.03	119.47	0.00	acommodates splice	
323	U1344	A	12	H	1	0.98	0.98	104.10	105.08	120.23	121.21	0.76	acommodates splice	Extruded on rigfloor, disturbed
323	U1344	A	12	H	2	1.50	1.50	105.08	106.58	121.21	122.71	0.00	acommodates splice	
323	U1344	A	12	H	3	1.42	1.42	106.58	108.00	122.71	124.13	0.00	acommodates splice	
323	U1344	A	12	H	4	1.44	1.44	108.00	109.44	124.13	125.57	0.00	acommodates splice	
323	U1344	A	12	H	5	1.44	1.44	109.44	110.88	125.57	127.01	0.00	acommodates splice	
323	U1344	A	12	H	6	1.50	1.50	110.88	112.38	127.01	128.51	0.00	acommodates splice	
323	U1344	A	12	H	7	1.25	1.25	112.38	113.63	128.51	129.76	0.00	acommodates splice	
323	U1344	A	12	H	CC	0.33	0.33	113.63	113.96	129.76	130.09	0.00	acommodates splice	
323	U1344	A	13	H	1	1.04	1.04	113.60	114.64	132.29	133.33	2.20	acommodates splice	Extruded on rigfloor, disturbed
323	U1344	A	13	H	2	1.50	1.50	114.64	116.14	133.33	134.83	0.00	acommodates splice	
323	U1344	A	13	H	3	1.49	1.49	116.14	117.63	134.83	136.32	0.00	acommodates splice	
323	U1344	A	13	H	4	1.42	1.42	117.63	119.05	136.32	137.74	0.00	acommodates splice	
323	U1344	A	13	H	5	1.40	1.40	119.05	120.45	137.74	139.14	0.00	acommodates splice	
323	U1344	A	13	H	6	1.43	1.43	120.45	121.88	139.14	140.57	0.00	acommodates splice	
323	U1344	A	13	H	7	1.14	1.14	121.88	123.02	140.57	141.71	0.00	acommodates splice	
323	U1344	A	13	H	CC	0.47	0.47	123.02	123.49	141.71	142.18	0.00	acommodates splice	
323	U1344	E	15	H	1	1.50	1.50	122.30	123.80	143.48	144.98	1.30	acommodates splice	
323	U1344	E	15	H	2	1.44	1.44	123.80	125.24	144.98	146.42	0.00	acommodates splice	
323	U1344	E	15	H	3	0.65	0.65	125.24	125.89	146.42	147.07	0.00	acommodates splice	
323	U1344	E	15	H	4	0.91	0.91	125.89	126.80	147.07	147.98	0.00	acommodates splice	
323	U1344	E	15	H	CC	0.30	0.30	126.80	127.10	147.98	148.28	0.00	acommodates splice	
323	U1344	D	15	H	1	0.38	0.38	126.20	126.58	149.73	150.11	1.45	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	15	H	2	1.50	1.50	126.58	128.08	150.11	151.61	0.00	acommodates splice	
323	U1344	D	15	H	3	1.50	1.50	128.08	129.58	151.61	153.11	0.00	acommodates splice	
323	U1344	D	15	H	4	1.43	1.43	129.58	131.01	153.11	154.54	0.00	acommodates splice	
323	U1344	D	15	H	5	1.50	1.50	131.01	132.51	154.54	156.04	0.00	acommodates splice	
323	U1344	D	15	H	6	1.44	1.44	132.51	133.95	156.04	157.48	0.00	acommodates splice	
323	U1344	D	15	H	7	0.68	0.68	133.95	134.63	157.48	158.16	0.00	acommodates splice	
323	U1344	D	15	H	CC	1.14	1.14	134.63	135.77	158.16	159.30	0.00	acommodates splice	Extruded on rigfloor; 19-114 cm extruded on rig floor.
323	U1344	D	16	H	1	0.45	0.45	135.70	136.15	160.70	161.15	1.40	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	16	H	2	1.50	1.50	136.15	137.65	161.15	162.65	0.00	acommodates splice	
323	U1344	E	17	H	1	0.93	0.93	136.30	137.23	163.11	164.04	0.46	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	17	H	2	0.68	0.68	137.23	137.91	164.04	164.72	0.00	acommodates splice	
323	U1344	E	17	H	3	1.42	1.42	137.91	139.33	164.72	166.14	0.00	acommodates splice	
323	U1344	E	17	H	4	1.50	1.50	139.33	140.83	166.14	167.64	0.00	acommodates splice	
323	U1344	E	17	H	5	1.50	1.50	140.83	142.33	167.64	169.14	0.00	acommodates splice	
323	U1344	E	17	H	6	1.50	1.50	142.33	143.83	169.14	170.64	0.00	acommodates splice	
323	U1344	E	17	H	7	0.92	0.92	143.83	144.75	170.64	171.56	0.00	acommodates splice	
323	U1344	E	17	H	CC	0.28	0.28	144.75	145.03	171.56	171.84	0.00	acommodates splice	
323	U1344	E	18	H	1	1.23	1.23	145.80	147.03	172.61	173.84	0.77	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	18	H	2	1.37	1.37	147.03	148.40	173.84	175.21	0.00	acommodates splice	
323	U1344	E	18	H	3	1.28	1.28	148.40	149.68	175.21	176.49	0.00	acommodates splice	
323	U1344	E	18	H	4	1.42	1.42	149.68	151.10	176.49	177.91	0.00	acommodates splice	
323	U1344	E	18	H	5	1.50	1.50	151.10	152.60	177.91	179.41	0.00	acommodates splice	
323	U1344	E	18	H	6	1.50	1.50	152.60	154.10	179.41	180.91	0.00	acommodates splice	
323	U1344	E	18	H	7	0.94	0.94	154.10	155.04	180.91	181.85	0.00	acommodates splice	
323	U1344	E	18	H	CC	0.45	0.45	155.04	155.49	181.85	182.30	0.00	acommodates splice	
323	U1344	D	18	H	1	0.70	0.70	154.70	155.40	182.91	183.61	0.61	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	18	H	2	1.46	1.46	155.40	156.86	183.61	185.07	0.00	acommodates splice	
323	U1344	D	18	H	3	1.40	1.40	156.86	158.26	185.07	186.47	0.00	acommodates splice	
323	U1344	D	18	H	4	1.40	1.40	158.26	159.66	186.47	187.87	0.00	acommodates splice	
323	U1344	D	18	H	5	1.50	1.50	159.66	161.16	187.87	189.37	0.00	acommodates splice	
323	U1344	D	18	H	6	1.50	1.50	161.16	162.66	189.37	190.87	0.00	acommodates splice	
323	U1344	D	18	H	7	1.32	1.32	162.66	163.98	190.87	192.19	0.00	acommodates splice	
323	U1344	D	18	H	CC	0.41	0.41	163.98	164.39	192.19	192.60	0.00	acommodates splice	
323	U1344	E	19	H	7	1.50	1.50	163.54	165.04	192.46	193.96	-0.14	acommodates splice	

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	E	19	H	CC	0.40	0.40	165.04	165.44	193.96	194.36	0.00	acommodates splice	
323	U1344	E	20	H	1	0.91	0.91	164.80	165.71	195.54	196.45	1.18	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	20	H	2	1.27	1.27	165.71	166.98	196.45	197.72	0.00	acommodates splice	
323	U1344	E	20	H	3	1.50	1.50	166.98	168.48	197.72	199.22	0.00	acommodates splice	
323	U1344	E	20	H	4	1.35	1.35	168.48	169.83	199.22	200.57	0.00	acommodates splice	
323	U1344	E	20	H	5	1.46	1.46	169.83	171.29	200.57	202.03	0.00	acommodates splice	
323	U1344	E	20	H	6	1.40	1.40	171.29	172.69	202.03	203.43	0.00	acommodates splice	
323	U1344	D	19	H	CC	0.43	0.43	173.98	174.41	204.11	204.54	0.68	acommodates splice	
323	U1344	D	20	H	1	0.50	0.50	173.70	174.20	205.13	205.63	0.59	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	20	H	2	1.50	1.50	174.20	175.70	205.63	207.13	0.00	acommodates splice	
323	U1344	D	20	H	3	1.28	1.28	175.70	176.98	207.13	208.41	0.00	acommodates splice	
323	U1344	D	20	H	4	1.50	1.50	176.98	178.48	208.41	209.91	0.00	acommodates splice	
323	U1344	D	20	H	5	1.36	1.36	178.48	179.84	209.91	211.27	0.00	acommodates splice	
323	U1344	D	20	H	6	1.20	1.20	179.84	181.04	211.27	212.47	0.00	acommodates splice	
323	U1344	D	20	H	7	1.00	1.00	181.04	182.04	212.47	213.47	0.00	acommodates splice	
323	U1344	D	20	H	8	0.56	0.56	182.04	182.60	213.47	214.03	0.00	acommodates splice	
323	U1344	D	20	H	CC	0.48	0.48	182.60	183.08	214.03	214.51	0.00	acommodates splice	
323	U1344	D	21	H	1	1.18	1.18	183.20	184.38	217.98	219.16	3.47	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	21	H	2	1.46	1.46	184.38	185.84	219.16	220.62	0.00	acommodates splice	Extruded on rigfloor; Top 20cm disturbed
323	U1344	D	21	H	3	1.35	1.35	185.84	187.19	220.62	221.97	0.00	acommodates splice	
323	U1344	D	21	H	4	1.40	1.40	187.19	188.59	221.97	223.37	0.00	acommodates splice	
323	U1344	D	21	H	5	0.58	0.58	188.59	189.17	223.37	223.95	0.00	acommodates splice	
323	U1344	D	21	H	6	1.50	1.50	189.17	190.67	223.95	225.45	0.00	acommodates splice	
323	U1344	D	21	H	7	1.00	1.00	190.67	191.67	225.45	226.45	0.00	acommodates splice	
323	U1344	D	21	H	8	0.93	0.93	191.67	192.60	226.45	227.38	0.00	acommodates splice	
323	U1344	D	21	H	CC	0.33	0.33	192.60	192.93	227.38	227.71	0.00	acommodates splice	
323	U1344	D	22	H	1	0.71	0.71	192.70	193.41	230.15	230.86	2.44	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	E	23	H	2	1.41	1.41	193.56	194.97	230.30	231.71	-0.56	acommodates splice	
323	U1344	E	23	H	3	1.50	1.50	194.97	196.47	231.71	233.21	0.00	acommodates splice	
323	U1344	E	23	H	4	1.35	1.35	196.47	197.82	233.21	234.56	0.00	acommodates splice	
323	U1344	E	23	H	5	1.50	1.50	197.82	199.32	234.56	236.06	0.00	acommodates splice	
323	U1344	E	23	H	6	1.50	1.50	199.32	200.82	236.06	237.56	0.00	acommodates splice	
323	U1344	D	22	H	7	1.00	1.00	200.16	201.16	237.61	238.61	0.05	acommodates splice	
323	U1344	D	22	H	8	0.52	0.52	201.16	201.68	238.61	239.13	0.00	acommodates splice	Material lost from bottom
323	U1344	D	22	H	CC	0.21	0.21	201.68	201.89	239.13	239.34	0.00	acommodates splice	
323	U1344	D	23	H	1	1.50	1.50	202.20	203.70	240.61	242.11	1.27	acommodates splice	
323	U1344	D	23	H	2	1.46	1.46	203.70	205.16	242.11	243.57	0.00	acommodates splice	
323	U1344	A	22	H	CC	0.38	0.38	208.45	208.83	244.30	244.68	0.73	acommodates splice	
323	U1344	D	23	H	CC	0.29	0.29	210.95	211.24	249.36	249.65	4.68	acommodates splice	
323	U1344	D	24	H	1	0.92	0.92	211.70	212.62	252.62	253.54	2.97	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	24	H	2	1.28	1.28	212.62	213.90	253.54	254.82	0.00	acommodates splice	
323	U1344	A	23	H	7	0.48	0.48	217.18	217.66	255.88	256.36	1.06	acommodates splice	
323	U1344	A	23	H	CC	0.45	0.45	217.66	218.11	256.36	256.81	0.00	acommodates splice	
323	U1344	A	24	H	1	1.50	1.50	218.10	219.60	256.71	258.21	-0.10	acommodates splice	
323	U1344	A	24	H	2	1.44	1.44	219.60	221.04	258.21	259.65	0.00	acommodates splice	
323	U1344	A	24	H	3	1.36	1.36	221.04	222.40	259.65	261.01	0.00	acommodates splice	
323	U1344	D	24	H	8	0.59	0.59	220.46	221.05	261.38	261.97	0.37	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	25	H	1	1.50	1.50	221.20	222.70	262.22	263.72	0.25	acommodates splice	
323	U1344	A	24	H	CC	0.43	0.43	226.24	226.67	264.85	265.28	1.13	acommodates splice	
323	U1344	D	25	H	CC	0.46	0.46	224.05	224.51	265.07	265.53	-0.21	acommodates splice	
323	U1344	D	26	H	1	0.87	0.87	224.50	225.37	264.99	265.86	-0.54	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	26	H	2	1.47	1.47	225.37	226.84	265.86	267.33	0.00	acommodates splice	
323	U1344	D	26	H	3	1.45	1.45	226.84	228.29	267.33	268.78	0.00	acommodates splice	
323	U1344	D	26	H	4	1.30	1.30	228.29	229.59	268.78	270.08	0.00	acommodates splice	
323	U1344	D	26	H	5	1.16	1.16	229.59	230.75	270.08	271.24	0.00	acommodates splice	
323	U1344	D	26	H	6	1.49	1.49	230.75	232.24	271.24	272.73	0.00	acommodates splice	
323	U1344	D	26	H	7	1.32	1.32	232.24	233.56	272.73	274.05	0.00	acommodates splice	
323	U1344	D	26	H	CC	0.53	0.53	233.56	234.09	274.05	274.58	0.00	acommodates splice	
323	U1344	A	26	H	2	1.11	1.11	236.42	237.53	276.96	278.07	2.38	acommodates splice	
323	U1344	D	27	H	CC	0.32	0.32	240.40	240.72	279.95	280.27	1.88	acommodates splice	
323	U1344	D	28	H	1	0.50	0.50	239.00	239.50	281.01	281.51	0.74	acommodates splice	Extruded on rigfloor; disturbed
323	U1344	D	28	H	2	1.41	1.41	239.50	240.91	281.51	282.92	0.00	acommodates splice	
323	U1344	A	26	H	7	0.96	0.96	243.51	244.47	284.05	285.01	1.13	acommodates splice	
323	U1344	A	26	H	8	0.53	0.53	244.47	245.00	285.01	285.54	0.00	acommodates splice	
323	U1344	A	26	H	CC	0.49	0.49	245.00	245.49	285.54	286.03	0.00	acommodates splice	
323	U1344	A	27	H	1	0.93	0.93	245.60	246.53	287.64	288.57	1.61	acommodates splice	Extruded on rigfloor, disturbed
323	U1344	D	28	H	CC	0.64	0.64	247.74	248.38	289.75	290.39	1.18	acommodates splice	
323	U1344	D	29	H	1	1.50	1.50	248.50	250.00	292.35	293.85	1.96	acommodates splice	Extruded on rigfloor; 0-38 cm extruded on rig floor.
323	U1344	D	29	H	2	1.50	1.50	250.00	251.50	293.85	295.35	0.00	acommodates splice	
323	U1344	A	27	H	8	0.45	0.45	254.76	255.21	296.80	297.25	1.45	acommodates splice	
323	U1344	A	27	H	CC	0.62	0.62	255.21	255.83	297.25	297.87	0.00	acommodates splice	
323	U1344	A	28	X	1	1.50	1.50	255.10	256.60	298.16	299.66	0.29	acommodates splice	

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	D	29	H	7	0.49	0.49	257.43	257.92	301.28	301.77	1.62	accomodates splice	
323	U1344	D	29	H	CC	0.49	0.49	257.92	258.41	301.77	302.26	0.00	accomodates splice	
323	U1344	D	30	H	1	1.50	1.50	258.00	259.50	303.49	304.99	1.23	accomodates splice	Extruded on rigfloor; 0-85 cm disturbed
323	U1344	A	28	X	6	0.91	0.91	262.60	263.51	305.66	306.57	0.67	accomodates splice	
323	U1344	A	28	X	CC	0.32	0.32	263.51	263.83	306.57	306.89	0.00	accomodates splice	
323	U1344	A	29	X	1	1.50	1.50	263.60	265.10	307.66	309.16	0.77	accomodates splice	
323	U1344	A	29	X	2	1.50	1.50	265.10	266.60	309.16	310.66	0.00	accomodates splice	
323	U1344	D	30	H	7	0.54	0.54	266.42	266.96	311.91	312.45	1.25	accomodates splice	
323	U1344	D	30	H	CC	0.44	0.44	266.96	267.40	312.45	312.89	0.00	accomodates splice	
323	U1344	D	31	H	1	0.83	0.83	267.50	268.33	311.91	312.74	-0.98	accomodates splice	Extruded on rigfloor; disturbed
323	U1344	A	29	X	CC	0.32	0.32	270.03	270.35	314.09	314.41	1.35	accomodates splice	
323	U1344	A	30	X	1	0.49	0.49	273.20	273.69	316.38	316.87	1.97	accomodates splice	
323	U1344	A	30	X	2	1.50	1.50	273.69	275.19	316.87	318.37	0.00	accomodates splice	
323	U1344	A	30	X	3	1.50	1.50	275.19	276.69	318.37	319.87	0.00	accomodates splice	
323	U1344	A	30	X	4	1.50	1.50	276.69	278.19	319.87	321.37	0.00	accomodates splice	
323	U1344	D	31	H	8	0.46	0.46	277.23	277.69	321.64	322.10	0.27	accomodates splice	
323	U1344	D	31	H	CC	0.27	0.27	277.69	277.96	322.10	322.37	0.00	accomodates splice	
323	U1344	A	30	X	CC	0.30	0.30	280.01	280.31	323.19	323.49	0.82	accomodates splice	
323	U1344	A	31	X	1	0.64	0.64	282.80	283.44	326.58	327.22	3.09	accomodates splice	Extruded on rigfloor, disturbed; un-oriented
323	U1344	A	31	X	2	1.50	1.50	283.44	284.94	327.22	328.72	0.00	accomodates splice	
323	U1344	A	31	X	3	1.50	1.50	284.94	286.44	328.72	330.22	0.00	accomodates splice	
323	U1344	D	32	H	7	0.89	0.89	285.21	286.10	330.63	331.52	0.41	accomodates splice	
323	U1344	D	32	H	CC	0.17	0.17	286.10	286.27	331.52	331.69	0.00	accomodates splice	
323	U1344	A	31	X	CC	0.34	0.34	288.24	288.58	332.02	332.36	0.33	accomodates splice	
323	U1344	A	32	X	1	1.50	1.50	292.40	293.90	336.18	337.68	3.82	below splice, deepest hole	Top Disturbed
323	U1344	A	32	X	2	1.46	1.46	293.90	295.36	337.68	339.14	0.00	below splice, deepest hole	
323	U1344	A	32	X	3	1.35	1.35	295.36	296.71	339.14	340.49	0.00	below splice, deepest hole	
323	U1344	A	32	X	4	0.74	0.74	296.71	297.45	340.49	341.23	0.00	below splice, deepest hole	
323	U1344	A	32	X	5	0.90	0.90	297.45	298.35	341.23	342.13	0.00	below splice, deepest hole	
323	U1344	A	32	X	CC	0.82	0.82	298.35	299.17	342.13	342.95	0.00	below splice, deepest hole	
323	U1344	A	33	X	1	1.50	1.50	302.00	303.50	345.78	347.28	2.83	below splice, deepest hole	
323	U1344	A	33	X	2	1.50	1.50	303.50	305.00	347.28	348.78	0.00	below splice, deepest hole	
323	U1344	A	33	X	3	1.50	1.50	305.00	306.50	348.78	350.28	0.00	below splice, deepest hole	
323	U1344	A	33	X	4	1.50	1.50	306.50	308.00	350.28	351.78	0.00	below splice, deepest hole	
323	U1344	A	33	X	5	0.86	0.86	308.00	308.86	351.78	352.64	0.00	below splice, deepest hole	
323	U1344	A	33	X	CC	0.37	0.37	308.86	309.23	352.64	353.01	0.00	below splice, deepest hole	
323	U1344	A	34	X	1	1.50	1.50	311.60	313.10	355.38	356.88	2.37	below splice, deepest hole	
323	U1344	A	34	X	2	1.50	1.50	313.10	314.60	356.88	358.38	0.00	below splice, deepest hole	
323	U1344	A	34	X	3	1.50	1.50	314.60	316.10	358.38	359.88	0.00	below splice, deepest hole	
323	U1344	A	34	X	4	0.88	0.88	316.10	316.98	359.88	360.76	0.00	below splice, deepest hole	
323	U1344	A	34	X	5	1.11	1.11	316.98	318.09	360.76	361.87	0.00	below splice, deepest hole	Extruded on rigfloor, disturbed
323	U1344	A	34	X	CC	0.32	0.32	318.09	318.41	361.87	362.19	0.00	below splice, deepest hole	
323	U1344	A	35	X	1	1.39	1.39	320.90	322.29	364.66	366.07	2.49	below splice, deepest hole	
323	U1344	A	35	X	2	0.39	0.39	322.29	322.68	366.07	366.46	0.00	below splice, deepest hole	
323	U1344	A	35	X	3	0.62	0.62	322.68	323.30	366.46	367.08	0.00	below splice, deepest hole	Extruded on rigfloor, disturbed
323	U1344	A	35	X	CC	0.27	0.27	323.30	323.57	367.08	367.35	0.00	below splice, deepest hole	
323	U1344	A	36	X	1	1.50	1.50	330.40	331.90	374.18	375.68	6.83	below splice, deepest hole	
323	U1344	A	36	X	2	1.50	1.50	331.90	333.40	375.68	377.18	0.00	below splice, deepest hole	
323	U1344	A	36	X	3	1.50	1.50	333.40	334.90	377.18	378.68	0.00	below splice, deepest hole	
323	U1344	A	36	X	4	1.50	1.50	334.90	336.40	378.68	380.18	0.00	below splice, deepest hole	
323	U1344	A	36	X	5	1.50	1.48	336.40	337.88	380.18	381.66	0.00	below splice, deepest hole	
323	U1344	A	36	X	6	1.48	0.71	337.88	338.59	381.66	382.37	0.00	below splice, deepest hole	
323	U1344	A	36	X	CC	0.30	0.30	338.59	338.89	382.37	382.67	0.00	below splice, deepest hole	
323	U1344	A	37	X	1	1.40	1.40	340.00	341.40	383.78	385.18	1.11	below splice, deepest hole	
323	U1344	A	37	X	2	1.50	1.50	341.40	342.90	385.18	386.68	0.00	below splice, deepest hole	
323	U1344	A	37	X	3	1.50	1.50	342.90	344.40	386.68	388.18	0.00	below splice, deepest hole	
323	U1344	A	37	X	4	1.00	1.00	344.40	345.40	388.18	389.18	0.00	below splice, deepest hole	
323	U1344	A	37	X	5	0.63	0.63	345.40	346.03	389.18	389.81	0.00	below splice, deepest hole	
323	U1344	A	37	X	CC	0.35	0.35	346.03	346.38	389.81	390.16	0.00	below splice, deepest hole	
323	U1344	A	38	X	1	1.50	1.50	349.60	351.10	393.38	394.88	3.22	below splice, deepest hole	
323	U1344	A	38	X	2	1.50	1.50	351.10	352.60	394.88	396.38	0.00	below splice, deepest hole	
323	U1344	A	38	X	3	1.50	1.50	352.60	354.10	396.38	397.88	0.00	below splice, deepest hole	
323	U1344	A	38	X	4	1.50	1.50	354.10	355.60	397.88	399.38	0.00	below splice, deepest hole	
323	U1344	A	38	X	5	0.87	0.87	355.60	356.47	399.38	400.25	0.00	below splice, deepest hole	
323	U1344	A	38	X	CC	0.61	0.61	356.47	357.08	400.25	400.86	0.00	below splice, deepest hole	
323	U1344	A	39	X	1	1.50	1.50	359.20	360.70	402.98	404.48	2.12	below splice, deepest hole	0-39 cm extruded on rig floor, disturbed
323	U1344	A	39	X	2	1.50	1.50	360.70	362.20	404.48	405.98	0.00	below splice, deepest hole	
323	U1344	A	39	X	3	0.90	0.90	362.20	363.10	405.98	406.88	0.00	below splice, deepest hole	
323	U1344	A	39	X	4	0.79	0.79	363.10	363.89	406.88	407.67	0.00	below splice, deepest hole	Extruded on rigfloor, disturbed
323	U1344	A	39	X	CC	0.34	0.34	363.89	364.23	407.67	408.01	0.00	below splice, deepest hole	
323	U1344	A	40	X	1	1.50	1.50	368.80	370.30	412.58	414.08	4.57	below splice, deepest hole	
323	U1344	A	40	X	2	1.00	1.00	370.30	371.30	414.08	415.08	0.00	below splice, deepest hole	

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	A	40	X	3	0.91	0.91	371.30	372.21	415.08	415.99	0.00	below splice, deepest hole	
323	U1344	A	40	X	4	0.75	0.75	372.21	372.96	415.99	416.74	0.00	below splice, deepest hole	Extruded on rigfloor, disturbed
323	U1344	A	40	X	CC	0.23	0.23	372.96	373.19	416.74	416.97	0.00	below splice, deepest hole	
323	U1344	A	41	X	1	1.50	1.50	378.50	380.00	422.28	423.78	5.31	below splice, deepest hole	
323	U1344	A	41	X	2	1.50	1.50	380.00	381.50	423.78	425.28	0.00	below splice, deepest hole	
323	U1344	A	41	X	3	1.50	1.50	381.50	383.00	425.28	426.78	0.00	below splice, deepest hole	
323	U1344	A	41	X	4	1.50	1.50	383.00	384.50	426.78	428.28	0.00	below splice, deepest hole	
323	U1344	A	41	X	5	1.50	1.50	384.50	386.00	428.28	429.78	0.00	below splice, deepest hole	
323	U1344	A	41	X	6	0.85	0.85	386.00	386.85	429.78	430.63	0.00	below splice, deepest hole	
323	U1344	A	41	X	7	0.65	0.65	386.85	387.50	430.63	431.28	0.00	below splice, deepest hole	
323	U1344	A	41	X	CC	0.47	0.47	387.50	387.97	431.28	431.75	0.00	below splice, deepest hole	
323	U1344	A	42	X	1	1.50	1.50	388.00	389.50	431.78	433.28	0.03	below splice, deepest hole	
323	U1344	A	42	X	2	1.50	1.50	389.50	391.00	433.28	434.78	0.00	below splice, deepest hole	
323	U1344	A	42	X	3	1.50	1.50	391.00	392.50	434.78	436.28	0.00	below splice, deepest hole	
323	U1344	A	42	X	4	1.50	1.50	392.50	394.00	436.28	437.78	0.00	below splice, deepest hole	
323	U1344	A	42	X	5	1.50	1.50	394.00	395.50	437.78	439.28	0.00	below splice, deepest hole	
323	U1344	A	42	X	6	1.00	1.00	395.50	396.50	439.28	440.28	0.00	below splice, deepest hole	
323	U1344	A	42	X	7	0.69	0.69	396.50	397.19	440.28	440.97	0.00	below splice, deepest hole	
323	U1344	A	42	X	CC	0.32	0.32	397.19	397.51	440.97	441.29	0.00	below splice, deepest hole	
323	U1344	A	43	X	1	1.50	1.50	397.60	399.10	441.38	442.88	0.09	below splice, deepest hole	
323	U1344	A	43	X	2	1.50	1.50	399.10	400.60	442.88	444.38	0.00	below splice, deepest hole	
323	U1344	A	43	X	3	1.50	1.50	400.60	402.10	444.38	445.88	0.00	below splice, deepest hole	
323	U1344	A	43	X	4	1.10	1.10	402.10	403.20	445.88	446.98	0.00	below splice, deepest hole	
323	U1344	A	43	X	CC	0.36	0.36	403.20	403.56	446.98	447.34	0.00	below splice, deepest hole	
323	U1344	A	44	X	1	1.50	1.50	407.20	408.70	450.98	452.48	3.64	below splice, deepest hole	
323	U1344	A	44	X	2	1.50	1.50	408.70	410.20	452.48	453.98	0.00	below splice, deepest hole	
323	U1344	A	44	X	3	1.45	1.45	410.20	411.65	453.98	455.43	0.00	below splice, deepest hole	
323	U1344	A	44	X	4	1.50	1.50	411.65	413.15	455.43	456.93	0.00	below splice, deepest hole	
323	U1344	A	44	X	5	0.78	0.78	413.15	413.93	456.93	457.71	0.00	below splice, deepest hole	
323	U1344	A	44	X	6	0.55	0.55	413.93	414.48	457.71	458.26	0.00	below splice, deepest hole	Extruded on rig floor; not oriented.
323	U1344	A	44	X	CC	0.50	0.50	414.48	414.98	458.26	458.76	0.00	below splice, deepest hole	
323	U1344	A	45	X	1	1.50	1.50	416.80	418.30	460.58	462.08	1.82	below splice, deepest hole	
323	U1344	A	45	X	2	1.50	1.50	418.30	419.80	462.08	463.58	0.00	below splice, deepest hole	
323	U1344	A	45	X	3	1.50	1.50	419.80	421.30	463.58	465.08	0.00	below splice, deepest hole	
323	U1344	A	45	X	4	1.44	1.44	421.30	422.74	465.08	466.52	0.00	below splice, deepest hole	
323	U1344	A	45	X	5	1.50	1.50	422.74	424.24	466.52	468.02	0.00	below splice, deepest hole	
323	U1344	A	45	X	6	1.09	1.09	424.24	425.33	468.02	469.11	0.00	below splice, deepest hole	
323	U1344	A	45	X	CC	0.60	0.60	425.33	425.93	469.11	469.71	0.00	below splice, deepest hole	
323	U1344	A	46	X	1	0.75	0.75	426.40	427.15	470.18	470.93	0.47	below splice, deepest hole	Not oriented; extruded on rig floor.
323	U1344	A	46	X	2	1.50	1.50	427.15	428.65	470.93	472.43	0.00	below splice, deepest hole	
323	U1344	A	46	X	3	1.50	1.50	428.65	430.15	472.43	473.93	0.00	below splice, deepest hole	
323	U1344	A	46	X	4	1.43	1.43	430.15	431.58	473.93	475.36	0.00	below splice, deepest hole	
323	U1344	A	46	X	5	1.50	1.50	431.58	433.08	475.36	476.86	0.00	below splice, deepest hole	
323	U1344	A	46	X	6	0.32	0.32	433.08	433.40	476.86	477.18	0.00	below splice, deepest hole	
323	U1344	A	46	X	CC	0.70	0.70	433.40	434.10	477.18	477.88	0.00	below splice, deepest hole	
323	U1344	A	47	X	1	1.50	1.50	436.00	437.50	479.78	481.28	1.90	below splice, deepest hole	Top Disturbed
323	U1344	A	47	X	2	1.50	1.50	437.50	439.00	481.28	482.78	0.00	below splice, deepest hole	
323	U1344	A	47	X	3	1.50	1.50	439.00	440.50	482.78	484.28	0.00	below splice, deepest hole	
323	U1344	A	47	X	4	1.45	1.45	440.50	441.95	484.28	485.73	0.00	below splice, deepest hole	
323	U1344	A	47	X	5	0.71	0.71	441.95	442.66	485.73	486.44	0.00	below splice, deepest hole	Material lost from bottom
323	U1344	A	47	X	CC	0.36	0.36	442.66	443.02	486.44	486.80	0.00	below splice, deepest hole	
323	U1344	A	48	X	1	1.50	1.50	445.60	447.10	489.38	490.88	2.58	below splice, deepest hole	Top disturbed
323	U1344	A	48	X	2	1.50	1.50	447.10	448.60	490.88	492.38	0.00	below splice, deepest hole	
323	U1344	A	48	X	3	1.50	1.50	448.60	450.10	492.38	493.88	0.00	below splice, deepest hole	
323	U1344	A	48	X	4	0.98	0.98	450.10	451.08	493.88	494.86	0.00	below splice, deepest hole	
323	U1344	A	48	X	5	0.51	0.51	451.08	451.59	494.86	495.37	0.00	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	48	X	CC	0.10	0.10	451.59	451.69	495.37	495.47	0.00	below splice, deepest hole	All to PAL
323	U1344	A	49	X	1	1.50	1.50	455.10	456.60	498.88	500.38	3.41	below splice, deepest hole	Top disturbed
323	U1344	A	49	X	2	1.50	1.50	456.60	458.10	500.38	501.88	0.00	below splice, deepest hole	
323	U1344	A	49	X	3	1.50	1.50	458.10	459.60	501.88	503.38	0.00	below splice, deepest hole	
323	U1344	A	49	X	4	1.50	1.50	459.60	461.10	503.38	504.88	0.00	below splice, deepest hole	
323	U1344	A	49	X	CC	0.75	0.75	461.10	461.85	504.88	505.63	0.00	below splice, deepest hole	
323	U1344	A	50	X	1	1.50	1.50	464.70	466.20	508.48	509.98	2.85	below splice, deepest hole	
323	U1344	A	50	X	2	1.50	1.50	466.20	467.70	509.98	511.48	0.00	below splice, deepest hole	
323	U1344	A	50	X	3	1.50	1.50	467.70	469.20	511.48	512.98	0.00	below splice, deepest hole	
323	U1344	A	50	X	4	1.50	1.50	469.20	470.70	512.98	514.48	0.00	below splice, deepest hole	
323	U1344	A	50	X	5	1.50	1.50	470.70	472.20	514.48	515.98	0.00	below splice, deepest hole	
323	U1344	A	50	X	6	1.08	1.08	472.20	473.28	515.98	517.06	0.00	below splice, deepest hole	
323	U1344	A	50	X	CC	0.21	0.21	473.28	473.49	517.06	517.27	0.00	below splice, deepest hole	
323	U1344	A	51	X	1	1.50	1.50	474.40	475.90	518.18	519.68	0.91	below splice, deepest hole	Top Disturbed
323	U1344	A	51	X	2	1.37	1.37	475.90	477.27	519.68	521.05	0.00	below splice, deepest hole	
323	U1344	A	51	X	3	1.50	1.50	477.27	478.77	521.05	522.55	0.00	below splice, deepest hole	

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	A	51	X	4	1.50	1.50	478.77	480.27	522.55	524.05	0.00	below splice, deepest hole	
323	U1344	A	51	X	5	1.50	1.50	480.27	481.77	524.05	525.55	0.00	below splice, deepest hole	
323	U1344	A	51	X	6	0.48	0.48	481.77	482.25	525.55	526.03	0.00	below splice, deepest hole	
323	U1344	A	51	X	CC	0.42	0.42	482.25	482.67	526.03	526.45	0.00	below splice, deepest hole	
323	U1344	A	52	X	1	0.67	0.67	483.90	484.57	527.68	528.35	1.23	below splice, deepest hole	Extruded on rig floor.
323	U1344	A	52	X	2	1.50	1.50	484.57	486.07	528.35	529.85	0.00	below splice, deepest hole	
323	U1344	A	52	X	3	1.43	1.43	486.07	487.50	529.85	531.28	0.00	below splice, deepest hole	
323	U1344	A	52	X	4	1.50	1.50	487.50	489.00	531.28	532.78	0.00	below splice, deepest hole	
323	U1344	A	52	X	5	1.48	1.48	489.00	490.48	532.78	534.26	0.00	below splice, deepest hole	
323	U1344	A	52	X	6	1.27	1.27	490.48	491.75	534.26	535.53	0.00	below splice, deepest hole	
323	U1344	A	52	X	7	0.97	0.97	491.75	492.72	535.53	536.50	0.00	below splice, deepest hole	
323	U1344	A	52	X	CC	0.48	0.48	492.72	493.20	536.50	536.98	0.00	below splice, deepest hole	
323	U1344	A	53	X	1	1.50	1.50	493.20	494.70	536.98	538.48	0.00	below splice, deepest hole	
323	U1344	A	53	X	2	1.50	1.50	494.70	496.20	538.48	539.98	0.00	below splice, deepest hole	
323	U1344	A	53	X	3	1.50	1.50	496.20	497.70	539.98	541.48	0.00	below splice, deepest hole	
323	U1344	A	53	X	4	1.50	1.50	497.70	499.20	541.48	542.98	0.00	below splice, deepest hole	
323	U1344	A	53	X	5	1.50	1.50	499.20	500.70	542.98	544.48	0.00	below splice, deepest hole	
323	U1344	A	53	X	6	1.00	1.00	500.70	501.70	544.48	545.48	0.00	below splice, deepest hole	
323	U1344	A	53	X	CC	0.43	0.43	501.70	502.13	545.48	545.91	0.00	below splice, deepest hole	
323	U1344	A	54	X	1	1.50	1.50	502.90	504.40	546.68	548.18	0.77	below splice, deepest hole	0-75 cm extruded on rig floor.
323	U1344	A	54	X	2	1.50	1.50	504.40	505.90	548.18	549.68	0.00	below splice, deepest hole	
323	U1344	A	54	X	3	1.50	1.50	505.90	507.40	549.68	551.18	0.00	below splice, deepest hole	
323	U1344	A	54	X	4	1.50	1.50	507.40	508.90	551.18	552.68	0.00	below splice, deepest hole	
323	U1344	A	54	X	5	1.50	1.50	508.90	510.40	552.68	554.18	0.00	below splice, deepest hole	
323	U1344	A	54	X	6	1.17	1.17	510.40	511.57	554.18	555.35	0.00	below splice, deepest hole	
323	U1344	A	54	X	CC	0.39	0.39	511.57	511.96	555.35	555.74	0.00	below splice, deepest hole	
323	U1344	A	55	X	1	1.50	1.50	512.40	513.90	556.18	557.68	0.44	below splice, deepest hole	
323	U1344	A	55	X	2	1.50	1.50	513.90	515.40	557.68	559.18	0.00	below splice, deepest hole	
323	U1344	A	55	X	3	1.50	1.50	515.40	516.90	559.18	560.68	0.00	below splice, deepest hole	
323	U1344	A	55	X	4	1.50	1.50	516.90	518.40	560.68	562.18	0.00	below splice, deepest hole	
323	U1344	A	55	X	5	1.50	1.50	518.40	519.90	562.18	563.68	0.00	below splice, deepest hole	
323	U1344	A	55	X	6	1.00	1.00	519.90	520.90	563.68	564.68	0.00	below splice, deepest hole	
323	U1344	A	55	X	7	0.44	0.44	520.90	521.34	564.68	565.12	0.00	below splice, deepest hole	
323	U1344	A	55	X	CC	0.46	0.46	521.34	521.80	565.12	565.58	0.00	below splice, deepest hole	
323	U1344	A	56	X	1	1.50	1.50	522.00	523.50	565.78	567.28	0.20	below splice, deepest hole	0-75 cm disturbed; extruded on rig floor.
323	U1344	A	56	X	2	1.50	1.50	523.50	525.00	567.28	568.78	0.00	below splice, deepest hole	
323	U1344	A	56	X	3	1.50	1.50	525.00	526.50	568.78	570.28	0.00	below splice, deepest hole	
323	U1344	A	56	X	4	1.50	1.50	526.50	528.00	570.28	571.78	0.00	below splice, deepest hole	
323	U1344	A	56	X	5	1.00	1.00	528.00	529.00	571.78	572.78	0.00	below splice, deepest hole	
323	U1344	A	56	X	6	0.96	0.96	529.00	529.96	572.78	573.74	0.00	below splice, deepest hole	
323	U1344	A	56	X	CC	0.35	0.35	529.96	530.31	573.74	574.09	0.00	below splice, deepest hole	
323	U1344	A	57	X	1	1.50	1.50	531.70	533.20	575.48	576.98	1.39	below splice, deepest hole	0-35 cm disturbed; extruded on rig floor.
323	U1344	A	57	X	2	1.50	1.50	533.20	534.70	576.98	578.48	0.00	below splice, deepest hole	
323	U1344	A	57	X	3	1.50	1.50	534.70	536.20	578.48	579.98	0.00	below splice, deepest hole	
323	U1344	A	57	X	4	1.50	1.50	536.20	537.70	579.98	581.48	0.00	below splice, deepest hole	
323	U1344	A	57	X	5	1.50	1.50	537.70	539.20	581.48	582.98	0.00	below splice, deepest hole	
323	U1344	A	57	X	6	0.73	0.73	539.20	539.93	582.98	583.71	0.00	below splice, deepest hole	
323	U1344	A	57	X	CC	0.35	0.35	539.93	540.28	583.71	584.06	0.00	below splice, deepest hole	
323	U1344	A	58	X	1	1.50	1.50	541.30	542.80	585.08	586.58	1.02	below splice, deepest hole	0-42 cm disturbed; extruded on rig floor.
323	U1344	A	58	X	2	1.23	1.23	542.80	544.03	586.58	587.81	0.00	below splice, deepest hole	
323	U1344	A	58	X	3	1.50	1.50	544.03	545.53	587.81	589.31	0.00	below splice, deepest hole	
323	U1344	A	58	X	4	1.32	1.32	545.53	546.85	589.31	590.63	0.00	below splice, deepest hole	
323	U1344	A	58	X	5	1.50	1.50	546.85	548.35	590.63	592.13	0.00	below splice, deepest hole	
323	U1344	A	58	X	6	0.75	0.75	548.35	549.10	592.13	592.88	0.00	below splice, deepest hole	Extruded on rig floor.
323	U1344	A	58	X	CC	0.47	0.47	549.10	549.57	592.88	593.35	0.00	below splice, deepest hole	
323	U1344	A	59	X	1	1.50	1.50	550.90	552.40	594.68	596.18	1.33	below splice, deepest hole	0-22 cm disturbed; extruded on rig floor.
323	U1344	A	59	X	2	1.50	1.50	552.40	553.90	596.18	597.68	0.00	below splice, deepest hole	
323	U1344	A	59	X	3	1.50	1.50	553.90	555.40	597.68	599.18	0.00	below splice, deepest hole	
323	U1344	A	59	X	4	1.50	1.50	555.40	556.90	599.18	600.68	0.00	below splice, deepest hole	
323	U1344	A	59	X	5	0.69	0.69	556.90	557.59	600.68	601.37	0.00	below splice, deepest hole	
323	U1344	A	59	X	6	0.79	0.79	557.59	558.38	601.37	602.16	0.00	below splice, deepest hole	Disturbed; extruded on rig floor.
323	U1344	A	59	X	CC	0.41	0.41	558.38	558.79	602.16	602.57	0.00	below splice, deepest hole	
323	U1344	A	60	X	1	1.50	1.50	560.50	562.00	604.28	605.78	1.71	below splice, deepest hole	0-50 cm disturbed; extruded on rig floor.
323	U1344	A	60	X	2	1.50	1.50	562.00	563.50	605.78	607.28	0.00	below splice, deepest hole	
323	U1344	A	60	X	3	1.50	1.50	563.50	565.00	607.28	608.78	0.00	below splice, deepest hole	
323	U1344	A	60	X	4	1.50	1.50	565.00	566.50	608.78	610.28	0.00	below splice, deepest hole	
323	U1344	A	60	X	5	0.67	0.67	566.50	567.17	610.28	610.95	0.00	below splice, deepest hole	
323	U1344	A	60	X	CC	0.25	0.25	567.17	567.42	610.95	611.20	0.00	below splice, deepest hole	
323	U1344	A	61	X	1	1.29	1.29	570.10	571.39	613.88	615.17	2.68	below splice, deepest hole	Extruded on drill floor.
323	U1344	A	61	X	2	1.50	1.50	571.39	572.89	615.17	616.67	0.00	below splice, deepest hole	
323	U1344	A	61	X	3	1.50	1.50	572.89	574.39	616.67	618.17	0.00	below splice, deepest hole	
323	U1344	A	61	X	4	1.50	1.50	574.39	575.89	618.17	619.67	0.00	below splice, deepest hole	

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	A	61	X	5	1.50	1.50	575.89	577.39	619.67	621.17	0.00	below splice, deepest hole	
323	U1344	A	61	X	6	1.22	1.22	577.39	578.61	621.17	622.39	0.00	below splice, deepest hole	
323	U1344	A	61	X	CC	0.29	0.29	578.61	578.90	622.39	622.68	0.00	below splice, deepest hole	
323	U1344	A	62	X	1	0.40	0.40	579.80	580.20	623.98	623.98	0.90	below splice, deepest hole	Extruded on rigfloor; disturbed; un-oriented
323	U1344	A	62	X	2	1.50	1.50	580.20	581.70	623.98	625.48	0.00	below splice, deepest hole	
323	U1344	A	62	X	3	1.50	1.50	581.70	583.20	625.48	626.98	0.00	below splice, deepest hole	
323	U1344	A	62	X	4	1.50	1.50	583.20	584.70	626.98	628.48	0.00	below splice, deepest hole	
323	U1344	A	62	X	5	1.50	1.50	584.70	586.20	628.48	629.98	0.00	below splice, deepest hole	
323	U1344	A	62	X	6	1.01	1.01	586.20	587.21	629.98	630.99	0.00	below splice, deepest hole	
323	U1344	A	62	X	CC	0.40	0.40	587.21	587.61	630.99	631.39	0.00	below splice, deepest hole	
323	U1344	A	63	X	1	1.50	1.50	589.40	590.90	633.18	634.68	1.79	below splice, deepest hole	Top disturbed
323	U1344	A	63	X	2	1.50	1.50	590.90	592.40	634.68	636.18	0.00	below splice, deepest hole	
323	U1344	A	63	X	3	1.50	1.50	592.40	593.90	636.18	637.68	0.00	below splice, deepest hole	
323	U1344	A	63	X	4	1.50	1.50	593.90	595.40	637.68	639.18	0.00	below splice, deepest hole	
323	U1344	A	63	X	5	0.53	0.53	595.40	595.93	639.18	639.71	0.00	below splice, deepest hole	Bottom disturbed
323	U1344	A	63	X	CC	0.36	0.36	595.93	596.29	639.71	640.07	0.00	below splice, deepest hole	
323	U1344	A	64	X	1	0.53	0.53	599.00	599.53	642.78	643.31	2.71	below splice, deepest hole	Extruded on rigfloor; disturbed; un-oriented
323	U1344	A	64	X	2	1.50	1.50	599.53	601.03	643.31	644.81	0.00	below splice, deepest hole	
323	U1344	A	64	X	3	1.39	1.39	601.03	602.42	644.81	646.20	0.00	below splice, deepest hole	
323	U1344	A	64	X	4	1.50	1.50	602.42	603.92	646.20	647.70	0.00	below splice, deepest hole	
323	U1344	A	64	X	5	1.50	1.50	603.92	605.42	647.70	649.20	0.00	below splice, deepest hole	
323	U1344	A	64	X	6	1.50	1.50	605.42	606.92	649.20	650.70	0.00	below splice, deepest hole	
323	U1344	A	64	X	7	0.42	0.42	606.92	607.34	650.70	651.12	0.00	below splice, deepest hole	
323	U1344	A	64	X	CC	0.39	0.39	607.34	607.73	651.12	651.51	0.00	below splice, deepest hole	
323	U1344	A	65	X	1	1.50	1.50	608.50	610.00	652.28	653.78	0.77	below splice, deepest hole	
323	U1344	A	65	X	2	1.50	1.50	610.00	611.50	653.78	655.28	0.00	below splice, deepest hole	
323	U1344	A	65	X	3	1.50	1.50	611.50	613.00	655.28	656.78	0.00	below splice, deepest hole	
323	U1344	A	65	X	4	1.50	1.50	613.00	614.50	656.78	658.28	0.00	below splice, deepest hole	
323	U1344	A	65	X	5	1.50	1.50	614.50	616.00	658.28	659.78	0.00	below splice, deepest hole	
323	U1344	A	65	X	6	0.77	0.77	616.00	616.77	659.78	660.55	0.00	below splice, deepest hole	
323	U1344	A	65	X	7	0.89	0.89	616.77	617.66	660.55	661.44	0.00	below splice, deepest hole	
323	U1344	A	65	X	CC	0.42	0.42	617.66	618.08	661.44	661.86	0.00	below splice, deepest hole	
323	U1344	A	68	X	1	0.40	0.40	637.30	637.70	681.08	681.48	19.22	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	68	X	2	1.50	1.50	637.70	639.20	681.48	682.98	0.00	below splice, deepest hole	
323	U1344	A	68	X	3	1.50	1.50	639.20	640.70	682.98	684.48	0.00	below splice, deepest hole	
323	U1344	A	68	X	4	1.50	1.50	640.70	642.20	684.48	685.98	0.00	below splice, deepest hole	
323	U1344	A	68	X	5	1.50	1.50	642.20	643.70	685.98	687.48	0.00	below splice, deepest hole	
323	U1344	A	68	X	6	1.17	1.17	643.70	644.87	687.48	688.65	0.00	below splice, deepest hole	
323	U1344	A	68	X	7	0.66	0.66	644.87	645.53	688.65	689.31	0.00	below splice, deepest hole	
323	U1344	A	68	X	CC	0.47	0.47	645.53	646.00	689.31	689.78	0.00	below splice, deepest hole	
323	U1344	A	69	X	CC	0.44	0.44	646.00	647.34	690.88	691.12	0.90	below splice, deepest hole	Rock Jammed in CC
323	U1344	A	70	X	1	1.50	1.50	656.50	658.00	700.28	701.78	9.16	below splice, deepest hole	
323	U1344	A	70	X	2	1.50	1.50	658.00	659.50	701.78	703.28	0.00	below splice, deepest hole	
323	U1344	A	70	X	3	1.50	1.50	659.50	661.00	703.28	704.78	0.00	below splice, deepest hole	
323	U1344	A	70	X	4	1.50	1.50	661.00	662.50	704.78	706.28	0.00	below splice, deepest hole	
323	U1344	A	70	X	5	1.50	1.50	662.50	664.00	706.28	707.78	0.00	below splice, deepest hole	
323	U1344	A	70	X	6	1.50	1.50	664.00	665.50	707.78	709.28	0.00	below splice, deepest hole	
323	U1344	A	70	X	7	0.57	0.57	665.50	666.07	709.28	709.85	0.00	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	70	X	CC	0.38	0.38	666.07	666.45	709.85	710.23	0.00	below splice, deepest hole	
323	U1344	A	71	X	1	0.75	0.75	666.10	666.85	709.88	710.63	-0.35	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	71	X	2	1.50	1.50	666.85	668.35	710.63	712.13	0.00	below splice, deepest hole	
323	U1344	A	71	X	3	0.64	0.64	668.35	668.99	712.13	712.77	0.00	below splice, deepest hole	
323	U1344	A	71	X	4	1.50	1.50	668.99	670.49	712.77	714.27	0.00	below splice, deepest hole	
323	U1344	A	71	X	5	1.50	1.50	670.49	671.99	714.27	715.77	0.00	below splice, deepest hole	
323	U1344	A	71	X	6	1.46	1.46	671.99	673.45	715.77	717.23	0.00	below splice, deepest hole	
323	U1344	A	71	X	7	1.36	1.36	673.45	674.81	717.23	718.59	0.00	below splice, deepest hole	
323	U1344	A	71	X	CC	0.37	0.37	674.81	675.18	718.59	718.96	0.00	below splice, deepest hole	
323	U1344	A	72	X	1	1.08	1.08	675.70	676.78	719.48	720.56	0.52	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	72	X	2	1.50	1.50	676.78	678.28	720.56	722.06	0.00	below splice, deepest hole	
323	U1344	A	72	X	3	1.50	1.50	678.28	679.78	722.06	723.56	0.00	below splice, deepest hole	
323	U1344	A	72	X	4	1.50	1.50	679.78	681.28	723.56	725.06	0.00	below splice, deepest hole	
323	U1344	A	72	X	5	1.50	1.50	681.28	682.78	725.06	726.56	0.00	below splice, deepest hole	
323	U1344	A	72	X	6	0.44	0.44	682.78	683.22	726.56	727.00	0.00	below splice, deepest hole	
323	U1344	A	72	X	CC	0.33	0.33	683.22	683.55	727.00	727.33	0.00	below splice, deepest hole	
323	U1344	A	73	X	1	0.52	0.52	685.30	685.82	729.08	729.60	1.75	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	73	X	2	1.50	1.50	685.82	687.32	729.60	731.10	0.00	below splice, deepest hole	
323	U1344	A	73	X	3	1.50	1.50	687.32	688.82	731.10	732.60	0.00	below splice, deepest hole	
323	U1344	A	73	X	4	1.50	1.50	688.82	690.32	732.60	734.10	0.00	below splice, deepest hole	
323	U1344	A	73	X	5	1.50	1.50	690.32	691.82	734.10	735.60	0.00	below splice, deepest hole	
323	U1344	A	73	X	6	1.50	1.50	691.82	693.32	735.60	737.10	0.00	below splice, deepest hole	
323	U1344	A	73	X	7	0.83	0.83	693.32	694.15	737.10	737.93	0.00	below splice, deepest hole	
323	U1344	A	73	X	CC	0.55	0.55	694.15	694.70	737.93	738.48	0.00	below splice, deepest hole	

U1344 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1344	A	74	X	1	1.50	1.50	694.90	696.40	738.68	740.18	0.20	below splice, deepest hole	extruded on rig floor.; 0-63 cm disturbed
323	U1344	A	74	X	2	1.50	1.50	696.40	697.90	740.18	741.68	0.00	below splice, deepest hole	
323	U1344	A	74	X	3	1.50	1.50	697.90	699.40	741.68	743.18	0.00	below splice, deepest hole	
323	U1344	A	74	X	4	1.50	1.50	699.40	700.90	743.18	744.68	0.00	below splice, deepest hole	
323	U1344	A	74	X	5	1.50	1.50	700.90	702.40	744.68	746.18	0.00	below splice, deepest hole	
323	U1344	A	74	X	6	0.96	0.96	702.40	703.36	746.18	747.14	0.00	below splice, deepest hole	
323	U1344	A	74	X	CC	0.33	0.33	703.36	703.69	747.14	747.47	0.00	below splice, deepest hole	
323	U1344	A	75	X	1	1.50	1.50	704.50	706.00	748.28	749.78	0.81	below splice, deepest hole	
323	U1344	A	75	X	2	1.50	1.50	706.00	707.50	749.78	751.28	0.00	below splice, deepest hole	
323	U1344	A	75	X	3	1.50	1.50	707.50	709.00	751.28	752.78	0.00	below splice, deepest hole	
323	U1344	A	75	X	4	1.50	1.50	709.00	710.50	752.78	754.28	0.00	below splice, deepest hole	
323	U1344	A	75	X	5	1.00	1.00	710.50	711.50	754.28	755.28	0.00	below splice, deepest hole	
323	U1344	A	75	X	6	0.66	0.66	711.50	712.16	755.28	755.94	0.00	below splice, deepest hole	
323	U1344	A	75	X	7	0.77	0.77	712.16	712.93	755.94	756.71	0.00	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	75	X	CC	0.42	0.42	712.93	713.35	756.71	757.13	0.00	below splice, deepest hole	
323	U1344	A	76	X	1	1.50	1.50	714.10	715.60	757.88	759.38	0.75	below splice, deepest hole	
323	U1344	A	76	X	2	1.50	1.50	715.60	717.10	759.38	760.88	0.00	below splice, deepest hole	
323	U1344	A	76	X	3	1.50	1.50	717.10	718.60	760.88	762.38	0.00	below splice, deepest hole	
323	U1344	A	76	X	4	1.50	1.50	718.60	720.10	762.38	763.88	0.00	below splice, deepest hole	
323	U1344	A	76	X	5	1.00	1.00	720.10	721.10	763.88	764.88	0.00	below splice, deepest hole	
323	U1344	A	76	X	6	0.60	0.60	721.10	721.70	764.88	765.48	0.00	below splice, deepest hole	
323	U1344	A	76	X	7	1.08	1.08	721.70	722.78	765.48	766.56	0.00	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	76	X	CC	0.33	0.33	722.78	723.11	766.56	766.89	0.00	below splice, deepest hole	
323	U1344	A	77	X	1	0.44	0.44	723.70	724.14	767.48	767.92	0.59	below splice, deepest hole	Extruded on rigfloor; disturbed
323	U1344	A	77	X	2	1.50	1.50	724.14	725.64	767.92	769.42	0.00	below splice, deepest hole	
323	U1344	A	77	X	3	1.50	1.50	725.64	727.14	769.42	770.92	0.00	below splice, deepest hole	
323	U1344	A	77	X	4	1.50	1.50	727.14	728.64	770.92	772.42	0.00	below splice, deepest hole	
323	U1344	A	77	X	5	1.50	1.50	728.64	730.14	772.42	773.92	0.00	below splice, deepest hole	
323	U1344	A	77	X	6	1.50	1.50	730.14	731.64	773.92	775.42	0.00	below splice, deepest hole	
323	U1344	A	77	X	7	1.03	1.03	731.64	732.67	775.42	776.45	0.00	below splice, deepest hole	
323	U1344	A	77	X	CC	0.46	0.46	732.67	733.13	776.45	776.91	0.00	below splice, deepest hole	
323	U1344	A	78	X	1	1.50	1.50	733.30	734.80	777.08	778.58	0.17	below splice, deepest hole	
323	U1344	A	78	X	2	1.50	1.50	734.80	736.30	778.58	780.08	0.00	below splice, deepest hole	
323	U1344	A	78	X	3	1.50	1.50	736.30	737.80	780.08	781.58	0.00	below splice, deepest hole	
323	U1344	A	78	X	4	1.00	1.00	737.80	738.80	781.58	782.58	0.00	below splice, deepest hole	
323	U1344	A	78	X	5	0.75	0.75	738.80	739.55	782.58	783.33	0.00	below splice, deepest hole	
323	U1344	A	78	X	CC	0.20	0.20	739.55	739.75	783.33	783.53	0.00	below splice, deepest hole	
323	U1344	A	79	X	1	1.50	1.50	739.00	740.50	782.78	784.28	-0.75	below splice, deepest hole	
323	U1344	A	79	X	2	1.50	1.50	740.50	742.00	784.28	785.78	0.00	below splice, deepest hole	
323	U1344	A	79	X	3	1.50	1.50	742.00	743.50	785.78	787.28	0.00	below splice, deepest hole	
323	U1344	A	79	X	4	1.50	1.50	743.50	745.00	787.28	788.78	0.00	below splice, deepest hole	
323	U1344	A	79	X	5	1.28	1.28	745.00	746.28	788.78	790.06	0.00	below splice, deepest hole	
323	U1344	A	79	X	CC	0.31	0.31	746.28	746.59	790.06	790.37	0.00	below splice, deepest hole	