

U1345 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1345	E	1	H	1	1.50	1.50	0.00	1.50	-0.09	1.41	-0.09	accommodates splice	
323	U1345	E	1	H	2	1.50	1.50	1.50	3.00	1.41	2.91	0.00	accommodates splice	
323	U1345	E	1	H	3	1.50	1.50	3.00	4.50	2.91	4.41	0.00	accommodates splice	
323	U1345	E	1	H	4	1.50	1.50	4.50	6.00	4.41	5.91	0.00	accommodates splice	
323	U1345	E	1	H	5	1.50	1.50	6.00	7.50	5.91	7.41	0.00	accommodates splice	
323	U1345	E	1	H	6	0.62	0.62	7.50	8.12	7.41	8.03	0.00	accommodates splice	
323	U1345	E	1	H	CC	0.15	0.15	8.12	8.27	8.03	8.18	0.00	accommodates splice	
323	U1345	A	2	H	3	1.50	1.50	7.40	8.90	7.44	8.94	-0.74	accommodates splice	
323	U1345	E	2	H	1	1.50	1.50	8.20	9.70	8.95	10.45	0.01	accommodates splice	
323	U1345	E	2	H	2	1.50	1.50	9.70	11.20	10.45	11.95	0.00	accommodates splice	
323	U1345	E	2	H	3	1.50	1.50	11.20	12.70	11.95	13.45	0.00	accommodates splice	
323	U1345	E	2	H	4	1.50	1.50	12.70	14.20	13.45	14.95	0.00	accommodates splice	
323	U1345	E	2	H	5	1.26	1.26	14.20	15.46	14.95	16.21	0.00	accommodates splice	
323	U1345	E	2	H	CC	0.22	0.22	15.46	15.68	16.21	16.43	0.00	accommodates splice	
323	U1345	B	2	H	6	1.50	1.50	15.70	17.20	15.91	17.41	-0.52	accommodates splice	
323	U1345	C	3	H	1	1.50	1.50	15.50	17.00	17.53	19.03	0.12	accommodates splice	
323	U1345	E	3	H	1	1.50	1.50	17.70	19.20	18.70	20.20	-0.33	accommodates splice	
323	U1345	E	3	H	2	1.50	1.50	19.20	20.70	20.20	21.70	0.00	accommodates splice	
323	U1345	E	3	H	3	1.50	1.50	20.70	22.20	21.70	23.20	0.00	accommodates splice	
323	U1345	E	3	H	4	1.50	1.50	22.20	23.70	23.20	24.70	0.00	accommodates splice	
323	U1345	E	3	H	5	1.50	1.50	23.70	25.20	24.70	26.20	0.00	accommodates splice	
323	U1345	E	3	H	6	1.50	1.50	25.20	26.70	26.20	27.70	0.00	accommodates splice	
323	U1345	E	3	H	7	0.87	0.87	26.70	27.57	27.70	28.57	0.00	accommodates splice	
323	U1345	E	3	H	CC	0.29	0.29	27.57	27.86	28.57	28.86	0.00	accommodates splice	
323	U1345	E	4	H	1	1.50	1.50	27.20	28.70	29.44	30.94	0.58	accommodates splice	
323	U1345	E	4	H	2	1.50	1.50	28.70	30.20	30.94	32.44	0.00	accommodates splice	
323	U1345	E	4	H	3	1.50	1.50	30.20	31.70	32.44	33.94	0.00	accommodates splice	
323	U1345	E	4	H	4	1.50	1.50	31.70	33.20	33.94	35.44	0.00	accommodates splice	
323	U1345	E	4	H	5	1.50	1.50	33.20	34.70	35.44	36.94	0.00	accommodates splice	
323	U1345	E	4	H	6	1.50	1.50	34.70	36.20	36.94	38.44	0.00	accommodates splice	
323	U1345	E	4	H	7	0.89	0.89	36.20	37.09	38.44	39.33	0.00	accommodates splice	
323	U1345	E	4	H	CC	0.38	0.38	37.09	37.47	39.33	39.71	0.00	accommodates splice	
323	U1345	E	5	H	1	0.69	0.69	36.70	37.39	40.19	40.88	0.48	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	5	H	2	1.50	1.50	38.89	37.39	40.88	42.38	0.00	accommodates splice	
323	U1345	E	5	H	3	1.50	1.50	38.89	40.39	42.38	43.88	0.00	accommodates splice	
323	U1345	E	5	H	4	1.50	1.50	40.39	41.89	43.88	45.38	0.00	accommodates splice	
323	U1345	E	5	H	5	1.50	1.50	41.89	43.39	45.38	46.88	0.00	accommodates splice	
323	U1345	E	5	H	6	1.49	1.49	43.39	44.88	46.88	48.37	0.00	accommodates splice	
323	U1345	E	5	H	7	1.34	1.34	44.88	46.22	48.37	49.71	0.00	accommodates splice	
323	U1345	E	5	H	CC	0.37	0.37	46.22	46.59	49.71	50.08	0.00	accommodates splice	
323	U1345	C	6	H	2	1.50	1.50	44.61	46.11	49.54	51.04	-0.54	accommodates splice	
323	U1345	E	6	H	1	1.27	1.27	46.20	47.47	50.96	52.23	-0.08	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	6	H	2	1.50	1.50	47.47	48.97	52.23	53.73	0.00	accommodates splice	
323	U1345	E	6	H	3	1.50	1.50	48.97	50.47	53.73	55.23	0.00	accommodates splice	
323	U1345	E	6	H	4	1.50	1.50	50.47	51.97	55.23	56.73	0.00	accommodates splice	
323	U1345	E	6	H	5	1.50	1.50	51.97	53.47	56.73	58.23	0.00	accommodates splice	
323	U1345	E	6	H	6	1.50	1.50	53.47	54.97	58.23	59.73	0.00	accommodates splice	
323	U1345	E	6	H	7	1.09	1.09	54.97	56.06	59.73	60.82	0.00	accommodates splice	
323	U1345	E	6	H	CC	0.48	0.48	56.06	56.54	60.82	61.30	0.00	accommodates splice	
323	U1345	E	7	H	1	0.80	0.80	55.70	56.50	61.72	62.52	0.42	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	7	H	2	1.50	1.50	56.50	58.00	62.52	64.02	0.00	accommodates splice	
323	U1345	E	7	H	3	1.50	1.50	58.00	59.50	64.02	65.52	0.00	accommodates splice	
323	U1345	E	7	H	4	1.50	1.50	59.50	61.00	65.52	67.02	0.00	accommodates splice	
323	U1345	E	7	H	5	1.50	1.50	61.00	62.50	67.02	68.52	0.00	accommodates splice	
323	U1345	E	7	H	6	1.50	1.50	62.50	64.00	68.52	70.02	0.00	accommodates splice	
323	U1345	E	7	H	7	0.66	0.66	64.00	64.66	70.02	70.68	0.00	accommodates splice	
323	U1345	E	7	H	CC	0.42	0.42	64.66	65.08	70.68	71.10	0.00	accommodates splice	
323	U1345	A	8	H	4	1.50	1.50	65.74	67.24	71.28	72.78	0.18	accommodates splice	
323	U1345	E	8	H	1	1.50	1.50	65.20	66.70	72.54	74.04	-0.24	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	8	H	2	1.50	1.50	66.70	68.20	74.04	75.54	0.00	accommodates splice	
323	U1345	E	8	H	3	1.50	1.50	68.20	69.70	75.54	77.04	0.00	accommodates splice	
323	U1345	E	8	H	4	1.50	1.50	69.70	71.20	77.04	78.54	0.00	accommodates splice	
323	U1345	E	8	H	5	1.50	1.50	71.20	72.70	78.54	80.04	0.00	accommodates splice	
323	U1345	E	8	H	6	1.48	1.48	72.70	74.18	80.04	81.52	0.00	accommodates splice	
323	U1345	E	8	H	7	0.82	0.82	74.18	75.00	81.52	82.34	0.00	accommodates splice	
323	U1345	E	8	H	CC	0.46	0.46	75.00	75.46	82.34	82.80	0.00	accommodates splice	

U1345 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1345	E	9	H	1	0.75	0.75	74.70	75.45	83.20	83.95	0.40	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	9	H	2	1.50	1.50	75.45	76.95	83.95	85.45	0.00	accommodates splice	
323	U1345	E	9	H	3	1.42	1.42	76.95	78.37	85.45	86.87	0.00	accommodates splice	
323	U1345	E	9	H	4	1.50	1.50	78.37	79.87	86.87	88.37	0.00	accommodates splice	
323	U1345	E	9	H	5	1.38	1.38	79.87	81.25	88.37	89.75	0.00	accommodates splice	
323	U1345	E	9	H	6	1.48	1.48	81.25	82.73	89.75	91.23	0.00	accommodates splice	
323	U1345	E	9	H	7	1.29	1.29	82.73	84.02	91.23	92.52	0.00	accommodates splice	
323	U1345	E	9	H	CC	0.53	0.53	84.02	84.55	92.52	93.05	0.00	accommodates splice	
323	U1345	E	10	H	1	1.18	1.18	84.20	85.38	93.32	94.50	0.27	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	10	H	2	1.50	1.50	85.38	86.88	94.50	96.00	0.00	accommodates splice	
323	U1345	E	10	H	3	1.50	1.50	86.88	88.38	96.00	97.50	0.00	accommodates splice	
323	U1345	E	10	H	4	1.47	1.47	88.38	89.85	97.50	98.97	0.00	accommodates splice	
323	U1345	E	10	H	5	1.45	1.45	89.85	91.30	98.97	100.42	0.00	accommodates splice	
323	U1345	E	10	H	6	1.50	1.50	91.30	92.80	100.42	101.92	0.00	accommodates splice	
323	U1345	E	10	H	7	0.76	0.76	92.80	93.56	101.92	102.68	0.00	accommodates splice	
323	U1345	E	10	H	CC	0.43	0.43	93.56	93.99	102.68	103.11	0.00	accommodates splice	
323	U1345	C	11	H	2	1.48	1.48	92.59	94.07	103.26	104.74	0.15	accommodates splice	
323	U1345	E	11	H	1	1.50	1.50	93.70	95.20	104.22	105.72	-0.52	accommodates splice	
323	U1345	E	11	H	2	1.48	1.48	95.20	96.68	105.72	107.20	0.00	accommodates splice	
323	U1345	E	11	H	3	1.45	1.45	96.68	98.13	107.20	108.65	0.00	accommodates splice	
323	U1345	E	11	H	4	1.50	1.50	98.13	99.63	108.65	110.15	0.00	accommodates splice	
323	U1345	E	11	H	5	1.50	1.50	99.63	101.13	110.15	111.65	0.00	accommodates splice	
323	U1345	E	11	H	6	1.27	1.27	101.13	102.40	111.65	112.92	0.00	accommodates splice	
323	U1345	E	11	H	7	0.52	0.52	102.40	102.92	112.92	113.44	0.00	accommodates splice	
323	U1345	E	11	H	CC	0.52	0.52	102.92	103.44	113.44	113.96	0.00	accommodates splice	
323	U1345	E	12	H	1	0.83	0.83	103.20	104.03	114.49	115.32	0.53	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	12	H	2	1.41	1.41	104.03	105.44	115.32	116.73	0.00	accommodates splice	
323	U1345	E	12	H	3	1.49	1.49	105.44	106.93	116.73	118.22	0.00	accommodates splice	
323	U1345	E	12	H	4	1.50	1.50	106.93	108.43	118.22	119.72	0.00	accommodates splice	
323	U1345	E	12	H	5	1.46	1.46	108.43	109.89	119.72	121.18	0.00	accommodates splice	
323	U1345	E	12	H	6	1.50	1.50	109.89	111.39	121.18	122.68	0.00	accommodates splice	
323	U1345	E	12	H	7	1.31	1.31	111.39	112.70	122.68	123.99	0.00	accommodates splice	
323	U1345	E	12	H	CC	0.49	0.49	112.70	113.19	123.99	124.48	0.00	accommodates splice	
323	U1345	E	13	H	1	0.64	0.64	113.34	113.34	124.74	125.38	0.26	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	13	H	2	1.50	1.50	113.34	114.84	125.38	126.88	0.00	accommodates splice	
323	U1345	E	13	H	3	1.47	1.47	114.84	116.31	126.88	128.35	0.00	accommodates splice	
323	U1345	E	13	H	4	1.50	1.50	116.31	117.81	128.35	129.85	0.00	accommodates splice	
323	U1345	E	13	H	5	1.39	1.39	117.81	119.20	129.85	131.24	0.00	accommodates splice	
323	U1345	E	13	H	6	1.50	1.50	119.20	120.70	131.24	132.74	0.00	accommodates splice	
323	U1345	E	13	H	7	1.08	1.08	120.70	121.78	132.74	133.82	0.00	accommodates splice	
323	U1345	C	14	H	1	0.77	0.77	120.00	120.77	133.92	134.69	#REF!	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	C	14	H	2	1.46	1.46	120.77	122.23	134.69	136.15	0.00	accommodates splice	
323	U1345	E	14	H	1	0.60	0.60	122.20	122.80	135.76	136.36	-0.39	accommodates splice	Extruded on rigfloor, disturbed
323	U1345	E	14	H	2	1.48	1.48	122.80	124.28	136.36	137.84	0.00	accommodates splice	
323	U1345	E	14	H	3	1.50	1.50	124.28	125.78	137.84	139.34	0.00	accommodates splice	
323	U1345	E	14	H	4	1.45	1.45	125.78	127.23	139.34	140.79	0.00	accommodates splice	
323	U1345	E	14	H	5	1.50	1.50	127.23	128.73	140.79	142.29	0.00	accommodates splice	
323	U1345	E	14	H	6	1.50	1.50	128.73	130.23	142.29	143.79	0.00	accommodates splice	
323	U1345	E	14	H	7	1.00	1.00	130.23	131.23	143.79	144.79	0.00	accommodates splice	
323	U1345	E	14	H	8	0.58	0.58	131.23	131.81	144.79	145.37	0.00	accommodates splice	
323	U1345	E	14	H	CC	0.33	0.33	131.81	132.14	145.37	145.70	0.00	accommodates splice	
323	U1345	E	15	H	1	1.53	1.53	131.70	133.23	146.01	147.54	0.31	accommodates splice	
323	U1345	E	15	H	2	1.50	1.50	133.23	134.73	147.54	149.04	0.00	accommodates splice	
323	U1345	E	15	H	3	1.50	1.50	134.73	136.23	149.04	150.54	0.00	accommodates splice	
323	U1345	E	15	H	4	1.50	1.50	136.23	137.73	150.54	152.04	0.00	accommodates splice	
323	U1345	E	15	H	5	1.50	1.50	137.73	139.23	152.04	153.54	0.00	accommodates splice	
323	U1345	E	15	H	6	1.50	1.50	139.23	140.73	153.54	155.04	0.00	accommodates splice	
323	U1345	E	15	H	7	0.68	0.68	140.73	141.41	155.04	155.72	0.00	accommodates splice	
323	U1345	E	15	H	CC	0.21	0.21	141.41	141.62	155.72	155.93	0.00	accommodates splice	
323	U1345	E	16	H	1	1.50	1.50	141.20	142.70	156.70	158.20	0.77	accommodates splice	
323	U1345	E	16	H	2	1.50	1.50	142.70	144.20	158.20	159.70	0.00	accommodates splice	
323	U1345	E	16	H	3	1.50	1.50	144.20	145.70	159.70	161.20	0.00	accommodates splice	
323	U1345	E	16	H	4	1.33	1.33	145.70	147.03	161.20	162.53	0.00	accommodates splice	
323	U1345	E	16	H	5	1.50	1.50	147.03	148.53	162.53	164.03	0.00	below splice, deepest hole	
323	U1345	E	16	H	6	1.35	1.35	148.53	149.88	164.03	165.38	0.00	below splice, deepest hole	
323	U1345	E	16	H	7	0.46	0.46	149.88	150.34	165.38	165.84	0.00	below splice, deepest hole	

U1345 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1345	E	16	H	CC	0.55	0.55	150.34	150.89	165.84	166.39	0.00	below splice, deepest hole	