

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	1	H	1	1.50	1.50	0.00	1.50	single hole	
334	U1378	B	1	H	2	1.50	1.50	1.50	3.00	single hole	
334	U1378	B	1	H	3	1.50	1.50	3.00	4.50	single hole	
334	U1378	B	1	H	4	0.58	0.58	4.50	5.08	single hole	
334	U1378	B	1	H	CC	0.28	0.28	5.08	5.36	single hole	
334	U1378	B	2	H	1	1.50	1.50	5.30	6.80	single hole	
334	U1378	B	2	H	2	1.50	1.50	6.80	8.30	single hole	
334	U1378	B	2	H	3	1.50	1.50	8.30	9.80	single hole	
334	U1378	B	2	H	4	1.50	1.50	9.80	11.30	single hole	
334	U1378	B	2	H	5	1.50	1.50	11.30	12.80	single hole	
334	U1378	B	2	H	6	1.50	1.50	12.80	14.30	single hole	
334	U1378	B	2	H	7	0.66	0.66	14.30	14.96	single hole	
334	U1378	B	2	H	CC	0.25	0.25	14.96	15.21	single hole	
334	U1378	B	3	H	1	1.50	1.50	14.80	16.30	single hole	
334	U1378	B	3	H	2	1.50	1.50	16.30	17.80	single hole	
334	U1378	B	3	H	3	1.50	1.50	17.80	19.30	single hole	
334	U1378	B	3	H	4	1.50	1.50	19.30	20.80	single hole	
334	U1378	B	3	H	5	1.50	1.50	20.80	22.30	single hole	
334	U1378	B	3	H	6	1.50	1.50	22.30	23.80	single hole	
334	U1378	B	3	H	7	0.70	0.70	23.80	24.50	single hole	
334	U1378	B	3	H	CC	0.41	0.41	24.50	24.91	single hole	
334	U1378	B	4	H	1	0.61	0.61	24.30	24.91	single hole	extruded on rig floor
334	U1378	B	4	H	2	1.50	1.50	24.91	26.41	single hole	
334	U1378	B	4	H	3	1.50	1.50	26.41	27.91	single hole	
334	U1378	B	4	H	4	1.50	1.50	27.91	29.41	single hole	
334	U1378	B	4	H	5	1.50	1.50	29.41	30.91	single hole	
334	U1378	B	4	H	6	1.50	1.50	30.91	32.41	single hole	
334	U1378	B	4	H	7	1.40	1.40	32.41	33.81	single hole	
334	U1378	B	4	H	8	0.52	0.52	33.81	34.33	single hole	
334	U1378	B	4	H	CC	0.34	0.34	34.33	34.67	single hole	
334	U1378	B	5	H	1	1.50	1.50	33.80	35.30	single hole	
334	U1378	B	5	H	2	1.50	1.50	35.30	36.80	single hole	
334	U1378	B	5	H	3	1.50	1.50	36.80	38.30	single hole	
334	U1378	B	5	H	4	1.50	1.50	38.30	39.80	single hole	
334	U1378	B	5	H	5	1.50	1.50	39.80	41.30	single hole	
334	U1378	B	5	H	6	1.50	1.50	41.30	42.80	single hole	
334	U1378	B	5	H	7	0.70	0.70	42.80	43.50	single hole	
334	U1378	B	5	H	CC	0.32	0.32	43.50	43.82	single hole	
334	U1378	B	6	H	1	1.50	1.50	43.30	44.80	single hole	0-143 was crushed and not curated
334	U1378	B	6	H	2	1.50	1.50	44.80	46.30	single hole	
334	U1378	B	6	H	3	1.50	1.50	46.30	47.80	single hole	
334	U1378	B	6	H	4	1.50	1.50	47.80	49.30	single hole	
334	U1378	B	6	H	5	1.50	1.50	49.30	50.80	single hole	
334	U1378	B	6	H	6	0.95	0.95	50.80	51.75	single hole	
334	U1378	B	6	H	CC	0.31	0.31	51.75	52.06	single hole	
334	U1378	B	7	H	1	1.50	1.50	52.80	54.30	single hole	
334	U1378	B	7	H	2	1.50	1.50	54.30	55.80	single hole	
334	U1378	B	7	H	3	1.50	1.50	55.80	57.30	single hole	
334	U1378	B	7	H	4	1.50	1.50	57.30	58.80	single hole	
334	U1378	B	7	H	5	1.50	1.50	58.80	60.30	single hole	
334	U1378	B	7	H	6	0.99	0.99	60.30	61.29	single hole	
334	U1378	B	7	H	CC	0.58	0.58	61.29	61.87	single hole	
334	U1378	B	8	H	1	0.66	0.14	62.30	62.44	single hole	14-66 crushed liner
334	U1378	B	8	H	2	1.50	1.50	62.44	63.94	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	8	H	3	1.50	1.50	63.94	65.44	single hole	
334	U1378	B	8	H	4	1.50	1.50	65.44	66.94	single hole	
334	U1378	B	8	H	5	1.50	1.50	66.94	68.44	single hole	
334	U1378	B	8	H	6	1.50	1.50	68.44	69.94	single hole	
334	U1378	B	8	H	7	1.32	1.32	69.94	71.26	single hole	
334	U1378	B	9	H	1	1.50	1.50	71.80	73.30	single hole	
334	U1378	B	9	H	2	1.50	1.50	73.30	74.80	single hole	
334	U1378	B	9	H	3	1.50	1.50	74.80	76.30	single hole	
334	U1378	B	9	H	4	1.50	1.50	76.30	77.80	single hole	
334	U1378	B	9	H	5	1.42	1.42	77.80	79.22	single hole	
334	U1378	B	9	H	6	1.50	1.50	79.22	80.72	single hole	
334	U1378	B	9	H	7	0.76	0.76	80.72	81.48	single hole	
334	U1378	B	10	H	1	1.50	1.50	81.30	82.80	single hole	
334	U1378	B	10	H	2	1.42	1.42	82.80	84.22	single hole	
334	U1378	B	10	H	3	1.50	1.50	84.22	85.72	single hole	
334	U1378	B	10	H	4	1.50	1.50	85.72	87.22	single hole	
334	U1378	B	10	H	5	1.29	1.29	87.22	88.51	single hole	
334	U1378	B	10	H	6	0.63	0.63	88.51	89.14	single hole	
334	U1378	B	10	H	CC	0.45	0.45	89.14	89.59	single hole	
334	U1378	B	11	H	1	1.50	1.50	89.60	91.10	single hole	
334	U1378	B	11	H	2	1.50	1.50	91.10	92.60	single hole	
334	U1378	B	11	H	3	1.50	1.50	92.60	94.10	single hole	
334	U1378	B	11	H	4	0.96	0.96	94.10	95.06	single hole	
334	U1378	B	11	H	5	0.58	0.58	95.06	95.64	single hole	
334	U1378	B	11	H	CC	0.35	0.35	95.64	95.99	single hole	
334	U1378	B	12	H	1	0.95	0.95	96.00	96.95	single hole	
334	U1378	B	12	H	2	1.50	1.50	96.95	98.45	single hole	
334	U1378	B	12	H	3	1.50	1.50	98.45	99.95	single hole	
334	U1378	B	12	H	4	1.20	1.20	99.95	101.15	single hole	
334	U1378	B	12	H	5	0.65	0.65	101.15	101.80	single hole	
334	U1378	B	12	H	CC	0.26	0.26	101.80	102.06	single hole	
334	U1378	B	13	H	1	1.50	1.50	102.00	103.50	single hole	
334	U1378	B	13	H	2	1.50	1.50	103.50	105.00	single hole	
334	U1378	B	13	H	3	1.50	1.50	105.00	106.50	single hole	
334	U1378	B	13	H	4	1.50	1.50	106.50	108.00	single hole	
334	U1378	B	13	H	5	1.09	1.09	108.00	109.09	single hole	
334	U1378	B	13	H	CC	0.65	0.65	109.09	109.74	single hole	
334	U1378	B	14	H	1	1.50	1.50	109.70	111.20	single hole	
334	U1378	B	14	H	2	1.51	1.51	111.20	112.71	single hole	
334	U1378	B	14	H	3	1.50	1.50	112.71	114.21	single hole	
334	U1378	B	14	H	4	1.28	1.28	114.21	115.49	single hole	
334	U1378	B	14	H	CC	0.34	0.34	115.49	115.83	single hole	
334	U1378	B	15	H	1	1.50	1.50	115.80	117.30	single hole	
334	U1378	B	15	H	2	1.35	1.35	117.30	118.65	single hole	
334	U1378	B	15	H	3	1.33	1.33	118.65	119.98	single hole	
334	U1378	B	15	H	4	0.60	0.60	119.98	120.58	single hole	
334	U1378	B	15	H	CC	0.34	0.34	120.58	120.92	single hole	
334	U1378	B	16	H	1	1.05	1.05	120.90	121.95	single hole	
334	U1378	B	16	H	2	1.50	1.50	121.95	123.45	single hole	
334	U1378	B	16	H	3	1.50	1.50	123.45	124.95	single hole	
334	U1378	B	16	H	4	1.50	1.50	124.95	126.45	single hole	
334	U1378	B	16	H	5	0.76	0.76	126.45	127.21	single hole	
334	U1378	B	16	H	6	0.45	0.45	127.21	127.66	single hole	
334	U1378	B	16	H	CC	0.17	0.17	127.66	127.83	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	17	X	1	1.50	1.50	127.80	129.30	single hole	
334	U1378	B	17	X	2	1.50	1.50	129.30	130.80	single hole	
334	U1378	B	17	X	3	1.50	1.50	130.80	132.30	single hole	
334	U1378	B	17	X	4	1.50	1.50	132.30	133.80	single hole	
334	U1378	B	17	X	5	0.96	0.96	133.80	134.76	single hole	
334	U1378	B	17	X	CC	0.29	0.29	134.76	135.05	single hole	
334	U1378	B	18	X	1	1.50	1.50	132.70	134.20	single hole	
334	U1378	B	18	X	2	1.00	1.00	134.20	135.20	single hole	
334	U1378	B	18	X	3	1.30	1.30	135.20	136.50	single hole	
334	U1378	B	18	X	4	1.50	1.50	136.50	138.00	single hole	
334	U1378	B	18	X	5	1.50	1.50	138.00	139.50	single hole	
334	U1378	B	18	X	6	1.50	1.50	139.50	141.00	single hole	
334	U1378	B	18	X	7	0.55	0.55	141.00	141.55	single hole	
334	U1378	B	18	X	CC	0.49	0.49	141.55	142.04	single hole	
334	U1378	B	19	X	1	0.94	0.94	142.40	143.34	single hole	
334	U1378	B	19	X	2	1.50	1.50	143.34	144.84	single hole	
334	U1378	B	19	X	3	1.50	1.50	144.84	146.34	single hole	
334	U1378	B	19	X	4	1.50	1.50	146.34	147.84	single hole	
334	U1378	B	19	X	5	0.96	0.96	147.84	148.80	single hole	
334	U1378	B	19	X	6	1.50	1.50	148.80	150.30	single hole	
334	U1378	B	19	X	7	1.40	1.40	150.30	151.70	single hole	
334	U1378	B	19	X	CC	0.48	0.48	151.70	152.18	single hole	
334	U1378	B	20	X	1	0.43	0.43	152.10	152.53	single hole	
334	U1378	B	20	X	2	1.50	1.50	152.53	154.03	single hole	
334	U1378	B	20	X	3	1.41	1.41	154.03	155.44	single hole	
334	U1378	B	20	X	4	1.50	1.50	155.44	156.94	single hole	
334	U1378	B	20	X	5	1.53	1.53	156.94	158.47	single hole	
334	U1378	B	20	X	6	1.50	1.50	158.47	159.97	single hole	
334	U1378	B	20	X	7	1.53	1.53	159.97	161.50	single hole	
334	U1378	B	20	X	CC	0.46	0.46	161.50	161.96	single hole	
334	U1378	B	21	X	1	0.26	0.26	161.70	161.96	single hole	section extruded on catwalk
334	U1378	B	21	X	2	1.50	1.50	161.96	163.46	single hole	
334	U1378	B	21	X	3	1.50	1.50	163.46	164.96	single hole	
334	U1378	B	21	X	4	1.50	1.50	164.96	166.46	single hole	
334	U1378	B	21	X	5	1.50	1.50	166.46	167.96	single hole	
334	U1378	B	21	X	6	1.00	1.00	167.96	168.96	single hole	
334	U1378	B	21	X	7	0.93	0.93	168.96	169.89	single hole	
334	U1378	B	21	X	8	1.13	1.13	169.89	171.02	single hole	
334	U1378	B	21	X	CC	0.44	0.44	171.02	171.46	single hole	
334	U1378	B	22	X	1	1.50	1.50	171.30	172.80	single hole	
334	U1378	B	22	X	2	1.50	1.50	172.80	174.30	single hole	
334	U1378	B	22	X	3	1.50	1.50	174.30	175.80	single hole	
334	U1378	B	22	X	4	1.50	1.50	175.80	177.30	single hole	
334	U1378	B	22	X	5	1.05	1.05	177.30	178.35	single hole	
334	U1378	B	22	X	6	1.50	1.50	178.35	179.85	single hole	
334	U1378	B	22	X	7	0.64	0.64	179.85	180.49	single hole	
334	U1378	B	22	X	CC	0.40	0.40	180.49	180.89	single hole	
334	U1378	B	23	X	1	1.50	1.50	180.20	181.70	single hole	
334	U1378	B	23	X	2	1.50	1.50	181.70	183.20	single hole	
334	U1378	B	23	X	3	1.50	1.50	183.20	184.70	single hole	
334	U1378	B	23	X	4	1.50	1.50	184.70	186.20	single hole	
334	U1378	B	23	X	5	1.50	1.50	186.20	187.70	single hole	
334	U1378	B	23	X	6	1.26	1.26	187.70	188.96	single hole	
334	U1378	B	23	X	7	0.62	0.62	188.96	189.58	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	23	X	CC	0.37	0.37	189.58	189.95	single hole	
334	U1378	B	24	X	1	0.89	0.89	189.80	190.69	single hole	
334	U1378	B	24	X	2	1.50	1.50	190.69	192.19	single hole	
334	U1378	B	24	X	3	1.50	1.50	192.19	193.69	single hole	
334	U1378	B	24	X	4	1.50	1.50	193.69	195.19	single hole	
334	U1378	B	24	X	5	1.50	1.50	195.19	196.69	single hole	
334	U1378	B	24	X	6	1.50	1.50	196.69	198.19	single hole	
334	U1378	B	24	X	7	1.18	1.18	198.19	199.37	single hole	
334	U1378	B	24	X	CC	0.53	0.53	199.37	199.90	single hole	
334	U1378	B	25	X	1	1.50	1.50	199.50	201.00	single hole	
334	U1378	B	25	X	2	0.95	0.95	201.00	201.95	single hole	
334	U1378	B	25	X	3	0.90	0.90	201.95	202.85	single hole	
334	U1378	B	25	X	4	1.50	1.50	202.85	204.35	single hole	
334	U1378	B	25	X	5	1.50	1.50	204.35	205.85	single hole	
334	U1378	B	25	X	6	1.50	1.50	205.85	207.35	single hole	
334	U1378	B	25	X	7	1.50	1.50	207.35	208.85	single hole	
334	U1378	B	25	X	CC	0.48	0.48	208.85	209.33	single hole	
334	U1378	B	26	X	1	1.50	1.50	209.20	210.70	single hole	
334	U1378	B	26	X	2	1.50	1.50	210.70	212.20	single hole	
334	U1378	B	26	X	3	1.50	1.50	212.20	213.70	single hole	
334	U1378	B	26	X	4	1.15	1.15	213.70	214.85	single hole	
334	U1378	B	26	X	5	1.50	1.50	214.85	216.35	single hole	
334	U1378	B	26	X	6	1.50	1.50	216.35	217.85	single hole	
334	U1378	B	26	X	7	0.80	0.80	217.85	218.65	single hole	
334	U1378	B	26	X	CC	0.51	0.51	218.65	219.16	single hole	
334	U1378	B	27	X	1	1.00	1.00	218.00	219.00	single hole	
334	U1378	B	27	X	2	1.27	1.27	219.00	220.27	single hole	
334	U1378	B	27	X	3	1.50	1.50	220.27	221.77	single hole	
334	U1378	B	27	X	4	1.50	1.50	221.77	223.27	single hole	
334	U1378	B	27	X	5	0.70	0.70	223.27	223.97	single hole	
334	U1378	B	27	X	CC	0.44	0.44	223.97	224.41	single hole	
334	U1378	B	28	X	1	1.50	1.50	227.60	229.10	single hole	
334	U1378	B	28	X	2	1.50	1.50	229.10	230.60	single hole	
334	U1378	B	28	X	3	1.50	1.50	230.60	232.10	single hole	
334	U1378	B	28	X	4	1.50	1.50	232.10	233.60	single hole	
334	U1378	B	28	X	5	1.50	1.50	233.60	235.10	single hole	
334	U1378	B	28	X	6	1.00	1.00	235.10	236.10	single hole	
334	U1378	B	28	X	7	0.65	0.65	236.10	236.75	single hole	
334	U1378	B	28	X	8	0.26	0.26	236.75	237.01	single hole	
334	U1378	B	28	X	CC	0.46	0.46	237.01	237.47	single hole	
334	U1378	B	29	X	1	1.50	1.50	233.80	235.30	single hole	
334	U1378	B	29	X	2	1.00	1.00	235.30	236.30	single hole	
334	U1378	B	29	X	3	0.83	0.83	236.30	237.13	single hole	
334	U1378	B	29	X	4	1.50	1.50	237.13	238.63	single hole	
334	U1378	B	29	X	5	1.50	1.50	238.63	240.13	single hole	
334	U1378	B	29	X	6	1.43	1.43	240.13	241.56	single hole	
334	U1378	B	29	X	CC	0.39	0.39	241.56	241.95	single hole	
334	U1378	B	30	X	1	1.50	1.50	238.30	239.80	single hole	
334	U1378	B	30	X	2	1.45	1.45	239.80	241.25	single hole	
334	U1378	B	30	X	3	1.45	1.45	241.25	242.70	single hole	
334	U1378	B	30	X	4	1.50	1.50	242.70	244.20	single hole	
334	U1378	B	30	X	5	0.70	0.70	244.20	244.90	single hole	
334	U1378	B	30	X	CC	0.34	0.34	244.90	245.24	single hole	
334	U1378	B	31	X	1	1.50	1.50	246.90	248.40	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	31	X	2	1.50	1.50	248.40	249.90	single hole	
334	U1378	B	31	X	3	1.40	1.40	249.90	251.30	single hole	
334	U1378	B	31	X	4	1.50	1.50	251.30	252.80	single hole	
334	U1378	B	31	X	5	1.50	1.50	252.80	254.30	single hole	
334	U1378	B	31	X	6	1.30	1.30	254.30	255.60	single hole	
334	U1378	B	31	X	7	0.53	0.53	255.60	256.13	single hole	
334	U1378	B	31	X	CC	0.28	0.28	256.13	256.41	single hole	
334	U1378	B	32	X	1	1.30	1.30	256.50	257.80	single hole	
334	U1378	B	32	X	2	1.30	1.30	257.80	259.10	single hole	
334	U1378	B	32	X	3	1.05	1.05	259.10	260.15	single hole	
334	U1378	B	32	X	4	1.50	1.50	260.15	261.65	single hole	
334	U1378	B	32	X	5	1.50	1.50	261.65	263.15	single hole	
334	U1378	B	32	X	6	1.50	1.50	263.15	264.65	single hole	
334	U1378	B	32	X	7	1.15	1.15	264.65	265.80	single hole	
334	U1378	B	32	X	CC	0.41	0.41	265.80	266.21	single hole	
334	U1378	B	33	X	1	1.50	1.50	266.20	267.70	single hole	
334	U1378	B	33	X	2	1.21	1.21	267.70	268.91	single hole	
334	U1378	B	33	X	3	1.30	1.30	268.91	270.21	single hole	
334	U1378	B	33	X	4	1.10	1.10	270.21	271.31	single hole	
334	U1378	B	33	X	5	0.94	0.94	271.31	272.25	single hole	
334	U1378	B	33	X	6	1.50	1.50	272.25	273.75	single hole	
334	U1378	B	33	X	7	0.47	0.47	273.75	274.22	single hole	
334	U1378	B	33	X	CC	1.37	1.37	274.22	275.59	single hole	
334	U1378	B	34	X	1	1.30	1.30	275.80	277.10	single hole	
334	U1378	B	34	X	2	1.22	1.22	277.10	278.32	single hole	
334	U1378	B	34	X	3	1.50	1.50	278.32	279.82	single hole	
334	U1378	B	34	X	4	1.50	1.50	279.82	281.32	single hole	
334	U1378	B	34	X	5	1.50	1.50	281.32	282.82	single hole	
334	U1378	B	34	X	6	1.31	1.31	282.82	284.13	single hole	
334	U1378	B	34	X	CC	0.37	0.37	284.13	284.50	single hole	
334	U1378	B	35	X	1	1.50	1.50	285.50	287.00	single hole	
334	U1378	B	35	X	2	1.50	1.50	287.00	288.50	single hole	
334	U1378	B	35	X	3	1.50	1.50	288.50	290.00	single hole	
334	U1378	B	35	X	4	1.10	1.10	290.00	291.10	single hole	
334	U1378	B	35	X	5	1.30	1.30	291.10	292.40	single hole	
334	U1378	B	35	X	6	1.50	1.50	292.40	293.90	single hole	
334	U1378	B	35	X	7	0.89	0.89	293.90	294.79	single hole	
334	U1378	B	35	X	CC	0.51	0.51	294.79	295.30	single hole	
334	U1378	B	36	X	1	1.50	1.50	295.20	296.70	single hole	
334	U1378	B	36	X	2	1.25	1.25	296.70	297.95	single hole	
334	U1378	B	36	X	3	0.53	0.53	297.95	298.48	single hole	
334	U1378	B	36	X	CC	0.36	0.36	298.48	298.84	single hole	
334	U1378	B	37	X	1	1.50	1.50	304.80	306.30	single hole	
334	U1378	B	37	X	2	1.23	1.23	306.30	307.53	single hole	
334	U1378	B	37	X	3	1.50	1.50	307.53	309.03	single hole	
334	U1378	B	37	X	4	1.50	1.50	309.03	310.53	single hole	
334	U1378	B	37	X	5	0.71	0.71	310.53	311.24	single hole	
334	U1378	B	37	X	CC	0.24	0.24	311.24	311.48	single hole	
334	U1378	B	38	X	1	1.50	1.50	309.30	310.80	single hole	
334	U1378	B	38	X	2	1.50	1.50	310.80	312.30	single hole	
334	U1378	B	38	X	3	1.50	1.50	312.30	313.80	single hole	
334	U1378	B	38	X	4	0.98	0.98	313.80	314.78	single hole	
334	U1378	B	38	X	CC	0.48	0.48	314.78	315.26	single hole	
334	U1378	B	39	X	1	1.50	1.50	314.50	316.00	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	39	X	2	1.50	1.50	316.00	317.50	single hole	
334	U1378	B	39	X	3	1.50	1.50	317.50	319.00	single hole	
334	U1378	B	39	X	4	1.50	1.50	319.00	320.50	single hole	
334	U1378	B	39	X	5	1.50	1.50	320.50	322.00	single hole	
334	U1378	B	39	X	6	1.27	1.27	322.00	323.27	single hole	
334	U1378	B	39	X	7	0.55	0.55	323.27	323.82	single hole	
334	U1378	B	39	X	CC	0.53	0.53	323.82	324.35	single hole	
334	U1378	B	40	X	1	1.50	1.50	324.20	325.70	single hole	
334	U1378	B	40	X	2	1.50	1.50	325.70	327.20	single hole	
334	U1378	B	40	X	3	1.10	1.10	327.20	328.30	single hole	
334	U1378	B	40	X	4	1.15	1.15	328.30	329.45	single hole	
334	U1378	B	40	X	5	1.50	1.50	329.45	330.95	single hole	
334	U1378	B	40	X	6	1.50	1.50	330.95	332.45	single hole	
334	U1378	B	40	X	7	1.12	1.12	332.45	333.57	single hole	
334	U1378	B	40	X	CC	0.38	0.38	333.57	333.95	single hole	
334	U1378	B	41	X	1	1.50	1.50	333.70	335.20	single hole	
334	U1378	B	41	X	2	1.50	1.50	335.20	336.70	single hole	
334	U1378	B	41	X	3	1.50	1.50	336.70	338.20	single hole	
334	U1378	B	41	X	4	1.50	1.50	338.20	339.70	single hole	
334	U1378	B	41	X	5	1.36	1.36	339.70	341.06	single hole	
334	U1378	B	41	X	6	1.50	1.50	341.06	342.56	single hole	
334	U1378	B	41	X	7	0.58	0.58	342.56	343.14	single hole	
334	U1378	B	41	X	CC	0.57	0.57	343.14	343.71	single hole	
334	U1378	B	42	X	1	1.50	1.50	343.40	344.90	single hole	
334	U1378	B	42	X	2	1.50	1.50	344.90	346.40	single hole	
334	U1378	B	42	X	3	0.96	0.96	346.40	347.36	single hole	
334	U1378	B	42	X	4	1.50	1.50	347.36	348.86	single hole	
334	U1378	B	42	X	5	1.50	1.50	348.86	350.36	single hole	
334	U1378	B	42	X	6	0.93	0.93	350.36	351.29	single hole	
334	U1378	B	42	X	CC	0.47	0.47	351.29	351.76	single hole	
334	U1378	B	43	X	1	1.50	1.50	353.00	354.50	single hole	
334	U1378	B	43	X	2	1.50	1.50	354.50	356.00	single hole	
334	U1378	B	43	X	3	1.46	1.46	356.00	357.46	single hole	
334	U1378	B	43	X	4	0.70	0.70	357.46	358.16	single hole	
334	U1378	B	43	X	5	0.87	0.87	358.16	359.03	single hole	
334	U1378	B	43	X	6	1.50	1.50	359.03	360.53	single hole	
334	U1378	B	43	X	7	1.08	1.08	360.53	361.61	single hole	
334	U1378	B	43	X	CC	0.43	0.43	361.61	362.04	single hole	
334	U1378	B	44	X	1	1.15	1.15	361.90	363.05	single hole	
334	U1378	B	44	X	2	0.58	0.58	363.05	363.63	single hole	
334	U1378	B	44	X	CC	0.39	0.39	363.63	364.02	single hole	
334	U1378	B	45	X	1	1.50	1.50	366.60	368.10	single hole	
334	U1378	B	45	X	2	1.00	1.00	368.10	369.10	single hole	
334	U1378	B	45	X	3	0.88	0.88	369.10	369.98	single hole	
334	U1378	B	45	X	4	1.50	1.50	369.98	371.48	single hole	
334	U1378	B	45	X	5	1.00	1.00	371.48	372.48	single hole	
334	U1378	B	45	X	6	0.53	0.53	372.48	373.01	single hole	
334	U1378	B	45	X	CC	0.40	0.40	373.01	373.41	single hole	
334	U1378	B	46	X	1	1.50	1.50	371.60	373.10	single hole	
334	U1378	B	46	X	2	1.50	1.50	373.10	374.60	single hole	
334	U1378	B	46	X	3	1.00	1.00	374.60	375.60	single hole	
334	U1378	B	46	X	4	0.58	0.58	375.60	376.18	single hole	
334	U1378	B	46	X	CC	0.39	0.39	376.18	376.57	single hole	
334	U1378	B	47	X	1	1.50	1.50	376.90	378.40	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	47	X	2	1.30	1.30	378.40	379.70	single hole	
334	U1378	B	47	X	3	1.50	1.50	379.70	381.20	single hole	
334	U1378	B	47	X	4	1.50	1.50	381.20	382.70	single hole	
334	U1378	B	47	X	5	1.06	1.06	382.70	383.76	single hole	
334	U1378	B	47	X	CC	0.40	0.40	383.76	384.16	single hole	
334	U1378	B	48	X	1	1.22	1.22	381.90	383.12	single hole	
334	U1378	B	48	X	2	1.50	1.50	383.12	384.62	single hole	
334	U1378	B	48	X	3	1.50	1.50	384.62	386.12	single hole	
334	U1378	B	48	X	4	1.50	1.50	386.12	387.62	single hole	
334	U1378	B	48	X	5	0.54	0.54	387.62	388.16	single hole	
334	U1378	B	48	X	CC	0.48	0.48	388.16	388.64	single hole	
334	U1378	B	49	X	1	1.50	1.50	390.60	392.10	single hole	
334	U1378	B	49	X	2	1.20	1.20	392.10	393.30	single hole	
334	U1378	B	49	X	3	1.38	1.38	393.30	394.68	single hole	
334	U1378	B	49	X	4	1.50	1.50	394.68	396.18	single hole	
334	U1378	B	49	X	5	1.41	1.41	396.18	397.59	single hole	
334	U1378	B	49	X	6	1.17	1.17	397.59	398.76	single hole	
334	U1378	B	49	X	7	0.51	0.51	398.76	399.27	single hole	
334	U1378	B	49	X	8	1.18	1.18	399.27	400.45	single hole	Disturbed not in order
334	U1378	B	49	X	CC	0.43	0.43	400.45	400.88	single hole	
334	U1378	B	50	X	1	1.20	1.20	400.10	401.30	single hole	
334	U1378	B	50	X	2	1.29	1.29	401.30	402.59	single hole	
334	U1378	B	50	X	3	1.44	1.44	402.59	404.03	single hole	
334	U1378	B	50	X	4	1.50	1.50	404.03	405.53	single hole	
334	U1378	B	50	X	5	1.50	1.50	405.53	407.03	single hole	
334	U1378	B	50	X	6	1.50	1.50	407.03	408.53	single hole	
334	U1378	B	50	X	7	0.53	0.53	408.53	409.06	single hole	
334	U1378	B	50	X	CC	0.32	0.32	409.06	409.38	single hole	
334	U1378	B	51	X	1	1.50	1.50	409.70	411.20	single hole	
334	U1378	B	51	X	2	1.50	1.50	411.20	412.70	single hole	
334	U1378	B	51	X	3	1.20	1.20	412.70	413.90	single hole	
334	U1378	B	51	X	4	1.21	1.21	413.90	415.11	single hole	
334	U1378	B	51	X	5	1.17	1.17	415.11	416.28	single hole	
334	U1378	B	51	X	6	1.50	1.50	416.28	417.78	single hole	
334	U1378	B	51	X	7	1.29	1.29	417.78	419.07	single hole	
334	U1378	B	51	X	CC	0.34	0.34	419.07	419.41	single hole	
334	U1378	B	52	X	1	1.50	1.50	419.20	420.70	single hole	
334	U1378	B	52	X	2	1.30	1.30	420.70	422.00	single hole	
334	U1378	B	52	X	3	1.30	1.30	422.00	423.30	single hole	
334	U1378	B	52	X	4	1.00	1.00	423.30	424.30	single hole	
334	U1378	B	52	X	5	1.02	1.02	424.30	425.32	single hole	
334	U1378	B	52	X	6	1.47	1.47	425.32	426.79	single hole	
334	U1378	B	52	X	7	1.33	1.33	426.79	428.12	single hole	
334	U1378	B	52	X	CC	0.67	0.67	428.12	428.79	single hole	
334	U1378	B	53	X	1	0.57	0.57	428.80	429.37	single hole	disturbed
334	U1378	B	53	X	2	0.80	0.80	429.37	430.17	single hole	
334	U1378	B	53	X	3	0.85	0.85	430.17	431.02	single hole	
334	U1378	B	53	X	4	1.24	1.24	431.02	432.26	single hole	
334	U1378	B	53	X	5	1.43	1.43	432.26	433.69	single hole	
334	U1378	B	53	X	6	1.43	1.43	433.69	435.12	single hole	
334	U1378	B	53	X	7	1.23	1.23	435.12	436.35	single hole	
334	U1378	B	53	X	8	1.01	1.01	436.35	437.36	single hole	
334	U1378	B	53	X	9	1.50	1.50	437.36	438.86	single hole	extruded on rig floor/ disturbed
334	U1378	B	53	X	CC	0.48	0.48	438.86	439.34	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	54	X	1	1.50	1.50	437.70	439.20	single hole	
334	U1378	B	54	X	2	1.50	1.50	439.20	440.70	single hole	
334	U1378	B	54	X	3	1.50	1.50	440.70	442.20	single hole	
334	U1378	B	54	X	4	1.00	1.00	442.20	443.20	single hole	
334	U1378	B	54	X	5	1.40	1.40	443.20	444.60	single hole	
334	U1378	B	54	X	6	1.50	1.50	444.60	446.10	single hole	
334	U1378	B	54	X	7	1.00	1.00	446.10	447.10	single hole	
334	U1378	B	54	X	CC	0.31	0.31	447.10	447.41	single hole	
334	U1378	B	55	X	1	0.90	0.90	447.10	448.00	single hole	
334	U1378	B	55	X	2	1.17	1.17	448.00	449.17	single hole	
334	U1378	B	55	X	3	1.50	1.50	449.17	450.67	single hole	
334	U1378	B	55	X	4	1.50	1.50	450.67	452.17	single hole	
334	U1378	B	55	X	5	1.50	1.50	452.17	453.67	single hole	
334	U1378	B	55	X	6	1.50	1.50	453.67	455.17	single hole	
334	U1378	B	55	X	7	1.34	1.34	455.17	456.51	single hole	
334	U1378	B	55	X	CC	0.49	0.49	456.51	457.00	single hole	
334	U1378	B	56	X	1	0.90	0.90	456.70	457.60	single hole	
334	U1378	B	56	X	2	1.00	1.00	457.60	458.60	single hole	
334	U1378	B	56	X	3	1.50	1.50	458.60	460.10	single hole	
334	U1378	B	56	X	4	1.50	1.50	460.10	461.60	single hole	
334	U1378	B	56	X	5	1.50	1.50	461.60	463.10	single hole	
334	U1378	B	56	X	6	1.50	1.50	463.10	464.60	single hole	
334	U1378	B	56	X	7	1.50	1.50	464.60	466.10	single hole	
334	U1378	B	56	X	CC	0.40	0.40	466.10	466.50	single hole	
334	U1378	B	57	X	1	1.50	1.50	466.30	467.80	single hole	
334	U1378	B	57	X	2	0.90	0.90	467.80	468.70	single hole	
334	U1378	B	57	X	3	0.99	0.99	468.70	469.69	single hole	
334	U1378	B	57	X	4	1.50	1.50	469.69	471.19	single hole	
334	U1378	B	57	X	5	1.50	1.50	471.19	472.69	single hole	
334	U1378	B	57	X	6	1.51	1.51	472.69	474.20	single hole	
334	U1378	B	57	X	7	1.52	1.52	474.20	475.72	single hole	
334	U1378	B	57	X	CC	0.48	0.48	475.72	476.20	single hole	
334	U1378	B	58	X	1	1.46	1.46	475.90	477.36	single hole	
334	U1378	B	58	X	2	1.26	1.26	477.36	478.62	single hole	
334	U1378	B	58	X	3	1.50	1.50	478.62	480.12	single hole	
334	U1378	B	58	X	4	1.15	1.15	480.12	481.27	single hole	
334	U1378	B	58	X	CC	0.41	0.41	481.27	481.68	single hole	
334	U1378	B	59	X	1	0.23	0.23	485.50	485.73	single hole	
334	U1378	B	59	X	2	1.50	1.50	485.73	487.23	single hole	
334	U1378	B	59	X	3	1.50	1.50	487.23	488.73	single hole	
334	U1378	B	59	X	4	1.25	1.25	488.73	489.98	single hole	
334	U1378	B	59	X	5	1.50	1.50	489.98	491.48	single hole	
334	U1378	B	59	X	6	1.50	1.50	491.48	492.98	single hole	
334	U1378	B	59	X	7	1.00	1.00	492.98	493.98	single hole	
334	U1378	B	59	X	8	0.75	0.75	493.98	494.73	single hole	
334	U1378	B	59	X	CC	0.62	0.62	494.73	495.35	single hole	
334	U1378	B	60	X	1	1.50	1.50	495.20	496.70	single hole	
334	U1378	B	60	X	2	1.50	1.50	496.70	498.20	single hole	
334	U1378	B	60	X	3	0.92	0.92	498.20	499.12	single hole	
334	U1378	B	60	X	4	0.92	0.92	499.12	500.04	single hole	
334	U1378	B	60	X	5	1.50	1.50	500.04	501.54	single hole	
334	U1378	B	60	X	6	0.72	0.72	501.54	502.26	single hole	
334	U1378	B	60	X	CC	0.41	0.41	502.26	502.67	single hole	
334	U1378	B	61	X	1	1.50	1.50	504.60	506.10	single hole	

U1378 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
334	U1378	B	61	X	2	1.50	1.50	506.10	507.60	single hole	
334	U1378	B	61	X	3	1.50	1.50	507.60	509.10	single hole	
334	U1378	B	61	X	4	1.38	1.38	509.10	510.48	single hole	
334	U1378	B	61	X	5	0.26	0.26	510.48	510.74	single hole	
334	U1378	B	61	X	CC	0.43	0.43	510.74	511.17	single hole	
334	U1378	B	62	X	1	0.81	0.81	509.70	510.51	single hole	
334	U1378	B	62	X	2	1.50	1.50	510.51	512.01	single hole	
334	U1378	B	62	X	3	1.15	1.15	512.01	513.16	single hole	
334	U1378	B	62	X	CC	0.40	0.40	513.16	513.56	single hole	
334	U1378	B	63	X	1	1.50	1.50	514.20	515.70	single hole	
334	U1378	B	63	X	2	1.10	1.10	515.70	516.80	single hole	
334	U1378	B	63	X	3	1.10	1.10	516.80	517.90	single hole	
334	U1378	B	63	X	4	1.22	1.22	517.90	519.12	single hole	
334	U1378	B	63	X	5	1.50	1.50	519.12	520.62	single hole	
334	U1378	B	63	X	6	1.50	1.50	520.62	522.12	single hole	
334	U1378	B	63	X	7	1.44	1.44	522.12	523.56	single hole	
334	U1378	B	63	X	CC	0.34	0.34	523.56	523.90	single hole	