

U1391 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1391	A	1	H	3	0.95	0.95	3.00	3.95	3.00	3.95	3.00		
339	U1391	A	1	H	CC	0.21	0.21	3.95	4.16	3.95	4.16	0.00		
339	U1391	B	1	H	5	1.50	1.50	6.01	7.51	6.80	8.30	2.64		
339	U1391	B	1	H	6	1.50	1.50	7.51	9.01	8.30	9.80	0.00		
339	U1391	B	1	H	7	0.55	0.55	9.01	9.56	9.80	10.35	0.00		
339	U1391	B	1	H	CC	0.10	0.10	9.56	9.66	10.35	10.45	0.00		
339	U1391	B	2	H	1	1.50	1.50	9.50	11.00	11.81	13.31	1.36		
339	U1391	A	2	H	7	0.60	0.60	13.00	13.60	13.95	14.55	0.64		
339	U1391	A	2	H	CC	0.25	0.25	13.60	13.85	14.55	14.80	0.00		
339	U1391	A	3	H	1	1.50	1.50	13.60	15.10	15.64	17.14	0.84		
339	U1391	B	2	H	6	1.50	1.50	17.00	18.50	19.31	20.81	2.17		
339	U1391	B	2	H	7	0.71	0.71	18.50	19.21	20.81	21.52	0.00		
339	U1391	B	3	H	1	1.50	1.50	19.00	20.50	21.30	22.80	-0.22		
339	U1391	B	3	H	2	1.50	1.50	20.50	22.00	22.80	24.30	0.00		
339	U1391	A	3	H	CC	0.23	0.23	23.09	23.32	25.13	25.36	0.83		
339	U1391	A	4	H	1	1.50	1.50	23.10	24.60	25.68	27.18	0.32		
339	U1391	A	4	H	2	1.50	1.50	24.60	26.10	27.18	28.68	0.00		
339	U1391	B	3	H	7	0.75	0.75	28.00	28.75	30.30	31.05	1.62		
339	U1391	B	3	H	CC	0.14	0.14	28.75	28.89	31.05	31.19	0.00		
339	U1391	B	4	H	1	1.50	1.50	28.50	30.00	31.49	32.99	0.30		
339	U1391	A	4	H	6	1.50	1.50	30.60	32.10	33.18	34.68	0.19		
339	U1391	A	4	H	7	0.54	0.54	32.10	32.64	34.68	35.22	0.00		
339	U1391	A	4	H	CC	0.33	0.33	32.64	32.97	35.22	35.55	0.00		
339	U1391	A	5	H	1	1.50	1.50	32.60	34.10	35.63	37.13	0.08		
339	U1391	A	5	H	2	1.50	1.50	34.10	35.60	37.13	38.63	0.00		
339	U1391	A	5	H	3	1.50	1.50	35.60	37.10	38.63	40.13	0.00		
339	U1391	B	4	H	CC	0.27	0.27	38.31	38.58	41.30	41.57	1.17		
339	U1391	B	5	H	1	1.50	1.50	38.00	39.50	41.52	43.02	-0.05		
339	U1391	A	5	H	7	0.59	0.59	41.60	42.19	44.63	45.22	1.61		
339	U1391	A	5	H	CC	0.18	0.18	42.19	42.37	45.22	45.40	0.00		
339	U1391	B	5	H	4	1.45	1.45	42.50	43.95	46.02	47.47	0.62		
339	U1391	B	5	H	5	1.46	1.46	43.95	45.41	47.47	48.93	0.00		
339	U1391	B	5	H	6	1.47	1.47	45.41	46.88	48.93	50.40	0.00		
339	U1391	B	5	H	7	0.73	0.73	46.88	47.61	50.40	51.13	0.00		
339	U1391	B	5	H	CC	0.28	0.28	47.61	47.89	51.13	51.41	0.00		
339	U1391	B	6	H	2	1.50	1.50	49.00	50.50	51.59	53.09	0.18		
339	U1391	A	6	H	7	0.73	0.74	51.15	51.89	54.06	54.80	0.97		
339	U1391	A	6	H	CC	0.29	0.29	51.89	52.18	54.80	55.09	0.00		
339	U1391	A	7	H	1	1.50	1.52	51.60	53.12	55.36	56.88	0.27		
339	U1391	B	6	H	7	0.91	0.91	56.53	57.44	59.12	60.03	2.24		
339	U1391	B	6	H	CC	0.27	0.27	57.44	57.71	60.03	60.30	0.00		
339	U1391	B	7	H	1	1.46	1.46	57.00	58.46	60.69	62.15	0.39		
339	U1391	B	7	H	2	1.46	1.46	58.46	59.92	62.15	63.61	0.00		
339	U1391	A	7	H	7	0.68	0.68	60.73	61.41	64.49	65.17	0.88		
339	U1391	A	7	H	CC	0.30	0.30	61.41	61.71	65.17	65.47	0.00		
339	U1391	B	7	H	6	1.52	1.52	63.17	64.69	66.86	68.38	1.39		
339	U1391	B	7	H	7	1.27	1.27	64.69	65.96	68.38	69.65	0.00		
339	U1391	B	7	H	8	0.67	0.67	65.96	66.63	69.65	70.32	0.00		
339	U1391	B	7	H	CC	0.44	0.44	66.63	67.07	70.32	70.76	0.00		
339	U1391	B	8	H	1	1.42	1.42	66.50	67.92	71.39	72.81	0.63		
339	U1391	A	8	H	7	1.02	1.02	69.91	70.93	74.59	75.61	1.78		
339	U1391	A	8	H	CC	0.25	0.25	70.93	71.18	75.61	75.86	0.00		
339	U1391	B	8	H	5	1.46	1.46	72.22	73.68	77.11	78.57	1.25		
339	U1391	B	8	H	6	1.47	1.47	73.68	75.15	78.57	80.04	0.00		
339	U1391	B	8	H	7	1.32	1.32	75.15	76.47	80.04	81.36	0.00		
339	U1391	B	9	H	1	1.41	1.41	76.00	77.41	80.99	82.40	-0.37		
339	U1391	B	9	H	2	1.42	1.42	77.41	78.83	82.40	83.82	0.00		
339	U1391	A	9	H	CC	0.29	0.29	80.48	80.77	85.44	85.73	1.62		
339	U1391	A	10	H	1	1.42	1.42	80.10	81.52	86.75	88.17	1.02		
339	U1391	B	9	H	7	1.29	1.29	84.63	85.92	89.62	90.91	1.45		
339	U1391	B	9	H	CC	0.32	0.33	85.92	86.25	90.91	91.24	0.00		
339	U1391	B	10	H	1	1.23	1.23	85.50	86.73	91.95	93.18	0.71		
339	U1391	B	10	H	2	1.41	1.42	86.73	88.15	93.18	94.60	0.00		
339	U1391	A	10	H	7	1.07	1.07	88.65	89.72	95.30	96.37	0.70		
339	U1391	A	10	H	CC	0.45	0.45	89.72	90.17	96.37	96.82	0.00		

U1391 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1391	A	11	H	1	1.41	1.41	89.60	91.01	97.41	98.82	0.59		
339	U1391	B	10	H	7	1.37	1.38	94.03	95.41	100.48	101.86	1.66		
339	U1391	B	10	H	CC	0.28	0.28	95.41	95.69	101.86	102.14	0.00		
339	U1391	A	11	H	6	1.40	1.40	96.49	97.89	104.30	105.70	2.16		
339	U1391	A	11	H	7	1.36	1.36	97.89	99.25	105.70	107.06	0.00		
339	U1391	A	11	H	CC	0.27	0.27	99.25	99.52	107.06	107.33	0.00		
339	U1391	A	12	H	1	0.59	0.59	99.10	99.69	107.82	108.41	0.49		
339	U1391	B	11	H	6	1.46	1.46	102.12	103.58	109.77	111.23	1.36		
339	U1391	B	11	H	7	1.11	1.11	103.58	104.69	111.23	112.34	0.00		
339	U1391	B	11	H	CC	0.29	0.29	104.69	104.98	112.34	112.63	0.00		
339	U1391	A	12	H	7	1.41	1.41	106.53	107.94	115.25	116.66	2.62		
339	U1391	A	12	H	8	0.99	0.99	107.94	108.93	116.66	117.65	0.00		
339	U1391	A	12	H	CC	0.24	0.24	108.93	109.17	117.65	117.89	0.00		
339	U1391	A	13	H	1	1.14	1.14	108.60	109.74	118.35	119.49	0.46		disturbed
339	U1391	B	12	H	6	1.47	1.42	111.58	113.00	120.67	122.09	1.18		
339	U1391	B	12	H	7	1.39	1.39	113.00	114.39	122.09	123.48	0.00		
339	U1391	B	13	H	1	1.41	1.41	114.00	115.41	123.47	124.88	-0.01		
339	U1391	B	13	H	2	1.41	1.41	115.41	116.82	124.88	126.29	0.00		
339	U1391	A	13	H	8	0.59	0.59	117.77	118.36	127.52	128.11	1.23		
339	U1391	A	13	H	9	0.24	0.24	118.36	118.60	128.11	128.35	0.00		disturbed
339	U1391	A	13	H	CC	0.40	0.40	118.60	119.00	128.35	128.75	0.00		
339	U1391	B	13	H	7	0.90	0.90	123.50	123.40	131.97	132.87	3.22		
339	U1391	B	13	H	CC	0.35	0.35	123.40	123.75	132.87	133.22	0.00		
339	U1391	A	14	H	6	1.51	1.50	125.20	126.70	136.81	138.31	3.59		
339	U1391	A	14	H	7	1.08	1.08	126.70	127.78	138.31	139.39	0.00		
339	U1391	A	14	H	CC	0.42	0.42	127.78	128.20	139.39	139.81	0.00		
339	U1391	B	14	H	7	1.24	1.24	132.04	133.28	144.51	145.75	4.70		
339	U1391	B	14	H	CC	0.49	0.49	133.28	133.77	145.75	146.24	0.00		
339	U1391	B	15	H	1	0.43	0.43	133.00	133.43	149.26	149.69	3.02		
339	U1391	A	15	H	7	0.68	0.59	136.05	136.64	151.59	152.18	1.90		
339	U1391	A	15	H	CC	0.35	0.35	136.64	136.99	152.18	152.53	0.00		
339	U1391	A	16	H	1	0.43	0.43	137.10	137.53	157.34	157.77	4.81		
339	U1391	B	15	H	8	1.04	1.04	142.06	143.10	158.32	159.36	0.55		
339	U1391	B	15	H	CC	0.35	0.35	143.10	143.45	159.36	159.71	0.00		
339	U1391	B	16	H	1	1.42	1.42	142.50	143.92	164.51	165.93	4.80		
339	U1391	A	16	H	8	1.39	1.39	146.28	147.67	166.52	167.91	0.59		
339	U1391	A	16	H	CC	0.36	0.36	147.67	148.03	167.91	168.27	0.00		
339	U1391	A	17	H	1	1.40	1.40	146.60	148.00	170.33	171.73	2.06		
339	U1391	B	16	H	6	1.33	1.34	149.80	151.14	171.81	173.15	0.08		
339	U1391	B	16	H	7	0.58	0.59	151.14	151.73	173.15	173.74	0.00		
339	U1391	B	16	H	CC	0.43	0.44	151.73	152.17	173.74	174.18	0.00		
339	U1391	A	17	H	6	1.42	1.42	153.74	155.16	177.47	178.89	3.29		
339	U1391	A	17	H	7	0.97	0.97	155.16	156.13	178.89	179.86	0.00		
339	U1391	A	17	H	CC	0.47	0.47	156.13	156.60	179.86	180.33	0.00		
339	U1391	A	18	H	1	1.03	1.03	156.10	157.13	180.83	181.86	0.50		
339	U1391	B	17	H	CC	0.28	0.29	159.12	159.41	182.93	183.22	1.07		
339	U1391	A	18	H	7	1.42	1.42	164.01	165.43	188.74	190.16	5.52		
339	U1391	A	18	H	8	1.19	1.19	165.43	166.62	190.16	191.35	0.00		
339	U1391	A	18	H	CC	0.60	0.60	166.62	167.22	191.35	191.95	0.00		
339	U1391	B	18	H	5	1.43	1.42	167.01	168.43	192.43	193.85	0.48		
339	U1391	B	18	H	6	1.48	1.48	168.43	169.91	193.85	195.33	0.00		
339	U1391	B	18	H	7	0.60	0.60	169.91	170.51	195.33	195.93	0.00		
339	U1391	B	18	H	CC	0.43	0.43	170.51	170.94	195.93	196.36	0.00		
339	U1391	B	19	X	1	1.50	1.51	171.00	172.51	197.02	198.53	0.66		
339	U1391	B	19	X	2	1.47	1.47	172.51	173.98	198.53	200.00	0.00		
339	U1391	B	19	X	3	1.02	1.02	173.98	175.00	200.00	201.02	0.00		
339	U1391	B	19	X	4	0.54	0.54	175.00	175.54	201.02	201.56	0.00		
339	U1391	B	20	X	1	0.46	0.46	175.50	175.96	201.53	201.99	-0.03		
339	U1391	A	20	X	5	1.50	1.50	177.10	178.60	202.83	204.33	0.84		
339	U1391	A	20	X	6	1.03	1.03	178.60	179.63	204.33	205.36	0.00		
339	U1391	A	20	X	CC	0.24	0.24	179.63	179.87	205.36	205.60	0.00		
339	U1391	B	20	X	6	1.50	1.50	181.96	183.46	207.99	209.49	2.39		
339	U1391	B	20	X	7	0.65	0.65	183.46	184.11	209.49	210.14	0.00		
339	U1391	B	20	X	CC	0.40	0.40	184.11	184.51	210.14	210.54	0.00		
339	U1391	A	21	X	6	0.69	0.69	187.84	188.53	213.82	214.51	3.28		

U1391 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1391	A	21	X	CC	0.74	0.74	188.53	189.27	214.51	215.25	0.00		
339	U1391	A	22	X	1	0.55	0.55	190.20	190.75	216.17	216.72	0.92		
339	U1391	B	21	X	5	1.50	1.50	190.86	192.36	218.48	219.98	1.76		
339	U1391	B	21	X	6	1.03	1.03	192.36	193.39	219.98	221.01	0.00		
339	U1391	B	21	X	CC	0.44	0.44	193.39	193.83	221.01	221.45	0.00		
339	U1391	A	22	X	CC	0.83	0.83	198.57	199.40	224.54	225.37	3.09		
339	U1391	B	22	X	6	1.02	1.02	202.10	203.12	231.02	232.04	5.65		
339	U1391	A	23	X	5	1.43	1.43	205.59	207.02	235.35	236.78	3.31		
339	U1391	A	23	X	6	0.83	0.83	207.02	207.85	236.78	237.61	0.00		
339	U1391	A	23	X	CC	0.62	0.62	207.85	208.47	237.61	238.23	0.00		
339	U1391	B	23	X	CC	0.24	0.34	213.19	213.43	242.61	242.85	4.38		
339	U1391	B	24	X	6	0.91	0.91	221.30	222.21	250.72	251.63	7.87		
339	U1391	B	24	X	7	0.70	0.70	222.21	222.91	251.63	252.33	0.00		
339	U1391	B	24	X	CC	0.37	0.37	222.91	223.28	252.33	252.70	0.00		
339	U1391	A	25	X	4	1.43	1.43	223.50	224.93	254.25	255.68	1.55		
339	U1391	A	25	X	5	1.32	1.32	224.93	226.25	255.68	257.00	0.00		
339	U1391	A	25	X	6	0.59	0.59	226.25	226.84	257.00	257.59	0.00		
339	U1391	A	25	X	CC	0.62	0.62	226.84	227.46	257.59	258.21	0.00		
339	U1391	B	25	X	CC	0.55	0.55	230.66	231.21	260.08	260.63	1.87		
339	U1391	A	26	X	6	1.35	1.35	234.90	236.25	266.65	268.00	6.02		
339	U1391	A	26	X	7	1.40	1.40	236.25	237.65	268.00	269.40	0.00		
339	U1391	A	26	X	8	0.64	0.64	237.65	238.29	269.40	270.04	0.00		
339	U1391	A	26	X	CC	0.38	0.38	238.29	238.67	270.04	270.42	0.00		
339	U1391	B	26	X	CC	0.50	0.50	240.03	240.53	272.25	272.75	1.83		
339	U1391	B	27	X	1	1.48	1.48	242.60	244.08	275.82	277.30	3.07		
339	U1391	A	27	X	6	1.06	1.06	244.98	246.04	278.93	279.99	1.63		Disturbed. Extruded into core barrel. Placed in new core liner.
339	U1391	A	27	X	CC	0.54	0.54	246.04	246.58	279.99	280.53	0.00		
339	U1391	B	27	X	CC	0.47	0.47	249.66	250.13	282.88	283.35	2.35		
339	U1391	B	28	X	1	1.50	1.50	252.20	253.70	285.43	286.93	2.08		
339	U1391	A	28	X	5	1.01	1.01	253.29	254.30	288.24	289.25	1.31		
339	U1391	A	28	X	6	0.75	0.75	254.30	255.05	289.25	290.00	0.00		
339	U1391	A	28	X	7	1.43	1.43	255.05	256.48	290.00	291.43	0.00		Disturbed. Extruded from core barrel into new core liner
339	U1391	A	28	X	CC	0.49	0.49	256.48	256.97	291.43	291.92	0.00		
339	U1391	B	28	X	CC	0.59	0.59	259.11	259.70	292.34	292.93	0.42		
339	U1391	A	29	X	6	0.49	0.49	264.72	265.21	299.67	300.16	6.74		
339	U1391	A	29	X	CC	0.53	0.53	265.21	265.74	300.16	300.69	0.00		
339	U1391	B	29	X	CC	0.34	0.34	270.71	271.05	306.95	307.29	6.26		
339	U1391	B	30	X	1	0.47	0.47	271.40	271.87	310.24	310.71	2.95		disturbed
339	U1391	B	30	X	2	1.49	1.49	271.87	273.36	310.71	312.20	0.00		disturbed
339	U1391	A	30	X	6	1.40	1.40	273.83	275.23	313.09	314.49	0.89		
339	U1391	A	30	X	7	0.71	0.71	275.23	275.94	314.49	315.20	0.00		
339	U1391	A	30	X	CC	0.58	0.58	275.94	276.52	315.20	315.78	0.00		
339	U1391	A	31	X	1	1.50	1.50	276.60	278.10	315.78	317.28	0.09		
339	U1391	A	31	X	2	1.51	1.51	278.10	279.61	317.28	318.78	0.00		
339	U1391	B	30	X	CC	0.35	0.35	280.64	280.99	319.48	319.83	0.60		
339	U1391	B	31	X	1	1.50	1.50	281.00	282.50	319.83	321.34	0.01		
339	U1391	A	31	X	6	0.64	0.64	282.64	283.28	321.91	322.55	0.57		
339	U1391	A	31	X	CC	0.47	0.47	283.28	283.75	322.55	323.02	0.00		
339	U1391	A	32	X	1	0.99	0.99	286.20	287.19	325.48	326.47	2.46		disturbed
339	U1391	A	32	X	2	1.50	1.50	287.19	288.69	326.47	327.97	0.00		
339	U1391	B	31	X	CC	0.05	0.05	289.82	289.87	328.66	328.71	0.69		
339	U1391	B	32	X	1	0.46	0.46	290.60	291.06	329.43	329.89	0.72		
339	U1391	B	32	X	2	1.50	1.50	291.06	292.56	329.89	331.39	0.00		
339	U1391	B	32	X	3	1.50	1.50	292.56	294.06	331.39	332.89	0.00		
339	U1391	A	32	X	7	1.35	1.35	294.50	295.85	333.78	335.13	0.89		
339	U1391	A	32	X	CC	0.40	0.40	295.85	296.25	335.13	335.53	0.00		
339	U1391	B	32	X	CC	0.71	0.71	297.92	298.63	336.75	337.46	1.22		
339	U1391	A	33	X	CC	0.51	0.51	302.19	302.70	343.21	343.72	5.75		
339	U1391	B	33	X	5	1.50	1.50	306.20	307.70	348.78	350.28	5.06		
339	U1391	B	33	X	6	0.68	0.68	307.70	308.38	350.28	350.96	0.00		

U1391 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1391	B	33	X	CC	0.41	0.41	308.38	308.79	350.96	351.37	0.00		
339	U1391	B	34	X	1	1.50	1.50	309.80	311.30	354.47	355.97	3.10		Top 16 cm disturbed. Extruded from core barrel into core liner
339	U1391	A	34	X	CC	0.61	0.61	313.95	314.56	356.96	357.57	0.99		
339	U1391	A	35	X	1	0.97	0.97	314.70	315.67	359.71	360.68	2.14		disturbed
339	U1391	A	35	X	2	1.51	1.51	315.67	317.18	360.68	362.19	0.00		
339	U1391	B	34	X	CC	0.45	0.45	318.45	318.90	363.12	363.57	0.93		
339	U1391	B	35	X	1	0.68	0.68	319.00	319.68	367.27	367.95	3.70		disturbed
339	U1391	A	35	X	CC	0.40	0.40	324.04	324.44	369.05	369.45	1.10		
339	U1391	B	35	X	7	0.96	0.96	326.71	327.67	374.98	375.94	5.53		
339	U1391	B	35	X	8	0.63	0.63	327.67	328.30	375.94	376.57	0.00		
339	U1391	B	35	X	CC	0.44	0.44	328.30	328.74	376.57	377.01	0.00		
339	U1391	A	36	X	CC	0.41	0.41	333.69	334.10	382.89	383.30	5.88		
339	U1391	A	37	X	1	0.47	0.47	333.90	334.37	387.10	387.57	3.80		disturbed
339	U1391	A	37	X	2	1.49	1.49	334.37	335.86	387.57	389.06	0.00		
339	U1391	A	37	X	3	1.50	1.50	335.86	337.36	389.06	390.56	0.00		
339	U1391	B	36	X	CC	0.42	0.42	338.03	338.45	391.70	392.12	1.14		
339	U1391	A	37	X	CC	0.96	0.96	342.29	343.25	395.49	396.45	3.37		
339	U1391	C	2	R	1	1.50	1.50	340.00	341.50	396.34	397.84	-0.11		
339	U1391	C	2	R	2	1.50	1.50	341.50	343.00	397.84	399.34	0.00		
339	U1391	A	38	X	1	1.41	1.41	343.50	344.91	398.69	400.10	-0.65		disturbed
339	U1391	A	38	X	2	1.50	1.50	344.91	346.41	400.10	401.60	0.00		
339	U1391	C	2	R	4	0.64	0.64	344.21	344.85	400.55	401.19	-1.05		
339	U1391	C	2	R	CC	0.20	0.20	344.85	345.05	401.19	401.39	0.00		
339	U1391	B	37	X	6	0.87	0.87	345.70	346.57	402.57	403.44	1.18		
339	U1391	B	37	X	7	0.81	0.81	346.57	347.38	403.44	404.25	0.00		
339	U1391	C	3	R	1	1.50	1.50	345.50	347.00	403.90	405.40	-0.35		
339	U1391	C	3	R	2	1.50	1.50	347.00	348.50	405.40	406.90	0.00		
339	U1391	C	3	R	3	1.50	1.50	348.50	350.00	406.90	408.40	0.00		
339	U1391	C	3	R	4	1.50	1.50	350.00	351.50	408.40	409.90	0.00		
339	U1391	B	38	X	1	1.50	1.50	347.90	349.40	409.16	410.66	-0.74		
339	U1391	C	3	R	5	1.50	1.50	351.50	353.00	409.90	411.40	-0.76		
339	U1391	C	3	R	6	1.36	1.36	353.00	354.36	411.40	412.76	0.00		
339	U1391	C	3	R	CC	0.17	0.17	354.36	354.53	412.76	412.93	0.00		
339	U1391	C	4	R	1	1.50	1.50	355.10	356.60	414.85	416.35	1.92		
339	U1391	B	38	X	CC	0.36	0.36	354.16	354.52	415.42	415.78	-0.93		
339	U1391	C	4	R	2	1.31	1.31	356.60	357.91	416.35	417.66	0.57		
339	U1391	C	5	R	1	1.50	1.50	364.70	366.20	425.79	427.29	8.13		
339	U1391	C	5	R	2	1.50	1.50	366.20	367.70	427.29	428.79	0.00		
339	U1391	C	5	R	3	1.50	1.50	367.70	369.20	428.79	430.29	0.00		
339	U1391	C	5	R	4	1.50	1.50	369.20	370.70	430.29	431.79	0.00		
339	U1391	C	5	R	5	1.50	1.50	370.70	372.20	431.79	433.29	0.00		
339	U1391	C	5	R	6	1.50	1.50	372.20	373.70	433.29	434.79	0.00		
339	U1391	C	5	R	7	0.73	0.73	373.70	374.43	434.79	435.52	0.00		
339	U1391	C	5	R	CC	0.10	0.10	374.43	374.53	435.52	435.62	0.00		
339	U1391	C	6	R	1	1.50	1.50	374.30	375.80	436.73	438.23	1.11		
339	U1391	C	6	R	2	1.38	1.38	375.80	377.18	438.23	439.61	0.00		
339	U1391	C	6	R	CC	0.19	0.19	377.18	377.37	439.61	439.80	0.00		
339	U1391	C	7	R	1	1.50	1.50	383.90	385.40	447.68	449.18	7.88		
339	U1391	C	7	R	2	1.50	1.50	385.40	386.90	449.18	450.68	0.00		
339	U1391	C	7	R	3	1.50	1.50	386.90	388.40	450.68	452.18	0.00		
339	U1391	C	7	R	4	1.50	1.50	388.40	389.90	452.18	453.68	0.00		
339	U1391	C	7	R	5	1.39	1.39	389.90	391.29	453.68	455.07	0.00		
339	U1391	C	7	R	CC	0.20	0.20	391.29	391.49	455.07	455.27	0.00		
339	U1391	C	8	R	1	1.50	1.50	393.50	395.00	458.62	460.12	3.35		
339	U1391	C	8	R	2	1.50	1.50	395.00	396.50	460.12	461.62	0.00		
339	U1391	C	8	R	3	1.50	1.50	396.50	398.00	461.62	463.12	0.00		
339	U1391	C	8	R	4	1.19	1.19	398.00	399.19	463.12	464.31	0.00		
339	U1391	C	8	R	5	0.68	0.68	399.19	399.87	464.31	464.99	0.00		
339	U1391	C	9	R	1	1.50	1.50	403.00	404.50	469.45	470.95	4.46		
339	U1391	C	9	R	2	1.50	1.50	404.50	406.00	470.95	472.45	0.00		
339	U1391	C	9	R	3	1.50	1.50	406.00	407.50	472.45	473.95	0.00		
339	U1391	C	9	R	4	1.50	1.50	407.50	409.00	473.95	475.45	0.00		

U1391 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1391	C	9	R	5	1.50	1.50	409.00	410.50	475.45	476.95	0.00		
339	U1391	C	9	R	6	1.52	1.52	410.50	412.02	476.95	478.47	0.00		
339	U1391	C	9	R	CC	0.12	0.12	412.02	412.14	478.47	478.59	0.00		
339	U1391	C	10	R	1	1.50	1.50	412.60	414.10	480.39	481.89	1.80		
339	U1391	C	10	R	2	1.50	1.50	414.10	415.60	481.89	483.39	0.00		
339	U1391	C	10	R	3	1.50	1.50	415.60	417.10	483.39	484.89	0.00		
339	U1391	C	10	R	4	1.50	1.50	417.10	418.60	484.89	486.39	0.00		
339	U1391	C	10	R	5	0.89	0.89	418.60	419.49	486.39	487.28	0.00		
339	U1391	C	10	R	CC	0.11	0.11	419.49	419.60	487.28	487.39	0.00		
339	U1391	C	11	R	1	1.50	1.50	422.20	423.70	491.34	492.84	3.95		
339	U1391	C	11	R	2	1.50	1.50	423.70	425.20	492.84	494.34	0.00		
339	U1391	C	11	R	3	1.50	1.50	425.20	426.70	494.34	495.84	0.00		
339	U1391	C	11	R	4	1.50	1.50	426.70	428.20	495.84	497.34	0.00		
339	U1391	C	11	R	5	1.51	1.51	428.20	429.71	497.34	498.85	0.00		
339	U1391	C	11	R	6	1.33	1.33	429.71	431.04	498.85	500.18	0.00		
339	U1391	C	11	R	CC	0.12	0.12	431.04	431.16	500.18	500.30	0.00		
339	U1391	C	12	R	1	1.50	1.50	431.80	433.30	502.28	503.78	1.98		
339	U1391	C	12	R	2	1.50	1.50	433.30	434.80	503.78	505.28	0.00		
339	U1391	C	12	R	3	1.50	1.50	434.80	436.30	505.28	506.78	0.00		
339	U1391	C	12	R	4	1.50	1.50	436.30	437.80	506.78	508.28	0.00		
339	U1391	C	12	R	5	1.50	1.50	437.80	439.30	508.28	509.78	0.00		
339	U1391	C	12	R	6	1.51	1.51	439.30	440.81	509.78	511.29	0.00		
339	U1391	C	12	R	7	0.70	0.70	440.81	441.51	511.29	511.99	0.00		
339	U1391	C	12	R	CC	0.14	0.14	441.51	441.65	511.99	512.13	0.00		
339	U1391	C	13	R	1	1.50	1.50	441.30	442.80	513.11	514.61	0.98		
339	U1391	C	13	R	2	1.50	1.50	442.80	444.30	514.61	516.11	0.00		
339	U1391	C	13	R	3	1.50	1.50	444.30	445.80	516.11	517.61	0.00		
339	U1391	C	13	R	4	1.50	1.50	445.80	447.30	517.61	519.11	0.00		
339	U1391	C	13	R	5	1.50	1.50	447.30	448.80	519.11	520.61	0.00		
339	U1391	C	13	R	6	1.50	1.50	448.80	450.30	520.61	522.11	0.00		
339	U1391	C	13	R	7	0.74	0.74	450.30	451.04	522.11	522.85	0.00		
339	U1391	C	13	R	CC	0.13	0.13	451.04	451.17	522.85	522.98	0.00		
339	U1391	C	14	R	1	1.50	1.50	450.90	452.40	524.06	525.56	1.08		
339	U1391	C	14	R	2	1.50	1.50	452.40	453.90	525.56	527.06	0.00		
339	U1391	C	14	R	3	1.50	1.50	453.90	455.40	527.06	528.56	0.00		
339	U1391	C	14	R	4	1.50	1.50	455.40	456.90	528.56	530.06	0.00		
339	U1391	C	14	R	5	1.50	1.50	456.90	458.40	530.06	531.56	0.00		
339	U1391	C	14	R	6	1.51	1.51	458.40	459.91	531.56	533.07	0.00		
339	U1391	C	14	R	7	0.73	0.73	459.91	460.64	533.07	533.80	0.00		
339	U1391	C	14	R	CC	0.20	0.20	460.64	460.84	533.80	534.00	0.00		
339	U1391	C	15	R	1	0.75	0.75	460.50	461.25	535.00	535.75	1.00		
339	U1391	C	15	R	2	1.50	1.50	461.25	462.75	535.75	537.25	0.00		
339	U1391	C	15	R	3	1.50	1.50	462.75	464.25	537.25	538.75	0.00		
339	U1391	C	15	R	4	1.50	1.50	464.25	465.75	538.75	540.25	0.00		
339	U1391	C	15	R	5	1.50	1.50	465.75	467.25	540.25	541.75	0.00		
339	U1391	C	15	R	6	1.50	1.50	467.25	468.75	541.75	543.25	0.00		
339	U1391	C	15	R	7	1.50	1.50	468.75	470.25	543.25	544.75	0.00		
339	U1391	C	15	R	CC	0.11	0.11	470.25	470.36	544.75	544.86	0.00		
339	U1391	C	16	R	1	1.50	1.50	470.00	471.50	545.83	547.33	0.97		
339	U1391	C	16	R	2	1.50	1.50	471.50	473.00	547.33	548.83	0.00		
339	U1391	C	16	R	3	1.50	1.50	473.00	474.50	548.83	550.33	0.00		
339	U1391	C	16	R	4	1.50	1.50	474.50	476.00	550.33	551.83	0.00		
339	U1391	C	16	R	5	1.50	1.50	476.00	477.50	551.83	553.33	0.00		
339	U1391	C	16	R	6	0.83	0.83	477.50	478.33	553.33	554.16	0.00		
339	U1391	C	16	R	CC	0.19	0.19	478.33	478.52	554.16	554.35	0.00		
339	U1391	C	17	R	1	1.50	1.50	479.70	481.20	556.89	558.39	2.54		
339	U1391	C	17	R	2	1.50	1.50	481.20	482.70	558.39	559.89	0.00		
339	U1391	C	17	R	3	1.31	1.31	482.70	484.01	559.89	561.20	0.00		
339	U1391	C	17	R	4	0.58	0.58	484.01	484.59	561.20	561.78	0.00		
339	U1391	C	17	R	CC	0.20	0.20	484.59	484.79	561.78	561.98	0.00		
339	U1391	C	18	R	1	1.50	1.50	489.00	490.50	567.49	568.99	5.51		
339	U1391	C	18	R	2	1.50	1.50	490.50	492.00	568.99	570.49	0.00		
339	U1391	C	18	R	3	1.50	1.50	492.00	493.50	570.49	571.99	0.00		
339	U1391	C	18	R	4	1.50	1.50	493.50	495.00	571.99	573.49	0.00		
339	U1391	C	18	R	5	1.50	1.50	495.00	496.50	573.49	574.99	0.00		

U1391 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1391	C	18	R	6	1.51	1.51	496.50	498.01	574.99	576.50	0.00		
339	U1391	C	18	R	7	0.65	0.65	498.01	498.66	576.50	577.15	0.00		
339	U1391	C	19	R	1	1.50	1.50	498.60	500.10	578.43	579.93	1.28		
339	U1391	C	19	R	2	1.50	1.50	500.10	501.60	579.93	581.43	0.00		
339	U1391	C	19	R	3	1.50	1.50	501.60	503.10	581.43	582.93	0.00		
339	U1391	C	19	R	4	1.50	1.50	503.10	504.60	582.93	584.43	0.00		
339	U1391	C	19	R	5	1.50	1.50	504.60	506.10	584.43	585.93	0.00		
339	U1391	C	19	R	6	1.11	1.11	506.10	507.21	585.93	587.04	0.00		
339	U1391	C	19	R	7	0.74	0.74	507.21	507.95	587.04	587.78	0.00		CC added to the bottom of section 7. Pal sample taken from bottom of 7
339	U1391	C	20	R	1	1.50	1.50	508.10	509.60	589.26	590.76	1.48		
339	U1391	C	20	R	2	1.22	1.22	509.60	510.82	590.76	591.98	0.00		
339	U1391	C	20	R	3	0.53	0.53	510.82	511.35	591.98	592.51	0.00		
339	U1391	C	20	R	CC	0.17	0.17	511.35	511.52	592.51	592.68	0.00		
339	U1391	C	21	R	1	1.50	1.50	517.70	519.20	600.21	601.71	7.53		
339	U1391	C	21	R	2	1.50	1.50	519.20	520.70	601.71	603.21	0.00		
339	U1391	C	21	R	3	1.50	1.50	520.70	522.20	603.21	604.71	0.00		
339	U1391	C	21	R	4	1.50	1.50	522.20	523.70	604.71	606.21	0.00		
339	U1391	C	21	R	5	1.50	1.50	523.70	525.20	606.21	607.71	0.00		
339	U1391	C	21	R	6	1.11	1.11	525.20	526.31	607.71	608.82	0.00		
339	U1391	C	21	R	7	0.56	0.56	526.31	526.87	608.82	609.38	0.00		
339	U1391	C	21	R	CC	0.14	0.14	526.87	527.01	609.38	609.52	0.00		
339	U1391	C	22	R	1	1.50	1.50	527.30	528.80	611.15	612.65	1.63		
339	U1391	C	22	R	2	1.50	1.50	528.80	530.30	612.65	614.15	0.00		
339	U1391	C	22	R	3	1.50	1.50	530.30	531.80	614.15	615.65	0.00		
339	U1391	C	22	R	4	1.50	1.50	531.80	533.30	615.65	617.15	0.00		
339	U1391	C	22	R	5	1.50	1.50	533.30	534.80	617.15	618.65	0.00		
339	U1391	C	22	R	6	1.50	1.50	534.80	536.30	618.65	620.15	0.00		
339	U1391	C	22	R	7	0.68	0.68	536.30	536.98	620.15	620.83	0.00		
339	U1391	C	22	R	CC	0.24	0.24	536.98	537.22	620.83	621.07	0.00		
339	U1391	C	23	R	1	1.52	1.52	537.00	538.52	622.21	623.73	1.14		
339	U1391	C	23	R	2	1.50	1.50	538.52	540.02	623.73	625.23	0.00		
339	U1391	C	23	R	3	1.50	1.50	540.02	541.52	625.23	626.73	0.00		
339	U1391	C	23	R	4	1.50	1.50	541.52	543.02	626.73	628.23	0.00		
339	U1391	C	23	R	5	1.50	1.50	543.02	544.52	628.23	629.73	0.00		
339	U1391	C	23	R	6	1.50	1.50	544.52	546.02	629.73	631.23	0.00		
339	U1391	C	23	R	7	0.71	0.71	546.02	546.73	631.23	631.94	0.00		
339	U1391	C	23	R	CC	0.21	0.21	546.73	546.94	631.94	632.15	0.00		
339	U1391	C	24	R	1	1.50	1.50	546.60	548.10	633.15	634.65	1.00		
339	U1391	C	24	R	2	1.50	1.50	548.10	549.60	634.65	636.15	0.00		
339	U1391	C	24	R	3	1.50	1.50	549.60	551.10	636.15	637.65	0.00		
339	U1391	C	24	R	4	1.50	1.50	551.10	552.60	637.65	639.15	0.00		
339	U1391	C	24	R	5	1.50	1.50	552.60	554.10	639.15	640.65	0.00		core shoot out liner after section cut
339	U1391	C	24	R	6	1.51	1.51	554.10	555.61	640.65	642.16	0.00		
339	U1391	C	24	R	7	0.78	0.78	555.61	556.39	642.16	642.94	0.00		14cm void included
339	U1391	C	24	R	CC	0.23	0.23	556.39	556.62	642.94	643.17	0.00		
339	U1391	C	25	R	1	1.50	1.50	556.20	557.70	644.10	645.60	0.93		
339	U1391	C	25	R	2	1.50	1.50	557.70	559.20	645.60	647.10	0.00		
339	U1391	C	25	R	3	1.50	1.50	559.20	560.70	647.10	648.60	0.00		
339	U1391	C	25	R	4	1.50	1.50	560.70	562.20	648.60	650.10	0.00		
339	U1391	C	25	R	5	1.50	1.50	562.20	563.70	650.10	651.60	0.00		
339	U1391	C	25	R	6	1.50	1.50	563.70	565.20	651.60	653.10	0.00		
339	U1391	C	25	R	7	0.74	0.74	565.20	565.94	653.10	653.84	0.00		
339	U1391	C	25	R	CC	0.16	0.16	565.94	566.10	653.84	654.00	0.00		
339	U1391	C	27	R	1	1.50	1.50	575.40	576.90	665.99	667.49	11.99		
339	U1391	C	27	R	2	1.50	1.50	576.90	578.40	667.49	668.99	0.00		
339	U1391	C	27	R	3	1.48	1.48	578.40	579.88	668.99	670.47	0.00		
339	U1391	C	27	R	4	1.50	1.50	579.88	581.38	670.47	671.97	0.00		
339	U1391	C	27	R	5	1.50	1.50	581.38	582.88	671.97	673.47	0.00		
339	U1391	C	27	R	6	1.19	1.19	582.88	584.07	673.47	674.66	0.00		
339	U1391	C	27	R	CC	0.12	0.12	584.07	584.19	674.66	674.78	0.00		
339	U1391	C	28	R	1	1.50	1.50	585.00	586.50	676.93	678.43	2.15		

U1391 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1391	C	28	R	2	1.50	1.50	586.50	588.00	678.43	679.93	0.00		
339	U1391	C	28	R	3	1.50	1.50	588.00	589.50	679.93	681.43	0.00		
339	U1391	C	28	R	4	1.50	1.50	589.50	591.00	681.43	682.93	0.00		
339	U1391	C	28	R	5	1.50	1.50	591.00	592.50	682.93	684.43	0.00		
339	U1391	C	28	R	6	1.50	1.50	592.50	594.00	684.43	685.93	0.00		
339	U1391	C	28	R	7	0.67	0.67	594.00	594.67	685.93	686.60	0.00		
339	U1391	C	28	R	CC	0.18	0.18	594.67	594.85	686.60	686.78	0.00		
339	U1391	C	30	R	1	1.50	1.50	604.20	605.70	698.82	700.32	12.04		
339	U1391	C	30	R	2	1.50	1.50	605.70	607.20	700.32	701.82	0.00		
339	U1391	C	30	R	3	1.50	1.50	607.20	608.70	701.82	703.32	0.00		
339	U1391	C	30	R	4	1.50	1.50	608.70	610.20	703.32	704.82	0.00		
339	U1391	C	30	R	5	1.50	1.50	610.20	611.70	704.82	706.32	0.00		
339	U1391	C	30	R	6	1.50	1.50	611.70	613.20	706.32	707.82	0.00		
339	U1391	C	30	R	7	0.74	0.74	613.20	613.94	707.82	708.56	0.00		
339	U1391	C	31	R	1	1.50	1.50	613.80	615.30	709.76	711.26	1.20		
339	U1391	C	31	R	2	1.50	1.50	615.30	616.80	711.26	712.76	0.00		
339	U1391	C	31	R	3	1.50	1.50	616.80	618.30	712.76	714.26	0.00		
339	U1391	C	31	R	4	1.50	1.50	618.30	619.80	714.26	715.76	0.00		
339	U1391	C	31	R	5	1.50	1.50	619.80	621.30	715.76	717.26	0.00		
339	U1391	C	31	R	6	1.21	1.21	621.30	622.51	717.26	718.47	0.00		
339	U1391	C	31	R	7	0.74	0.74	622.51	623.25	718.47	719.21	0.00		
339	U1391	C	31	R	CC	0.20	0.20	623.25	623.45	719.21	719.41	0.00		
339	U1391	C	32	R	1	1.49	1.49	623.40	624.89	720.71	722.20	1.30		
339	U1391	C	32	R	2	1.50	1.50	624.89	626.39	722.20	723.70	0.00		
339	U1391	C	32	R	3	1.50	1.50	626.39	627.89	723.70	725.20	0.00		
339	U1391	C	32	R	4	1.50	1.50	627.89	629.39	725.20	726.70	0.00		
339	U1391	C	32	R	5	1.50	1.50	629.39	630.89	726.70	728.20	0.00		
339	U1391	C	32	R	6	1.51	1.51	630.89	632.40	728.20	729.71	0.00		
339	U1391	C	32	R	7	0.76	0.76	632.40	633.16	729.71	730.47	0.00		
339	U1391	C	32	R	CC	0.18	0.18	633.16	633.34	730.47	730.65	0.00		
339	U1391	C	33	R	1	1.50	1.50	633.00	634.50	731.65	733.15	1.00		
339	U1391	C	33	R	2	1.50	1.50	634.50	636.00	733.15	734.65	0.00		
339	U1391	C	33	R	3	1.50	1.50	636.00	637.50	734.65	736.15	0.00		
339	U1391	C	33	R	4	1.51	1.51	637.50	639.01	736.15	737.66	0.00		
339	U1391	C	33	R	5	1.50	1.50	639.01	640.51	737.66	739.16	0.00		
339	U1391	C	33	R	6	1.09	1.09	640.51	641.60	739.16	740.25	0.00		No CC
339	U1391	C	34	R	1	1.50	1.50	642.60	644.10	742.59	744.09	2.34		
339	U1391	C	34	R	2	1.50	1.50	644.10	645.60	744.09	745.59	0.00		
339	U1391	C	34	R	3	1.50	1.50	645.60	647.10	745.59	747.09	0.00		
339	U1391	C	34	R	4	1.50	1.50	647.10	648.60	747.09	748.59	0.00		
339	U1391	C	34	R	5	1.50	1.50	648.60	650.10	748.59	750.09	0.00		
339	U1391	C	34	R	6	1.04	1.04	650.10	651.14	750.09	751.13	0.00		
339	U1391	C	34	R	7	0.89	0.89	651.14	652.03	751.13	752.02	0.00		
339	U1391	C	36	R	1	1.50	1.50	661.80	663.30	764.50	766.00	12.48		
339	U1391	C	36	R	2	1.50	1.50	663.30	664.80	766.00	767.50	0.00		
339	U1391	C	36	R	3	1.50	1.50	664.80	666.30	767.50	769.00	0.00		
339	U1391	C	36	R	4	1.50	1.50	666.30	667.80	769.00	770.50	0.00		
339	U1391	C	36	R	5	1.50	1.50	667.80	669.30	770.50	772.00	0.00		
339	U1391	C	36	R	6	1.50	1.50	669.30	670.80	772.00	773.50	0.00		
339	U1391	C	36	R	CC	0.18	0.18	670.80	670.98	773.50	773.68	0.00		