

U1420 PERMANENT ARCHIVE SECTIONS

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
341	U1420	A	2	R	1	1.00	1.00	9.70	10.70	Single Hole	
341	U1420	A	2	R	2	0.57	0.57	10.70	11.27	Single Hole	
341	U1420	A	2	R	CC	0.17	0.17	11.27	11.44	Single Hole	
341	U1420	A	4	R	1	0.38	0.38	29.10	29.48	Single Hole	
341	U1420	A	4	R	CC	0.32	0.32	29.48	29.80	Single Hole	
341	U1420	A	5	R	1	0.60	0.60	38.80	39.40	Single Hole	
341	U1420	A	5	R	CC	0.35	0.35	39.40	39.75	Single Hole	
341	U1420	A	6	R	CC	0.17	0.17	48.50	48.67	Single Hole	
341	U1420	A	7	R	CC	0.05	0.07	58.20	58.27	Single Hole	
341	U1420	A	8	R	CC	0.43	0.40	67.90	68.30	Single Hole	
341	U1420	A	9	R	CC	0.41	0.41	73.40	73.81	Single Hole	
341	U1420	A	10	R	1	0.32	0.35	79.90	80.25	Single Hole	
341	U1420	A	11	R	1	0.15	0.18	89.60	89.78	Single Hole	
341	U1420	A	12	R	1	0.08	0.08	99.30	99.38	Single Hole	
341	U1420	A	13	R	1	0.41	0.59	109.00	109.59	Single Hole	
341	U1420	A	14	R	1	0.26	0.33	118.70	119.03	Single Hole	
341	U1420	A	15	R	1	0.06	0.06	128.40	128.46	Single Hole	
341	U1420	A	16	R	1	0.16	0.21	138.10	138.31	Single Hole	
341	U1420	A	17	R	1	0.73	0.86	147.80	148.66	Single Hole	
341	U1420	A	18	R	1	0.21	0.23	157.50	157.73	Single Hole	
341	U1420	A	19	R	1	0.58	0.79	167.20	167.99	Single Hole	
341	U1420	A	20	R	1	0.40	0.43	176.90	177.33	Single Hole	
341	U1420	A	21	R	1	0.52	0.66	186.60	187.26	Single Hole	
341	U1420	A	22	R	1	0.78	0.95	196.30	197.25	Single Hole	
341	U1420	A	23	R	1	0.30	0.49	206.00	206.49	Single Hole	
341	U1420	A	24	R	1	0.29	0.38	215.70	216.08	Single Hole	
341	U1420	A	25	R	1	0.30	0.52	225.40	225.92	Single Hole	
341	U1420	A	27	R	1	0.46	0.60	244.80	245.40	Single Hole	
341	U1420	A	28	R	1	0.68	0.94	254.50	255.44	Single Hole	
341	U1420	A	29	R	1	0.40	0.48	264.20	264.68	Single Hole	
341	U1420	A	30	R	1	0.50	0.53	273.90	274.43	Single Hole	
341	U1420	A	31	R	1	0.30	0.37	283.60	283.97	Single Hole	
341	U1420	A	32	R	1	0.06	0.07	293.30	293.37	Single Hole	
341	U1420	A	33	R	1	0.43	0.49	303.00	303.49	Single Hole	
341	U1420	A	34	R	1	0.45	0.44	312.70	313.14	Single Hole	
341	U1420	A	35	R	1	0.41	0.50	322.40	322.90	Single Hole	
341	U1420	A	36	R	1	0.77	0.95	332.10	333.05	Single Hole	
341	U1420	A	37	R	1	0.19	0.26	341.80	342.06	Single Hole	
341	U1420	A	38	R	1	0.60	0.75	351.50	352.25	Single Hole	
341	U1420	A	39	R	1	0.30	0.47	361.20	361.67	Single Hole	

U1420 PERMANENT ARCHIVE SECTIONS

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
341	U1420	A	40	R	1	0.21	0.30	370.90	371.20	Single Hole	
341	U1420	A	41	R	1	0.23	0.29	380.60	380.89	Single Hole	
341	U1420	A	42	R	1	0.49	0.53	390.30	390.83	Single Hole	
341	U1420	A	43	R	1	0.03	0.05	400.00	400.05	Single Hole	
341	U1420	A	44	R	1	0.56	0.62	409.70	410.32	Single Hole	
341	U1420	A	45	R	1	0.37	0.49	419.40	419.89	Single Hole	
341	U1420	A	46	R	1	0.23	0.23	429.10	429.33	Single Hole	
341	U1420	A	47	R	1	0.18	0.16	438.80	438.96	Single Hole	
341	U1420	A	48	R	1	1.11	1.11	448.50	449.61	Single Hole	
341	U1420	A	48	R	2	0.53	0.53	449.61	450.14	Single Hole	
341	U1420	A	48	R	CC	0.26	0.26	450.14	450.40	Single Hole	
341	U1420	A	49	R	1	0.28	0.33	458.20	458.53	Single Hole	
341	U1420	A	50	R	1	1.23	1.23	467.90	469.13	Single Hole	
341	U1420	A	51	R	1	0.97	0.97	477.60	478.57	Single Hole	
341	U1420	A	51	R	CC	0.31	0.31	478.57	478.88	Single Hole	
341	U1420	A	52	R	1	1.26	1.26	487.30	488.56	Single Hole	
341	U1420	A	52	R	2	0.55	0.59	488.56	489.15	Single Hole	
341	U1420	A	53	R	1	0.26	0.26	497.00	497.26	Single Hole	
341	U1420	A	54	R	1	0.22	0.18	506.70	506.88	Single Hole	
341	U1420	A	57	R	1	0.50	0.61	535.80	536.41	Single Hole	
341	U1420	A	58	R	1	1.50	1.50	545.50	547.00	Single Hole	
341	U1420	A	58	R	2	1.13	1.13	547.00	548.13	Single Hole	
341	U1420	A	58	R	3	0.84	0.84	548.13	548.97	Single Hole	
341	U1420	A	58	R	CC	0.32	0.32	548.97	549.29	Single Hole	
341	U1420	A	59	R	1	1.50	1.50	555.20	556.70	Single Hole	
341	U1420	A	59	R	2	1.50	1.50	556.70	558.20	Single Hole	
341	U1420	A	59	R	3	1.16	1.16	558.20	559.36	Single Hole	
341	U1420	A	59	R	CC	0.28	0.28	559.36	559.64	Single Hole	
341	U1420	A	60	R	1	0.46	0.46	564.90	565.36	Single Hole	
341	U1420	A	60	R	CC	0.30	0.30	565.36	565.66	Single Hole	
341	U1420	A	61	R	1	0.53	0.49	574.60	575.09	Single Hole	
341	U1420	A	62	R	1	0.94	0.94	584.30	585.24	Single Hole	
341	U1420	A	63	R	1	1.50	1.50	594.00	595.50	Single Hole	
341	U1420	A	63	R	2	1.40	1.40	595.50	596.90	Single Hole	
341	U1420	A	63	R	3	1.39	1.39	596.90	598.29	Single Hole	
341	U1420	A	63	R	4	1.50	1.50	598.29	599.79	Single Hole	
341	U1420	A	63	R	5	1.32	1.32	599.79	601.11	Single Hole	
341	U1420	A	63	R	CC	0.25	0.25	601.11	601.36	Single Hole	
341	U1420	A	64	R	1	1.12	1.12	603.70	604.82	Single Hole	
341	U1420	A	64	R	2	0.60	0.60	604.82	605.42	Single Hole	

U1420 PERMANENT ARCHIVE SECTIONS

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
341	U1420	A	64	R	CC	0.23	0.23	605.42	605.65	Single Hole	
341	U1420	A	65	R	1	1.47	1.47	613.40	614.87	Single Hole	
341	U1420	A	65	R	2	1.50	1.50	614.87	616.37	Single Hole	
341	U1420	A	65	R	3	1.24	1.24	616.37	617.61	Single Hole	
341	U1420	A	65	R	CC	0.36	0.36	617.61	617.97	Single Hole	
341	U1420	A	66	R	1	1.50	1.50	623.10	624.60	Single Hole	
341	U1420	A	66	R	2	1.35	1.35	624.60	625.95	Single Hole	
341	U1420	A	66	R	3	0.69	0.69	625.95	626.64	Single Hole	
341	U1420	A	66	R	CC	0.23	0.23	626.64	626.87	Single Hole	
341	U1420	A	67	R	1	1.21	1.21	632.80	634.01	Single Hole	
341	U1420	A	67	R	2	0.52	0.52	634.01	634.53	Single Hole	
341	U1420	A	67	R	CC	0.19	0.19	634.53	634.72	Single Hole	
341	U1420	A	68	R	1	1.25	1.25	642.50	643.75	Single Hole	
341	U1420	A	68	R	2	0.74	0.74	643.75	644.49	Single Hole	
341	U1420	A	68	R	CC	0.29	0.29	644.49	644.78	Single Hole	
341	U1420	A	69	R	1	1.50	1.50	652.20	653.70	Single Hole	
341	U1420	A	69	R	2	0.56	0.56	653.70	654.26	Single Hole	
341	U1420	A	69	R	CC	0.19	0.19	654.26	654.45	Single Hole	
341	U1420	A	70	R	CC	0.24	0.24	661.90	662.14	Single Hole	
341	U1420	A	71	R	1	1.26	1.26	671.60	672.86	Single Hole	
341	U1420	A	72	R	1	0.66	0.66	681.30	681.96	Single Hole	
341	U1420	A	73	R	1	1.01	1.01	691.00	692.01	Single Hole	
341	U1420	A	74	R	1	0.88	0.88	700.70	701.58	Single Hole	
341	U1420	A	75	R	1	0.40	0.49	710.40	710.89	Single Hole	
341	U1420	A	76	R	1	0.38	0.43	720.10	720.53	Single Hole	
341	U1420	A	77	R	1	0.56	0.88	729.80	730.68	Single Hole	
341	U1420	A	78	R	1	0.16	0.20	739.50	739.70	Single Hole	
341	U1420	A	79	R	1	0.28	0.28	749.20	749.48	Single Hole	
341	U1420	A	80	R	1	1.50	1.50	758.90	760.40	Single Hole	
341	U1420	A	80	R	2	1.50	1.50	760.40	761.90	Single Hole	
341	U1420	A	80	R	3	1.50	1.50	761.90	763.40	Single Hole	
341	U1420	A	80	R	4	1.33	1.33	763.40	764.73	Single Hole	
341	U1420	A	80	R	5	1.50	1.50	764.73	766.23	Single Hole	
341	U1420	A	80	R	6	1.42	1.42	766.23	767.65	Single Hole	
341	U1420	A	80	R	CC	0.37	0.37	767.65	768.02	Single Hole	
341	U1420	A	81	R	1	1.09	1.09	768.60	769.69	Single Hole	
341	U1420	A	81	R	CC	0.24	0.24	769.69	769.93	Single Hole	
341	U1420	A	82	R	1	0.80	0.80	778.30	779.10	Single Hole	
341	U1420	A	82	R	2	0.84	0.84	779.10	779.94	Single Hole	
341	U1420	A	83	R	1	1.03	1.03	788.00	789.03	Single Hole	

U1420 PERMANENT ARCHIVE SECTIONS

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
341	U1420	A	83	R	2	0.60	0.60	789.03	789.63	Single Hole	
341	U1420	A	83	R	CC	0.24	0.24	789.63	789.87	Single Hole	
341	U1420	A	84	R	1	1.07	1.07	797.70	798.77	Single Hole	
341	U1420	A	85	R	1	0.42	0.48	807.40	807.88	Single Hole	
341	U1420	A	86	R	1	1.50	1.50	817.10	818.60	Single Hole	
341	U1420	A	86	R	2	1.50	1.50	818.60	820.10	Single Hole	
341	U1420	A	86	R	3	1.16	1.16	820.10	821.26	Single Hole	
341	U1420	A	86	R	CC	0.14	0.14	821.26	821.40	Single Hole	
341	U1420	A	87	R	1	1.50	1.50	826.80	828.30	Single Hole	
341	U1420	A	87	R	2	1.50	1.50	828.30	829.80	Single Hole	
341	U1420	A	87	R	3	1.50	1.50	829.80	831.30	Single Hole	
341	U1420	A	87	R	4	1.31	1.31	831.30	832.61	Single Hole	
341	U1420	A	87	R	CC	0.28	0.28	832.61	832.89	Single Hole	
341	U1420	A	88	R	1	1.50	1.50	836.50	838.00	Single Hole	
341	U1420	A	88	R	2	1.50	1.50	838.00	839.50	Single Hole	
341	U1420	A	88	R	3	0.66	0.66	839.50	840.16	Single Hole	
341	U1420	A	88	R	CC	0.24	0.24	840.16	840.40	Single Hole	
341	U1420	A	89	R	1	0.98	0.98	846.20	847.18	Single Hole	
341	U1420	A	90	R	1	1.48	1.48	855.90	857.38	Single Hole	
341	U1420	A	90	R	CC	0.27	0.27	857.38	857.65	Single Hole	
341	U1420	A	91	R	1	1.35	1.35	865.60	866.95	Single Hole	
341	U1420	A	91	R	CC	0.21	0.21	866.95	867.16	Single Hole	
341	U1420	A	92	R	1	1.46	1.46	875.30	876.76	Single Hole	
341	U1420	A	92	R	2	1.27	1.27	876.76	878.03	Single Hole	
341	U1420	A	92	R	3	0.70	0.70	878.03	878.73	Single Hole	
341	U1420	A	92	R	CC	0.17	0.17	878.73	878.90	Single Hole	
341	U1420	A	93	R	1	1.47	1.47	885.00	886.47	Single Hole	
341	U1420	A	94	R	1	1.50	1.50	894.70	896.20	Single Hole	
341	U1420	A	94	R	2	1.50	1.50	896.20	897.70	Single Hole	
341	U1420	A	94	R	3	1.50	1.50	897.70	899.20	Single Hole	
341	U1420	A	94	R	4	0.93	0.93	899.20	900.13	Single Hole	
341	U1420	A	94	R	CC	0.18	0.18	900.13	900.31	Single Hole	
341	U1420	A	95	R	1	1.51	1.51	904.40	905.91	Single Hole	
341	U1420	A	95	R	2	1.05	1.05	905.91	906.96	Single Hole	
341	U1420	A	95	R	3	0.53	0.53	906.96	907.49	Single Hole	
341	U1420	A	95	R	CC	0.17	0.17	907.49	907.66	Single Hole	
341	U1420	A	96	R	1	1.47	1.47	914.10	915.57	Single Hole	
341	U1420	A	96	R	2	0.55	0.55	915.57	916.12	Single Hole	
341	U1420	A	96	R	CC	0.21	0.21	916.12	916.33	Single Hole	
341	U1420	A	97	R	1	1.00	1.00	923.80	924.80	Single Hole	

U1420 PERMANENT ARCHIVE SECTIONS

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
341	U1420	A	97	R	2	0.60	0.60	924.80	925.40	Single Hole	
341	U1420	A	97	R	CC	0.28	0.29	925.40	925.69	Single Hole	
341	U1420	A	98	R	1	1.50	1.50	933.50	935.00	Single Hole	
341	U1420	A	98	R	2	1.50	1.50	935.00	936.50	Single Hole	
341	U1420	A	98	R	3	1.50	1.50	936.50	938.00	Single Hole	
341	U1420	A	98	R	4	0.71	0.71	938.00	938.71	Single Hole	
341	U1420	A	98	R	CC	0.46	0.46	938.71	939.17	Single Hole	
341	U1420	A	99	R	1	1.50	1.50	943.20	944.70	Single Hole	
341	U1420	A	99	R	2	1.11	1.11	944.70	945.81	Single Hole	
341	U1420	A	99	R	3	0.78	0.78	945.81	946.59	Single Hole	
341	U1420	A	99	R	CC	0.21	0.21	946.59	946.80	Single Hole	
341	U1420	A	100	R	1	0.85	0.85	952.90	953.75	Single Hole	
341	U1420	A	101	R	1	1.50	1.50	962.60	964.10	Single Hole	
341	U1420	A	101	R	2	1.17	1.17	964.10	965.27	Single Hole	
341	U1420	A	101	R	3	0.62	0.62	965.27	965.89	Single Hole	
341	U1420	A	101	R	CC	0.24	0.24	965.89	966.13	Single Hole	
341	U1420	A	102	R	1	0.90	0.90	972.30	973.20	Single Hole	
341	U1420	A	103	R	1	1.45	1.45	982.00	983.45	Single Hole	
341	U1420	A	103	R	2	1.23	1.23	983.45	984.68	Single Hole	
341	U1420	A	103	R	CC	0.30	0.30	984.68	984.98	Single Hole	
341	U1420	A	104	R	1	0.43	0.43	991.70	992.13	Single Hole	
341	U1420	A	105	R	1	0.55	0.55	1001.40	1001.95	Single Hole	
341	U1420	A	106	R	1	1.41	1.41	1011.10	1012.51	Single Hole	
341	U1420	A	106	R	2	1.20	1.20	1012.51	1013.71	Single Hole	
341	U1420	A	106	R	3	0.67	0.67	1013.71	1014.38	Single Hole	
341	U1420	A	106	R	CC	0.20	0.20	1014.38	1014.58	Single Hole	