U1404 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1404	B	1	H	1	1.50	1.50	0.00	1.50	0.60	2.10		accommodates splice	
342	U1404	B	1	H	2	0.83	0.83	1.50	2.33	2.10	2.93	0.00	accommodates splice	
342	U1404	B	1	H	CC	0.15	0.15	2.33	2.48	2.93	3.08	0.00	accommodates splice	
342	U1404	A	1	H	CC	0.19	0.19	4.53	4.72	4.53	4.72	1.45	accommodates splice	
342	U1404	A	2	H	1	1.50	1.50	4.70	6.20	5.30	6.80	0.58	accommodates splice	
342	U1404	A	2	H	2	0.95	0.95	6.20	7.15	6.80	7.75	0.00	accommodates splice	
342	U1404	A	2	H	3	1.50	1.50	7.15	8.65	7.75	9.25	0.00	accommodates splice	
342	U1404	A	2	H	4	1.50	1.50	8.65	10.15	9.25	10.75	0.00	accommodates splice	
342	U1404	A	2	H	5	1.50	1.50	10.15	11.65	10.75	12.25	0.00	accommodates splice	
342	U1404	A	2	H	6	1.09	1.09	11.65	12.74	12.25	13.34	0.00	accommodates splice	
342	U1404	A	2	H	7	1.21	1.21	12.74	13.95	13.34	14.55	0.00	accommodates splice	
342	U1404	A	2	H	CC	0.28	0.28	13.95	14.23	14.55	14.83	0.00	accommodates splice	
342	U1404	A	3	H	1	1.50	1.50	14.20	15.70	14.84	16.34	0.01	accommodates splice	
342	U1404	A	3	H	2	1.50	1.50	15.70	17.20	16.34	17.84	0.00	accommodates splice	
342	U1404	A	3	H	3	1.50	1.50	17.20	18.70	17.84	19.34	0.00	accommodates splice	
342	U1404	A	3	H	4	1.50	1.50	18.70	20.20	19.34	20.84	0.00	accommodates splice	
342	U1404	A	3	H	5	1.20	1.20	20.20	21.40	20.84	22.04	0.00	accommodates splice	
342	U1404	A	3	H	6	0.81	0.81	21.40	22.21	22.04	22.85	0.00	accommodates splice	
342	U1404	A	3	H	CC	0.17	0.17	22.21	22.38	22.85	23.02	0.00	accommodates splice	
342	U1404	B	4	H	2	1.50	1.50	22.90	24.40	23.13	24.63	0.11	accommodates splice	
342	U1404	B	4	H	CC	0.12	0.12	29.69	29.81	29.92	30.04	5.29	accommodates splice	
342	U1404	A	5	H	1	1.50	1.50	33.20	34.70	33.85	35.35	3.81	accommodates splice	
342	U1404	B	5	H	5	1.50	1.50	33.40	34.90	36.18	37.68	0.83	accommodates splice	
342	U1404	B	5	H	6	1.50	1.50	34.90	36.40	37.68	39.18	0.00	accommodates splice	
342	U1404	B	5	H	7	0.78	0.78	36.40	37.18	39.18	39.96	0.00	accommodates splice	
342	U1404	B	5	H	CC	0.26	0.26	37.18	37.44	39.96	40.22	0.00	accommodates splice	
342	U1404	A	5	H	CC	0.12	0.12	40.49	40.61	41.14	41.26	0.92	accommodates splice	
342	U1404	A	6	H	1	1.50	1.50	42.70	44.20	45.35	46.85	4.09	accommodates splice	
342	U1404	B	6	H	6	1.50	1.50	44.40	45.90	47.33	48.83	0.48	accommodates splice	
342	U1404	B	6	H	7	0.63	0.63	45.90	46.53	48.83	49.46	0.00	accommodates splice	
342	U1404	A	6	H	CC	0.23	0.23	49.15	49.38	51.80	52.03	2.34	accommodates splice	
342	U1404	A	7	H	1	1.50	1.50	52.20	53.70	54.86	56.36	2.83	accommodates splice	
342	U1404	A	7	H	2	1.50	1.50	53.70	55.20	56.36	57.86	0.00	accommodates splice	
342	U1404	A	7	H	3	1.50	1.50	55.20	56.70	57.86	59.36	0.00	accommodates splice	
342	U1404	A	7	H	4	1.50	1.50	56.70	58.20	59.36	60.86	0.00	accommodates splice	
342	U1404	A	7	H	5	0.78	0.78	58.20	58.98	60.86	61.64	0.00	accommodates splice	
342	U1404	A	7	H	CC	0.15	0.15	58.98	59.13	61.64	61.79	0.00	accommodates splice	
342	U1404	B	8	H	5	1.50	1.50	61.90	63.40	65.22	66.72	3.43	accommodates splice	
342	U1404	B	8	H	6	1.50	1.50	63.40	64.90	66.72	68.22	0.00	accommodates splice	
342	U1404	B	8	H	7	0.67	0.67	64.90	65.57	68.22	68.89	0.00	accommodates splice	
342	U1404	B	8	H	CC	0.24	0.24	65.57	65.81	68.89	69.13	0.00	accommodates splice	
342	U1404	B	9	H	1	1.50	1.50	65.40	66.90	68.73	70.23	-0.40	accommodates splice	
342	U1404	B	9	H	2	1.50	1.50	66.90	68.40	70.23	71.73	0.00	accommodates splice	
342	U1404	A	8	H	7	0.58	0.58	70.50	71.08	73.17	73.75	1.44	accommodates splice	
342	U1404	A	8	H	CC	0.22	0.22	71.08	71.30	73.75	73.97	0.00	accommodates splice	
342	U1404	A	9	H	1	1.50	1.50	71.20	72.70	74.07	75.57	0.10	accommodates splice	
342	U1404	B	9	H	6	1.27	1.27	72.64	73.91	75.97	77.24	0.40	accommodates splice	
342	U1404	B	9	H	7	1.02	1.02	73.91	74.93	77.24	78.26	0.00	accommodates splice	
342	U1404	B	9	H	CC	0.14	0.14	74.93	75.07	78.26	78.40	0.00	accommodates splice	
342	U1404	B	10	H	1	1.50	1.50	74.90	76.40	77.68	79.18	-0.72	accommodates splice	
342	U1404	B	10	H	2	1.50	1.50	76.40	77.90	79.18	80.68	0.00	accommodates splice	
342	U1404	A	9	H	6	1.50	1.50	78.70	80.20	81.57	83.07	0.89	accommodates splice	
342	U1404	A	9	H	7	0.65	0.65	80.20	80.85	83.07	83.72	0.00	accommodates splice	
342	U1404	A	9	H	CC	0.23	0.23	80.85	81.08	83.72	83.95	0.00	accommodates splice	
342	U1404	A	10	H	1	1.50	1.50	80.70	82.20	83.67	85.17	-0.28	accommodates splice	
342	U1404	B	10	H	7	0.67	0.67	83.90	84.57	86.68	87.35	1.51	accommodates splice	
342	U1404	B	10	H	CC	0.28	0.28	84.57	84.85	87.35	87.63	0.00	accommodates splice	
342	U1404	B	11	H	1	1.50	1.50	84.40	85.90	87.19	88.69	-0.44	accommodates splice	
342	U1404	A	10	H	5	1.50	1.50	86.70	88.20	89.67	91.17	0.98	accommodates splice	
342	U1404	A	10	H	6	1.50	1.50	88.20	89.70	91.17	92.67	0.00	accommodates splice	
342	U1404	A	10	H	7	0.60	0.60	89.70	90.30	92.67	93.27	0.00	accommodates splice	
342	U1404	A	10	H	CC	0.29	0.29	90.30	90.59	93.27	93.56	0.00	accommodates splice	
342	U1404	A	11	H	1	1.33	1.33	90.20	91.53	93.18	94.51	-0.38	accommodates splice	
342	U1404	B	11	H	7	0.87	0.87	92.90	93.77	95.69	96.56	1.18	accommodates splice	
342	U1404	B	11	H	CC	0.14	0.14	93.77	93.91	96.56	96.70	0.00	accommodates splice	
342	U1404	A	11	H	CC	0.59	0.59	95.67	96.26	98.65	99.24	1.95	accommodates splice	
342	U1404	A	12	H	1	1.45	1.45	96.20	97.65	99.78	101.23	0.54	accommodates splice	
342	U1404	B	12	H	5	1.50	1.50	99.90	101.40	102.70	104.20	1.47	accommodates splice	
342	U1404	B	12	H	6	1.50	1.50	101.40	102.90	104.20	105.70	0.00	accommodates splice	
342	U1404	B	12	H	7	0.55	0.55	102.90	103.45	105.70	106.25	0.00	accommodates splice	
342	U1404	B	12	H	CC	0.31	0.31	103.45	103.76	106.25	106.56	0.00	accommodates splice	
342	U1404	B	13	H	1	1.50	1.50	103.40	104.90	106.45	107.95	-0.11	accommodates splice	
342	U1404	A	12	H	CC	0.20	0.20	105.88	106.08	109.46	109.66	1.51	accommodates splice	
342	U1404	A	13	H	1	0.52	0.52	105.70	106.22	109.73	110.25	0.07	accommodates splice	

U1404 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1404	A	13	H	2	1.51	1.51	106.22	107.73	110.25	111.76	0.00	accommodates splice	
342	U1404	A	13	H	3	1.50	1.50	107.73	109.23	111.76	113.26	0.00	accommodates splice	
342	U1404	B	13	H	6	1.22	1.22	110.90	112.12	113.95	115.17	0.69	accommodates splice	
342	U1404	B	13	H	7	0.86	0.86	112.12	112.98	115.17	116.03	0.00	accommodates splice	
342	U1404	B	14	H	1	1.50	1.50	112.90	114.40	116.15	117.65	0.12	accommodates splice	
342	U1404	A	13	H	CC	0.40	0.40	114.70	115.10	118.73	119.13	1.08	accommodates splice	
342	U1404	A	14	H	1	1.50	1.50	115.20	116.70	119.24	120.74	0.11	accommodates splice	
342	U1404	A	14	H	2	1.50	1.50	116.70	118.20	120.74	122.24	0.00	accommodates splice	
342	U1404	B	14	H	6	1.02	1.02	120.40	121.42	123.65	124.67	1.41	accommodates splice	
342	U1404	B	14	H	7	0.76	0.76	121.42	122.18	124.67	125.43	0.00	accommodates splice	
342	U1404	B	14	H	CC	0.28	0.28	122.18	122.46	125.43	125.71	0.00	accommodates splice	
342	U1404	B	15	H	1	1.50	1.50	122.40	123.90	125.66	127.16	-0.05	accommodates splice	
342	U1404	A	14	H	7	1.02	1.02	123.70	124.72	127.74	128.76	0.58	accommodates splice	
342	U1404	A	14	H	CC	0.17	0.17	124.72	124.89	128.76	128.93	0.00	accommodates splice	
342	U1404	A	15	H	1	1.46	1.46	124.70	126.16	128.75	130.21	-0.18	accommodates splice	
342	U1404	B	15	H	5	1.50	1.50	128.40	129.90	131.66	133.16	1.45	accommodates splice	
342	U1404	B	15	H	6	1.22	1.22	129.90	131.12	133.16	134.38	0.00	accommodates splice	
342	U1404	B	15	H	7	0.82	0.82	131.12	131.94	134.38	135.20	0.00	accommodates splice	
342	U1404	B	15	H	CC	0.16	0.16	131.94	132.10	135.20	135.36	0.00	accommodates splice	
342	U1404	B	16	H	1	1.05	1.05	131.90	132.95	134.96	136.01	-0.40	accommodates splice	
342	U1404	B	16	H	2	0.61	0.61	132.95	133.56	136.01	136.62	0.00	accommodates splice	
342	U1404	A	15	H	7	0.95	0.95	133.53	134.48	137.58	138.53	0.96	accommodates splice	
342	U1404	A	15	H	CC	0.25	0.25	134.48	134.73	138.53	138.78	0.00	accommodates splice	
342	U1404	B	16	H	6	1.28	1.28	137.39	138.67	140.45	141.73	1.67	accommodates splice	
342	U1404	B	16	H	7	1.10	1.10	138.67	139.77	141.73	142.83	0.00	accommodates splice	
342	U1404	B	16	H	CC	0.52	0.52	139.77	140.29	142.83	143.35	0.00	accommodates splice	
342	U1404	A	16	H	6	1.20	1.20	141.70	142.90	146.50	147.70	3.15	accommodates splice	
342	U1404	A	16	H	7	0.85	0.85	142.90	143.75	147.70	148.55	0.00	accommodates splice	
342	U1404	A	16	H	CC	0.27	0.27	143.75	144.02	148.55	148.82	0.00	accommodates splice	
342	U1404	A	17	H	1	1.51	1.51	143.70	145.21	148.83	150.34	0.01	accommodates splice	
342	U1404	B	17	H	5	1.51	1.51	147.41	148.92	151.57	153.08	1.23	accommodates splice	
342	U1404	B	17	H	6	1.50	1.50	148.92	150.42	153.08	154.58	0.00	accommodates splice	
342	U1404	B	17	H	7	0.60	0.60	150.42	151.02	154.58	155.18	0.00	accommodates splice	
342	U1404	B	17	H	CC	0.22	0.22	151.02	151.24	155.18	155.40	0.00	accommodates splice	
342	U1404	B	18	H	3	1.50	1.50	153.91	155.41	155.07	156.57	-0.33	accommodates splice	
342	U1404	B	18	H	4	1.51	1.51	155.41	156.92	156.57	158.08	0.00	accommodates splice	
342	U1404	A	17	H	CC	0.31	0.31	153.43	153.74	158.56	158.87	0.48	accommodates splice	
342	U1404	B	18	H	CC	0.27	0.27	159.17	159.44	160.33	160.60	1.46	accommodates splice	
342	U1404	B	19	H	1	1.50	1.50	156.40	157.90	161.86	163.36	1.26	accommodates splice	
342	U1404	B	19	H	2	1.50	1.50	157.90	159.40	163.36	164.86	0.00	accommodates splice	
342	U1404	A	18	H	6	1.21	1.21	160.76	161.97	166.39	167.60	1.53	accommodates splice	
342	U1404	A	18	H	7	0.96	0.96	161.97	162.93	167.60	168.56	0.00	accommodates splice	
342	U1404	A	18	H	CC	0.29	0.29	162.93	163.22	168.56	168.85	0.00	accommodates splice	
342	U1404	A	19	H	1	1.50	1.50	162.70	164.20	168.86	170.36	0.01	accommodates splice	
342	U1404	B	19	H	7	0.55	0.55	165.40	165.95	170.86	171.41	0.50	accommodates splice	
342	U1404	B	19	H	CC	0.20	0.20	165.95	166.15	171.41	171.61	0.00	accommodates splice	
342	U1404	B	20	H	1	1.50	1.50	165.90	167.40	171.86	172.86	0.25	accommodates splice	
342	U1404	B	20	H	2	1.50	1.50	167.40	168.90	173.36	174.36	0.50	accommodates splice	
342	U1404	B	20	H	3	1.50	1.50	168.90	170.40	174.86	175.86	0.50	accommodates splice	
342	U1404	A	19	H	7	0.94	0.94	171.46	172.40	177.62	178.56	1.76	accommodates splice	
342	U1404	A	19	H	CC	0.39	0.39	172.40	172.79	178.56	178.95	0.00	accommodates splice	
342	U1404	B	20	H	7	0.69	0.69	173.95	174.64	179.91	180.10	0.96	accommodates splice	
342	U1404	B	20	H	CC	0.43	0.43	174.64	175.07	180.60	180.53	0.50	accommodates splice	
342	U1404	B	21	H	1	0.66	0.66	175.40	176.06	181.37	182.03	0.84	accommodates splice	
342	U1404	B	21	H	2	1.50	1.50	176.06	177.56	182.03	183.53	0.00	accommodates splice	
342	U1404	B	21	H	3	1.50	1.50	177.56	179.06	183.53	185.03	0.00	accommodates splice	
342	U1404	B	21	H	4	1.15	1.15	179.06	180.21	185.03	186.18	0.00	accommodates splice	
342	U1404	B	21	H	5	0.76	0.76	180.21	180.97	186.18	186.94	0.00	accommodates splice	
342	U1404	B	21	H	6	0.64	0.64	180.97	181.61	186.94	187.58	0.00	accommodates splice	
342	U1404	A	20	H	CC	0.27	0.27	181.74	182.01	188.05	188.32	0.47	accommodates splice	
342	U1404	B	21	H	8	0.67	0.67	183.11	183.78	189.08	189.75	0.76	accommodates splice	
342	U1404	B	21	H	CC	0.41	0.41	183.78	184.19	189.75	190.16	0.00	accommodates splice	
342	U1404	B	22	H	1	1.50	1.50	184.10	185.60	189.82	191.32	-0.34	accommodates splice	
342	U1404	B	22	H	2	1.50	1.50	185.60	187.10	191.32	192.82	0.00	accommodates splice	
342	U1404	A	21	H	5	1.50	1.50	187.70	189.20	194.16	195.66	1.34	accommodates splice	
342	U1404	A	21	H	6	1.50	1.50	189.20	190.70	195.66	197.16	0.00	accommodates splice	
342	U1404	A	21	H	7	0.65	0.65	190.70	191.35	197.16	197.81	0.00	accommodates splice	
342	U1404	A	21	H	CC	0.38	0.38	191.35	191.73	197.81	198.19	0.00	accommodates splice	
342	U1404	B	22	H	7	0.68	0.68	192.89	193.57	198.61	199.29	0.42	accommodates splice	
342	U1404	B	22	H	CC	0.36	0.36	193.57	193.93	199.29	199.65	0.00	accommodates splice	
342	U1404	A	22	H	CC	0.66	0.66	194.32	194.98	200.79	201.45	1.14	accommodates splice	
342	U1404	B	23	H	4	0.60	0.60	198.10	198.70	204.37	204.97	2.92	accommodates splice	
342	U1404	B	23	H	5	0.57	0.57	198.70	199.27	204.97	205.54	0.00	accommodates splice	
342	U1404	B	23	H	6	0.91	0.91	199.27	200.18	205.54	206.45	0.00	accommodates splice	

U1404 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1404	B	23	H	7	1.50	1.50	200.18	201.68	206.45	207.95	0.00	accommodates splice	
342	U1404	B	23	H	CC	0.60	0.60	201.68	202.28	207.95	208.55	0.00	accommodates splice	
342	U1404	B	24	H	1	1.50	1.50	202.20	203.70	207.77	209.27	-0.78	accommodates splice	
342	U1404	B	24	H	2	1.50	1.50	203.70	205.20	209.27	210.77	0.00	accommodates splice	
342	U1404	A	23	H	7	0.67	0.67	203.40	204.07	211.27	211.94	0.50	accommodates splice	
342	U1404	A	23	H	CC	0.30	0.30	204.07	204.37	211.94	212.24	0.00	accommodates splice	
342	U1404	B	25	H	1	1.50	1.50	208.70	210.20	212.58	214.08	0.34	accommodates splice	
342	U1404	B	25	H	2	1.50	1.50	210.20	211.70	214.08	215.58	0.00	accommodates splice	
342	U1404	B	25	H	3	1.50	1.50	211.70	213.20	215.58	217.08	0.00	accommodates splice	
342	U1404	B	25	H	4	1.02	1.02	213.20	214.22	217.08	218.10	0.00	accommodates splice	
342	U1404	B	25	H	5	0.65	0.65	214.22	214.87	218.10	218.75	0.00	accommodates splice	
342	U1404	B	25	H	CC	0.36	0.36	214.87	215.23	218.75	219.11	0.00	accommodates splice	
342	U1404	B	26	H	3	1.50	1.50	218.20	219.70	224.68	226.18	5.57	accommodates splice	
342	U1404	B	26	H	4	1.50	1.50	219.70	221.20	226.18	227.68	0.00	accommodates splice	
342	U1404	B	26	H	5	1.01	1.01	221.20	222.21	227.68	228.69	0.00	accommodates splice	
342	U1404	B	26	H	6	0.76	0.76	222.21	222.97	228.69	229.45	0.00	accommodates splice	
342	U1404	B	26	H	CC	0.36	0.36	222.97	223.33	229.45	229.81	0.00	accommodates splice	
342	U1404	B	27	H	1	0.81	0.81	223.30	224.11	236.03	236.84	6.22	accommodates splice	
342	U1404	B	27	H	2	1.00	1.00	224.11	225.11	236.84	237.84	0.00	accommodates splice	
342	U1404	A	26	H	6	0.60	0.60	227.70	228.30	239.01	239.61	1.17	accommodates splice	
342	U1404	A	26	H	CC	0.41	0.41	228.30	228.71	239.61	240.02	0.00	accommodates splice	
342	U1404	A	27	H	1	1.50	1.50	228.60	230.10	240.13	241.63	0.11	single cored interval below splice	
342	U1404	A	27	H	2	1.50	1.50	230.10	231.60	241.63	243.13	0.00	single cored interval below splice	
342	U1404	A	27	H	3	1.50	1.50	231.60	233.10	243.13	244.63	0.00	single cored interval below splice	
342	U1404	A	27	H	4	1.50	1.50	233.10	234.60	244.63	246.13	0.00	single cored interval below splice	
342	U1404	A	27	H	5	1.45	1.45	234.60	236.05	246.13	247.58	0.00	single cored interval below splice	
342	U1404	A	27	H	CC	0.45	0.45	236.05	236.50	247.58	248.03	0.00	single cored interval below splice	
342	U1404	A	28	H	1	1.50	1.50	236.50	238.00	248.13	249.63	0.10	single cored interval below splice	
342	U1404	A	28	H	2	1.50	1.50	238.00	239.50	249.63	251.13	0.00	single cored interval below splice	
342	U1404	A	28	H	3	1.50	1.50	239.50	241.00	251.13	252.63	0.00	single cored interval below splice	
342	U1404	A	28	H	4	1.50	1.50	241.00	242.50	252.63	254.13	0.00	single cored interval below splice	
342	U1404	A	28	H	5	1.24	1.24	242.50	243.74	254.13	255.37	0.00	single cored interval below splice	
342	U1404	A	28	H	CC	0.39	0.39	243.74	244.13	255.37	255.76	0.00	single cored interval below splice	
342	U1404	A	29	H	1	1.50	1.50	244.10	245.60	255.87	257.37	0.11	single cored interval below splice	
342	U1404	A	29	H	2	1.50	1.50	245.60	247.10	257.37	258.87	0.00	single cored interval below splice	
342	U1404	A	29	H	3	1.50	1.50	247.10	248.60	258.87	260.37	0.00	single cored interval below splice	
342	U1404	A	29	H	4	1.50	1.50	248.60	250.10	260.37	261.87	0.00	single cored interval below splice	
342	U1404	A	29	H	5	1.50	1.50	250.10	251.60	261.87	263.37	0.00	single cored interval below splice	
342	U1404	A	29	H	6	1.04	1.04	251.60	252.64	263.37	264.41	0.00	single cored interval below splice	
342	U1404	A	29	H	CC	0.44	0.44	252.64	253.08	264.41	264.85	0.00	single cored interval below splice	
342	U1404	A	30	H	1	1.25	1.25	253.00	254.25	264.96	266.21	0.11	single cored interval below splice	
342	U1404	A	30	H	2	0.89	0.89	254.25	255.14	266.21	267.10	0.00	single cored interval below splice	
342	U1404	A	30	H	3	1.50	1.50	255.14	256.64	267.10	268.60	0.00	single cored interval below splice	
342	U1404	A	30	H	4	1.50	1.50	256.64	258.14	268.60	270.10	0.00	single cored interval below splice	
342	U1404	A	30	H	5	0.81	0.81	258.14	258.95	270.10	270.91	0.00	single cored interval below splice	
342	U1404	A	30	H	CC	0.80	0.80	258.95	259.75	270.91	271.71	0.00	single cored interval below splice	
342	U1404	A	31	H	1	1.50	1.50	259.70	261.20	271.82	273.32	0.11	single cored interval below splice	
342	U1404	A	31	H	2	1.50	1.50	261.20	262.70	273.32	274.82	0.00	single cored interval below splice	
342	U1404	A	31	H	3	1.50	1.50	262.70	264.20	274.82	276.32	0.00	single cored interval below splice	
342	U1404	A	31	H	4	0.67	0.67	264.20	264.87	276.32	276.99	0.00	single cored interval below splice	
342	U1404	A	31	H	CC	0.44	0.44	264.87	265.31	276.99	277.43	0.00	single cored interval below splice	
342	U1404	A	32	H	1	0.36	0.36	265.30	265.66	277.54	277.90	0.11	single cored interval below splice	
342	U1404	A	32	H	2	1.32	1.32	265.66	266.98	277.90	279.22	0.00	single cored interval below splice	
342	U1404	A	32	H	3	1.50	1.50	266.98	268.48	279.22	280.72	0.00	single cored interval below splice	
342	U1404	A	32	H	4	1.26	1.26	268.48	269.74	280.72	281.98	0.00	single cored interval below splice	
342	U1404	A	32	H	5	0.64	0.64	269.74	270.38	281.98	282.62	0.00	single cored interval below splice	
342	U1404	A	32	H	CC	0.63	0.63	270.38	271.01	282.62	283.25	0.00	single cored interval below splice	
342	U1404	A	33	X	1	1.50	1.50	271.00	272.50	283.36	284.86	0.11	single cored interval below splice	
342	U1404	A	33	X	2	1.50	1.50	272.50	274.00	284.86	286.36	0.00	single cored interval below splice	
342	U1404	A	33	X	3	1.50	1.50	274.00	275.50	286.36	287.86	0.00	single cored interval below splice	
342	U1404	A	33	X	4	1.50	1.50	275.50	277.00	287.86	289.36	0.00	single cored interval below splice	
342	U1404	A	33	X	5	1.50	1.50	277.00	278.50	289.36	290.86	0.00	single cored interval below splice	
342	U1404	A	33	X	6	0.75	0.75	278.50	279.25	290.86	291.61	0.00	single cored interval below splice	
342	U1404	A	33	X	CC	0.33	0.33	279.25	279.58	291.61	291.94	0.00	single cored interval below splice	
342	U1404	A	34	X	1	1.50	1.50	280.70	282.20	293.16	294.66	1.22	single cored interval below splice	
342	U1404	A	34	X	2	1.50	1.50	282.20	283.70	294.66	296.16	0.00	single cored interval below splice	
342	U1404	A	34	X	3	1.50	1.50	283.70	285.20	296.16	297.66	0.00	single cored interval below splice	
342	U1404	A	34	X	4	1.50	1.50	285.20	286.70	297.66	299.16	0.00	single cored interval below splice	
342	U1404	A	34	X	5	1.50	1.50	286.70	288.20	299.16	300.66	0.00	single cored interval below splice	
342	U1404	A	34	X	6	1.00	1.00	288.20	289.20	300.66	301.66	0.00	single cored interval below splice	
342	U1404	A	34	X	7	0.65	0.65	289.20	289.85	301.66	302.31	0.00	single cored interval below splice	
342	U1404	A	35	X	1	1.50	1.50	289.40	290.90	302.42	303.92	0.11	single cored interval below splice	
342	U1404	A	35	X	2	1.37	1.37	290.90	292.27	303.92	305.29	0.00	single cored interval below splice	
342	U1404	A	35	X	3	1.51	1.51	292.27	293.78	305.29	306.80	0.00	single cored interval below splice	

U1404 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1404	A	35	X	CC	0.22	0.22	293.78	294.00	306.80	307.02	0.00	single cored interval below splice	
342	U1404	A	36	X	1	0.72	0.72	299.10	299.82	312.22	312.94	5.20	single cored interval below splice	