

**U1405 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1405	A	1	H	1	1.50	1.50	0.00	1.50	0.10	1.60		accommodates splice	
342	U1405	A	1	H	2	1.50	1.50	1.50	3.00	1.60	3.10	0.00	accommodates splice	
342	U1405	A	1	H	3	1.50	1.50	3.00	4.50	3.10	4.60	0.00	accommodates splice	
342	U1405	A	1	H	4	1.47	1.47	4.50	5.97	4.60	6.07	0.00	accommodates splice	
342	U1405	A	1	H	CC	0.23	0.23	5.97	6.20	6.07	6.30	0.00	accommodates splice	
342	U1405	A	2	H	2	1.50	1.50	7.70	9.20	7.45	8.95	1.15	accommodates splice	
342	U1405	A	2	H	3	1.50	1.50	9.20	10.70	8.95	10.45	0.00	accommodates splice	
342	U1405	A	2	H	4	1.50	1.50	10.70	12.20	10.45	11.95	0.00	accommodates splice	
342	U1405	A	2	H	5	1.50	1.50	12.20	13.70	11.95	13.45	0.00	accommodates splice	
342	U1405	A	2	H	6	1.50	1.50	13.70	15.20	13.45	14.95	0.00	accommodates splice	
342	U1405	A	2	H	7	0.72	0.72	15.20	15.92	14.95	15.67	0.00	accommodates splice	
342	U1405	A	2	H	CC	0.23	0.23	15.92	16.15	15.67	15.90	0.00	accommodates splice	
342	U1405	B	2	H	6	1.50	1.50	17.00	18.50	17.47	18.97	1.57	accommodates splice	
342	U1405	B	2	H	7	0.67	0.67	18.50	19.17	18.97	19.64	0.00	accommodates splice	
342	U1405	B	2	H	CC	0.26	0.26	19.17	19.43	19.64	19.90	0.00	accommodates splice	
342	U1405	B	3	H	1	1.50	1.50	19.00	20.50	19.91	21.41	0.01	accommodates splice	
342	U1405	B	3	H	2	1.50	1.50	20.50	22.00	21.41	22.91	0.00	accommodates splice	
342	U1405	B	3	H	3	1.50	1.50	22.00	23.50	22.91	24.41	0.00	accommodates splice	
342	U1405	B	3	H	4	1.50	1.50	23.50	25.00	24.41	25.91	0.00	accommodates splice	
342	U1405	B	3	H	5	1.50	1.50	25.00	26.50	25.91	27.41	0.00	accommodates splice	
342	U1405	B	3	H	6	1.12	1.12	26.50	27.62	27.41	28.53	0.00	accommodates splice	
342	U1405	B	3	H	7	0.86	0.87	27.62	28.49	28.53	29.40	0.00	accommodates splice	
342	U1405	A	3	H	7	0.76	0.76	24.75	25.51	29.10	29.86	-0.30	accommodates splice	
342	U1405	A	3	H	CC	0.23	0.23	25.51	25.74	29.86	30.09	0.00	accommodates splice	
342	U1405	A	4	H	1	1.50	1.50	25.20	26.70	30.35	31.85	0.26	accommodates splice	
342	U1405	C	3	H	7	0.61	0.61	25.20	25.81	33.24	33.85	1.39	accommodates splice	
342	U1405	C	4	H	1	1.50	1.50	25.70	27.20	36.88	38.38	3.03	accommodates splice	
342	U1405	C	4	H	2	1.50	1.50	27.20	28.70	38.38	39.88	0.00	accommodates splice	
342	U1405	A	4	H	CC	0.40	0.40	34.91	35.31	40.06	40.46	0.18	accommodates splice	
342	U1405	A	5	H	1	1.50	1.50	34.70	36.20	42.05	43.55	1.59	accommodates splice	
342	U1405	B	5	H	2	1.50	1.50	35.00	36.50	43.64	45.14	0.09	accommodates splice	
342	U1405	B	5	H	3	1.50	1.50	36.50	38.00	45.14	46.64	0.00	accommodates splice	
342	U1405	B	5	H	4	1.50	1.50	38.00	39.50	46.64	48.14	0.00	accommodates splice	
342	U1405	C	5	H	2	1.42	1.42	36.70	38.12	47.00	48.42	-1.14	accommodates splice	
342	U1405	C	5	H	3	1.50	1.50	38.12	39.62	48.42	49.92	0.00	accommodates splice	
342	U1405	B	5	H	6	1.30	1.30	41.00	42.30	49.64	50.94	-0.28	accommodates splice	
342	U1405	B	5	H	7	0.63	0.63	42.30	42.93	50.94	51.57	0.00	accommodates splice	
342	U1405	B	5	H	CC	0.13	0.13	42.93	43.06	51.57	51.70	0.00	accommodates splice	
342	U1405	A	5	H	CC	0.26	0.26	44.41	44.67	51.76	52.02	0.06	accommodates splice	
342	U1405	A	6	H	1	1.50	1.50	44.20	45.70	57.75	59.25	5.73	accommodates splice	
342	U1405	A	6	H	2	1.50	1.50	45.70	47.20	59.25	60.75	0.00	accommodates splice	
342	U1405	A	6	H	3	1.50	1.50	47.20	48.70	60.75	62.25	0.00	accommodates splice	
342	U1405	A	6	H	4	1.50	1.50	48.70	50.20	62.25	63.75	0.00	accommodates splice	
342	U1405	A	6	H	5	1.50	1.50	50.20	51.70	63.75	65.25	0.00	accommodates splice	
342	U1405	A	6	H	6	1.50	1.50	51.70	53.20	65.25	66.75	0.00	accommodates splice	
342	U1405	B	6	H	6	1.50	1.50	50.50	52.00	66.74	68.24	-0.01	accommodates splice	
342	U1405	B	6	H	7	0.72	0.72	52.00	52.72	68.24	68.96	0.00	accommodates splice	
342	U1405	B	6	H	CC	0.17	0.17	52.72	52.89	68.96	69.13	0.00	accommodates splice	
342	U1405	B	7	H	1	1.50	1.50	52.50	54.00	69.94	71.44	0.81	accommodates splice	
342	U1405	C	7	H	7	0.73	0.73	62.70	63.43	73.31	74.04	1.87	accommodates splice	
342	U1405	C	7	H	CC	0.19	0.19	63.43	63.62	74.04	74.23	0.00	accommodates splice	
342	U1405	C	8	H	1	1.50	1.50	63.70	65.20	74.32	75.82	0.09	accommodates splice	
342	U1405	C	8	H	2	1.50	1.50	65.20	66.70	75.82	77.32	0.00	accommodates splice	
342	U1405	B	7	H	7	0.61	0.61	61.50	62.11	78.94	79.55	1.62	accommodates splice	
342	U1405	B	7	H	CC	0.15	0.15	62.11	62.26	79.55	79.70	0.00	accommodates splice	
342	U1405	A	7	H	1	1.50	1.50	53.70	55.20	80.25	81.75	0.55	accommodates splice	
342	U1405	A	7	H	2	1.50	1.50	55.20	56.70	81.75	83.25	0.00	accommodates splice	
342	U1405	A	7	H	3	1.50	1.50	56.70	58.20	83.25	84.75	0.00	accommodates splice	

**U1405 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1405	A	7	H	4	1.50	1.50	58.20	59.70	84.75	86.25	0.00	accommodates splice	
342	U1405	A	7	H	5	1.50	1.50	59.70	61.20	86.25	87.75	0.00	accommodates splice	
342	U1405	B	8	H	7	0.59	0.59	71.41	70.82	88.27	88.86	0.52	accommodates splice	
342	U1405	B	8	H	CC	0.21	0.21	71.41	71.62	88.86	89.07	0.00	accommodates splice	
342	U1405	C	9	H	1	1.50	1.50	73.20	74.70	90.62	92.12	1.55	accommodates splice	
342	U1405	C	9	H	2	1.50	1.50	74.70	76.20	92.12	93.62	0.00	accommodates splice	
342	U1405	C	9	H	3	1.50	1.50	76.20	77.70	93.62	95.12	0.00	accommodates splice	
342	U1405	C	9	H	4	1.18	1.18	77.70	78.88	95.12	96.30	0.00	accommodates splice	
342	U1405	C	9	H	5	1.50	1.50	78.88	80.38	96.30	97.80	0.00	accommodates splice	
342	U1405	C	9	H	6	1.35	1.35	80.38	81.73	97.80	99.15	0.00	accommodates splice	
342	U1405	C	9	H	7	0.69	0.69	81.73	82.42	99.15	99.84	0.00	accommodates splice	
342	U1405	C	10	H	1	1.50	1.50	82.70	84.20	99.45	100.95	-0.39	accommodates splice	
342	U1405	C	10	H	2	1.50	1.50	84.20	85.70	100.95	102.45	0.00	accommodates splice	
342	U1405	C	10	H	3	1.50	1.50	85.70	87.20	102.45	103.95	0.00	accommodates splice	
342	U1405	C	10	H	4	1.50	1.50	87.20	88.70	103.95	105.45	0.00	accommodates splice	
342	U1405	C	10	H	5	1.50	1.50	88.70	90.20	105.45	106.95	0.00	accommodates splice	
342	U1405	C	10	H	6	1.25	1.25	90.20	91.45	106.95	108.20	0.00	accommodates splice	
342	U1405	C	10	H	7	0.71	0.71	91.45	92.16	108.20	108.91	0.00	accommodates splice	
342	U1405	C	10	H	CC	0.27	0.27	92.16	92.43	108.91	109.18	0.00	accommodates splice	
342	U1405	C	11	H	1	1.50	1.50	92.20	93.70	109.19	110.69	0.01	accommodates splice	
342	U1405	C	11	H	2	1.50	1.50	93.70	95.20	110.69	112.19	0.00	accommodates splice	
342	U1405	B	11	H	2	1.50	1.50	91.21	92.71	111.49	112.99	-0.70	accommodates splice	
342	U1405	B	11	H	3	1.50	1.50	92.71	94.21	112.99	114.49	0.00	accommodates splice	
342	U1405	B	11	H	4	1.50	1.50	94.21	95.71	114.49	115.99	0.00	accommodates splice	
342	U1405	A	10	H	1	1.50	1.50	82.20	83.70	116.03	117.53	0.04	accommodates splice	
342	U1405	C	11	H	6	1.23	1.23	99.70	100.93	116.69	117.92	-0.84	accommodates splice	
342	U1405	C	11	H	7	0.59	0.59	100.93	101.52	117.92	118.51	0.00	accommodates splice	
342	U1405	C	11	H	CC	0.29	0.29	101.52	101.81	118.51	118.80	0.00	accommodates splice	
342	U1405	B	11	H	7	0.86	0.86	98.73	99.59	119.01	119.87	0.21	accommodates splice	
342	U1405	B	11	H	CC	0.27	0.27	99.59	99.86	119.87	120.14	0.00	accommodates splice	
342	U1405	B	12	H	1	1.50	1.50	100.00	101.50	120.58	122.08	0.44	accommodates splice	
342	U1405	B	12	H	2	1.50	1.50	101.50	103.00	122.08	123.58	0.00	accommodates splice	
342	U1405	C	12	H	1	1.50	1.50	101.70	103.20	124.89	126.39	1.31	accommodates splice	
342	U1405	C	12	H	2	1.50	1.50	103.20	104.70	126.39	127.89	0.00	accommodates splice	
342	U1405	A	11	H	2	1.50	1.50	93.20	94.70	128.23	129.73	0.34	accommodates splice	
342	U1405	A	11	H	3	1.50	1.50	94.70	96.20	129.73	131.23	0.00	accommodates splice	
342	U1405	A	11	H	4	1.50	1.50	96.20	97.70	131.23	132.73	0.00	accommodates splice	
342	U1405	A	11	H	5	1.50	1.50	97.70	99.20	132.73	134.23	0.00	accommodates splice	
342	U1405	A	11	H	6	1.50	1.50	99.20	100.70	134.23	135.73	0.00	accommodates splice	
342	U1405	A	11	H	7	0.72	0.72	100.70	101.42	135.73	136.45	0.00	accommodates splice	
342	U1405	A	11	H	CC	0.23	0.23	101.42	101.65	136.45	136.68	0.00	accommodates splice	
342	U1405	A	12	H	1	1.50	1.50	101.20	102.70	136.63	138.13	-0.05	accommodates splice	
342	U1405	A	12	H	2	1.50	1.50	102.70	104.20	138.13	139.63	0.00	accommodates splice	
342	U1405	A	12	H	3	1.50	1.50	104.20	105.70	139.63	141.13	0.00	accommodates splice	
342	U1405	A	12	H	4	1.50	1.50	105.70	107.20	141.13	142.63	0.00	accommodates splice	
342	U1405	A	12	H	5	1.50	1.50	107.20	108.70	142.63	144.13	0.00	accommodates splice	
342	U1405	A	12	H	6	1.26	1.26	108.70	109.96	144.13	145.39	0.00	accommodates splice	
342	U1405	A	12	H	7	0.68	0.68	109.96	110.64	145.39	146.07	0.00	accommodates splice	
342	U1405	A	12	H	CC	0.23	0.23	110.64	110.87	146.07	146.30	0.00	accommodates splice	
342	U1405	C	13	H	CC	0.27	0.27	120.69	120.96	146.33	146.60	0.03	accommodates splice	
342	U1405	B	14	H	CC	0.12	0.12	128.38	128.50	147.97	148.09	1.37	accommodates splice	
342	U1405	A	13	H	1	1.50	1.50	110.70	112.20	148.28	149.78	0.19	accommodates splice	
342	U1405	A	13	H	2	1.50	1.50	112.20	113.70	149.78	151.28	0.00	accommodates splice	
342	U1405	A	13	H	3	1.50	1.50	113.70	115.20	151.28	152.78	0.00	accommodates splice	
342	U1405	A	13	H	4	1.50	1.50	115.20	116.70	152.78	154.28	0.00	accommodates splice	
342	U1405	A	13	H	5	1.50	1.50	116.70	118.20	154.28	155.78	0.00	accommodates splice	
342	U1405	A	13	H	6	1.50	1.50	118.20	119.70	155.78	157.28	0.00	accommodates splice	
342	U1405	A	13	H	7	0.62	0.62	119.70	120.32	157.28	157.90	0.00	accommodates splice	

**U1405 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1405	A	13	H	CC	0.19	0.19	120.32	120.51	157.90	158.09	0.00	accommodates splice	
342	U1405	C	15	H	2	1.50	1.50	131.70	133.20	158.69	160.19	0.60	accommodates splice	
342	U1405	C	15	H	3	1.50	1.50	133.20	134.70	160.19	161.69	0.00	accommodates splice	
342	U1405	C	15	H	4	1.50	1.50	134.70	136.20	161.69	163.19	0.00	accommodates splice	
342	U1405	C	15	H	5	1.50	1.50	136.20	137.70	163.19	164.69	0.00	accommodates splice	
342	U1405	C	15	H	6	1.24	1.24	137.70	138.94	164.69	165.93	0.00	accommodates splice	
342	U1405	C	15	H	CC	0.18	0.18	138.94	139.12	165.93	166.11	0.00	accommodates splice	
342	U1405	B	16	H	1	1.50	1.50	138.00	139.50	181.59	183.09	15.48	accommodates splice	
342	U1405	B	16	H	2	1.50	1.50	139.50	141.00	183.09	184.59	0.00	accommodates splice	
342	U1405	B	16	H	3	1.50	1.50	141.00	142.50	184.59	186.09	0.00	accommodates splice	
342	U1405	B	16	H	4	1.50	1.50	142.50	144.00	186.09	187.59	0.00	accommodates splice	
342	U1405	A	16	H	6	1.50	1.50	146.77	148.27	187.98	189.48	0.39	accommodates splice	
342	U1405	A	16	H	7	0.69	0.69	148.27	148.96	189.48	190.17	0.00	accommodates splice	
342	U1405	A	16	H	CC	0.29	0.29	148.96	149.25	190.17	190.46	0.00	accommodates splice	
342	U1405	B	16	H	CC	0.10	0.10	147.03	147.13	190.62	190.72	0.16	accommodates splice	
342	U1405	A	17	H	1	1.50	1.50	148.70	150.20	190.91	192.41	0.19	accommodates splice	
342	U1405	A	17	H	2	1.50	1.50	150.20	151.70	192.41	193.91	0.00	accommodates splice	
342	U1405	A	17	H	3	1.50	1.50	151.70	153.20	193.91	195.41	0.00	accommodates splice	
342	U1405	C	16	H	3	1.50	1.50	142.70	144.20	194.89	196.39	-0.52	accommodates splice	
342	U1405	C	16	H	4	1.50	1.50	144.20	145.70	196.39	197.89	0.00	accommodates splice	
342	U1405	C	16	H	5	1.50	1.50	145.70	147.20	197.89	199.39	0.00	accommodates splice	
342	U1405	C	16	H	6	1.37	1.37	147.20	148.57	199.39	200.76	0.00	accommodates splice	
342	U1405	C	17	H	1	1.50	1.50	149.20	150.70	203.50	205.00	2.74	accommodates splice	
342	U1405	A	18	H	4	1.51	1.51	162.73	164.24	206.26	207.77	1.26	accommodates splice	
342	U1405	A	18	H	5	1.51	1.51	164.24	165.75	207.77	209.28	0.00	accommodates splice	
342	U1405	A	18	H	6	1.21	1.21	165.75	166.96	209.28	210.49	0.00	accommodates splice	
342	U1405	A	18	H	7	0.62	0.62	166.96	167.58	210.49	211.11	0.00	accommodates splice	
342	U1405	A	18	H	CC	0.18	0.18	167.58	167.76	211.11	211.29	0.00	accommodates splice	
342	U1405	C	17	H	7	0.56	0.56	157.40	157.96	211.70	212.26	0.41	accommodates splice	
342	U1405	C	17	H	CC	0.05	0.05	157.96	158.01	212.26	212.31	0.00	accommodates splice	
342	U1405	A	19	H	1	1.50	1.50	167.70	169.20	212.33	213.83	0.02	accommodates splice	
342	U1405	B	18	H	6	1.09	1.09	164.12	165.21	214.32	215.41	0.49	accommodates splice	
342	U1405	B	18	H	7	0.90	0.90	165.21	166.11	215.41	216.31	0.00	accommodates splice	
342	U1405	B	18	H	CC	0.23	0.23	166.11	166.34	216.31	216.54	0.00	accommodates splice	
342	U1405	C	18	H	1	0.45	0.45	158.70	159.15	216.45	216.90	-0.09	accommodates splice	
342	U1405	C	18	H	2	1.50	1.50	159.15	160.65	216.90	218.40	0.00	accommodates splice	
342	U1405	C	18	H	3	1.50	1.50	160.65	162.15	218.40	219.90	0.00	accommodates splice	
342	U1405	C	18	H	4	1.50	1.50	162.15	163.65	219.90	221.40	0.00	accommodates splice	
342	U1405	C	18	H	5	0.76	0.76	163.65	164.41	221.40	222.16	0.00	accommodates splice	
342	U1405	C	18	H	CC	0.34	0.34	164.41	164.75	222.16	222.50	0.00	accommodates splice	
342	U1405	B	19	H	7	0.63	0.63	175.50	176.13	225.81	226.44	3.31	accommodates splice	
342	U1405	A	20	H	1	1.50	1.50	177.20	178.70	232.53	234.03	6.09	accommodates splice	
342	U1405	A	20	H	2	1.50	1.50	178.70	180.20	234.03	235.53	0.00	accommodates splice	
342	U1405	A	20	H	3	1.50	1.50	180.20	181.70	235.53	237.03	0.00	accommodates splice	
342	U1405	A	20	H	4	1.50	1.50	181.70	183.20	237.03	238.53	0.00	accommodates splice	
342	U1405	A	20	H	5	1.50	1.50	183.20	184.70	238.53	240.03	0.00	accommodates splice	
342	U1405	A	20	H	6	1.22	1.22	184.70	185.92	240.03	241.25	0.00	accommodates splice	
342	U1405	A	20	H	7	0.65	0.65	185.92	186.57	241.25	241.90	0.00	accommodates splice	
342	U1405	A	21	H	1	1.07	1.07	186.70	187.77	242.38	243.45	0.48	accommodates splice	
342	U1405	A	21	H	2	1.51	1.51	187.77	189.28	243.45	244.96	0.00	accommodates splice	
342	U1405	A	21	H	3	1.52	1.52	189.28	190.80	244.96	246.48	0.00	accommodates splice	
342	U1405	A	21	H	4	1.47	1.47	190.80	192.27	246.48	247.95	0.00	accommodates splice	
342	U1405	A	21	H	5	1.25	1.25	192.27	193.52	247.95	249.20	0.00	accommodates splice	
342	U1405	A	21	H	6	0.86	0.86	193.52	194.38	249.20	250.06	0.00	accommodates splice	
342	U1405	A	21	H	CC	0.57	0.57	194.38	194.95	250.06	250.63	0.00	accommodates splice	
342	U1405	C	21	H	7	0.65	0.65	193.75	194.40	250.80	251.45	0.17	accommodates splice	
342	U1405	C	21	H	CC	0.29	0.29	194.40	194.69	251.45	251.74	0.00	accommodates splice	
342	U1405	B	21	H	7	0.67	0.67	194.54	195.21	253.30	253.97	1.56	accommodates splice	

<b>U1405 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1405	B	21	H	CC	0.22	0.22	195.21	195.43	253.97	254.19	0.00	accommodates splice	
342	U1405	C	22	H	1	1.50	1.50	194.20	195.70	255.65	257.15	1.46	accommodates splice	
342	U1405	B	22	H	1	1.50	1.50	195.00	196.50	256.96	258.46	-0.19	accommodates splice	
342	U1405	A	22	H	5	1.50	1.50	202.20	203.70	258.08	259.58	-0.38	accommodates splice	
342	U1405	A	22	H	6	1.42	1.42	203.70	205.12	259.58	261.00	0.00	accommodates splice	
342	U1405	A	22	H	7	0.69	0.69	205.12	205.81	261.00	261.69	0.00	accommodates splice	
342	U1405	A	22	H	CC	0.33	0.33	205.81	206.14	261.69	262.02	0.00	accommodates splice	
342	U1405	B	22	H	6	1.23	1.23	200.90	202.13	262.86	264.09	0.84	accommodates splice	
342	U1405	B	22	H	7	1.36	1.36	202.13	203.49	264.09	265.45	0.00	accommodates splice	
342	U1405	B	22	H	CC	0.60	0.60	203.49	204.09	265.45	266.05	0.00	accommodates splice	
342	U1405	C	23	H	1	1.50	1.50	203.70	205.20	266.35	267.85	0.30	accommodates splice	
342	U1405	C	23	H	2	1.50	1.50	205.20	206.70	267.85	269.35	0.00	accommodates splice	
342	U1405	C	23	H	3	1.50	1.50	206.70	208.20	269.35	270.85	0.00	accommodates splice	
342	U1405	C	23	H	4	1.51	1.51	208.20	209.71	270.85	272.36	0.00	accommodates splice	
342	U1405	C	23	H	5	1.51	1.51	209.71	211.22	272.36	273.87	0.00	accommodates splice	
342	U1405	C	23	H	6	1.32	1.32	211.22	212.54	273.87	275.19	0.00	accommodates splice	
342	U1405	B	23	H	5	1.51	1.51	210.56	212.07	275.12	276.63	-0.07	accommodates splice	
342	U1405	B	23	H	6	1.50	1.50	212.07	213.57	276.63	278.13	0.00	accommodates splice	
342	U1405	B	23	H	7	0.67	0.67	213.57	214.24	278.13	278.80	0.00	accommodates splice	
342	U1405	B	23	H	CC	0.22	0.22	214.24	214.46	278.80	279.02	0.00	accommodates splice	
342	U1405	C	24	H	2	1.49	1.49	214.10	215.59	279.57	281.06	0.55	accommodates splice	
342	U1405	C	24	H	3	0.74	0.74	215.59	216.33	281.06	281.80	0.00	accommodates splice	
342	U1405	C	24	H	4	1.49	1.49	216.33	217.82	281.80	283.29	0.00	accommodates splice	
342	U1405	C	24	H	5	1.49	1.49	217.82	219.31	283.29	284.78	0.00	accommodates splice	
342	U1405	C	24	H	6	0.98	0.98	219.31	220.29	284.78	285.76	0.00	accommodates splice	
342	U1405	C	24	H	7	0.47	0.47	220.29	220.76	285.76	286.23	0.00	accommodates splice	
342	U1405	C	24	H	8	1.32	1.32	220.76	222.08	286.23	287.55	0.00	accommodates splice	
342	U1405	C	24	H	CC	0.43	0.43	222.08	222.51	287.55	287.98	0.00	accommodates splice	
342	U1405	A	25	H	5	1.50	1.50	230.70	232.20	289.63	291.13	1.65	accommodates splice	
342	U1405	A	25	H	6	1.12	1.12	232.20	233.32	291.13	292.25	0.00	accommodates splice	
342	U1405	A	25	H	7	0.75	0.75	233.32	234.07	292.25	293.00	0.00	accommodates splice	
342	U1405	A	26	H	1	0.58	0.58	234.20	234.78	293.18	293.76	0.18	accommodates splice	
342	U1405	A	26	H	2	0.75	0.75	234.78	235.53	293.76	294.51	0.00	accommodates splice	
342	U1405	C	25	H	7	0.59	0.59	231.56	235.15	295.73	296.32	1.22	accommodates splice	
342	U1405	C	25	H	CC	0.20	0.20	232.15	232.35	296.32	296.52	0.00	accommodates splice	
342	U1405	A	26	H	5	0.90	0.90	238.03	238.93	297.01	297.91	0.49	single hole, below splice	
342	U1405	A	26	H	6	1.50	1.50	238.93	240.43	297.91	299.41	0.00	single hole, below splice	
342	U1405	A	26	H	7	1.05	1.05	240.43	241.48	299.41	300.46	0.00	single hole, below splice	
342	U1405	A	26	H	CC	0.46	0.46	241.48	241.94	300.46	300.92	0.00	single hole, below splice	
342	U1405	A	27	X	1	1.50	1.50	241.90	243.40	300.93	302.43	0.01	single hole, below splice	
342	U1405	A	27	X	2	1.50	1.50	243.40	244.90	302.43	303.93	0.00	single hole, below splice	
342	U1405	A	27	X	3	1.50	1.50	244.90	246.40	303.93	305.43	0.00	single hole, below splice	
342	U1405	A	27	X	4	0.76	0.76	246.40	247.16	305.43	306.19	0.00	single hole, below splice	
342	U1405	A	28	X	1	1.20	1.20	251.50	252.70	310.54	311.74	4.35	single hole, below splice	
342	U1405	A	28	X	2	0.56	0.56	252.70	253.26	311.74	312.30	0.00	single hole, below splice	
342	U1405	A	28	X	CC	0.17	0.17	253.26	253.43	312.30	312.47	0.00	single hole, below splice	
342	U1405	A	29	X	1	1.50	1.50	261.10	262.60	320.15	321.65	7.68	single hole, below splice	
342	U1405	A	29	X	2	1.50	1.50	262.60	264.10	321.65	323.15	0.00	single hole, below splice	
342	U1405	A	29	X	3	1.22	1.22	264.10	265.32	323.15	324.37	0.00	single hole, below splice	
342	U1405	A	29	X	CC	0.27	0.27	265.32	265.59	324.37	324.64	0.00	single hole, below splice	
342	U1405	A	30	X	1	1.11	1.11	270.70	271.81	329.76	330.87	5.12	single hole, below splice	
342	U1405	A	30	X	2	0.71	0.71	271.81	272.52	330.87	331.58	0.00	single hole, below splice	
342	U1405	A	30	X	CC	0.24	0.24	272.52	272.76	331.58	331.82	0.00	single hole, below splice	
342	U1405	A	31	X	1	0.96	0.96	280.30	281.26	339.37	340.33	7.55	single hole, below splice	
342	U1405	A	31	X	CC	0.19	0.19	281.26	281.45	340.33	340.52	0.00	single hole, below splice	
342	U1405	A	32	X	1	1.01	1.01	289.80	290.81	348.88	349.89	8.36	single hole, below splice	
342	U1405	A	32	X	CC	0.38	0.38	290.81	291.19	349.89	350.27	0.00	single hole, below splice	
342	U1405	A	33	X	1	1.50	1.50	299.20	300.70	358.29	359.79	8.02	single hole, below splice	

<b>U1405 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1405	A	33	X	2	1.50	1.50	300.70	302.20	359.79	361.29	0.00	single hole, below splice	
342	U1405	A	33	X	3	1.50	1.50	302.20	303.70	361.29	362.79	0.00	single hole, below splice	
342	U1405	A	33	X	4	1.50	1.50	303.70	305.20	362.79	364.29	0.00	single hole, below splice	
342	U1405	A	33	X	5	1.43	1.43	305.20	306.63	364.29	365.72	0.00	single hole, below splice	
342	U1405	A	33	X	CC	0.40	0.40	306.63	307.03	365.72	366.12	0.00	single hole, below splice	