

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	A	1	H	5	1.5	1.5	5.22	6.72	multiple holes, poor recovery, some overlap	
355	U1457	A	1	H	6	1.2	1.2	6.72	7.92	multiple holes, poor recovery, some overlap	
355	U1457	A	1	H	7	0.61	0.61	7.92	8.53	multiple holes, poor recovery, some overlap	
355	U1457	A	1	H	CC	0.21	0.21	8.53	8.74	multiple holes, poor recovery, some overlap	
355	U1457	A	2	H	4	0.7	0.7	13.2	13.9	multiple holes, poor recovery, some overlap	
355	U1457	A	2	H	CC	0.17	0.17	13.9	14.07	multiple holes, poor recovery, some overlap	
355	U1457	A	3	H	6	1.26	1.26	25.7	26.96	multiple holes, poor recovery, some overlap	
355	U1457	A	3	H	CC	0.16	0.16	26.96	27.12	multiple holes, poor recovery, some overlap	
355	U1457	A	4	H	6	1.27	1.27	35.2	36.47	multiple holes, poor recovery, some overlap	
355	U1457	A	4	H	CC	0.17	0.17	36.47	36.64	multiple holes, poor recovery, some overlap	
355	U1457	A	5	H	6	0.73	0.73	44.7	45.43	multiple holes, poor recovery, some overlap	liner split
355	U1457	A	5	H	CC	0.18	0.18	45.43	45.61	multiple holes, poor recovery, some overlap	
355	U1457	A	6	H	1	1.5	1.5	46.7	48.2	multiple holes, poor recovery, some overlap	
355	U1457	A	6	H	6	1.41	1.41	54.2	55.61	multiple holes, poor recovery, some overlap	
355	U1457	A	6	H	CC	0.18	0.18	55.61	55.79	multiple holes, poor recovery, some overlap	
355	U1457	A	7	H	1	1.5	1.5	56.2	57.7	multiple holes, poor recovery, some overlap	
355	U1457	A	7	H	6	1.37	1.37	63.65	65.02	multiple holes, poor recovery, some overlap	
355	U1457	A	7	H	7	0.64	0.64	65.02	65.66	multiple holes, poor recovery, some overlap	
355	U1457	A	7	H	CC	0.24	0.24	65.66	65.9	multiple holes, poor recovery, some overlap	
355	U1457	A	8	H	1	1.5	1.5	65.7	67.2	multiple holes, poor recovery, some overlap	
355	U1457	A	8	H	2	1.5	1.5	67.2	68.7	multiple holes, poor recovery, some overlap	
355	U1457	A	8	H	6	1.01	1.01	73.2	74.21	multiple holes, poor recovery, some overlap	
355	U1457	A	8	H	7	0.89	0.89	74.21	75.1	multiple holes, poor recovery, some overlap	
355	U1457	A	8	H	CC	0.19	0.19	75.1	75.29	multiple holes, poor recovery, some overlap	
355	U1457	A	9	H	1	1.5	1.5	75.2	76.7	multiple holes, poor recovery, some overlap	
355	U1457	A	9	H	2	0.81	0.81	76.7	77.51	multiple holes, poor recovery, some overlap	
355	U1457	A	9	H	3	0.8	0.8	77.51	78.31	multiple holes, poor recovery, some overlap	28-80 CM DISTURBED, EXTRUDED FROM CORE BARREL INTO HALF LINER.
355	U1457	A	9	H	7	0.73	0.73	82.61	83.34	multiple holes, poor recovery, some overlap	
355	U1457	A	9	H	CC	0.49	0.49	83.34	83.83	multiple holes, poor recovery, some overlap	
355	U1457	A	10	H	1	1.5	1.5	84.7	86.2	multiple holes, poor recovery, some overlap	
355	U1457	A	10	H	CC	0.49	0.49	93.92	94.41	multiple holes, poor recovery, some overlap	
355	U1457	A	11	H	CC	0.69	0.69	102.79	103.48	multiple holes, poor recovery, some overlap	
355	U1457	A	12	H	CC	0.73	0.73	110.5	111.23	multiple holes, poor recovery, some overlap	
355	U1457	A	13	F	CC	0.23	0.23	115.58	115.81	multiple holes, poor recovery, some overlap	
355	U1457	A	15	F	1	1.5	1.5	120.8	122.3	multiple holes, poor recovery, some overlap	
355	U1457	A	15	F	2	1.5	1.53	122.3	123.83	multiple holes, poor recovery, some overlap	
355	U1457	A	15	F	3	1.48	1.48	123.83	125.31	multiple holes, poor recovery, some overlap	
355	U1457	A	15	F	CC	0.34	0.34	125.31	125.65	multiple holes, poor recovery, some overlap	
355	U1457	A	17	F	1	1.53	1.53	130.4	131.93	multiple holes, poor recovery, some overlap	
355	U1457	A	17	F	2	1.5	1.5	131.93	133.43	multiple holes, poor recovery, some overlap	
355	U1457	A	17	F	3	1.41	1.41	133.43	134.84	multiple holes, poor recovery, some overlap	
355	U1457	A	17	F	CC	0.18	0.18	134.84	135.02	multiple holes, poor recovery, some overlap	
355	U1457	A	19	F	1	1.46	1.49	140	141.49	multiple holes, poor recovery, some overlap	
355	U1457	A	19	F	2	1.46	1.46	141.49	142.95	multiple holes, poor recovery, some overlap	
355	U1457	A	19	F	3	1.01	1.01	142.95	143.96	multiple holes, poor recovery, some overlap	
355	U1457	A	19	F	4	0.6	0.6	143.96	144.56	multiple holes, poor recovery, some overlap	
355	U1457	A	19	F	CC	0.25	0.25	144.56	144.81	multiple holes, poor recovery, some overlap	
355	U1457	B	1	H	3	0.5	0.5	2.53	3.03	multiple holes, poor recovery, some overlap	
355	U1457	B	1	H	CC	0.19	0.19	3.03	3.22	multiple holes, poor recovery, some overlap	
355	U1457	B	2	H	7	0.76	0.76	11.73	12.49	multiple holes, poor recovery, some overlap	
355	U1457	B	3	H	6	1.34	1.34	20.2	21.54	multiple holes, poor recovery, some overlap	
355	U1457	B	3	H	CC	0.15	0.15	21.54	21.69	multiple holes, poor recovery, some overlap	
355	U1457	B	4	H	1	1.5	1.5	22.2	23.7	multiple holes, poor recovery, some overlap	
355	U1457	B	4	H	2	1.5	1.5	23.7	25.2	multiple holes, poor recovery, some overlap	
355	U1457	B	4	H	CC	0.25	0.25	30.94	31.19	multiple holes, poor recovery, some overlap	
355	U1457	B	5	H	1	1.5	1.5	31.7	33.2	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	B	5	H	2	1.5	1.5	33.2	34.7	multiple holes, poor recovery, some overlap	hole on liner
355	U1457	B	5	H	CC	0.2	0.2	40.23	40.43	multiple holes, poor recovery, some overlap	
355	U1457	B	6	H	1	1.5	1.5	41.2	42.7	multiple holes, poor recovery, some overlap	
355	U1457	B	6	H	6	1	1	48.7	49.7	multiple holes, poor recovery, some overlap	
355	U1457	B	6	H	7	0.62	0.62	49.7	50.32	multiple holes, poor recovery, some overlap	
355	U1457	B	6	H	CC	0.2	0.2	50.32	50.52	multiple holes, poor recovery, some overlap	
355	U1457	B	7	H	1	1.5	1.5	50.7	52.2	multiple holes, poor recovery, some overlap	
355	U1457	B	7	H	6	0.92	0.92	58.2	59.12	multiple holes, poor recovery, some overlap	
355	U1457	B	7	H	CC	0.28	0.28	59.12	59.4	multiple holes, poor recovery, some overlap	
355	U1457	B	8	H	6	0.56	0.56	67.6	68.16	multiple holes, poor recovery, some overlap	
355	U1457	B	8	H	CC	0.4	0.4	68.16	68.56	multiple holes, poor recovery, some overlap	
355	U1457	B	9	H	6	1.3	1.3	77.2	78.5	multiple holes, poor recovery, some overlap	
355	U1457	B	9	H	7	0.59	0.59	78.5	79.09	multiple holes, poor recovery, some overlap	
355	U1457	B	9	H	CC	0.35	0.35	79.09	79.44	multiple holes, poor recovery, some overlap	
355	U1457	B	10	H	6	1.15	1.15	84.47	85.62	multiple holes, poor recovery, some overlap	
355	U1457	B	10	H	7	1.4	1.4	85.62	87.02	multiple holes, poor recovery, some overlap	
355	U1457	B	10	H	CC	0.73	0.73	87.02	87.75	multiple holes, poor recovery, some overlap	
355	U1457	B	12	H	1	0.88	0.88	91.7	92.58	multiple holes, poor recovery, some overlap	
355	U1457	B	12	H	2	1.16	1.16	92.58	93.74	multiple holes, poor recovery, some overlap	
355	U1457	B	12	H	3	1.09	1.09	93.74	94.83	multiple holes, poor recovery, some overlap	
355	U1457	B	12	H	4	1.11	1.11	94.83	95.94	multiple holes, poor recovery, some overlap	
355	U1457	B	12	H	5	1.27	1.27	95.94	97.21	multiple holes, poor recovery, some overlap	DISTURBED, EXTRUDED FROM CORE BARREL INTO CORE LINER.
355	U1457	B	12	H	6	1.02	1.02	97.21	98.23	multiple holes, poor recovery, some overlap	DISTURBED, EXTRUDED FROM CORE BARREL INTO CORE LINER.
355	U1457	B	12	H	CC	0.92	0.92	98.23	99.15	multiple holes, poor recovery, some overlap	
355	U1457	B	13	H	3	1.51	1.51	104.2	105.71	multiple holes, poor recovery, some overlap	
355	U1457	B	13	H	4	0.99	0.99	105.71	106.7	multiple holes, poor recovery, some overlap	
355	U1457	B	13	H	5	1.5	1.5	106.7	108.2	multiple holes, poor recovery, some overlap	DISTURBED EXTRUDED FROM CORE BARREL INTO CORE LINER
355	U1457	B	13	H	CC	0.41	0.41	108.2	108.61	multiple holes, poor recovery, some overlap	
355	U1457	B	14	F	1	1.5	1.5	110.7	112.2	multiple holes, poor recovery, some overlap	
355	U1457	B	14	F	2	1.5	1.52	112.2	113.72	multiple holes, poor recovery, some overlap	
355	U1457	B	14	F	3	1.45	1.45	113.72	115.17	multiple holes, poor recovery, some overlap	
355	U1457	B	14	F	CC	0.24	0.24	115.17	115.41	multiple holes, poor recovery, some overlap	
355	U1457	B	15	F	CC	0.2	0.2	119.85	120.05	multiple holes, poor recovery, some overlap	
355	U1457	B	17	F	1	1.42	1.42	124.8	126.22	multiple holes, poor recovery, some overlap	
355	U1457	B	17	F	2	1.41	1.41	126.22	127.63	multiple holes, poor recovery, some overlap	
355	U1457	B	17	F	3	1	1	127.63	128.63	multiple holes, poor recovery, some overlap	
355	U1457	B	17	F	4	0.78	0.78	128.63	129.41	multiple holes, poor recovery, some overlap	
355	U1457	B	17	F	CC	0.25	0.25	129.41	129.66	multiple holes, poor recovery, some overlap	
355	U1457	B	19	F	1	1.5	1.5	134.2	135.7	multiple holes, poor recovery, some overlap	
355	U1457	B	19	F	2	1.5	1.5	135.7	137.2	multiple holes, poor recovery, some overlap	
355	U1457	B	19	F	3	0.82	0.82	137.2	138.02	multiple holes, poor recovery, some overlap	
355	U1457	B	19	F	4	0.82	0.82	138.02	138.84	multiple holes, poor recovery, some overlap	
355	U1457	B	19	F	CC	0.23	0.23	138.84	139.07	multiple holes, poor recovery, some overlap	
355	U1457	B	21	F	1	0.71	0.71	143.6	144.31	multiple holes, poor recovery, some overlap	
355	U1457	B	21	F	2	1.41	1.41	144.31	145.72	multiple holes, poor recovery, some overlap	
355	U1457	B	21	F	3	1	1	145.72	146.72	multiple holes, poor recovery, some overlap	
355	U1457	B	21	F	4	0.99	0.99	146.72	147.71	multiple holes, poor recovery, some overlap	
355	U1457	B	21	F	5	0.29	0.29	147.71	148	multiple holes, poor recovery, some overlap	
355	U1457	B	21	F	CC	0.44	0.44	148	148.44	multiple holes, poor recovery, some overlap	
355	U1457	B	23	F	1	1.41	1.41	153	154.41	multiple holes, poor recovery, some overlap	
355	U1457	B	23	F	2	1.5	1.5	154.41	155.91	multiple holes, poor recovery, some overlap	
355	U1457	B	23	F	3	0.82	0.82	155.91	156.73	multiple holes, poor recovery, some overlap	
355	U1457	B	23	F	4	0.78	0.78	156.73	157.51	multiple holes, poor recovery, some overlap	
355	U1457	B	23	F	CC	0.22	0.22	157.51	157.73	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	B	25	F	1	1.41	1.41	162.4	163.81	multiple holes, poor recovery, some overlap	
355	U1457	B	25	F	2	1.42	1.42	163.81	165.23	multiple holes, poor recovery, some overlap	
355	U1457	B	25	F	3	1.01	1.01	165.23	166.24	multiple holes, poor recovery, some overlap	
355	U1457	B	25	F	4	0.87	0.87	166.24	167.11	multiple holes, poor recovery, some overlap	
355	U1457	B	25	F	CC	0.27	0.27	167.11	167.38	multiple holes, poor recovery, some overlap	
355	U1457	B	27	F	1	1.42	1.42	171.8	173.22	multiple holes, poor recovery, some overlap	
355	U1457	B	27	F	2	1.2	1.2	173.22	174.42	multiple holes, poor recovery, some overlap	
355	U1457	B	27	F	3	0.59	0.59	174.42	175.01	multiple holes, poor recovery, some overlap	bottom hit rig floor
355	U1457	B	27	F	4	0.55	0.55	175.01	175.56	multiple holes, poor recovery, some overlap	broke off from liner
355	U1457	B	29	F	1	1.44	1.44	181.2	182.64	multiple holes, poor recovery, some overlap	
355	U1457	B	29	F	2	1.44	1.44	182.64	184.08	multiple holes, poor recovery, some overlap	
355	U1457	B	29	F	3	1.22	1.22	184.08	185.3	multiple holes, poor recovery, some overlap	
355	U1457	B	29	F	4	0.67	0.67	185.3	185.97	multiple holes, poor recovery, some overlap	
355	U1457	B	29	F	CC	0.33	0.33	185.97	186.3	multiple holes, poor recovery, some overlap	
355	U1457	B	31	F	1	1.44	1.44	190.6	192.04	multiple holes, poor recovery, some overlap	
355	U1457	B	31	F	2	1.44	1.44	192.04	193.48	multiple holes, poor recovery, some overlap	
355	U1457	B	31	F	3	0.94	0.94	193.48	194.42	multiple holes, poor recovery, some overlap	
355	U1457	B	31	F	4	0.65	0.65	194.42	195.07	multiple holes, poor recovery, some overlap	
355	U1457	B	31	F	CC	0.23	0.23	195.07	195.3	multiple holes, poor recovery, some overlap	
355	U1457	B	33	F	1	1.43	1.43	200	201.43	multiple holes, poor recovery, some overlap	
355	U1457	B	33	F	2	1.53	1.53	201.43	202.96	multiple holes, poor recovery, some overlap	
355	U1457	B	33	F	3	1.15	1.15	202.96	204.11	multiple holes, poor recovery, some overlap	
355	U1457	B	33	F	4	0.83	0.83	204.11	204.94	multiple holes, poor recovery, some overlap	
355	U1457	B	33	F	CC	0.26	0.26	204.94	205.2	multiple holes, poor recovery, some overlap	
355	U1457	C	2	R	1	0.35	0.35	191.6	191.95	multiple holes, poor recovery, some overlap	
355	U1457	C	3	R	1	0.73	0.73	201.3	202.03	multiple holes, poor recovery, some overlap	
355	U1457	C	5	R	CC	0.2	0.2	220.7	220.9	multiple holes, poor recovery, some overlap	
355	U1457	C	6	R	1	1	1	230.4	231.4	multiple holes, poor recovery, some overlap	
355	U1457	C	7	R	1	0.82	0.82	240.1	240.92	multiple holes, poor recovery, some overlap	
355	U1457	C	8	R	1	1.5	1.5	249.8	251.3	multiple holes, poor recovery, some overlap	
355	U1457	C	8	R	2	0.59	0.59	251.3	251.89	multiple holes, poor recovery, some overlap	
355	U1457	C	9	R	1	1.5	1.5	259.5	261	multiple holes, poor recovery, some overlap	
355	U1457	C	9	R	2	1.21	1.21	261	262.21	multiple holes, poor recovery, some overlap	
355	U1457	C	9	R	3	0.76	0.76	262.21	262.97	multiple holes, poor recovery, some overlap	
355	U1457	C	9	R	CC	0.18	0.18	262.97	263.15	multiple holes, poor recovery, some overlap	
355	U1457	C	10	R	1	1.21	1.21	269.2	270.41	multiple holes, poor recovery, some overlap	
355	U1457	C	10	R	2	0.76	0.76	270.41	271.17	multiple holes, poor recovery, some overlap	
355	U1457	C	11	R	1	1.5	1.5	278.9	280.4	multiple holes, poor recovery, some overlap	
355	U1457	C	11	R	2	0.63	0.63	280.4	281.03	multiple holes, poor recovery, some overlap	
355	U1457	C	12	R	1	0.28	0.28	288.6	288.88	multiple holes, poor recovery, some overlap	
355	U1457	C	13	R	1	0.36	0.36	298.3	298.66	multiple holes, poor recovery, some overlap	
355	U1457	C	14	R	1	1.05	1.05	308	309.05	multiple holes, poor recovery, some overlap	
355	U1457	C	15	R	1	0.37	0.37	317.7	318.07	multiple holes, poor recovery, some overlap	
355	U1457	C	17	R	1	0.3	0.3	337.1	337.4	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	1	1.5	1.5	346.8	348.3	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	2	1.5	1.5	348.3	349.8	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	3	1.5	1.5	349.8	351.3	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	4	1.5	1.5	351.3	352.8	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	5	1.5	1.5	352.8	354.3	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	6	1.5	1.5	354.3	355.8	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	7	0.66	0.66	355.8	356.46	multiple holes, poor recovery, some overlap	
355	U1457	C	18	R	CC	0.19	0.19	356.46	356.65	multiple holes, poor recovery, some overlap	
355	U1457	C	19	R	1	1.5	1.5	356.5	358	multiple holes, poor recovery, some overlap	
355	U1457	C	19	R	2	1.5	1.5	358	359.5	multiple holes, poor recovery, some overlap	
355	U1457	C	19	R	3	1.5	1.5	359.5	361	multiple holes, poor recovery, some overlap	
355	U1457	C	19	R	4	1.5	1.5	361	362.5	multiple holes, poor recovery, some overlap	
355	U1457	C	19	R	5	1.05	1.05	362.5	363.55	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	C	20	R	1	1.47	1.47	366.2	367.67	multiple holes, poor recovery, some overlap	
355	U1457	C	20	R	2	0.87	0.87	367.67	368.54	multiple holes, poor recovery, some overlap	
355	U1457	C	20	R	CC	0.12	0.12	368.54	368.66	multiple holes, poor recovery, some overlap	
355	U1457	C	21	R	1	0.18	0.18	375.9	376.08	multiple holes, poor recovery, some overlap	
355	U1457	C	22	R	1	1.5	1.5	385.6	387.1	multiple holes, poor recovery, some overlap	
355	U1457	C	22	R	2	1.5	1.5	387.1	388.6	multiple holes, poor recovery, some overlap	
355	U1457	C	22	R	3	1.5	1.5	388.6	390.1	multiple holes, poor recovery, some overlap	
355	U1457	C	22	R	4	0.85	0.85	390.1	390.95	multiple holes, poor recovery, some overlap	
355	U1457	C	22	R	CC	0.2	0.2	390.95	391.15	multiple holes, poor recovery, some overlap	
355	U1457	C	23	R	1	1.38	1.38	395.3	396.68	multiple holes, poor recovery, some overlap	
355	U1457	C	23	R	2	1.48	1.48	396.68	398.16	multiple holes, poor recovery, some overlap	
355	U1457	C	23	R	3	1.39	1.39	398.16	399.55	multiple holes, poor recovery, some overlap	
355	U1457	C	23	R	4	1.5	1.5	399.55	401.05	multiple holes, poor recovery, some overlap	
355	U1457	C	23	R	5	1.28	1.28	401.05	402.33	multiple holes, poor recovery, some overlap	
355	U1457	C	23	R	6	1.5	1.5	402.33	403.83	multiple holes, poor recovery, some overlap	
355	U1457	C	24	R	1	1.38	1.38	405	406.38	multiple holes, poor recovery, some overlap	
355	U1457	C	24	R	2	1.4	1.4	406.38	407.78	multiple holes, poor recovery, some overlap	
355	U1457	C	24	R	3	1.16	1.16	407.78	408.94	multiple holes, poor recovery, some overlap	
355	U1457	C	24	R	4	1.46	1.46	408.94	410.4	multiple holes, poor recovery, some overlap	
355	U1457	C	24	R	5	1.45	1.45	410.4	411.85	multiple holes, poor recovery, some overlap	
355	U1457	C	24	R	6	0.96	0.96	411.85	412.81	multiple holes, poor recovery, some overlap	
355	U1457	C	24	R	7	0.61	0.61	412.81	413.42	multiple holes, poor recovery, some overlap	
355	U1457	C	25	R	1	1.42	1.42	414.7	416.12	multiple holes, poor recovery, some overlap	
355	U1457	C	25	R	2	1.5	1.5	416.12	417.62	multiple holes, poor recovery, some overlap	
355	U1457	C	25	R	3	1.5	1.5	417.62	419.12	multiple holes, poor recovery, some overlap	
355	U1457	C	25	R	4	1.51	1.51	419.12	420.63	multiple holes, poor recovery, some overlap	
355	U1457	C	25	R	5	1.31	1.31	420.63	421.94	multiple holes, poor recovery, some overlap	
355	U1457	C	25	R	CC	0.25	0.25	421.94	422.19	multiple holes, poor recovery, some overlap	
355	U1457	C	26	R	1	1.5	1.5	424.4	425.9	multiple holes, poor recovery, some overlap	
355	U1457	C	26	R	2	0.84	0.84	425.9	426.74	multiple holes, poor recovery, some overlap	
355	U1457	C	26	R	CC	0.11	0.11	426.74	426.85	multiple holes, poor recovery, some overlap	
355	U1457	C	27	R	1	1.02	1.02	434.1	435.12	multiple holes, poor recovery, some overlap	
355	U1457	C	29	R	1	1.31	1.31	453.5	454.81	multiple holes, poor recovery, some overlap	
355	U1457	C	30	R	1	0.87	0.87	463.2	464.07	multiple holes, poor recovery, some overlap	
355	U1457	C	31	R	1	1.5	1.5	472.9	474.4	multiple holes, poor recovery, some overlap	
355	U1457	C	31	R	2	1.2	1.2	474.4	475.6	multiple holes, poor recovery, some overlap	
355	U1457	C	31	R	CC	0.25	0.25	475.6	475.85	multiple holes, poor recovery, some overlap	
355	U1457	C	32	R	1	0.71	0.71	482.6	483.31	multiple holes, poor recovery, some overlap	
355	U1457	C	32	R	2	0.99	0.99	483.31	484.3	multiple holes, poor recovery, some overlap	
355	U1457	C	32	R	CC	0.18	0.18	484.3	484.48	multiple holes, poor recovery, some overlap	
355	U1457	C	33	R	1	1.5	1.5	492.3	493.8	multiple holes, poor recovery, some overlap	
355	U1457	C	33	R	2	1.5	1.5	493.8	495.3	multiple holes, poor recovery, some overlap	
355	U1457	C	33	R	3	0.81	0.81	495.3	496.11	multiple holes, poor recovery, some overlap	
355	U1457	C	33	R	CC	0.22	0.22	496.11	496.33	multiple holes, poor recovery, some overlap	
355	U1457	C	34	R	1	1.5	1.5	502	503.5	multiple holes, poor recovery, some overlap	
355	U1457	C	34	R	2	1.5	1.5	503.5	505	multiple holes, poor recovery, some overlap	
355	U1457	C	34	R	3	1.5	1.5	505	506.5	multiple holes, poor recovery, some overlap	
355	U1457	C	34	R	4	1.32	1.32	506.5	507.82	multiple holes, poor recovery, some overlap	
355	U1457	C	34	R	CC	0.17	0.17	507.82	507.99	multiple holes, poor recovery, some overlap	
355	U1457	C	35	R	1	1.5	1.5	511.7	513.2	multiple holes, poor recovery, some overlap	
355	U1457	C	35	R	2	1.5	1.5	513.2	514.7	multiple holes, poor recovery, some overlap	
355	U1457	C	35	R	3	1.5	1.5	514.7	516.2	multiple holes, poor recovery, some overlap	
355	U1457	C	35	R	4	1.5	1.5	516.2	517.7	multiple holes, poor recovery, some overlap	
355	U1457	C	35	R	5	1.5	1.5	517.7	519.2	multiple holes, poor recovery, some overlap	
355	U1457	C	35	R	6	1.5	1.5	519.2	520.7	multiple holes, poor recovery, some overlap	
355	U1457	C	35	R	7	0.79	0.79	520.7	521.49	multiple holes, poor recovery, some overlap	
355	U1457	C	36	R	1	1.5	1.5	521.4	522.9	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	C	36	R	2	0.85	0.85	522.9	523.75	multiple holes, poor recovery, some overlap	
355	U1457	C	37	R	1	1.5	1.5	531.1	532.6	multiple holes, poor recovery, some overlap	
355	U1457	C	37	R	2	1.01	1.01	532.6	533.61	multiple holes, poor recovery, some overlap	
355	U1457	C	37	R	3	0.69	0.69	533.61	534.3	multiple holes, poor recovery, some overlap	
355	U1457	C	37	R	CC	0.25	0.25	534.3	534.55	multiple holes, poor recovery, some overlap	
355	U1457	C	38	R	1	1.5	1.5	540.8	542.3	multiple holes, poor recovery, some overlap	
355	U1457	C	38	R	2	1.5	1.5	542.3	543.8	multiple holes, poor recovery, some overlap	
355	U1457	C	38	R	3	0.71	0.71	543.8	544.51	multiple holes, poor recovery, some overlap	
355	U1457	C	38	R	CC	0.2	0.2	544.51	544.71	multiple holes, poor recovery, some overlap	
355	U1457	C	39	R	1	1.5	1.5	550.5	552	multiple holes, poor recovery, some overlap	
355	U1457	C	39	R	2	1.5	1.5	552	553.5	multiple holes, poor recovery, some overlap	
355	U1457	C	39	R	3	1.29	1.29	553.5	554.79	multiple holes, poor recovery, some overlap	
355	U1457	C	39	R	CC	0.29	0.29	554.79	555.08	multiple holes, poor recovery, some overlap	
355	U1457	C	40	R	1	1.31	1.31	560.2	561.51	multiple holes, poor recovery, some overlap	
355	U1457	C	40	R	2	1.2	1.2	561.51	562.71	multiple holes, poor recovery, some overlap	
355	U1457	C	40	R	3	0.86	0.86	562.71	563.57	multiple holes, poor recovery, some overlap	
355	U1457	C	40	R	CC	0.21	0.21	563.57	563.78	multiple holes, poor recovery, some overlap	
355	U1457	C	41	R	1	1.4	1.4	569.9	571.3	multiple holes, poor recovery, some overlap	
355	U1457	C	41	R	2	1.02	1.02	571.3	572.32	multiple holes, poor recovery, some overlap	
355	U1457	C	41	R	3	0.77	0.77	572.32	573.09	multiple holes, poor recovery, some overlap	
355	U1457	C	41	R	CC	0.22	0.22	573.09	573.31	multiple holes, poor recovery, some overlap	
355	U1457	C	42	R	1	1.42	1.42	579.6	581.02	multiple holes, poor recovery, some overlap	
355	U1457	C	42	R	CC	0.21	0.21	581.02	581.23	multiple holes, poor recovery, some overlap	
355	U1457	C	43	R	1	1.41	1.41	589.3	590.71	multiple holes, poor recovery, some overlap	
355	U1457	C	43	R	2	1	1	590.71	591.71	multiple holes, poor recovery, some overlap	
355	U1457	C	43	R	3	0.7	0.7	591.71	592.41	multiple holes, poor recovery, some overlap	
355	U1457	C	43	R	CC	0.22	0.22	592.41	592.63	multiple holes, poor recovery, some overlap	
355	U1457	C	44	R	1	1.22	1.22	599	600.22	multiple holes, poor recovery, some overlap	
355	U1457	C	44	R	2	1.5	1.5	600.22	601.72	multiple holes, poor recovery, some overlap	
355	U1457	C	44	R	3	1.43	1.43	601.72	603.15	multiple holes, poor recovery, some overlap	
355	U1457	C	44	R	4	1.42	1.42	603.15	604.57	multiple holes, poor recovery, some overlap	
355	U1457	C	44	R	5	1.08	1.08	604.57	605.65	multiple holes, poor recovery, some overlap	
355	U1457	C	45	R	1	1.41	1.41	608.7	610.11	multiple holes, poor recovery, some overlap	
355	U1457	C	45	R	2	1.5	1.5	610.11	611.61	multiple holes, poor recovery, some overlap	
355	U1457	C	45	R	3	1.5	1.5	611.61	613.11	multiple holes, poor recovery, some overlap	
355	U1457	C	45	R	4	1.29	1.29	613.11	614.4	multiple holes, poor recovery, some overlap	
355	U1457	C	45	R	5	0.85	0.85	614.4	615.25	multiple holes, poor recovery, some overlap	
355	U1457	C	45	R	6	0.96	0.96	615.25	616.21	multiple holes, poor recovery, some overlap	
355	U1457	C	46	R	1	1.39	1.39	618.4	619.79	multiple holes, poor recovery, some overlap	
355	U1457	C	46	R	2	1.5	1.5	619.79	621.29	multiple holes, poor recovery, some overlap	
355	U1457	C	46	R	3	1.5	1.5	621.29	622.79	multiple holes, poor recovery, some overlap	
355	U1457	C	46	R	4	0.9	0.9	622.79	623.69	multiple holes, poor recovery, some overlap	
355	U1457	C	46	R	5	0.84	0.84	623.69	624.53	multiple holes, poor recovery, some overlap	
355	U1457	C	47	R	1	1.5	1.5	628.1	629.6	multiple holes, poor recovery, some overlap	
355	U1457	C	47	R	2	1.5	1.5	629.6	631.1	multiple holes, poor recovery, some overlap	
355	U1457	C	47	R	3	1.5	1.5	631.1	632.6	multiple holes, poor recovery, some overlap	
355	U1457	C	47	R	4	1.5	1.5	632.6	634.1	multiple holes, poor recovery, some overlap	
355	U1457	C	47	R	5	1.5	1.5	634.1	635.6	multiple holes, poor recovery, some overlap	
355	U1457	C	47	R	6	1.5	1.5	635.6	637.1	multiple holes, poor recovery, some overlap	
355	U1457	C	47	R	7	0.73	0.73	637.1	637.83	multiple holes, poor recovery, some overlap	
355	U1457	C	48	R	1	0.99	0.99	637.83	638.79	multiple holes, poor recovery, some overlap	
355	U1457	C	48	R	CC	0.24	0.24	638.79	639.07	multiple holes, poor recovery, some overlap	
355	U1457	C	48	R	2	0.82	0.82	639.07	639.61	multiple holes, poor recovery, some overlap	
355	U1457	C	49	R	1	1.5	1.5	647.5	649	multiple holes, poor recovery, some overlap	
355	U1457	C	49	R	2	1.5	1.5	649	650.5	multiple holes, poor recovery, some overlap	
355	U1457	C	49	R	3	1.5	1.5	650.5	652	multiple holes, poor recovery, some overlap	
355	U1457	C	49	R	4	1.5	1.5	652	653.5	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	C	49	R	5	1.11	1.11	653.5	654.61	multiple holes, poor recovery, some overlap	
355	U1457	C	49	R	6	0.86	0.86	654.61	655.47	multiple holes, poor recovery, some overlap	
355	U1457	C	49	R	CC	0.43	0.43	655.47	655.9	multiple holes, poor recovery, some overlap	
355	U1457	C	50	R	1	1.45	1.45	657.2	658.65	multiple holes, poor recovery, some overlap	
355	U1457	C	50	R	2	1.51	1.51	658.65	660.16	multiple holes, poor recovery, some overlap	
355	U1457	C	50	R	3	1.5	1.5	660.16	661.66	multiple holes, poor recovery, some overlap	
355	U1457	C	50	R	4	1.52	1.52	661.66	663.18	multiple holes, poor recovery, some overlap	
355	U1457	C	50	R	5	1.2	1.2	663.18	664.38	multiple holes, poor recovery, some overlap	
355	U1457	C	51	R	1	1.5	1.5	666.9	668.4	multiple holes, poor recovery, some overlap	
355	U1457	C	51	R	2	1.5	1.5	668.4	669.9	multiple holes, poor recovery, some overlap	
355	U1457	C	51	R	3	1.5	1.5	669.9	671.4	multiple holes, poor recovery, some overlap	
355	U1457	C	51	R	4	1.48	1.48	671.4	672.88	multiple holes, poor recovery, some overlap	
355	U1457	C	51	R	5	0.59	0.59	672.88	673.47	multiple holes, poor recovery, some overlap	
355	U1457	C	51	R	CC	0.25	0.25	673.47	673.72	multiple holes, poor recovery, some overlap	
355	U1457	C	52	R	1	1.41	1.41	676.6	678.01	multiple holes, poor recovery, some overlap	
355	U1457	C	52	R	2	1.49	1.49	678.01	679.5	multiple holes, poor recovery, some overlap	
355	U1457	C	52	R	CC	0.22	0.22	679.5	679.72	multiple holes, poor recovery, some overlap	
355	U1457	C	53	R	1	1.4	1.4	686.3	687.7	multiple holes, poor recovery, some overlap	
355	U1457	C	53	R	2	1.46	1.46	687.7	689.16	multiple holes, poor recovery, some overlap	
355	U1457	C	53	R	3	1.36	1.36	689.16	690.52	multiple holes, poor recovery, some overlap	
355	U1457	C	53	R	CC	0.22	0.22	690.52	690.74	multiple holes, poor recovery, some overlap	
355	U1457	C	54	R	1	1.04	1.04	696	697.04	multiple holes, poor recovery, some overlap	
355	U1457	C	54	R	2	1.37	1.37	697.04	698.41	multiple holes, poor recovery, some overlap	
355	U1457	C	55	R	1	1.24	1.24	705.7	706.94	multiple holes, poor recovery, some overlap	
355	U1457	C	55	R	CC	0.19	0.19	706.94	707.13	multiple holes, poor recovery, some overlap	
355	U1457	C	56	R	1	1.2	1.2	715.4	716.6	multiple holes, poor recovery, some overlap	
355	U1457	C	57	R	1	1.5	1.5	725.1	726.6	multiple holes, poor recovery, some overlap	
355	U1457	C	57	R	2	1	1	726.6	727.6	multiple holes, poor recovery, some overlap	
355	U1457	C	57	R	3	0.55	0.55	727.6	728.15	multiple holes, poor recovery, some overlap	
355	U1457	C	57	R	CC	0.17	0.17	728.15	728.32	multiple holes, poor recovery, some overlap	
355	U1457	C	58	R	1	1.19	1.19	734.8	735.99	multiple holes, poor recovery, some overlap	
355	U1457	C	58	R	2	1.39	1.39	735.99	737.38	multiple holes, poor recovery, some overlap	
355	U1457	C	58	R	3	1.06	1.06	737.38	738.44	multiple holes, poor recovery, some overlap	
355	U1457	C	58	R	4	0.69	0.69	738.44	739.13	multiple holes, poor recovery, some overlap	
355	U1457	C	59	R	1	1.41	1.41	744.5	745.91	multiple holes, poor recovery, some overlap	
355	U1457	C	60	R	1	1.5	1.5	754.2	755.7	multiple holes, poor recovery, some overlap	
355	U1457	C	60	R	2	1.5	1.5	755.7	757.2	multiple holes, poor recovery, some overlap	
355	U1457	C	60	R	3	1.2	1.2	757.2	758.4	multiple holes, poor recovery, some overlap	
355	U1457	C	60	R	4	0.76	0.76	758.4	759.16	multiple holes, poor recovery, some overlap	
355	U1457	C	60	R	CC	0.18	0.18	759.16	759.34	multiple holes, poor recovery, some overlap	
355	U1457	C	61	R	1	1.47	1.47	763.9	765.37	multiple holes, poor recovery, some overlap	
355	U1457	C	61	R	2	0.85	0.85	765.37	766.22	multiple holes, poor recovery, some overlap	
355	U1457	C	61	R	3	0.66	0.66	766.22	766.88	multiple holes, poor recovery, some overlap	
355	U1457	C	61	R	CC	0.2	0.2	766.88	767.08	multiple holes, poor recovery, some overlap	
355	U1457	C	62	R	1	1.09	1.09	773.6	774.69	multiple holes, poor recovery, some overlap	
355	U1457	C	62	R	2	0.86	0.86	774.69	775.55	multiple holes, poor recovery, some overlap	
355	U1457	C	62	R	CC	0.2	0.2	775.55	775.75	multiple holes, poor recovery, some overlap	
355	U1457	C	63	R	1	1.4	1.4	783.3	784.7	multiple holes, poor recovery, some overlap	
355	U1457	C	63	R	2	1.03	1.03	784.7	785.73	multiple holes, poor recovery, some overlap	
355	U1457	C	63	R	3	0.95	0.95	785.73	786.68	multiple holes, poor recovery, some overlap	
355	U1457	C	63	R	CC	0.29	0.29	786.68	786.97	multiple holes, poor recovery, some overlap	
355	U1457	C	64	R	1	1.5	1.5	793	794.5	multiple holes, poor recovery, some overlap	
355	U1457	C	64	R	2	1	1	794.5	795.5	multiple holes, poor recovery, some overlap	
355	U1457	C	64	R	3	0.97	0.97	795.5	796.47	multiple holes, poor recovery, some overlap	
355	U1457	C	65	R	1	1.42	1.42	802.7	804.12	multiple holes, poor recovery, some overlap	
355	U1457	C	65	R	2	1.46	1.46	804.12	805.58	multiple holes, poor recovery, some overlap	
355	U1457	C	65	R	3	1.26	1.26	805.58	806.84	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	C	65	R	4	1.37	1.37	806.84	808.21	multiple holes, poor recovery, some overlap	
355	U1457	C	65	R	5	1.08	1.08	808.21	809.29	multiple holes, poor recovery, some overlap	
355	U1457	C	65	R	6	0.52	0.52	809.29	809.81	multiple holes, poor recovery, some overlap	
355	U1457	C	65	R	CC	0.4	0.4	809.81	810.21	multiple holes, poor recovery, some overlap	
355	U1457	C	66	R	1	1.21	1.21	812.4	813.61	multiple holes, poor recovery, some overlap	
355	U1457	C	66	R	2	1.36	1.36	813.61	814.97	multiple holes, poor recovery, some overlap	
355	U1457	C	66	R	3	0.85	0.85	814.97	815.82	multiple holes, poor recovery, some overlap	
355	U1457	C	66	R	CC	0.17	0.17	815.82	815.99	multiple holes, poor recovery, some overlap	
355	U1457	C	67	R	1	1.37	1.37	822.1	823.47	multiple holes, poor recovery, some overlap	
355	U1457	C	67	R	2	1.28	1.28	823.47	824.75	multiple holes, poor recovery, some overlap	
355	U1457	C	67	R	3	1.35	1.35	824.75	826.1	multiple holes, poor recovery, some overlap	
355	U1457	C	67	R	4	1.12	1.12	826.1	827.22	multiple holes, poor recovery, some overlap	
355	U1457	C	67	R	5	0.48	0.48	827.22	827.7	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	1	1.5	1.5	831.8	833.3	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	2	1.07	1.07	833.3	834.37	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	3	0.97	0.97	834.37	835.34	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	4	1.37	1.37	835.34	836.71	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	5	1.19	1.19	836.71	837.9	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	6	1.01	1.01	837.9	838.91	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	7	1.47	1.47	838.91	840.38	multiple holes, poor recovery, some overlap	
355	U1457	C	68	R	CC	0.14	0.14	840.38	840.52	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	1	1.32	1.32	841.5	842.82	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	2	1.41	1.41	842.82	844.23	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	3	1.26	1.26	844.23	845.49	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	4	1.12	1.12	845.49	846.61	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	5	1.48	1.48	846.61	848.09	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	6	1.17	1.17	848.09	849.26	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	7	1.27	1.27	849.26	850.53	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	8	0.57	0.57	850.53	851.1	multiple holes, poor recovery, some overlap	
355	U1457	C	69	R	CC	0.3	0.3	851.1	851.4	multiple holes, poor recovery, some overlap	
355	U1457	C	70	R	1	1.5	1.5	851.2	852.7	multiple holes, poor recovery, some overlap	
355	U1457	C	70	R	2	1.5	1.5	852.7	854.2	multiple holes, poor recovery, some overlap	
355	U1457	C	70	R	3	1.49	1.49	854.2	855.69	multiple holes, poor recovery, some overlap	
355	U1457	C	70	R	4	1.52	1.52	855.69	857.21	multiple holes, poor recovery, some overlap	
355	U1457	C	70	R	5	1.47	1.47	857.21	858.68	multiple holes, poor recovery, some overlap	
355	U1457	C	70	R	6	0.63	0.63	858.68	859.31	multiple holes, poor recovery, some overlap	
355	U1457	C	70	R	CC	0.23	0.23	859.31	859.54	multiple holes, poor recovery, some overlap	
355	U1457	C	71	R	1	1.5	1.5	860.9	862.4	multiple holes, poor recovery, some overlap	
355	U1457	C	71	R	2	1.5	1.5	862.4	863.9	multiple holes, poor recovery, some overlap	
355	U1457	C	71	R	3	1.5	1.5	863.9	865.4	multiple holes, poor recovery, some overlap	
355	U1457	C	71	R	4	1.5	1.5	865.4	866.9	multiple holes, poor recovery, some overlap	
355	U1457	C	71	R	5	1.5	1.5	866.9	868.4	multiple holes, poor recovery, some overlap	
355	U1457	C	71	R	6	1.37	1.37	868.4	869.77	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	1	1.5	1.5	870.6	872.1	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	2	1.5	1.5	872.1	873.6	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	3	1.5	1.5	873.6	875.1	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	4	1.5	1.5	875.1	876.6	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	5	1.5	1.5	876.6	878.1	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	6	0.87	0.87	878.1	878.97	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	7	0.67	0.67	878.97	879.64	multiple holes, poor recovery, some overlap	
355	U1457	C	72	R	CC	0.28	0.28	879.64	879.92	multiple holes, poor recovery, some overlap	
355	U1457	C	73	R	1	1.5	1.5	880.3	881.8	multiple holes, poor recovery, some overlap	
355	U1457	C	73	R	2	1.5	1.5	881.8	883.3	multiple holes, poor recovery, some overlap	
355	U1457	C	73	R	3	1.5	1.52	883.3	884.82	multiple holes, poor recovery, some overlap	
355	U1457	C	73	R	4	1.5	1.5	884.82	886.32	multiple holes, poor recovery, some overlap	
355	U1457	C	73	R	5	1.5	1.5	886.32	887.82	multiple holes, poor recovery, some overlap	
355	U1457	C	73	R	6	1.33	1.33	887.82	889.15	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	C	74	R	1	1.5	1.5	890	891.5	multiple holes, poor recovery, some overlap	
355	U1457	C	74	R	2	1.5	1.5	891.5	893	multiple holes, poor recovery, some overlap	
355	U1457	C	74	R	3	1.5	1.5	893	894.5	multiple holes, poor recovery, some overlap	
355	U1457	C	74	R	4	1.5	1.5	894.5	896	multiple holes, poor recovery, some overlap	
355	U1457	C	74	R	5	1.5	1.5	896	897.5	multiple holes, poor recovery, some overlap	
355	U1457	C	74	R	6	1.26	1.26	897.5	898.76	multiple holes, poor recovery, some overlap	
355	U1457	C	75	R	1	1.52	1.52	899.7	901.22	multiple holes, poor recovery, some overlap	
355	U1457	C	75	R	2	1.5	1.5	901.22	902.72	multiple holes, poor recovery, some overlap	
355	U1457	C	75	R	3	1.5	1.5	902.72	904.22	multiple holes, poor recovery, some overlap	
355	U1457	C	75	R	4	1.5	1.5	904.22	905.72	multiple holes, poor recovery, some overlap	
355	U1457	C	75	R	5	1.11	1.11	905.72	906.83	multiple holes, poor recovery, some overlap	
355	U1457	C	75	R	6	0.76	0.76	906.83	907.59	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	1	1.39	1.39	909.4	910.79	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	2	1.34	1.34	910.79	912.13	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	3	1.3	1.3	912.13	913.43	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	4	1.2	1.2	913.43	914.63	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	5	1.34	1.34	914.63	915.97	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	6	1.46	1.46	915.97	917.43	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	7	1.16	1.16	917.43	918.59	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	8	0.59	0.59	918.59	919.18	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	1	1.08	1.08	919.1	920.18	multiple holes, poor recovery, some overlap	
355	U1457	C	76	R	CC	0.18	0.18	919.18	919.36	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	2	1.5	1.5	920.18	921.68	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	3	1.5	1.5	921.68	923.18	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	4	1.5	1.5	923.18	924.68	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	5	1.5	1.5	924.68	926.18	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	6	1.5	1.5	926.18	927.68	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	7	0.79	0.79	927.68	928.47	multiple holes, poor recovery, some overlap	
355	U1457	C	77	R	CC	0.19	0.19	928.47	928.66	multiple holes, poor recovery, some overlap	
355	U1457	C	78	R	1	1.23	1.23	928.8	930.03	multiple holes, poor recovery, some overlap	
355	U1457	C	78	R	2	1.52	1.52	930.03	931.55	multiple holes, poor recovery, some overlap	
355	U1457	C	78	R	3	1.48	1.48	931.55	933.03	multiple holes, poor recovery, some overlap	
355	U1457	C	78	R	4	1.2	1.2	933.03	934.23	multiple holes, poor recovery, some overlap	
355	U1457	C	78	R	5	1.45	1.45	934.23	935.68	multiple holes, poor recovery, some overlap	
355	U1457	C	78	R	6	0.82	0.82	935.68	936.5	multiple holes, poor recovery, some overlap	
355	U1457	C	79	R	1	1.45	1.45	938.5	939.95	multiple holes, poor recovery, some overlap	
355	U1457	C	79	R	2	1.5	1.5	939.95	941.45	multiple holes, poor recovery, some overlap	
355	U1457	C	79	R	3	1.5	1.5	941.45	942.95	multiple holes, poor recovery, some overlap	
355	U1457	C	79	R	4	1.5	1.5	942.95	944.45	multiple holes, poor recovery, some overlap	
355	U1457	C	79	R	5	1.5	1.5	944.45	945.95	multiple holes, poor recovery, some overlap	
355	U1457	C	79	R	6	0.75	0.75	945.95	946.7	multiple holes, poor recovery, some overlap	
355	U1457	C	79	R	CC	0.14	0.14	946.7	946.84	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	1	1.5	1.5	948.2	949.7	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	2	1.5	1.5	949.7	951.2	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	3	1.5	1.5	951.2	952.7	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	4	1.5	1.5	952.7	954.2	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	5	1.5	1.5	954.2	955.7	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	6	1	1	955.7	956.7	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	7	0.73	0.73	956.7	957.43	multiple holes, poor recovery, some overlap	
355	U1457	C	80	R	CC	0.22	0.22	957.43	957.65	multiple holes, poor recovery, some overlap	
355	U1457	C	81	R	1	1.5	1.5	957.9	959.4	multiple holes, poor recovery, some overlap	
355	U1457	C	81	R	2	1.5	1.5	959.4	960.9	multiple holes, poor recovery, some overlap	
355	U1457	C	81	R	3	1.5	1.5	960.9	962.4	multiple holes, poor recovery, some overlap	
355	U1457	C	81	R	4	1.5	1.5	962.4	963.9	multiple holes, poor recovery, some overlap	
355	U1457	C	81	R	5	1.5	1.5	963.9	965.4	multiple holes, poor recovery, some overlap	
355	U1457	C	81	R	6	1.5	1.5	965.4	966.9	multiple holes, poor recovery, some overlap	
355	U1457	C	81	R	7	0.62	0.62	966.9	967.52	multiple holes, poor recovery, some overlap	



## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	C	82	R	1	1.5	1.5	967.6	969.1	multiple holes, poor recovery, some overlap	
355	U1457	C	82	R	2	1.5	1.5	969.1	970.6	multiple holes, poor recovery, some overlap	
355	U1457	C	82	R	3	1.5	1.5	970.6	972.1	multiple holes, poor recovery, some overlap	
355	U1457	C	82	R	4	1.01	1.01	972.1	973.11	multiple holes, poor recovery, some overlap	
355	U1457	C	82	R	5	0.94	0.94	973.11	974.05	multiple holes, poor recovery, some overlap	
355	U1457	C	82	R	CC	0.19	0.19	974.05	974.24	multiple holes, poor recovery, some overlap	
355	U1457	C	83	R	1	1.49	1.49	977.3	978.79	multiple holes, poor recovery, some overlap	
355	U1457	C	83	R	2	1.5	1.5	978.79	980.29	multiple holes, poor recovery, some overlap	
355	U1457	C	83	R	3	1.5	1.5	980.29	981.79	multiple holes, poor recovery, some overlap	
355	U1457	C	83	R	4	1.5	1.5	981.79	983.29	multiple holes, poor recovery, some overlap	
355	U1457	C	83	R	5	1.5	1.55	983.29	984.84	multiple holes, poor recovery, some overlap	
355	U1457	C	83	R	6	1.5	1.53	984.84	986.37	multiple holes, poor recovery, some overlap	
355	U1457	C	83	R	7	0.78	0.78	986.37	987.15	multiple holes, poor recovery, some overlap	
355	U1457	C	84	R	1	1.5	1.5	987	988.5	multiple holes, poor recovery, some overlap	
355	U1457	C	84	R	2	1.5	1.5	988.5	990	multiple holes, poor recovery, some overlap	
355	U1457	C	84	R	3	1.5	1.5	990	991.5	multiple holes, poor recovery, some overlap	
355	U1457	C	84	R	4	1.5	1.5	991.5	993	multiple holes, poor recovery, some overlap	
355	U1457	C	84	R	5	1.5	1.5	993	994.5	multiple holes, poor recovery, some overlap	
355	U1457	C	84	R	6	1.33	1.33	994.5	995.83	multiple holes, poor recovery, some overlap	
355	U1457	C	84	R	CC	0.15	0.15	995.83	995.98	multiple holes, poor recovery, some overlap	
355	U1457	C	85	R	1	1.46	1.46	996.7	998.16	multiple holes, poor recovery, some overlap	
355	U1457	C	85	R	2	1.12	1.12	998.16	999.28	multiple holes, poor recovery, some overlap	
355	U1457	C	85	R	3	0.68	0.68	999.28	999.96	multiple holes, poor recovery, some overlap	
355	U1457	C	86	R	1	1.5	1.5	1006.1	1007.6	multiple holes, poor recovery, some overlap	
355	U1457	C	86	R	2	1.4	1.4	1007.6	1009	multiple holes, poor recovery, some overlap	
355	U1457	C	86	R	CC	0.26	0.26	1009	1009.26	multiple holes, poor recovery, some overlap	
355	U1457	C	87	R	1	0.26	0.26	1011.1	1011.36	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	1	1.45	1.45	1016.1	1017.55	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	2	1.47	1.47	1017.55	1019.02	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	3	1.5	1.5	1019.02	1020.52	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	4	1.48	1.48	1020.52	1022	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	5	1.46	1.46	1022	1023.46	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	6	1.21	1.21	1023.46	1024.67	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	7	1.18	1.18	1024.67	1025.85	multiple holes, poor recovery, some overlap	
355	U1457	C	89	R	1	1.32	1.32	1025.4	1026.72	multiple holes, poor recovery, some overlap	
355	U1457	C	88	R	CC	0.11	0.11	1025.85	1025.96	multiple holes, poor recovery, some overlap	
355	U1457	C	89	R	2	1.47	1.47	1026.72	1028.19	multiple holes, poor recovery, some overlap	
355	U1457	C	89	R	3	1.3	1.3	1028.19	1029.49	multiple holes, poor recovery, some overlap	
355	U1457	C	89	R	4	1.36	1.36	1029.49	1030.85	multiple holes, poor recovery, some overlap	
355	U1457	C	89	R	5	1.41	1.41	1030.85	1032.26	multiple holes, poor recovery, some overlap	
355	U1457	C	89	R	CC	0.42	0.42	1032.26	1032.68	multiple holes, poor recovery, some overlap	
355	U1457	C	90	R	1	1.44	1.44	1034.3	1035.74	multiple holes, poor recovery, some overlap	
355	U1457	C	90	R	2	1.49	1.49	1035.74	1037.23	multiple holes, poor recovery, some overlap	
355	U1457	C	91	R	1	0.79	0.79	1043.5	1044.29	multiple holes, poor recovery, some overlap	
355	U1457	C	91	R	2	0.96	0.96	1044.29	1045.25	multiple holes, poor recovery, some overlap	
355	U1457	C	91	R	CC	0.21	0.21	1045.25	1045.46	multiple holes, poor recovery, some overlap	
355	U1457	C	92	R	1	1.45	1.45	1052.7	1054.15	multiple holes, poor recovery, some overlap	
355	U1457	C	92	R	CC	0.19	0.19	1054.15	1054.34	multiple holes, poor recovery, some overlap	
355	U1457	C	93	R	1	1.5	1.5	1062.2	1063.7	multiple holes, poor recovery, some overlap	
355	U1457	C	93	R	2	1.45	1.45	1063.7	1065.15	multiple holes, poor recovery, some overlap	
355	U1457	C	93	R	3	1.14	1.14	1065.15	1066.29	multiple holes, poor recovery, some overlap	
355	U1457	C	93	R	4	0.78	0.78	1066.29	1067.07	multiple holes, poor recovery, some overlap	
355	U1457	C	93	R	CC	0.3	0.3	1067.07	1067.37	multiple holes, poor recovery, some overlap	
355	U1457	C	94	R	1	1.3	1.3	1071.5	1072.8	multiple holes, poor recovery, some overlap	
355	U1457	C	94	R	2	0.71	0.71	1072.8	1073.51	multiple holes, poor recovery, some overlap	
355	U1457	C	94	R	CC	0.23	0.23	1073.51	1073.74	multiple holes, poor recovery, some overlap	
355	U1457	C	95	R	1	1.31	1.31	1080.8	1082.11	multiple holes, poor recovery, some overlap	

## U1457 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
355	U1457	C	95	R	2	1.48	1.48	1082.11	1083.59	multiple holes, poor recovery, some overlap	
355	U1457	C	95	R	3	1.16	1.16	1083.59	1084.75	multiple holes, poor recovery, some overlap	
355	U1457	C	95	R	CC	0.21	0.21	1084.75	1084.96	multiple holes, poor recovery, some overlap	
355	U1457	C	96	R	1	1.42	1.42	1090.1	1091.52	multiple holes, poor recovery, some overlap	
355	U1457	C	96	R	2	1.26	0.81	1091.52	1092.33	multiple holes, poor recovery, some overlap	
355	U1457	C	96	R	3	0.28	1.08	1092.78	1093.86	multiple holes, poor recovery, some overlap	
355	U1457	C	97	R	1	1.02	1.34	1099.4	1100.74	multiple holes, poor recovery, some overlap	
355	U1457	C	97	R	2	1.44	1.35	1100.74	1102.09	multiple holes, poor recovery, some overlap	
355	U1457	C	97	R	3	1	1.16	1102.09	1103.25	multiple holes, poor recovery, some overlap	
355	U1457	C	97	R	4	0.38	0.62	1103.25	1103.87	multiple holes, poor recovery, some overlap	
355	U1457	C	98	R	1	1.5	1.42	1104	1105.42	multiple holes, poor recovery, some overlap	
355	U1457	C	98	R	2	1.5	1.08	1105.42	1106.5	multiple holes, poor recovery, some overlap	
355	U1457	C	98	R	3	1.5	1.31	1106.5	1107.81	multiple holes, poor recovery, some overlap	
355	U1457	C	98	R	4	0.1	1.1	1107.81	1108.91	multiple holes, poor recovery, some overlap	